

Craig Morgan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3059054/publications.pdf>

Version: 2024-02-01

325
papers

21,029
citations

10389

72
h-index

12272

133
g-index

427
all docs

427
docs citations

427
times ranked

15922
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. <i>Psychological Medicine</i> , 2015, 45, 11-27. | 4.5 | 1,918 |
| 2 | Psychological treatments in schizophrenia: I. Meta-analysis of family intervention and cognitive behaviour therapy. <i>Psychological Medicine</i> , 2002, 32, 763-82. | 4.5 | 748 |
| 3 | The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436. | 7.4 | 528 |
| 4 | High-potency cannabis and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2009, 195, 488-491. | 2.8 | 465 |
| 5 | Environment and Schizophrenia: Environmental Factors in Schizophrenia: Childhood Trauma--A Critical Review. <i>Schizophrenia Bulletin</i> , 2006, 33, 3-10. | 4.3 | 456 |
| 6 | Heterogeneity in Incidence Rates of Schizophrenia and Other Psychotic Syndromes. <i>Archives of General Psychiatry</i> , 2006, 63, 250. | 12.3 | 440 |
| 7 | Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006, 36, 1541-1550. | 4.5 | 433 |
| 8 | Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> , 2015, 2, 233-238. | 7.4 | 429 |
| 9 | What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , 2018, 17, 49-66. | 10.4 | 387 |
| 10 | Incidence of Schizophrenia and Other Psychoses in England, 1950-2009: A Systematic Review and Meta-Analyses. <i>PLoS ONE</i> , 2012, 7, e31660. | 2.5 | 385 |
| 11 | Daily Use, Especially of High-Potency Cannabis, Drives the Earlier Onset of Psychosis in Cannabis Users. <i>Schizophrenia Bulletin</i> , 2014, 40, 1509-1517. | 4.3 | 364 |
| 12 | Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. <i>Schizophrenia Bulletin</i> , 2011, 37, 546-553. | 4.3 | 361 |
| 13 | Psychological treatments in schizophrenia: II. Meta-analyses of randomized controlled trials of social skills training and cognitive remediation. <i>Psychological Medicine</i> , 2002, 32, 783-91. | 4.5 | 271 |
| 14 | Migration, Ethnicity, and Psychosis: Toward a Sociodevelopmental Model. <i>Schizophrenia Bulletin</i> , 2010, 36, 655-664. | 4.3 | 262 |
| 15 | Life Events and Psychosis: A Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 740-747. | 4.3 | 255 |
| 16 | Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: The role of stress and of antipsychotic treatment. <i>Schizophrenia Research</i> , 2010, 116, 234-242. | 2.0 | 253 |
| 17 | Psychosis and Place. <i>Epidemiologic Reviews</i> , 2008, 30, 84-100. | 3.5 | 248 |
| 18 | Social exclusion and mental health. <i>British Journal of Psychiatry</i> , 2007, 191, 477-483. | 2.8 | 247 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Stress and Inflammation Reduce Brain-Derived Neurotrophic Factor Expression in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1677-1684. | 2.2 | 245 |
| 20 | Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36. | 11.0 | 235 |
| 21 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736. | 4.3 | 229 |
| 22 | Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722. | 4.3 | 225 |
| 23 | Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1162-1170. | 4.3 | 223 |
| 24 | Confirmation that the AKT1 (rs2494732) Genotype Influences the Risk of Psychosis in Cannabis Users. <i>Biological Psychiatry</i> , 2012, 72, 811-816. | 1.3 | 212 |
| 25 | Social networks, support and early psychosis: a systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 131-146. | 3.9 | 203 |
| 26 | Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007, 37, 495. | 4.5 | 201 |
| 27 | Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. <i>Psychological Medicine</i> , 2017, 47, 1981-1989. | 4.5 | 200 |
| 28 | Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014, 44, 2713-2726. | 4.5 | 192 |
| 29 | Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007, 37, 1413-1425. | 4.5 | 189 |
| 30 | Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 319-325. | 2.8 | 180 |
| 31 | Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1701-1715. | 4.5 | 176 |
| 32 | Specific and Generalized Neuropsychological Deficits: A Comparison of Patients With Various First-Episode Psychosis Presentations. <i>American Journal of Psychiatry</i> , 2010, 167, 78-85. | 7.2 | 175 |
| 33 | Barriers and facilitators of disclosures of domestic violence by mental health service users: qualitative study. <i>British Journal of Psychiatry</i> , 2011, 198, 189-194. | 2.8 | 173 |
| 34 | Clinical and social determinants of duration of untreated psychosis in the Å†SOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006, 189, 446-452. | 2.8 | 168 |
| 35 | Childhood adversities and psychosis: evidence, challenges, implications. <i>World Psychiatry</i> , 2016, 15, 93-102. | 10.4 | 167 |
| 36 | The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010, 40, 1967-1978. | 4.5 | 163 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Barriers to participation in mental health research: are there specific gender, ethnicity and age related barriers?. BMC Psychiatry, 2010, 10, 103. | 2.6 | 157 |
| 38 | Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. British Journal of Psychiatry, 2005, 186, 281-289. | 2.8 | 152 |
| 39 | Negative pathways to psychiatric care and ethnicity: the bridge between social science and psychiatry. Social Science and Medicine, 2004, 58, 739-752. | 3.8 | 148 |
| 40 | Increased Pituitary Volume in Antipsychotic-Free and Antipsychotic-Treated Patients of the Å†sop First-Onset Psychosis Study. Neuropsychopharmacology, 2005, 30, 1923-1931. | 5.4 | 148 |
| 41 | Childhood bullying and the association with psychosis in non-clinical and clinical samples: a review and meta-analysis. Psychological Medicine, 2012, 42, 2463-2474. | 4.5 | 146 |
| 42 | Social networks and support in first-episode psychosis: exploring the role of loneliness and anxiety. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 359-366. | 3.1 | 135 |
| 43 | Pathways to care and ethnicity. 2: Source of referral and help-seeking. British Journal of Psychiatry, 2005, 186, 290-296. | 2.8 | 133 |
| 44 | Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó”SOP First-Episode Cohort. Schizophrenia Bulletin, 2015, 41, 664-673. | 4.3 | 128 |
| 45 | Testing the association between the incidence of schizophrenia and social capital in an urban area. Psychological Medicine, 2008, 38, 1083-1094. | 4.5 | 125 |
| 46 | Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. American Journal of Psychiatry, 2019, 176, 811-819. | 7.2 | 123 |
| 47 | Meta-analysis of associations between childhood adversity and hippocampus and amygdala volume in non-clinical and general population samples. NeuroImage: Clinical, 2017, 14, 471-479. | 2.7 | 122 |
| 48 | Clinical, socioâ€demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a â€œneed for careâ€• World Psychiatry, 2016, 15, 41-52. | 10.4 | 119 |
| 49 | Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. Psychological Medicine, 2012, 42, 1037-1047. | 4.5 | 116 |
| 50 | Social Disadvantage: Cause or Consequence of Impending Psychosis?. Schizophrenia Bulletin, 2013, 39, 1288-1295. | 4.3 | 114 |
| 51 | Ethnicity, social disadvantage and psychoticâ€like experiences in a healthy population based sample. Acta Psychiatrica Scandinavica, 2009, 119, 226-235. | 4.5 | 110 |
| 52 | Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. Schizophrenia Research, 2011, 129, 12-19. | 2.0 | 103 |
| 53 | Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. Psychological Medicine, 2011, 41, 463-476. | 4.5 | 102 |
| 54 | Childhood maltreatment is associated with increased body mass index and increased C-reactive protein levels in first-episode psychosis patients. Psychological Medicine, 2012, 42, 1893-1901. | 4.5 | 97 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. Schizophrenia Research, 2012, 137, 73-79. | 2.0 | 96 |
| 56 | Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. BMC Public Health, 2011, 11, 861. | 2.9 | 92 |
| 57 | The Structural Brain Correlates of Neurological Soft Signs in Healthy Individuals. Cerebral Cortex, 2006, 16, 1225-1231. | 2.9 | 90 |
| 58 | Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. Psychological Medicine, 2009, 39, 1943-1955. | 4.5 | 90 |
| 59 | Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. British Journal of Psychiatry, 2014, 204, 346-353. | 2.8 | 90 |
| 60 | Ten-Year Outcomes of First-Episode Psychoses in the MRC A+SOP-10 Study. Journal of Nervous and Mental Disease, 2015, 203, 379-386. | 1.0 | 90 |
| 61 | Gray matter abnormalities associated with duration of untreated psychosis. Schizophrenia Research, 2006, 83, 145-153. | 2.0 | 89 |
| 62 | Neighbourhood variation in the incidence of psychotic disorders in Southeast London. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 438-445. | 3.1 | 89 |
| 63 | Self-harm in first-episode psychosis. British Journal of Psychiatry, 2008, 192, 178-184. | 2.8 | 88 |
| 64 | Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). British Journal of Psychiatry, 2012, 201, 282-290. | 2.8 | 88 |
| 65 | Insight, grey matter and cognitive function in first-onset psychosis. British Journal of Psychiatry, 2010, 197, 141-148. | 2.8 | 87 |
| 66 | First episode psychosis and ethnicity: initial findings from the AESOP study. World Psychiatry, 2006, 5, 40-6. | 10.4 | 87 |
| 67 | Environmental Factors in Schizophrenia: The Role of Migrant Studies. Schizophrenia Bulletin, 2005, 32, 405-408. | 4.3 | 86 |
| 68 | Unemployment, social isolation, achievementâ€“expectation mismatch and psychosis: findings from the A+SOP Study. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 743-751. | 3.1 | 84 |
| 69 | Ethnicity and excess mortality in severe mental illness: a cohort study. Lancet Psychiatry, the, 2017, 4, 389-399. | 7.4 | 82 |
| 70 | Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. Psychological Medicine, 2007, 37, 547-557. | 4.5 | 80 |
| 71 | Cannabis use, gender and age of onset of schizophrenia: Data from the A+SOP study. Psychiatry Research, 2014, 215, 528-532. | 3.3 | 80 |
| 72 | Anticipated and experienced discrimination amongst people with schizophrenia, bipolar disorder and major depressive disorder: a cross sectional study. BMC Psychiatry, 2014, 14, 157. | 2.6 | 80 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016, 46, 2799-2813. | 4.5 | 78 |
| 74 | A meta-analysis of ethnic differences in pathways to care at the first episode of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 257-268. | 4.5 | 77 |
| 75 | Migration, ethnicity and psychoses: evidence, models and future directions. <i>World Psychiatry</i> , 2019, 18, 247-258. | 10.4 | 77 |
| 76 | Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 185-190. | 2.8 | 75 |
| 77 | Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , 2015, 45, 2757-2769. | 4.5 | 74 |
| 78 | Interaction Between Functional Genetic Variation of DRD2 and Cannabis Use on Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1171-1182. | 4.3 | 73 |
| 79 | The social determinants of psychosis in migrant and ethnic minority populations: a public health tragedy. <i>Psychological Medicine</i> , 2010, 40, 705-709. | 4.5 | 71 |
| 80 | Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The A-SOP-10 study. <i>British Journal of Psychiatry</i> , 2017, 211, 88-94. | 2.8 | 71 |
| 81 | Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391. | 4.5 | 69 |
| 82 | Duration of untreated psychosis and ethnicity in the A-SOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006, 36, 239-247. | 4.5 | 64 |
| 83 | Threat to Valued Elements of Life: The Experience of Dementia Across Three Ethnic Groups. <i>Gerontologist</i> , 2011, 51, 39-50. | 3.9 | 63 |
| 84 | Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315. | 4.3 | 63 |
| 85 | Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014, 44, 407-419. | 4.5 | 62 |
| 86 | Association Between Symptom Dimensions and Categorical Diagnoses of Psychosis: A Cross-sectional and Longitudinal Investigation. <i>Schizophrenia Bulletin</i> , 2014, 40, 111-119. | 4.3 | 60 |
| 87 | The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344. | 4.3 | 60 |
| 88 | Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 103-110. | 2.0 | 58 |
| 89 | A systematic review on mediators between adversity and psychosis: potential targets for treatment. <i>Psychological Medicine</i> , 2020, 50, 1966-1976. | 4.5 | 58 |
| 90 | Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548. | 4.5 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 197-202. | 2.8 | 57 |
| 92 | Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 351-358. | 4.5 | 56 |
| 93 | Impact of childhood adversities on specific symptom dimensions in first-episode psychosis. <i>Psychological Medicine</i> , 2016, 46, 317-326. | 4.5 | 55 |
| 94 | Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950-2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1039-1055. | 3.1 | 54 |
| 95 | Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. <i>BMC Psychiatry</i> , 2017, 17, 308. | 2.6 | 53 |
| 96 | Subjective memory impairment in older adults: aetiology, salience and help seeking. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 612-620. | 2.7 | 50 |
| 97 | Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 15-23. | 1.7 | 49 |
| 98 | Further evidence of a cumulative effect of social disadvantage on risk of psychosis. <i>Psychological Medicine</i> , 2017, 47, 913-924. | 4.5 | 49 |
| 99 | Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s111-s116. | 2.8 | 46 |
| 100 | “We lost all we had in a second” coping with grief and loss after a natural disaster. <i>World Psychiatry</i> , 2013, 12, 69-75. | 10.4 | 46 |
| 101 | Caregiving in first-episode psychosis: social characteristics associated with perceived “burden” and associations with compulsory treatment. <i>Microbial Biotechnology</i> , 2014, 8, 122-129. | 1.7 | 46 |
| 102 | The Response of Mental Health Services to Domestic Violence. <i>Journal of the American Psychiatric Nurses Association</i> , 2012, 18, 326-336. | 1.0 | 43 |
| 103 | Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253. | 4.2 | 43 |
| 104 | Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. <i>Lancet Psychiatry</i> , 2017, 4, 927-936. | 7.4 | 42 |
| 105 | The Maudsley environmental risk score for psychosis. <i>Psychological Medicine</i> , 2020, 50, 2213-2220. | 4.5 | 42 |
| 106 | Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1443-1451. | 4.3 | 41 |
| 107 | Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1489-1500. | 3.1 | 41 |
| 108 | The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657. | 3.1 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Engineering in Medicine To Address the Challenge of Cancer Drug Resistance: From Micro- and Nanotechnologies to Computational and Mathematical Modeling. <i>Chemical Reviews</i> , 2021, 121, 3352-3389. | 47.7 | 41 |
| 110 | Association Between Specific Childhood Adversities and Symptom Dimensions in People With Psychosis: Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021, 47, 975-985. | 4.3 | 41 |
| 111 | The Prevalence, Diagnostic Significance and Demographic Characteristics of Schneiderian First-Rank Symptoms in an Epidemiological Sample of First-Episode Psychoses. <i>Psychopathology</i> , 2009, 42, 81-91. | 1.5 | 40 |
| 112 | Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010, 9, 4-14. | 1.1 | 40 |
| 113 | Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. <i>Psychological Medicine</i> , 2014, 44, 1279-1291. | 4.5 | 40 |
| 114 | Brain derived neurotrophic factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 56-61. | 2.0 | 40 |
| 115 | Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. <i>JAMA Psychiatry</i> , 2016, 73, 129. | 11.0 | 40 |
| 116 | Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017, 34, 916-924. | 2.3 | 40 |
| 117 | Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , 2008, 38, 71-77. | 4.5 | 38 |
| 118 | Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 195, 336-345. | 2.8 | 38 |
| 119 | Ethnic identity, perceptions of disadvantage, and psychosis. <i>Schizophrenia Research</i> , 2010, 124, 43-48. | 2.0 | 38 |
| 120 | Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 464-475. | 4.3 | 38 |
| 121 | Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337. | 4.5 | 38 |
| 122 | Barriers to participation in mental health research: Findings from the Genetics and Psychosis (GAP) Study. <i>International Review of Psychiatry</i> , 2011, 23, 31-40. | 2.8 | 37 |
| 123 | First-episode psychosis at the West Bologna Community Mental Health Centre: results of an 8-year prospective study. <i>Psychological Medicine</i> , 2012, 42, 2255-2264. | 4.5 | 35 |
| 124 | Searching for psychosis: INTREPID (1): systems for detecting untreated and first-episode cases of psychosis in diverse settings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 879-893. | 3.1 | 34 |
| 125 | Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633. | 4.5 | 34 |
| 126 | Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. <i>PLoS ONE</i> , 2012, 7, e48012. | 2.5 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Help-seeking Response to Subjective Memory Complaints in Older Adults: Toward a Conceptual Model. <i>Gerontologist</i> , The, 2013, 53, 462-473. | 3.9 | 33 |
| 128 | Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39. | 2.0 | 33 |
| 129 | The development and validation of the Questionnaire on Anticipated Discrimination (QUAD). <i>BMC Psychiatry</i> , 2013, 13, 297. | 2.6 | 32 |
| 130 | Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. <i>Journal of Affective Disorders</i> , 2017, 210, 174-180. | 4.1 | 32 |
| 131 | Evidence of semantic disorganisation using semantic priming in individuals with high schizotypy. <i>Schizophrenia Research</i> , 2006, 84, 272-280. | 2.0 | 31 |
| 132 | Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s123-s127. | 2.8 | 30 |
| 133 | Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020, 217, 575-582. | 2.8 | 30 |
| 134 | Race, ethnicity, and the duration of untreated psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1161-1174. | 3.1 | 28 |
| 135 | Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , 2019, 204, 80-89. | 2.0 | 28 |
| 136 | Differences in cannabis-related experiences between patients with a first episode of psychosis and controls. <i>Psychological Medicine</i> , 2016, 46, 995-1003. | 4.5 | 27 |
| 137 | Interaction between cannabis consumption and childhood abuse in psychotic disorders: preliminary findings on the role of different patterns of cannabis use. <i>Microbial Biotechnology</i> , 2018, 12, 135-142. | 1.7 | 27 |
| 138 | A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020, 123, 145-150. | 3.1 | 27 |
| 139 | Social experience and psychosis. Insights from studies of migrant and ethnic minority groups. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 118-123. | 0.9 | 26 |
| 140 | Analysis of Host Immunological Response of Adenovirus-Based COVID-19 Vaccines. <i>Vaccines</i> , 2021, 9, 861. | 4.4 | 26 |
| 141 | Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010, 16, 219-225. | 3.3 | 25 |
| 142 | Outcomes following first-episode psychosis – Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1055-1063. | 2.3 | 25 |
| 143 | Minority status and mental distress: a comparison of group density effects. <i>Psychological Medicine</i> , 2016, 46, 3051-3059. | 4.5 | 25 |
| 144 | Urbanicity and risk of first-episode psychosis: incidence study in Brazil. <i>British Journal of Psychiatry</i> , 2019, 215, 726-729. | 2.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100228. | 5.6 | 25 |
| 146 | Pre-morbid Conduct Disorder symptoms are associated with cannabis use among individuals with a first episode of psychosis. <i>Schizophrenia Research</i> , 2011, 126, 81-86. | 2.0 | 24 |
| 147 | Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012, 140, 221-231. | 2.0 | 24 |
| 148 | The influence of risk factors on the onset and outcome of psychosis: What we learned from the GAP study. <i>Schizophrenia Research</i> , 2020, 225, 63-68. | 2.0 | 24 |
| 149 | Concepts of madness in diverse settings: a qualitative study from the INTREPID project. <i>BMC Psychiatry</i> , 2016, 16, 388. | 2.6 | 23 |
| 150 | Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. <i>Schizophrenia Research</i> , 2016, 176, 417-422. | 2.0 | 23 |
| 151 | The incidence of psychoses in diverse settings, INTREPID (2): a feasibility study in India, Nigeria, and Trinidad. <i>Psychological Medicine</i> , 2016, 46, 1923-1933. | 4.5 | 23 |
| 152 | Multidisciplinary research priorities for the COVID-19 pandemic. <i>Lancet Psychiatry</i> , the, 2020, 7, e33. | 7.4 | 23 |
| 153 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543. | 7.9 | 23 |
| 154 | Different rates of first admissions for psychosis in migrant groups in Paris. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 49, 1103-9. | 3.1 | 22 |
| 155 | Failure to find association between childhood abuse and cognition in first-episode psychosis patients. <i>European Psychiatry</i> , 2014, 29, 32-35. | 0.2 | 22 |
| 156 | Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. <i>Schizophrenia Research</i> , 2016, 173, 90-93. | 2.0 | 22 |
| 157 | Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 871-882. | 4.3 | 22 |
| 158 | Neuropsychological function at first episode in treatment-resistant psychosis: findings from the ÅT SOP-10 study. <i>Psychological Medicine</i> , 2019, 49, 2100-2110. | 4.5 | 22 |
| 159 | Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984. | 4.5 | 22 |
| 160 | Course and outcome of psychosis in black Caribbean populations and other ethnic groups living in the UK: A systematic review. <i>International Journal of Social Psychiatry</i> , 2012, 58, 400-408. | 3.1 | 21 |
| 161 | Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: A report from the UK ÅT SOP study. <i>International Journal of Social Psychiatry</i> , 2012, 58, 98-105. | 3.1 | 21 |
| 162 | Familial risk and childhood adversity interplay in the onset of psychosis. <i>BJPsych Open</i> , 2015, 1, 6-13. | 0.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019, 6, 506-517. | 7.4 | 21 |
| 164 | Covid-19, social restrictions, and mental distress among young people: a UK longitudinal, population-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1392-1404. | 5.2 | 21 |
| 165 | Phenomenology, science and the anthropology of the self: a new model for the aetiology of psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 361-362. | 2.8 | 20 |
| 166 | Minor physical anomalies across ethnic groups in a first episode psychosis sample. <i>Schizophrenia Research</i> , 2007, 89, 86-90. | 2.0 | 20 |
| 167 | The Culture and Identity Schedule a Measure of Cultural Affiliation: Acculturation, Marginalization and Schizophrenia. <i>International Journal of Social Psychiatry</i> , 2010, 56, 540-556. | 3.1 | 20 |
| 168 | The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014, 44, 2419-2430. | 4.5 | 20 |
| 169 | Childhood abuse and psychotic experiences – evidence for mediation by adulthood adverse life events. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 300-309. | 3.9 | 20 |
| 170 | Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 118-127. | 4.3 | 20 |
| 171 | Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 36-45. | 2.1 | 19 |
| 172 | Gender Differences in Neuropsychological Performance across Psychotic Disorders – a Multi-Centre Population Based Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e77318. | 2.5 | 19 |
| 173 | Reviving the “double jeopardy” hypothesis: Physical health inequalities, ethnicity and severe mental illness. <i>British Journal of Psychiatry</i> , 2016, 209, 183-185. | 2.8 | 19 |
| 174 | Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 233-245. | 3.1 | 19 |
| 175 | Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017, 4, 257-260. | 7.4 | 19 |
| 176 | Leveraging Computational Modeling to Understand Infectious Diseases. <i>Current Pathobiology Reports</i> , 2020, 8, 149-161. | 3.4 | 19 |
| 177 | Exploring the apparent absence of psychosis amongst the Borana pastoralist community of Southern Ethiopia. A mixed method follow-up study. <i>World Psychiatry</i> , 2010, 9, 98-102. | 10.4 | 18 |
| 178 | Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , 2015, 227, 213-218. | 3.3 | 18 |
| 179 | How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , 2021, 51, 2581-2589. | 4.5 | 18 |
| 180 | Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. <i>Psychological Medicine</i> , 2021, 51, 300-309. | 4.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2014, 5, 84. | 2.6 | 17 |
| 182 | Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. <i>Schizophrenia Research</i> , 2019, 205, 38-44. | 2.0 | 17 |
| 183 | High-potency cannabis and incident psychosis: correcting the causal assumption " Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 466-467. | 7.4 | 17 |
| 184 | The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385. | 4.5 | 17 |
| 185 | Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , 2021, 51, 147-157. | 4.5 | 17 |
| 186 | Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e40. | 3.9 | 17 |
| 187 | The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684. | 4.3 | 17 |
| 188 | Outcomes elsewhere: course of psychosis in "other cultures"™. , 2008, , 198-216. | | 16 |
| 189 | Quality of Care in Psychosis and Bipolar Disorder From the Service User Perspective. <i>Qualitative Health Research</i> , 2013, 23, 1672-1685. | 2.1 | 16 |
| 190 | The impact of substance use at psychosis onset on First Episode Psychosis course: Results from a 1 year follow-up study in Bologna. <i>Schizophrenia Research</i> , 2014, 153, 60-63. | 2.0 | 16 |
| 191 | Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 627-638. | 3.1 | 16 |
| 192 | Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 871-881. | 3.1 | 16 |
| 193 | Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020, 50, 1452-1462. | 4.5 | 16 |
| 194 | Integrated models in psychiatry: the state of the art. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1-2. | 3.1 | 15 |
| 195 | Migration, ethnicity and psychosis. , 2008, , 143-160. | | 14 |
| 196 | Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009, 11, 323-329. | 1.9 | 14 |
| 197 | Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529. | 4.3 | 14 |
| 198 | Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021, 51, 2599-2609. | 4.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Childhood adversity and psychosis. , 2008, , 95-111. | | 13 |
| 200 | Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. Psychological Medicine, 2010, 40, 1137-1147. | 4.5 | 13 |
| 201 | Threatening Life Events and Difficulties and Psychotic Disorder. Schizophrenia Bulletin, 2020, 46, 814-822. | 4.3 | 13 |
| 202 | Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. Schizophrenia Research, 2018, 199, 341-345. | 2.0 | 12 |
| 203 | INTREPID II: protocol for a multistudy programme of research on untreated psychosis in India, Nigeria and Trinidad. BMJ Open, 2020, 10, e039004. | 1.9 | 12 |
| 204 | Procaspase-Activating Compound-1 Synergizes with TRAIL to Induce Apoptosis in Established Granulosa Cell Tumor Cell Line (KGN) and Explanted Patient Granulosa Cell Tumor Cells In Vitro. International Journal of Molecular Sciences, 2021, 22, 4699. | 4.1 | 12 |
| 205 | The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. Translational Psychiatry, 2021, 11, 423. | 4.8 | 12 |
| 206 | Dynamic and Static Cognitive Deficits in Schizophrenia and Bipolar Disorder After the First Episode. Schizophrenia Bulletin, 2022, 48, 590-598. | 4.3 | 12 |
| 207 | A randomized controlled trial of renin-angiotensin-aldosterone system inhibitor management in patients admitted in hospital with COVID-19. American Heart Journal, 2022, 247, 76-89. | 2.7 | 12 |
| 208 | Cannabis and psychosis – Authors' reply. Lancet Psychiatry, the, 2015, 2, 382. | 7.4 | 11 |
| 209 | Exposure to conflict and disaster: A national survey on the prevalence of psychotic experiences in Sri Lanka. Schizophrenia Research, 2016, 171, 79-85. | 2.0 | 11 |
| 210 | The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. Psychiatry Research, 2019, 272, 618-627. | 3.3 | 11 |
| 211 | Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. Psychological Medicine, 2022, 52, 2641-2650. | 4.5 | 11 |
| 212 | Ethnicity and power in the mental health system: experiences of white British and black Caribbean people with psychosis. Epidemiology and Psychiatric Sciences, 2021, 30, e12. | 3.9 | 11 |
| 213 | Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries. PLoS Medicine, 2020, 17, e1003443. | 8.4 | 11 |
| 214 | Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081. | 2.4 | 10 |
| 215 | Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). Psychological Medicine, 2019, 49, 2600-2607. | 4.5 | 10 |
| 216 | Navigating the mental health system: Narratives of identity and recovery among people with psychosis across ethnic groups. Social Science and Medicine, 2021, 279, 113981. | 3.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9. | 4.5 | 10 |
| 218 | Assessment of Posttraumatic Symptoms in Patients With First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 896-898. | 1.0 | 9 |
| 219 | Authors' reply to "on the existence of a linguistic distance in schizophrenia". <i>Psychological Medicine</i> , 2022, 52, 798-799. | 4.5 | 9 |
| 220 | Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021, 30, 104-112. | 1.9 | 9 |
| 221 | Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589. | 4.3 | 9 |
| 222 | Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405. | 4.5 | 9 |
| 223 | Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114. | 4.3 | 9 |
| 224 | Society, place and space. , 2008, , 77-94. | | 8 |
| 225 | Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , 2012, 142, 159-164. | 2.0 | 8 |
| 226 | SEQUEnce: a service user-centred quality of care instrument for mental health services. <i>International Journal for Quality in Health Care</i> , 2015, 27, 284-290. | 1.8 | 8 |
| 227 | Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. <i>Microbial Biotechnology</i> , 2017, 11, 522-525. | 1.7 | 8 |
| 228 | Characterizing Chemotherapy-Induced Neutropenia and Monocytopenia Through Mathematical Modelling. <i>Bulletin of Mathematical Biology</i> , 2020, 82, 104. | 1.9 | 8 |
| 229 | Mental distress among young people in inner cities: the Resilience, Ethnicity and AdolesCent Mental Health (REACH) study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 515-522. | 3.7 | 8 |
| 230 | Parental education and youth suicidal behaviours: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e19. | 3.9 | 8 |
| 231 | Multiscale Model of Antiviral Timing, Potency, and Heterogeneity Effects on an Epithelial Tissue Patch Infected by SARS-CoV-2. <i>Viruses</i> , 2022, 14, 605. | 3.3 | 8 |
| 232 | Public attitudes, stigma and discrimination against people with mental illness. , 2008, , 179-197. | | 7 |
| 233 | Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237. | | 7 |
| 234 | Conceptualising the social world. , 2008, , 41-57. | | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | The differential effect of illicit drug use on cognitive function in first-episode psychosis and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 400-411. | 4.5 | 7 |
| 236 | People meeting ultra high risk for psychosis criteria in the community. <i>World Psychiatry</i> , 2017, 16, 322-323. | 10.4 | 7 |
| 237 | Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082. | 4.5 | 7 |
| 238 | Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676. | 4.5 | 7 |
| 239 | Prevalence of conduct problems and social risk factors in ethnically diverse inner-city schools. <i>BMC Public Health</i> , 2021, 21, 849. | 2.9 | 7 |
| 240 | Child abuse and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 238-238. | 4.5 | 6 |
| 241 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107. | 2.0 | 6 |
| 242 | Understanding Normal and Pathological Hematopoietic Stem Cell Biology Using Mathematical Modelling. <i>Current Stem Cell Reports</i> , 2021, 7, 109-120. | 1.6 | 6 |
| 243 | A comparison of neighbourhood level variation and risk factors for affective versus non-affective psychosis. <i>Schizophrenia Research</i> , 2023, 256, 126-132. | 2.0 | 6 |
| 244 | Sexually dimorphic changes in the amygdala in relation to delusional beliefs in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2008, 42, 913-919. | 3.1 | 5 |
| 245 | Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?. , 0, , 127-142. | | 5 |
| 246 | Climate change in psychiatry: periodic fluctuations or terminal trend?. , 2008, , 11-22. | | 5 |
| 247 | Passing the baton: a new chief editor for social psychiatry and psychiatric epidemiology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1-3. | 3.1 | 5 |
| 248 | Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , 2021, 51, 1944-1950. | 4.5 | 5 |
| 249 | Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334. | 4.3 | 5 |
| 250 | Management of Renin-Angiotensin-Aldosterone System blockade in patients admitted to hospital with confirmed coronavirus disease (COVID-19) infection (The McGill RAAS-COVID- 19): A structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 115. | 1.6 | 5 |
| 251 | Announcing the Lancet Psychiatry Commission on Psychoses in Global Context. <i>Lancet Psychiatry</i> , the, 2021, 8, 743-744. | 7.4 | 5 |
| 252 | Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021, 238, 188-198. | 2.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | The role of social care. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 29-31. | 0.2 | 4 |
| 254 | In this issue. <i>Psychological Medicine</i> , 2008, 38, 1679-1680. | 4.5 | 4 |
| 255 | Pre-morbid fertility in psychosis: Findings from the AESOP first episode study. <i>Schizophrenia Research</i> , 2014, 156, 168-173. | 2.0 | 4 |
| 256 | Ethnic variations in duration of untreated psychosis: report from the CRIS-FEP study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 931-941. | 3.1 | 4 |
| 257 | The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79. | 2.0 | 4 |
| 258 | Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309. | 3.3 | 4 |
| 259 | A machine learning approach to differentiate between COVID-19 and influenza infection using synthetic infection and immune response data. <i>Mathematical Biosciences and Engineering</i> , 2022, 19, 5813-5831. | 1.9 | 4 |
| 260 | Cohort Profile: Resilience, Ethnicity and AdolesCent mental Health (REACH). <i>International Journal of Epidemiology</i> , 2022, 51, e303-e313. | 1.9 | 4 |
| 261 | Social science, psychiatry and psychosis. , 2008, , 25-40. | | 3 |
| 262 | The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , 2011, 23, 55-60. | 2.8 | 3 |
| 263 | Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019, 19, 392. | 2.6 | 3 |
| 264 | First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021, 23, 519-527. | 1.6 | 3 |
| 265 | Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e052339. | 1.9 | 3 |
| 266 | Authors' Reply. <i>British Journal of Psychiatry</i> , 2005, 186, 76-76. | 2.8 | 2 |
| 267 | Family environment and psychosis. , 0, , 112-126. | | 2 |
| 268 | Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014, 44, 2727-2727. | 4.5 | 2 |
| 269 | Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015, 230, 742-743. | 3.3 | 2 |
| 270 | Novel methods in psychiatric epidemiology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 917-919. | 3.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 271 | O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. Schizophrenia Bulletin, 2018, 44, S110-S110. | 4.3 | 2 |
| 272 | 5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. Schizophrenia Bulletin, 2018, 44, S7-S7. | 4.3 | 2 |
| 273 | T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. Schizophrenia Bulletin, 2019, 45, S219-S220. | 4.3 | 2 |
| 274 | Social development, urban environment and psychosis. British Journal of Psychiatry, 2005, 186, 76-77. | 2.8 | 2 |
| 275 | 0061 NEUROPSYCHOLOGICAL FUNCTIONING OF FIRST-EPISODE PSYCHOSIS PATIENTS. Schizophrenia Research, 2006, 86, S68. | 2.0 | 1 |
| 276 | The role of social care. Psychiatry (Abingdon, England), 2007, 6, 347-349. | 0.2 | 1 |
| 277 | In this issue. Psychological Medicine, 2008, 38, 465-466. | 4.5 | 1 |
| 278 | Society and psychosis: future directions and implications. , 2008, , 238-251. | | 1 |
| 279 | Genes and the social environment. , 0, , 58-74. | | 1 |
| 280 | Social factors as a basis for treatment. , 2008, , 163-178. | | 1 |
| 281 | Letter to the Editor: Prevention is better than cure: a reply to McKenzie, March et al. and Selten & Cantor-Graae. Psychological Medicine, 2010, 40, 876-877. | 4.5 | 1 |
| 282 | Childhood Trauma as a Neglected Factor in Psychotic Experiences and Cognitive Functioningâ€”Reply. JAMA Psychiatry, 2016, 73, 876. | 11.0 | 1 |
| 283 | S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. Schizophrenia Bulletin, 2018, 44, S354-S355. | 4.3 | 1 |
| 284 | T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. Schizophrenia Bulletin, 2018, 44, S158-S159. | 4.3 | 1 |
| 285 | T241. INCIDENCE AND SOCIO-DEMOGRAPHIC/CLINICAL CHARACTERISTICS OF PSYCHOTIC DISORDERS IN INDIA, NIGERIA AND TRINIDAD: PRELIMINARY BASELINE FINDINGS FROM INTREPID II. Schizophrenia Bulletin, 2020, 46, S324-S324. | 4.3 | 1 |
| 286 | M116. A SYSTEMATIC REVIEW OF THE PSYCHOLOGICAL AND BIOLOGICAL MEDIATORS BETWEEN ADVERSITY AND PSYCHOSIS: POTENTIAL TARGETS FOR TREATMENT. Schizophrenia Bulletin, 2020, 46, S179-S179. | 4.3 | 1 |
| 287 | Traumatic events and psychotic experiences: a nationally representative study in Thailand. Epidemiology and Psychiatric Sciences, 2021, 30, e47. | 3.9 | 1 |
| 288 | Migration history, first episode psychosis and child abuse: Results from the EU-GEI study. European Psychiatry, 2021, 64, S320-S321. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | P01.137 Neurological abnormalities in African-Caribbean and white British first-episode psychosis patients. <i>European Psychiatry</i> , 2000, 15, 356s-357s. | 0.2 | 0 |
| 290 | In this issue. <i>Psychological Medicine</i> , 2008, 38, 769-770. | 4.5 | 0 |
| 291 | In this issue. <i>Psychological Medicine</i> , 2008, 38, 305-306. | 4.5 | 0 |
| 292 | In this issue. <i>Psychological Medicine</i> , 2008, 38, 1519-1520. | 4.5 | 0 |
| 293 | Skunk and psychosis in South East London. <i>European Psychiatry</i> , 2009, 24, . | 0.2 | 0 |
| 294 | In this issue. <i>Psychological Medicine</i> , 2009, 39, 1933-1934. | 4.5 | 0 |
| 295 | Substance Use and Early Psychosis Course. <i>European Psychiatry</i> , 2015, 30, 1762. | 0.2 | 0 |
| 296 | Trauma and Migration in First Episode Psychosis. <i>European Psychiatry</i> , 2017, 41, S66-S66. | 0.2 | 0 |
| 297 | Ethnicity, mortality, and severe mental illness – Authors' reply. <i>Lancet Psychiatry</i> , the, 2017, 4, 517-518. | 7.4 | 0 |
| 298 | Does Social Disadvantage Explain the Higher Risk of Psychosis in Immigrants? Results from the Eugei Study in London. <i>European Psychiatry</i> , 2017, 41, S65-S66. | 0.2 | 0 |
| 299 | Migration History and the Onset of Psychotic Disorders. <i>European Psychiatry</i> , 2017, 41, S66-S67. | 0.2 | 0 |
| 300 | 35.2 PREVENTING PSYCHOSIS: WHAT, (IF ANYTHING) CAN WE LEARN FROM THE EU-GEI INCIDENCE STUDY?. <i>Schizophrenia Bulletin</i> , 2018, 44, S58-S58. | 4.3 | 0 |
| 301 | T104. ASSESSING THE UTILITY OF COPULA FUNCTIONS FOR RISK PREDICTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S156-S156. | 4.3 | 0 |
| 302 | F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S307-S307. | 4.3 | 0 |
| 303 | 35.4 A PUBLIC HEALTH APPROACH TO THE PREVENTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S59-S59. | 4.3 | 0 |
| 304 | O2.4. THE MISSING PIECE IN THE PUZZLE: COGNITIVE DECLINE IN SCHIZOPHRENIA AND BIPOLAR PATIENTS AFTER THE FIRST EPISODE. <i>Schizophrenia Bulletin</i> , 2018, 44, S77-S77. | 4.3 | 0 |
| 305 | T131. INCIDENCE OF FIRST-EPISODE PSYCHOSIS IN THE CATCHMENT AREA OF RIBEIRÃO PRETO, BRAZIL. <i>Schizophrenia Bulletin</i> , 2018, 44, S166-S166. | 4.3 | 0 |
| 306 | 5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. <i>Schizophrenia Bulletin</i> , 2018, 44, S6-S6. | 4.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | 35.1 ONLY A SMALL PROPORTION OF PATIENTS WITH FIRST EPISODE PSYCHOSIS COME VIA PRODRONTAL SERVICES: A RETROSPECTIVE SURVEY OF A LARGE UK MENTAL HEALTH PROGRAMME. Schizophrenia Bulletin, 2018, 44, S58-S58. | 4.3 | 0 |
| 308 | T69. PATHWAYS TO CARE ENCOUNTERS AND DURATION OF UNTREATED PSYCHOSIS IN MINORITY ETHNIC PATIENTS AT FIRST EPISODE OF PSYCHOSIS: A MENTAL HEALTH ELECTRONIC CASE REGISTER STUDY. Schizophrenia Bulletin, 2019, 45, S231-S231. | 4.3 | 0 |
| 309 | O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. Schizophrenia Bulletin, 2019, 45, S176-S176. | 4.3 | 0 |
| 310 | 20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S122-S122. | 4.3 | 0 |
| 311 | O4.8. CAN YOU SPOT EMOTIONS? FACIAL EMOTION RECOGNITION AND GENETIC RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S172-S172. | 4.3 | 0 |
| 312 | O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. Schizophrenia Bulletin, 2019, 45, S165-S166. | 4.3 | 0 |
| 313 | O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. Schizophrenia Bulletin, 2019, 45, S195-S195. | 4.3 | 0 |
| 314 | T52. COGNITION, METACOGNITION AND SOCIAL COGNITION AFTER A FIRST EPISODE PSYCHOSIS. PRELIMINARY RESULTS FROM A 5-YEAR-FOLLOW-UP STUDY. Schizophrenia Bulletin, 2020, 46, S251-S251. | 4.3 | 0 |
| 315 | T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. Schizophrenia Bulletin, 2020, 46, S296-S296. | 4.3 | 0 |
| 316 | S126. THE RELATION OF THE PSYCHOSIS CONTINUUM WITH SCHIZOPHRENIA POLYGENIC RISK SCORE AND CANNABIS USE. Schizophrenia Bulletin, 2020, 46, S83-S83. | 4.3 | 0 |
| 317 | Society and risk of psychosis. , 2020, , 289-303. | | 0 |
| 318 | Estimating the incidence of psychosis in diverse settings. Psychological Medicine, 2021, 51, 527-528. | 4.5 | 0 |
| 319 | Title is missing!. , 2020, 17, e1003443. | | 0 |
| 320 | Title is missing!. , 2020, 17, e1003443. | | 0 |
| 321 | Title is missing!. , 2020, 17, e1003443. | | 0 |
| 322 | Title is missing!. , 2020, 17, e1003443. | | 0 |
| 323 | Title is missing!. , 2020, 17, e1003443. | | 0 |
| 324 | Title is missing!. , 2020, 17, e1003443. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | The Impact of Coronavirus Disease 2019 on People with and without Severe Mental Illness in Tamil Nadu, India. <i>World Social Psychiatry</i> , 2022, 4, 37. | 0.1 | 0 |