

# Craig Morgan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3059054/publications.pdf>

Version: 2024-02-01

325  
papers

21,029  
citations

10389

72  
h-index

12272

133  
g-index

427  
all docs

427  
docs citations

427  
times ranked

15922  
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	4.5	9
2	A comparison of neighbourhood level variation and risk factors for affective versus non-affective psychosis. <i>Schizophrenia Research</i> , 2023, 256, 126-132.	2.0	6
3	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	4.5	17
4	Authors' reply to "on the existence of a linguistic distance in schizophrenia". <i>Psychological Medicine</i> , 2022, 52, 798-799.	4.5	9
5	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2022, 52, 2641-2650.	4.5	11
6	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	4.5	22
7	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	4.5	7
8	Dynamic and Static Cognitive Deficits in Schizophrenia and Bipolar Disorder After the First Episode. <i>Schizophrenia Bulletin</i> , 2022, 48, 590-598.	4.3	12
9	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	4.3	9
10	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-control Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 1104-1114.	4.3	9
11	A randomized controlled trial of renin-angiotensin-aldosterone system inhibitor management in patients admitted in hospital with COVID-19. <i>American Heart Journal</i> , 2022, 247, 76-89.	2.7	12
12	A machine learning approach to differentiate between COVID-19 and influenza infection using synthetic infection and immune response data. <i>Mathematical Biosciences and Engineering</i> , 2022, 19, 5813-5831.	1.9	4
13	Parental education and youth suicidal behaviours: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e19.	3.9	8
14	COVID-19, social restrictions, and mental distress among young people: a UK longitudinal, population-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1392-1404.	5.2	21
15	Cohort Profile: Resilience, Ethnicity and Adolescent mental Health (REACH). <i>International Journal of Epidemiology</i> , 2022, 51, e303-e313.	1.9	4
16	Multiscale Model of Antiviral Timing, Potency, and Heterogeneity Effects on an Epithelial Tissue Patch Infected by SARS-CoV-2. <i>Viruses</i> , 2022, 14, 605.	3.3	8
17	The Impact of Coronavirus Disease 2019 on People with and without Severe Mental Illness in Tamil Nadu, India. <i>World Social Psychiatry</i> , 2022, 4, 37.	0.1	0
18	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , 2021, 51, 1944-1950.	4.5	5

#	ARTICLE	IF	CITATIONS
19	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	4.5	7
20	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , 2021, 51, 2581-2589.	4.5	18
21	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	4.5	38
22	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	4.5	58
23	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	4.5	34
24	Engineering in Medicine To Address the Challenge of Cancer Drug Resistance: From Micro- and Nanotechnologies to Computational and Mathematical Modeling. <i>Chemical Reviews</i> , 2021, 121, 3352-3389.	47.7	41
25	Ethnic variations in duration of untreated psychosis: report from the CRIS-FEP study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 931-941.	3.1	4
26	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 118-127.	4.3	20
27	Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021, 30, 104-112.	1.9	9
28	Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , 2021, 51, 147-157.	4.5	17
29	Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. <i>Psychological Medicine</i> , 2021, 51, 300-309.	4.5	18
30	Estimating the incidence of psychosis in diverse settings. <i>Psychological Medicine</i> , 2021, 51, 527-528.	4.5	0
31	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e40.	3.9	17
32	Traumatic events and psychotic experiences: a nationally representative study in Thailand. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e47.	3.9	1
33	Management of Renin-Angiotensin-Aldosterone System blockade in patients admitted to hospital with confirmed coronavirus disease (COVID-19) infection (The McGill RAAS-COVID-19): A structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 115.	1.6	5
34	Mental distress among young people in inner cities: the Resilience, Ethnicity and AdolesCent Mental Health (REACH) study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 515-522.	3.7	8
35	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021, 23, 519-527.	1.6	3
36	Procaspase-Activating Compound-1 Synergizes with TRAIL to Induce Apoptosis in Established Granulosa Cell Tumor Cell Line (KGN) and Explanted Patient Granulosa Cell Tumor Cells In Vitro. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4699.	4.1	12

#	ARTICLE	IF	CITATIONS
37	Association Between Specific Childhood Adversities and Symptom Dimensions in People With Psychosis: Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021, 47, 975-985.	4.3	41
38	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	4.3	17
39	Prevalence of conduct problems and social risk factors in ethnically diverse inner-city schools. <i>BMC Public Health</i> , 2021, 21, 849.	2.9	7
40	Navigating the mental health system: Narratives of identity and recovery among people with psychosis across ethnic groups. <i>Social Science and Medicine</i> , 2021, 279, 113981.	3.8	10
41	Understanding Normal and Pathological Hematopoietic Stem Cell Biology Using Mathematical Modelling. <i>Current Stem Cell Reports</i> , 2021, 7, 109-120.	1.6	6
42	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	4.8	12
43	Analysis of Host Immunological Response of Adenovirus-Based COVID-19 Vaccines. <i>Vaccines</i> , 2021, 9, 861.	4.4	26
44	Announcing the Lancet Psychiatry Commission on Psychoses in Global Context. <i>Lancet Psychiatry</i> , the, 2021, 8, 743-744.	7.4	5
45	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e052339.	1.9	3
46	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	2.0	4
47	Ethnicity and power in the mental health system: experiences of white British and black Caribbean people with psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e12.	3.9	11
48	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
49	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021, 51, 2599-2609.	4.5	14
50	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100228.	5.6	25
51	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309.	3.3	4
52	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021, 238, 188-198.	2.0	5
53	Migration history, first episode psychosis and child abuse: Results from the EU-GEI study. <i>European Psychiatry</i> , 2021, 64, S320-S321.	0.2	1
54	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	4.3	60

#	ARTICLE	IF	CITATIONS
55	The Maudsley environmental risk score for psychosis. <i>Psychological Medicine</i> , 2020, 50, 2213-2220.	4.5	42
56	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020, 50, 1452-1462.	4.5	16
57	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
58	T52. COGNITION, METACOGNITION AND SOCIAL COGNITION AFTER A FIRST EPISODE PSYCHOSIS. PRELIMINARY RESULTS FROM A 5-YEAR-FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S251-S251.	4.3	0
59	T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S296-S296.	4.3	0
60	T241. INCIDENCE AND SOCIO-DEMOGRAPHIC/CLINICAL CHARACTERISTICS OF PSYCHOTIC DISORDERS IN INDIA, NIGERIA AND TRINIDAD: PRELIMINARY BASELINE FINDINGS FROM INTREPID II. <i>Schizophrenia Bulletin</i> , 2020, 46, S324-S324.	4.3	1
61	S126. THE RELATION OF THE PSYCHOSIS CONTINUUM WITH SCHIZOPHRENIA POLYGENIC RISK SCORE AND CANNABIS USE. <i>Schizophrenia Bulletin</i> , 2020, 46, S83-S83.	4.3	0
62	Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2020, 46, 814-822.	4.3	13
63	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6
64	A systematic review on mediators between adversity and psychosis: potential targets for treatment. <i>Psychological Medicine</i> , 2020, 50, 1966-1976.	4.5	58
65	Leveraging Computational Modeling to Understand Infectious Diseases. <i>Current Pathobiology Reports</i> , 2020, 8, 149-161.	3.4	19
66	INTREPID II: protocol for a multistudy programme of research on untreated psychosis in India, Nigeria and Trinidad. <i>BMJ Open</i> , 2020, 10, e039004.	1.9	12
67	Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020, 217, 575-582.	2.8	30
68	Characterizing Chemotherapy-Induced Neutropenia and Monocytopenia Through Mathematical Modelling. <i>Bulletin of Mathematical Biology</i> , 2020, 82, 104.	1.9	8
69	M116. A SYSTEMATIC REVIEW OF THE PSYCHOLOGICAL AND BIOLOGICAL MEDIATORS BETWEEN ADVERSITY AND PSYCHOSIS: POTENTIAL TARGETS FOR TREATMENT. <i>Schizophrenia Bulletin</i> , 2020, 46, S179-S179.	4.3	1
70	Multidisciplinary research priorities for the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, e33.	7.4	23
71	The influence of risk factors on the onset and outcome of psychosis: What we learned from the GAP study. <i>Schizophrenia Research</i> , 2020, 225, 63-68.	2.0	24
72	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020, 123, 145-150.	3.1	27

#	ARTICLE	IF	CITATIONS
73	Society and risk of psychosis. , 2020, , 289-303.		0
74	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. Schizophrenia Bulletin, 2020, 46, 1327-1334.	4.3	5
75	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
76	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries. PLoS Medicine, 2020, 17, e1003443.	8.4	11
77	Title is missing!. , 2020, 17, e1003443.		0
78	Title is missing!. , 2020, 17, e1003443.		0
79	Title is missing!. , 2020, 17, e1003443.		0
80	Title is missing!. , 2020, 17, e1003443.		0
81	Title is missing!. , 2020, 17, e1003443.		0
82	Title is missing!. , 2020, 17, e1003443.		0
83	Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. Schizophrenia Research, 2019, 205, 38-44.	2.0	17
84	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081.	2.4	10
85	Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. American Journal of Psychiatry, 2019, 176, 811-819.	7.2	123
86	Migration, ethnicity and psychoses: evidence, models and future directions. World Psychiatry, 2019, 18, 247-258.	10.4	77
87	T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. Schizophrenia Bulletin, 2019, 45, S219-S220.	4.3	2
88	T69. PATHWAYS TO CARE ENCOUNTERS AND DURATION OF UNTREATED PSYCHOSIS IN MINORITY ETHNIC PATIENTS AT FIRST EPISODE OF PSYCHOSIS: A MENTAL HEALTH ELECTRONIC CASE REGISTER STUDY. Schizophrenia Bulletin, 2019, 45, S231-S231.	4.3	0
89	O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. Schizophrenia Bulletin, 2019, 45, S176-S176.	4.3	0
90	High-potency cannabis and incident psychosis: correcting the causal assumption - Authors' reply. Lancet Psychiatry, 2019, 6, 466-467.	7.4	17

#	ARTICLE	IF	CITATIONS
91	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019, 6, 506-517.	7.4	21
92	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S122-S122.	4.3	0
93	Urbanicity and risk of first-episode psychosis: incidence study in Brazil. <i>British Journal of Psychiatry</i> , 2019, 215, 726-729.	2.8	25
94	O4.8. CAN YOU SPOT EMOTIONS? FACIAL EMOTION RECOGNITION AND GENETIC RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S172-S172.	4.3	0
95	Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 871-881.	3.1	16
96	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
97	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019, 45, S165-S166.	4.3	0
98	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39.	2.0	33
99	O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. <i>Schizophrenia Bulletin</i> , 2019, 45, S195-S195.	4.3	0
100	Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019, 19, 392.	2.6	3
101	Liberal Acceptance Bias, Momentary Aberrant Salienc, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 871-882.	4.3	22
102	The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2019, 272, 618-627.	3.3	11
103	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the Å†SOP-10 study. <i>Psychological Medicine</i> , 2019, 49, 2100-2110.	4.5	22
104	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	4.5	10
105	Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , 2019, 204, 80-89.	2.0	28
106	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	4.5	69
107	Childhood abuse and psychotic experiences “ evidence for mediation by adulthood adverse life events. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 300-309.	3.9	20
108	What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , 2018, 17, 49-66.	10.4	387



#	ARTICLE	IF	CITATIONS
109	O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. Schizophrenia Bulletin, 2018, 44, S110-S110.	4.3	2
110	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. Schizophrenia Research, 2018, 199, 341-345.	2.0	12
111	Interaction between cannabis consumption and childhood abuse in psychotic disorders: preliminary findings on the role of different patterns of cannabis use. Microbial Biotechnology, 2018, 12, 135-142.	1.7	27
112	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36.	11.0	235
113	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. Schizophrenia Bulletin, 2018, 44, S7-S7.	4.3	2
114	35.2 PREVENTING PSYCHOSIS: WHAT, (IF ANYTHING) CAN WE LEARN FROM THE EU-GEI INCIDENCE STUDY?. Schizophrenia Bulletin, 2018, 44, S58-S58.	4.3	0
115	T104. ASSESSING THE UTILITY OF COPULA FUNCTIONS FOR RISK PREDICTION OF PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S156-S156.	4.3	0
116	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S307-S307.	4.3	0
117	S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. Schizophrenia Bulletin, 2018, 44, S354-S355.	4.3	1
118	35.4 A PUBLIC HEALTH APPROACH TO THE PREVENTION OF PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S59-S59.	4.3	0
119	O2.4. THE MISSING PIECE IN THE PUZZLE: COGNITIVE DECLINE IN SCHIZOPHRENIA AND BIPOLAR PATIENTS AFTER THE FIRST EPISODE. Schizophrenia Bulletin, 2018, 44, S77-S77.	4.3	0
120	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. Schizophrenia Bulletin, 2018, 44, S158-S159.	4.3	1
121	T131. INCIDENCE OF FIRST-EPISODE PSYCHOSIS IN THE CATCHMENT AREA OF RIBEIRÃO PRETO, BRAZIL. Schizophrenia Bulletin, 2018, 44, S166-S166.	4.3	0
122	5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. Schizophrenia Bulletin, 2018, 44, S6-S6.	4.3	0
123	35.1 ONLY A SMALL PROPORTION OF PATIENTS WITH FIRST EPISODE PSYCHOSIS COME VIA PRODROMAL SERVICES: A RETROSPECTIVE SURVEY OF A LARGE UK MENTAL HEALTH PROGRAMME. Schizophrenia Bulletin, 2018, 44, S58-S58.	4.3	0
124	Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. Microbial Biotechnology, 2017, 11, 522-525.	1.7	8
125	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. Journal of Affective Disorders, 2017, 210, 174-180.	4.1	32
126	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the <sc>UK</sc>. Diabetic Medicine, 2017, 34, 916-924.	2.3	40



#	ARTICLE	IF	CITATIONS
127	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. <i>Psychological Medicine</i> , 2017, 47, 1981-1989.	4.5	200
128	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.	4.3	63
129	Ethnicity and excess mortality in severe mental illness: a cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 389-399.	7.4	82
130	Meta-analysis of associations between childhood adversity and hippocampus and amygdala volume in non-clinical and general population samples. <i>NeuroImage: Clinical</i> , 2017, 14, 471-479.	2.7	122
131	Further evidence of a cumulative effect of social disadvantage on risk of psychosis. <i>Psychological Medicine</i> , 2017, 47, 913-924.	4.5	49
132	People meeting ultra high risk for psychosis criteria in the community. <i>World Psychiatry</i> , 2017, 16, 322-323.	10.4	7
133	Trauma and Migration in First Episode Psychosis. <i>European Psychiatry</i> , 2017, 41, S66-S66.	0.2	0
134	Ethnicity, mortality, and severe mental illness – Authors' reply. <i>Lancet Psychiatry</i> , 2017, 4, 517-518.	7.4	0
135	Does Social Disadvantage Explain the Higher Risk of Psychosis in Immigrants? Results from the Eugei Study in London. <i>European Psychiatry</i> , 2017, 41, S65-S66.	0.2	0
136	Migration History and the Onset of Psychotic Disorders. <i>European Psychiatry</i> , 2017, 41, S66-S67.	0.2	0
137	Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. <i>Lancet Psychiatry</i> , 2017, 4, 927-936.	7.4	42
138	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The Å†SOP-10 study. <i>British Journal of Psychiatry</i> , 2017, 211, 88-94.	2.8	71
139	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017, 4, 257-260.	7.4	19
140	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253.	4.2	43
141	Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. <i>BMC Psychiatry</i> , 2017, 17, 308.	2.6	53
142	Novel methods in psychiatric epidemiology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 917-919.	3.1	2
143	Concepts of madness in diverse settings: a qualitative study from the INTREPID project. <i>BMC Psychiatry</i> , 2016, 16, 388.	2.6	23
144	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016, 46, 2799-2813.	4.5	78

#	ARTICLE	IF	CITATIONS
145	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. <i>Schizophrenia Research</i> , 2016, 176, 417-422.	2.0	23
146	Impact of childhood adversities on specific symptom dimensions in first-episode psychosis. <i>Psychological Medicine</i> , 2016, 46, 317-326.	4.5	55
147	Differences in cannabis-related experiences between patients with a first episode of psychosis and controls. <i>Psychological Medicine</i> , 2016, 46, 995-1003.	4.5	27
148	Childhood Trauma as a Neglected Factor in Psychotic Experiences and Cognitive Functioning—Reply. <i>JAMA Psychiatry</i> , 2016, 73, 876.	11.0	1
149	Clinical, socio-demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a “need for care”. <i>World Psychiatry</i> , 2016, 15, 41-52.	10.4	119
150	Childhood adversities and psychosis: evidence, challenges, implications. <i>World Psychiatry</i> , 2016, 15, 93-102.	10.4	167
151	Reviving the “double jeopardy” hypothesis: Physical health inequalities, ethnicity and severe mental illness. <i>British Journal of Psychiatry</i> , 2016, 209, 183-185.	2.8	19
152	Outcomes following first-episode psychosis — “Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1055-1063.	2.3	25
153	The incidence of psychoses in diverse settings, INTREPID (2): a feasibility study in India, Nigeria, and Trinidad. <i>Psychological Medicine</i> , 2016, 46, 1923-1933.	4.5	23
154	Minority status and mental distress: a comparison of group density effects. <i>Psychological Medicine</i> , 2016, 46, 3051-3059.	4.5	25
155	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 627-638.	3.1	16
156	Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. <i>Schizophrenia Research</i> , 2016, 173, 90-93.	2.0	22
157	Stress Sensitivity, Aberrant Saliency, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.	4.3	225
158	Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 464-475.	4.3	38
159	Exposure to conflict and disaster: A national survey on the prevalence of psychotic experiences in Sri Lanka. <i>Schizophrenia Research</i> , 2016, 171, 79-85.	2.0	11
160	Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. <i>JAMA Psychiatry</i> , 2016, 73, 129.	11.0	40
161	Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 233-245.	3.1	19
162	Familial risk and childhood adversity interplay in the onset of psychosis. <i>BJPsych Open</i> , 2015, 1, 6-13.	0.7	21

#	ARTICLE	IF	CITATIONS
163	Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , 2015, 45, 2757-2769.	4.5	74
164	Ten-Year Outcomes of First-Episode Psychoses in the MRC A†SOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 379-386.	1.0	90
165	Searching for psychosis: INTREPID (1): systems for detecting untreated and first-episode cases of psychosis in diverse settings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 879-893.	3.1	34
166	Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950â€“2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1039-1055.	3.1	54
167	What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. <i>Psychological Medicine</i> , 2015, 45, 11-27.	4.5	1,918
168	Substance Use and Early Psychosis Course. <i>European Psychiatry</i> , 2015, 30, 1762.	0.2	0
169	Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , 2015, 227, 213-218.	3.3	18
170	SEQUenCE: a service user-centred quality of care instrument for mental health services. <i>International Journal for Quality in Health Care</i> , 2015, 27, 284-290.	1.8	8
171	Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> ,the, 2015, 2, 233-238.	7.4	429
172	Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1162-1170.	4.3	223
173	Cannabis and psychosis â€“ Authors' reply. <i>Lancet Psychiatry</i> ,the, 2015, 2, 382.	7.4	11
174	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1489-1500.	3.1	41
175	Interaction Between Functional Genetic Variation of DRD2 and Cannabis Use on Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1171-1182.	4.3	73
176	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015, 230, 742-743.	3.3	2
177	Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó”SOP First-Episode Cohort. <i>Schizophrenia Bulletin</i> , 2015, 41, 664-673.	4.3	128
178	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
179	Association Between Symptom Dimensions and Categorical Diagnoses of Psychosis: A Cross-sectional and Longitudinal Investigation. <i>Schizophrenia Bulletin</i> , 2014, 40, 111-119.	4.3	60
180	Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1443-1451.	4.3	41

#	ARTICLE	IF	CITATIONS
181	Caregiving in first-episode psychosis: social characteristics associated with perceived "burden" and associations with compulsory treatment. <i>Microbial Biotechnology</i> , 2014, 8, 122-129.	1.7	46
182	A meta-analysis of ethnic differences in pathways to care at the first episode of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 257-268.	4.5	77
183	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study—CORRIGENDUM. <i>Psychological Medicine</i> , 2014, 44, 2727-2727.	4.5	2
184	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014, 44, 407-419.	4.5	62
185	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014, 44, 2713-2726.	4.5	192
186	The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014, 44, 2419-2430.	4.5	20
187	Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. <i>Psychological Medicine</i> , 2014, 44, 1279-1291.	4.5	40
188	Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2014, 5, 84.	2.6	17
189	Cannabis use, gender and age of onset of schizophrenia: Data from the AESOP study. <i>Psychiatry Research</i> , 2014, 215, 528-532.	3.3	80
190	Pre-morbid fertility in psychosis: Findings from the AESOP first episode study. <i>Schizophrenia Research</i> , 2014, 156, 168-173.	2.0	4
191	Integrated models in psychiatry: the state of the art. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1-2.	3.1	15
192	Race, ethnicity, and the duration of untreated psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1161-1174.	3.1	28
193	Social networks and support in first-episode psychosis: exploring the role of loneliness and anxiety. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 359-366.	3.1	135
194	The impact of substance use at psychosis onset on First Episode Psychosis course: Results from a 1 year follow-up study in Bologna. <i>Schizophrenia Research</i> , 2014, 153, 60-63.	2.0	16
195	Daily Use, Especially of High-Potency Cannabis, Drives the Earlier Onset of Psychosis in Cannabis Users. <i>Schizophrenia Bulletin</i> , 2014, 40, 1509-1517.	4.3	364
196	Brain derived neurotrophic factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 56-61.	2.0	40
197	Anticipated and experienced discrimination amongst people with schizophrenia, bipolar disorder and major depressive disorder: a cross sectional study. <i>BMC Psychiatry</i> , 2014, 14, 157.	2.6	80
198	Failure to find association between childhood abuse and cognition in first-episode psychosis patients. <i>European Psychiatry</i> , 2014, 29, 32-35.	0.2	22

#	ARTICLE	IF	CITATIONS
199	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. <i>British Journal of Psychiatry</i> , 2014, 204, 346-353.	2.8	90
200	Different rates of first admissions for psychosis in migrant groups in Paris. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 49, 1103-9.	3.1	22
201	Passing the baton: a new chief editor for social psychiatry and psychiatric epidemiology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1-3.	3.1	5
202	The development and validation of the Questionnaire on Anticipated Discrimination (QUAD). <i>BMC Psychiatry</i> , 2013, 13, 297.	2.6	32
203	Life Events and Psychosis: A Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 740-747.	4.3	255
204	Social Disadvantage: Cause or Consequence of Impending Psychosis?. <i>Schizophrenia Bulletin</i> , 2013, 39, 1288-1295.	4.3	114
205	Social networks, support and early psychosis: a systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 131-146.	3.9	203
206	Help-seeking Response to Subjective Memory Complaints in Older Adults: Toward a Conceptual Model. <i>Gerontologist</i> , The, 2013, 53, 462-473.	3.9	33
207	“We lost all we had in a second” coping with grief and loss after a natural disaster. <i>World Psychiatry</i> , 2013, 12, 69-75.	10.4	46
208	Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 36-45.	2.1	19
209	Quality of Care in Psychosis and Bipolar Disorder From the Service User Perspective. <i>Qualitative Health Research</i> , 2013, 23, 1672-1685.	2.1	16
210	Gender Differences in Neuropsychological Performance across Psychotic Disorders – a Multi-Centre Population Based Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e77318.	2.5	19
211	Course and outcome of psychosis in black Caribbean populations and other ethnic groups living in the UK: A systematic review. <i>International Journal of Social Psychiatry</i> , 2012, 58, 400-408.	3.1	21
212	The Response of Mental Health Services to Domestic Violence. <i>Journal of the American Psychiatric Nurses Association</i> , 2012, 18, 326-336.	1.0	43
213	Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: A report from the UK A†SOP study. <i>International Journal of Social Psychiatry</i> , 2012, 58, 98-105.	3.1	21
214	Childhood bullying and the association with psychosis in non-clinical and clinical samples: a review and meta-analysis. <i>Psychological Medicine</i> , 2012, 42, 2463-2474.	4.5	146
215	Childhood maltreatment is associated with increased body mass index and increased C-reactive protein levels in first-episode psychosis patients. <i>Psychological Medicine</i> , 2012, 42, 1893-1901.	4.5	97
216	First-episode psychosis at the West Bologna Community Mental Health Centre: results of an 8-year prospective study. <i>Psychological Medicine</i> , 2012, 42, 2255-2264.	4.5	35

#	ARTICLE	IF	CITATIONS
217	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. <i>Psychological Medicine</i> , 2012, 42, 1037-1047.	4.5	116
218	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , 2012, 201, 282-290.	2.8	88
219	Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , 2012, 142, 159-164.	2.0	8
220	Confirmation that the AKT1 (rs2494732) Genotype Influences the Risk of Psychosis in Cannabis Users. <i>Biological Psychiatry</i> , 2012, 72, 811-816.	1.3	212
221	Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. <i>Schizophrenia Research</i> , 2012, 137, 73-79.	2.0	96
222	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012, 140, 221-231.	2.0	24
223	Incidence of Schizophrenia and Other Psychoses in England, 1950â€“2009: A Systematic Review and Meta-Analyses. <i>PLoS ONE</i> , 2012, 7, e31660.	2.5	385
224	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. <i>PLoS ONE</i> , 2012, 7, e48012.	2.5	33
225	Subjective memory impairment in older adults: aetiology, salience and help seeking. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 612-620.	2.7	50
226	The differential effect of illicit drug use on cognitive function in first-episode psychosis and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 400-411.	4.5	7
227	Pre-morbid Conduct Disorder symptoms are associated with cannabis use among individuals with a first episode of psychosis. <i>Schizophrenia Research</i> , 2011, 126, 81-86.	2.0	24
228	Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. <i>Schizophrenia Research</i> , 2011, 129, 12-19.	2.0	103
229	Assessment of Posttraumatic Symptoms in Patients With First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 896-898.	1.0	9
230	Barriers and facilitators of disclosures of domestic violence by mental health service users: qualitative study. <i>British Journal of Psychiatry</i> , 2011, 198, 189-194.	2.8	173
231	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 15-23.	1.7	49
232	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> , 2011, 11, 861.	2.9	92
233	Threat to Valued Elements of Life: The Experience of Dementia Across Three Ethnic Groups. <i>Gerontologist</i> , The, 2011, 51, 39-50.	3.9	63
234	Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. <i>Psychological Medicine</i> , 2011, 41, 463-476.	4.5	102

#	ARTICLE	IF	CITATIONS
235	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. <i>Schizophrenia Bulletin</i> , 2011, 37, 546-553.	4.3	361
236	The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , 2011, 23, 55-60.	2.8	3
237	Barriers to participation in mental health research: Findings from the Genetics and Psychosis (GAP) Study. <i>International Review of Psychiatry</i> , 2011, 23, 31-40.	2.8	37
238	Stress and Inflammation Reduce Brain-Derived Neurotrophic Factor Expression in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1677-1684.	2.2	245
239	Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 141-148.	2.8	87
240	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010, 16, 219-225.	3.3	25
241	Barriers to participation in mental health research: are there specific gender, ethnicity and age related barriers?. <i>BMC Psychiatry</i> , 2010, 10, 103.	2.6	157
242	Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 351-358.	4.5	56
243	The Culture and Identity Schedule a Measure of Cultural Affiliation: Acculturation, Marginalization and Schizophrenia. <i>International Journal of Social Psychiatry</i> , 2010, 56, 540-556.	3.1	20
244	The social determinants of psychosis in migrant and ethnic minority populations: a public health tragedy. <i>Psychological Medicine</i> , 2010, 40, 705-709.	4.5	71
245	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010, 40, 1967-1978.	4.5	163
246	Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. <i>Psychological Medicine</i> , 2010, 40, 1137-1147.	4.5	13
247	Letter to the Editor: Prevention is better than cure: a reply to McKenzie, March et al. and Selten & Cantor-Graae. <i>Psychological Medicine</i> , 2010, 40, 876-877.	4.5	1
248	Migration, Ethnicity, and Psychosis: Toward a Sociodevelopmental Model. <i>Schizophrenia Bulletin</i> , 2010, 36, 655-664.	4.3	262
249	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010, 9, 4-14.	1.1	40
250	Specific and Generalized Neuropsychological Deficits: A Comparison of Patients With Various First-Episode Psychosis Presentations. <i>American Journal of Psychiatry</i> , 2010, 167, 78-85.	7.2	175
251	Ethnic identity, perceptions of disadvantage, and psychosis. <i>Schizophrenia Research</i> , 2010, 124, 43-48.	2.0	38
252	Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: The role of stress and of antipsychotic treatment. <i>Schizophrenia Research</i> , 2010, 116, 234-242.	2.0	253



#	ARTICLE	IF	CITATIONS
253	Exploring the apparent absence of psychosis amongst the Borana pastoralist community of Southern Ethiopia. A mixed method follow-up study. <i>World Psychiatry</i> , 2010, 9, 98-102.	10.4	18
254	Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 195, 336-345.	2.8	38
255	Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. <i>Psychological Medicine</i> , 2009, 39, 1943-1955.	4.5	90
256	Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 319-325.	2.8	180
257	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.	4.5	110
258	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009, 11, 323-329.	1.9	14
259	High-potency cannabis and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2009, 195, 488-491.	2.8	465
260	Skunk and psychosis in South East London. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
261	The Prevalence, Diagnostic Significance and Demographic Characteristics of Schneiderian First-Rank Symptoms in an Epidemiological Sample of First-Episode Psychoses. <i>Psychopathology</i> , 2009, 42, 81-91.	1.5	40
262	In this issue. <i>Psychological Medicine</i> , 2009, 39, 1933-1934.	4.5	0
263	Unemployment, social isolation, achievement expectation mismatch and psychosis: findings from the ÅtSOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 743-751.	3.1	84
264	Sexually dimorphic changes in the amygdala in relation to delusional beliefs in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2008, 42, 913-919.	3.1	5
265	Psychosis and Place. <i>Epidemiologic Reviews</i> , 2008, 30, 84-100.	3.5	248
266	In this issue. <i>Psychological Medicine</i> , 2008, 38, 769-770.	4.5	0
267	Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , 2008, 38, 71-77.	4.5	38
268	In this issue. <i>Psychological Medicine</i> , 2008, 38, 305-306.	4.5	0
269	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1701-1715.	4.5	176
270	In this issue. <i>Psychological Medicine</i> , 2008, 38, 465-466.	4.5	1

#	ARTICLE	IF	CITATIONS
271	In this issue. <i>Psychological Medicine</i> , 2008, 38, 1519-1520.	4.5	0
272	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008, 38, 1083-1094.	4.5	125
273	In this issue. <i>Psychological Medicine</i> , 2008, 38, 1679-1680.	4.5	4
274	Self-harm in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 178-184.	2.8	88
275	Society, place and space. , 2008, , 77-94.		8
276	Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 185-190.	2.8	75
277	Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 197-202.	2.8	57
278	Outcomes elsewhere: course of psychosis in "other cultures"™. , 2008, , 198-216.		16
279	Public attitudes, stigma and discrimination against people with mental illness. , 2008, , 179-197.		7
280	Society and psychosis: future directions and implications. , 2008, , 238-251.		1
281	Migration, ethnicity and psychosis. , 2008, , 143-160.		14
282	Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237.		7
283	Climate change in psychiatry: periodic fluctuations or terminal trend?. , 2008, , 11-22.		5
284	Social science, psychiatry and psychosis. , 2008, , 25-40.		3
285	Childhood adversity and psychosis. , 2008, , 95-111.		13
286	Conceptualising the social world. , 2008, , 41-57.		7
287	Social factors as a basis for treatment. , 2008, , 163-178.		1
288	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s123-s127.	2.8	30

#	ARTICLE	IF	CITATIONS
289	Social experience and psychosis. Insights from studies of migrant and ethnic minority groups. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 118-123.	0.9	26
290	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007, 37, 1413-1425.	4.5	189
291	Social exclusion and mental health. <i>British Journal of Psychiatry</i> , 2007, 191, 477-483.	2.8	247
292	Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s111-s116.	2.8	46
293	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007, 37, 495.	4.5	201
294	Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. <i>Psychological Medicine</i> , 2007, 37, 547-557.	4.5	80
295	Minor physical anomalies across ethnic groups in a first episode psychosis sample. <i>Schizophrenia Research</i> , 2007, 89, 86-90.	2.0	20
296	Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 103-110.	2.0	58
297	The role of social care. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 347-349.	0.2	1
298	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 438-445.	3.1	89
299	0061 NEUROPSYCHOLOGICAL FUNCTIONING OF FIRST-EPISODE PSYCHOSIS PATIENTS. <i>Schizophrenia Research</i> , 2006, 86, S68.	2.0	1
300	Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , 2006, 83, 145-153.	2.0	89
301	Evidence of semantic disorganisation using semantic priming in individuals with high schizotypy. <i>Schizophrenia Research</i> , 2006, 84, 272-280.	2.0	31
302	Duration of untreated psychosis and ethnicity in the Å†SOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006, 36, 239-247.	4.5	64
303	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006, 36, 1541-1550.	4.5	433
304	Child abuse and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 238-238.	4.5	6
305	The Structural Brain Correlates of Neurological Soft Signs in Healthy Individuals. <i>Cerebral Cortex</i> , 2006, 16, 1225-1231.	2.9	90
306	Heterogeneity in Incidence Rates of Schizophrenia and Other Psychotic Syndromes. <i>Archives of General Psychiatry</i> , 2006, 63, 250.	12.3	440

#	ARTICLE	IF	CITATIONS
307	Clinical and social determinants of duration of untreated psychosis in the Å†SOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006, 189, 446-452.	2.8	168
308	Environment and Schizophrenia: Environmental Factors in Schizophrenia: Childhood Trauma--A Critical Review. <i>Schizophrenia Bulletin</i> , 2006, 33, 3-10.	4.3	456
309	First episode psychosis and ethnicity: initial findings from the AESOP study. <i>World Psychiatry</i> , 2006, 5, 40-6.	10.4	87
310	Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. <i>British Journal of Psychiatry</i> , 2005, 186, 281-289.	2.8	152
311	Pathways to care and ethnicity. 2: Source of referral and help-seeking. <i>British Journal of Psychiatry</i> , 2005, 186, 290-296.	2.8	133
312	Authors' Reply. <i>British Journal of Psychiatry</i> , 2005, 186, 76-76.	2.8	2
313	Increased Pituitary Volume in Antipsychotic-Free and Antipsychotic-Treated Patients of the Å†sop First-Onset Psychosis Study. <i>Neuropsychopharmacology</i> , 2005, 30, 1923-1931.	5.4	148
314	Environmental Factors in Schizophrenia: The Role of Migrant Studies. <i>Schizophrenia Bulletin</i> , 2005, 32, 405-408.	4.3	86
315	Social development, urban environment and psychosis. <i>British Journal of Psychiatry</i> , 2005, 186, 76-77.	2.8	2
316	Phenomenology, science and the anthropology of the self: a new model for the aetiology of psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 361-362.	2.8	20
317	Negative pathways to psychiatric care and ethnicity: the bridge between social science and psychiatry. <i>Social Science and Medicine</i> , 2004, 58, 739-752.	3.8	148
318	The role of social care. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 29-31.	0.2	4
319	Psychological treatments in schizophrenia: I. Meta-analysis of family intervention and cognitive behaviour therapy. <i>Psychological Medicine</i> , 2002, 32, 763-82.	4.5	748
320	Psychological treatments in schizophrenia: II. Meta-analyses of randomized controlled trials of social skills training and cognitive remediation. <i>Psychological Medicine</i> , 2002, 32, 783-91.	4.5	271
321	P01.137 Neurological abnormalities in African-Caribbean and white British first-episode psychosis patients. <i>European Psychiatry</i> , 2000, 15, 356s-357s.	0.2	0
322	Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?. , 0, , 127-142.		5
323	Genes and the social environment. , 0, , 58-74.		1
324	Family environment and psychosis. , 0, , 112-126.		2

#	ARTICLE	IF	CITATIONS
325	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9.	4.5	10