

Venkata Krishnaiah Kummara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3062173/publications.pdf>

Version: 2024-02-01

61
papers

1,204
citations

394421

19
h-index

395702

33
g-index

61
all docs

61
docs citations

61
times ranked

874
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly sensitive and cost-effective metal-semiconductor-metal asymmetric type Schottky metallization based ultraviolet photodetecting sensors fabricated on n-type GaN. <i>Materials Science in Semiconductor Processing</i> , 2022, 138, 106297.	4.0	10
2	Structural and Morphological Studies of Bi ₂ O ₃ /MWCNTs Doped Reduced Graphene Oxide for Energy Storage Applications. <i>ECS Journal of Solid State Science and Technology</i> , 2022, 11, 031004.	1.8	2
3	Enhanced photoresponse performance in GaN based symmetric type MSM ultraviolet-A and MIS ultraviolet-A to C photodetectors. <i>Sensors and Actuators A: Physical</i> , 2022, 339, 113502.	4.1	13
4	Structure and morphology of yttrium doped barium titanate ceramics for multi-layer capacitor applications. <i>Materials Today: Proceedings</i> , 2021, 46, 259-262.	1.8	9
5	Role of excitation wavelength and dopant concentration on white light tunability of dysprosium doped titania-fluorophosphate glasses. <i>Optical Materials</i> , 2021, 111, 110593.	3.6	6
6	Statistical analysis of current-voltage characteristics in Au/Ta ₂ O ₅ /n-GaN Schottky barrier heterojunction using different methods. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	2.3	6
7	Orange light emission from co-precipitation derived CaZr ₄ (PO ₄) ₆ doped with Sm ³⁺ phosphor. <i>Optik</i> , 2021, 242, 167229.	2.9	7
8	High performance, self-powered and thermally stable 200–750 nm spectral responsive gallium nitride (GaN) based broadband photodetectors. <i>Solar Energy Materials and Solar Cells</i> , 2021, 225, 111033.	6.2	15
9	A Study on Annealing Process Influenced Electrical Properties of Ni/CeO ₂ /p-Si/Al Schottky Barrier Diodes. <i>Macromolecular Symposia</i> , 2021, 398, 2000228.	0.7	4
10	Luminescence and electron spin resonance studies of narrow-band UVB emitting Gd ³⁺ doped Y ₂ SiO ₅ nanophosphors synthesized by sol-gel method. <i>Optik</i> , 2021, 242, 167228.	2.9	4
11	Studies on green emitting characteristics of sol-gel derived Er ³⁺ -doped Ca ₂ La ₈ (SiO ₄) ₆ O ₂ phosphors. <i>Optik</i> , 2021, 242, 167263.	2.9	9
12	Optical properties of ytterbium doped oxyfluoride glass-ceramics - Concentration and temperature dependence studies for optical refrigeration applications. <i>Journal of Luminescence</i> , 2021, 238, 118278.	3.1	7
13	Optical and spectroscopic properties of Ho ³⁺ -doped fluorophosphate glasses for visible lighting applications. <i>Materials Research Bulletin</i> , 2020, 124, 110753.	5.2	9
14	Structural, optical and photoresponse characteristics of metal-insulator-semiconductor (MIS) type Au/Ni/CeO ₂ /GaN Schottky barrier ultraviolet photodetector. <i>Materials Science in Semiconductor Processing</i> , 2020, 117, 105190.	4.0	20
15	Quantum cutting and near-infrared emissions in Ho ³⁺ /Yb ³⁺ codoped transparent glass-ceramics. <i>Journal of Luminescence</i> , 2020, 226, 117424.	3.1	23
16	Structure and EPR investigations on Gd ³⁺ ions in magnesium-lead-borophosphate glasses. <i>Journal of Molecular Structure</i> , 2020, 1208, 127877.	3.6	7
17	Enhancement of 1.8 μm emission in Er ³⁺ /Tm ³⁺ co-doped tellurite glasses: Role of energy transfer and dual wavelength pumping schemes. <i>Journal of Alloys and Compounds</i> , 2020, 827, 154038.	5.5	17
18	Near infrared broadband and visible upconversion emissions of erbium ions in oxyfluoride glasses for optical amplifier applications. <i>Optics and Laser Technology</i> , 2020, 127, 106167.	4.6	10

#	ARTICLE	IF	CITATIONS
19	Holmium doped bismuth-germanate glasses for green lighting applications: A spectroscopic study. <i>Optical Materials</i> , 2019, 94, 436-443.	3.6	21
20	Optical and radiative properties of Sm ³⁺ ions activated alkali-bismuth-germanate glasses. <i>Journal of Luminescence</i> , 2019, 214, 116566.	3.1	6
21	Evaluation of temperature dependent electrical transport parameters in Fe ₃ O ₄ /SiO ₂ /n-Si metal-insulator-semiconductor (MIS) type Schottky barrier heterojunction in a wide temperature range. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 8955-8966.	2.2	6
22	Dysprosium doped niobium zinc fluorosilicate glasses: Interesting materials for white light emitting devices. <i>Optik</i> , 2019, 176, 457-463.	2.9	9
23	Raman and photoluminescence studies of europium doped zinc-fluorophosphate glasses for photonic applications. <i>Journal of Non-Crystalline Solids</i> , 2019, 505, 115-121.	3.1	24
24	Investigation of optical and spectroscopic properties of neodymium doped oxyfluoro-titania-phosphate glasses for laser applications. <i>Scripta Materialia</i> , 2019, 162, 246-250.	5.2	15
25	Investigation of spectroscopic properties of Sm ³⁺ -doped oxyfluorophosphate glasses for laser and display applications. <i>Materials Research Bulletin</i> , 2019, 110, 223-229.	5.2	27
26	Spectroscopic studies on Yb ³⁺ -doped tungsten-tellurite glasses for laser applications. <i>Journal of Non-Crystalline Solids</i> , 2018, 479, 9-15.	3.1	27
27	Photoluminescence of terbium doped oxyfluoro-titania-phosphate glasses for green light devices. <i>Ceramics International</i> , 2018, 44, 15304-15309.	4.8	8
28	Luminescence properties of europium doped oxyfluorosilicate glasses for visible light devices. <i>Optical Materials</i> , 2018, 83, 348-355.	3.6	28
29	Lanthanide-Doped Tellurite Glasses for Solar Energy Harvesting. , 2018, , 249-273.		1
30	Photonic properties of novel Yb ³⁺ doped germanium-lead oxyfluoride glass-ceramics for laser cooling applications. <i>Frontiers of Optoelectronics</i> , 2018, 11, 189-198.	3.7	8
31	Photoluminescence of dysprosium doped antimony-magnesium-strontium-oxyfluoroborate glasses. <i>Ceramics International</i> , 2018, 44, 21303-21308.	4.8	18
32	Structure, morphology and optical characterization of Dy ³⁺ -doped BaYF ₅ nanocrystals for warm white light emitting devices. <i>Optical Materials</i> , 2017, 70, 16-24.	3.6	36
33	Er ³⁺ -doped tellurite glasses for enhancing a solar cell photocurrent through photon upconversion upon 1500 nm excitation. <i>Materials Chemistry and Physics</i> , 2017, 199, 67-72.	4.0	49
34	Broadband Emission in Tellurite Glasses. <i>Springer Series in Materials Science</i> , 2017, , 155-211.	0.6	2
35	Ytterbium-doped oxyfluoride nano-glass-ceramic fibers for laser cooling. <i>Optical Materials Express</i> , 2017, 7, 1980.	3.0	34
36	Luminescence and energy transfer in Dy ³⁺ /Tb ³⁺ co-doped transparent oxyfluorosilicate glass-ceramics for green emitting applications. <i>Materials Research Bulletin</i> , 2016, 83, 507-514.	5.2	41

#	ARTICLE	IF	CITATIONS
37	Progress in rare-earth-doped nanocrystalline glass-ceramics for laser cooling. Proceedings of SPIE, 2016, , .	0.8	0
38	Visible up-conversion and near-infrared luminescence of Er ³⁺ /Yb ³⁺ co-doped SbPO ₄ -GeO ₂ glasses. Optical Materials, 2016, 57, 71-78.	3.6	20
39	Development of Yb ³⁺ -doped oxyfluoride glass-ceramics with low OH ⁻ content containing CaF ₂ nanocrystals for optical refrigeration. Optical Engineering, 2016, 56, 011103.	1.0	12
40	Development of ytterbium-doped oxyfluoride glasses for laser cooling applications. Scientific Reports, 2016, 6, 21905.	3.3	76
41	Spectroscopy and near infrared upconversion of Er ³⁺ -doped TZNT glasses. Journal of Luminescence, 2016, 169, 270-276.	3.1	27
42	Concentration dependent luminescence properties of Sm ³⁺ -ions in tellurite-tungsten-zirconium glasses. Optical Materials, 2015, 40, 26-35.	3.6	71
43	Ytterbium-doped glass-ceramics for optical refrigeration. Optics Express, 2015, 23, 4630.	3.4	55
44	Prospects of optical refrigeration in oxyfluoride glasses and glass-ceramics: experiments. Proceedings of SPIE, 2015, , .	0.8	1
45	Investigations on luminescence behavior of Er ³⁺ /Yb ³⁺ co-doped boro-tellurite glasses. Journal of Molecular Structure, 2015, 1079, 130-138.	3.6	34
46	Broadband Near-Infrared Luminescence and Visible Upconversion of Er ³⁺ and Yb ³⁺ -Doped Tungstate-Tellurite Glasses. Science of Advanced Materials, 2015, 7, 345-353.	0.7	7
47	Fabrication of planar waveguides in oxyfluoride glass-ceramics by simple heat-treatment. , 2015, , .		1
48	Ytterbium-doped oxyfluoride nano-glass-ceramic fibers for laser cooling. , 2015, , .		1
49	Three- and two-photon upconversion luminescence switching in Tm ³⁺ /Yb ³⁺ -codoped sodium niobate nanophosphor. Journal of Nanophotonics, 2014, 8, 083093.	1.0	14
50	Photon avalanche upconversion in Ho ³⁺ -Yb ³⁺ co-doped transparent oxyfluoride glass-ceramics. Chemical Physics Letters, 2014, 600, 34-37.	2.6	17
51	Spectroscopy and radiation trapping of Yb ³⁺ ions in lead phosphate glasses. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 140, 37-47.	2.3	36
52	Optical and luminescence properties of Dy ³⁺ ions in Sr-Al phosphate glasses for yellow laser applications. Applied Physics B: Lasers and Optics, 2014, 117, 75-84.	2.2	21
53	Optical properties of Yb ³⁺ ions in fluorophosphate glasses for 1.0-μm solid-state infrared lasers. Applied Physics B: Lasers and Optics, 2013, 113, 527-535.	2.2	16
54	Structural and luminescence behavior of lead fluoroborate glasses containing Eu ³⁺ ions. Physica B: Condensed Matter, 2013, 416, 88-100.	2.7	97

#	ARTICLE	IF	CITATIONS
55	Spectroscopic properties of Dy ³⁺ -doped oxyfluoride glasses for white light emitting diodes. Materials Express, 2013, 3, 61-70.	0.5	127
56	Preparation and Characterization of Yb ³⁺ -Doped Metaphosphate Glasses for High Energy and High Power Laser Applications. Science of Advanced Materials, 2013, 5, 276-284.	0.7	10
57	Fluorescence and Spectroscopic Properties of Yb ³⁺ -Doped Phosphate Glasses. Physics Procedia, 2012, 29, 109-113.	1.2	8
58	Fabrication and Characterization of 3D-Waveguides in Eu ³⁺ -doped Oxyfluorosilicate Glass. , 2012, , .		0
59	White light generation in Dy ³⁺ -doped fluorosilicate glasses for W-LED applications. Proceedings of SPIE, 2011, , .	0.8	1
60	Spontaneous and stimulated emission spectroscopy of a Nd(3+)-doped phosphate glass under wavelength selective pumping. Optics Express, 2011, 19, 19440-53.	3.4	14
61	Investigations on functional properties of Al _{0.8} Eu _y La _{0.2-y} TiO ₃ (y = 0.01 - 0.04) nanoparticles synthesized by hydrothermal method. Surface Review and Letters, 0, , .	1.1	0