

Roy L Soiza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3064457/publications.pdf>

Version: 2024-02-01

114
papers

3,926
citations

172457

29
h-index

138484

58
g-index

116
all docs

116
docs citations

116
times ranked

5361
citing authors

#	ARTICLE	IF	CITATIONS
1	Frailty is associated with increased waiting time for relevant process-of-care measures; findings from the Emergency Laparoscopic and Laparotomy Scottish audit (ELLSA). <i>British Journal of Surgery</i> , 2022, 109, 172-175.	0.3	2
2	Safety, immunogenicity, and efficacy of a COVID-19 vaccine (NVX-CoV2373) co-administered with seasonal influenza vaccines: an exploratory substudy of a randomised, observer-blinded, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2022, 10, 167-179.	10.7	89
3	Body Mass Index and Mortality, Recurrence and Readmission after Myocardial Infarction: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2581.	2.4	1
4	Baseline anticholinergic burden from medications predicts poorer baseline and long-term health-related quality of life in 16% of 675 men and women of the EPIC-Norfolk prospective population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 135-143.	1.9	4
5	Anticholinergic Burden Measures Predict Older People's Physical Function and Quality of Life: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 56-64.	2.5	19
6	Efficacy and safety of COVID-19 vaccines in older people. <i>Age and Ageing</i> , 2021, 50, 279-283.	1.6	234
7	Anticholinergic burden measures and older people's falls risk: a systematic prognostic review. <i>Therapeutic Advances in Drug Safety</i> , 2021, 12, 204209862110166.	2.4	15
8	Bioelectrical Impedance Versus Biochemical Analysis of Hydration Status: Predictive Value for Prolonged Hospitalisation and Poor Discharge Destination for Older Patients. <i>Healthcare (Switzerland)</i> , 2021, 9, 154.	2.0	4
9	Associations between frailty, physical performance, and renal biomarkers in older people with advanced chronic kidney disease. <i>European Geriatric Medicine</i> , 2021, 12, 943-952.	2.8	8
10	Hyponatraemia in older people is usually multifactorial and commonly iatrogenic. <i>Age and Ageing</i> , 2021, 50, 1071-1072.	1.6	1
11	Safety and Efficacy of NVX-CoV2373 Covid-19 Vaccine. <i>New England Journal of Medicine</i> , 2021, 385, 1172-1183.	27.0	734
12	An International Consensus List of Potentially Clinically Significant Drug-Drug Interactions in Older People. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2121-2133.e24.	2.5	22
13	Editorial: Deprescribing and Minimizing Use of Anticholinergic Medications. <i>Frontiers in Pharmacology</i> , 2021, 12, 820051.	3.5	2
14	Non-pharmacological, non-surgical interventions for urinary incontinence in older persons: A systematic review of systematic reviews. The SENATOR project ONTOP series. <i>Maturitas</i> , 2020, 133, 42-48.	2.4	9
15	Global pandemic—the true incidence of adverse drug reactions. <i>Age and Ageing</i> , 2020, 49, 934-935.	1.6	6
16	Anticholinergic medication exposure predicts poor physical capability: Findings from a large prospective cohort study in England. <i>Maturitas</i> , 2020, 142, 55-63.	2.4	6
17	Prevention of adverse drug reactions in hospitalized older patients with multi-morbidity and polypharmacy: the SENATOR* randomized controlled clinical trial. <i>Age and Ageing</i> , 2020, 49, 605-614.	1.6	68
18	Assessing Risks of Polypharmacy Involving Medications With Anticholinergic Properties. <i>Annals of Family Medicine</i> , 2020, 18, 148-155.	1.9	38

#	ARTICLE	IF	CITATIONS
19	Association between different methods of assessing blood pressure variability and incident cardiovascular disease, cardiovascular mortality and all-cause mortality: a systematic review. <i>Age and Ageing</i> , 2020, 49, 184-192.	1.6	10
20	The Prognostic Value of Anticholinergic Burden Measures in Relation to Mortality in Older Individuals: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2020, 11, 570.	3.5	24
21	Sodium bicarbonate to improve physical function in patients over 60 years with advanced chronic kidney disease: the BiCARB RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-90.	2.8	14
22	Circulating asymmetric dimethylarginine and cognitive decline: A 4-year follow-up study of the 1936 Aberdeen Birth Cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1181-1188.	2.7	8
23	Variability in the clinical management of iron deficiency anaemia in older adults: results from a survey of UK specialists in the care of older people. <i>Therapeutic Advances in Drug Safety</i> , 2019, 10, 204209861985487.	2.4	5
24	91 A Descriptive Analysis of Causative Drugs/Drug Classes of Incident Adverse Drug Reactions in Acutely Hospitalized Older-Adults: SENATOR (Phase I). <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
25	The Scottish Intercollegiate Guidelines Network (SIGN) 157: Guidelines on Risk Reduction and Management of Delirium. <i>Medicina (Lithuania)</i> , 2019, 55, 491.	2.0	18
26	Effect of Vitamin K2 on Postural Sway in Older People Who Fall: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2102-2107.	2.6	10
27	Non-pharmacological interventions for the improvement of post-stroke quality of life amongst older stroke survivors: a systematic review of systematic reviews (The SENATOR ONTOP series). <i>European Geriatric Medicine</i> , 2019, 10, 359-386.	2.8	1
28	Nonpharmacologic Management of Orthostatic Hypotension in Older People: A Systematic Review. The SENATOR ONTOP Series. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1065-1073.e3.	2.5	9
29	Oral Bicarbonate Therapy in Non-Haemodialysis Dependent Chronic Kidney Disease Patients: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Journal of Clinical Medicine</i> , 2019, 8, 208.	2.4	20
30	The effect of SENATOR (Software ENGINE for the Assessment and optimisation of drug and non-drug) Trial Protocol. <i>BMC Geriatrics</i> , 2019, 19, 40.	2.7	20
31	Efficacy of non-pharmacological interventions to treat malnutrition in older persons: A systematic review and meta-analysis. The SENATOR project ONTOP series and MaNuEL knowledge hub project. <i>Ageing Research Reviews</i> , 2019, 49, 27-48.	10.9	23
32	Incident adverse drug reactions in geriatric inpatients: a multicentred observational study. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 13-23.	2.4	23
33	Management of acute coronary syndromes in older people. <i>Age and Ageing</i> , 2018, 47, 2-3.	1.6	5
34	Serum sodium level variability as a prognosticator in older adults. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 632-638.	1.2	1
35	Effect of two different participant information sheets on recruitment to a falls trial: An embedded randomised recruitment trial. <i>Clinical Trials</i> , 2018, 15, 551-556.	1.6	1
36	Non-pharmacological interventions for the improvement of post-stroke activities of daily living and disability amongst older stroke survivors: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0204774.	2.5	18

#	ARTICLE	IF	CITATIONS
37	The pale evidence for treatment of iron-deficiency anaemia in older people. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 259-261.	2.4	23
38	The SENATOR project: developing and trialling a novel software engine to optimize medications and nonpharmacological therapy in older people with multimorbidity and polypharmacy. <i>Therapeutic Advances in Drug Safety</i> , 2017, 8, 81-85.	2.4	23
39	Systematic review of systematic reviews of non-pharmacological interventions to treat behavioural disturbances in older patients with dementia. The SENATOR-OnTop series. <i>BMJ Open</i> , 2017, 7, e012759.	1.9	356
40	Non-pharmacological interventions to prevent falls in older patients: Clinical practice recommendations – the SENATOR ONTOP Series. <i>European Geriatric Medicine</i> , 2017, 8, 413-418.	2.8	5
41	Prevalence and determinants of frailty and associated comorbidities among older Gurkha welfare pensioners in Nepal. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2493-2499.	1.5	22
42	Addition of sodium criterion to SOAR stroke score. <i>Acta Neurologica Scandinavica</i> , 2017, 135, 553-559.	2.1	4
43	39PREDICTIVE VALUE OF THE INTRACELLULAR TO EXTRACELLULAR WATER RATIO VERSUS THE BLOOD UREA NITROGEN TO CREATININE RATIO IN OLDER HOSPITALISED PATIENTS. <i>Age and Ageing</i> , 2017, 46, ii11-ii13.	1.6	0
44	Nonpharmacological interventions to treat physical frailty and sarcopenia in older patients: a systematic overview & – the SENATOR Project ONTOP Series. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 721-740.	2.9	102
45	Non-pharmacological interventions to prevent or treat pressure ulcers in older patients: Clinical practice recommendations. The SENATOR-ONTOP series. <i>European Geriatric Medicine</i> , 2016, 7, 142-148.	2.8	8
46	A randomised controlled trial of calcium channel blockade (CCB) with Amlodipine For the treatment of subcortical ischaemic vascular dementia (AFFECT): study protocol. <i>Trials</i> , 2016, 17, 324.	1.6	6
47	Patterns of Drug Use and Serum Sodium Concentrations in Older Hospitalized Patients: A Latent Class Analysis Approach. <i>Drugs - Real World Outcomes</i> , 2016, 3, 383-391.	1.6	4
48	Non-pharmacological interventions to prevent or treat delirium in older patients: Clinical practice recommendations the SENATOR-ONTOP series. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 927-936.	3.3	48
49	Nonpharmacologic Interventions to Prevent Pressure Ulcers in Older Patients: An Overview of Systematic Reviews (The Software Engine for the Assessment and optimization of drug and non-drug) Tj ETQq1 1 0,784314,rgBT /O 2.5 24	2.5	24
50	Effectiveness of Non-Pharmacological Interventions to Prevent Falls in Older People: A Systematic Overview. The SENATOR Project ONTOP Series. <i>PLoS ONE</i> , 2016, 11, e0161579.	2.5	48
51	Optimal target for blood pressure control – how low should we go?. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2016, 46, 21-22.	0.6	0
52	Does oral sodium bicarbonate therapy improve function and quality of life in older patients with chronic kidney disease and low-grade acidosis (the BiCARB trial)? Study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 326.	1.6	15
53	Hyponatremia predicts mortality after stroke. <i>International Journal of Stroke</i> , 2015, 10, 50-55.	5.9	25
54	Meta-analysis of Multifactorial Interventions to Prevent Falls of Older Adults in Care Facilities. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1972-1973.	2.6	6

#	ARTICLE	IF	CITATIONS
55	Hyponatraemia after Fracture Is Often Caused by Hypovolaemia, Not SIADH. <i>Advances in Orthopedics</i> , 2015, 2015, 1-2.	1.0	2
56	Systematic Review and Meta-Analysis: What Is the Evidence for Oral Iron Supplementation in Treating Anaemia in Elderly People?. <i>Drugs and Aging</i> , 2015, 32, 149-158.	2.7	33
57	Nonpharmacologic Interventions to Heal Pressure Ulcers in Older Patients: An Overview of Systematic Reviews (The SENATOR-ONTOP Series). <i>Journal of the American Medical Directors Association</i> , 2015, 16, 448-469.	2.5	35
58	Evidence of and recommendations for non-pharmacological interventions for common geriatric conditions: the SENATOR-ONTOP systematic review protocol. <i>BMJ Open</i> , 2015, 5, e007488-e007488.	1.9	45
59	Efficacy of Non-Pharmacological Interventions to Prevent and Treat Delirium in Older Patients: A Systematic Overview. The SENATOR project ONTOP Series. <i>PLoS ONE</i> , 2015, 10, e0123090.	2.5	180
60	Prognosis of Hyponatremia in Elderly Patients With Fragility Fractures. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 45-51.	1.2	9
61	Hyponatremia: Special Considerations in Older Patients. <i>Journal of Clinical Medicine</i> , 2014, 3, 944-958.	2.4	36
62	Memory Impairment is Associated with Serum Methylarginines in Older Adults. <i>Current Alzheimer Research</i> , 2014, 11, 97-106.	1.4	11
63	A simple 5-point scoring system, NaURSE (Na ⁺ , Urea, Respiratory Rate and Shock Index in the Elderly), predicts in-hospital mortality in oldest old. <i>Age and Ageing</i> , 2014, 43, 352-357.	1.6	14
64	Minimizing anticholinergic drug prescribing in older hospitalized patients: a full audit cycle. <i>Therapeutic Advances in Drug Safety</i> , 2014, 5, 121-128.	2.4	27
65	Bioelectrical impedance analysis is more accurate than clinical examination in determining the volaemic status of elderly patients with fragility fracture and hyponatraemia. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 744-750.	3.3	18
66	Prevalence, Incidence and Etiology of Hyponatremia in Elderly Patients with Fragility Fractures. <i>PLoS ONE</i> , 2014, 9, e88272.	2.5	74
67	The relationship between total anticholinergic burden (ACB) and early in-patient hospital mortality and length of stay in the oldest old aged 90 years and over admitted with an acute illness. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 155-161.	3.0	24
68	Identification of possible determinants of inpatient mortality using Classification and Regression Tree (CART) analysis in hospitalized oldest old patients. <i>Archives of Gerontology and Geriatrics</i> , 2013, 56, 188-191.	3.0	4
69	Serum methylarginines and incident depression in a cohort of older adults. <i>Journal of Affective Disorders</i> , 2013, 151, 493-499.	4.1	16
70	Practical advice for prescribing in old age. <i>Medicine</i> , 2013, 41, 9-12.	0.4	5
71	Associations between different measures of anticholinergic drug exposure and Barthel Index in older hospitalized patients. <i>Therapeutic Advances in Drug Safety</i> , 2013, 4, 235-245.	2.4	25
72	Serum Methylarginines and Spirometry-Measured Lung Function in Older Adults. <i>PLoS ONE</i> , 2013, 8, e58390.	2.5	6

#	ARTICLE	IF	CITATIONS
73	Asymmetric Dimethylarginine: A Possible Link between Vascular Disease and Dementia. <i>Current Alzheimer Research</i> , 2013, 10, 347-356.	1.4	35
74	Drug Burden Index, Physical Function, and Adverse Outcomes in Older Hospitalized Patients. <i>Journal of Clinical Pharmacology</i> , 2012, 52, 1584-1591.	2.0	75
75	Evidence of net benefit of proton pump inhibitors with clopidogrel is lacking in older patients. <i>BMJ, The</i> , 2012, 345, e5849-e5849.	6.0	1
76	Early-life determinants of cognitive ability in childhood and old age. <i>Lancet, The</i> , 2012, 380, S23.	13.7	3
77	The Effect of Hearing Augmentation on Cognitive Assessment Scales at Admission to Hospital. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 355-361.	1.2	14
78	Anticholinergic Drugs and Functional Outcomes in Older Patients Undergoing Orthopaedic Rehabilitation. <i>American Journal of Geriatric Pharmacotherapy</i> , 2012, 10, 251-257.	3.0	29
79	Inappropriate Prescribing of Proton Pump Inhibitors in Older Patients. <i>Drugs and Aging</i> , 2012, 29, 681-690.	2.7	47
80	Inappropriate Prescribing of Proton Pump Inhibitors in Older Patients. <i>Drugs and Aging</i> , 2012, 29, 681-690.	2.7	25
81	Associations Between the Anticholinergic Risk Scale Score and Physical Function: Potential Implications for Adverse Outcomes in Older Hospitalized Patients. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 565-572.	2.5	82
82	Syndrome of inappropriate antidiuretic hormone: difficulties with diagnosing syndrome of inappropriate antidiuretic hormone in older people. <i>Internal Medicine Journal</i> , 2011, 41, 295-295.	0.8	7
83	Non-psychiatric comorbidity associated with Alzheimer's disease. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011, 104, 913-920.	0.5	85
84	Clinical and Demographic Factors Associated with Antimuscarinic Medication Use in Older Hospitalized Patients. <i>Hospital Practice (1995)</i> , 2011, 39, 30-36.	1.0	16
85	Management of hyponatraemia in older people: old threats and new opportunities. <i>Therapeutic Advances in Drug Safety</i> , 2011, 2, 9-17.	2.4	33
86	Volaemic assessment of the elderly hyponatraemic patient: reliability of clinical assessment and validation of bioelectrical impedance analysis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011, 104, 35-39.	0.5	32
87	Age, co-morbidity and poor mobility: no evidence of predicting in-patient death and acute hospital length of stay in the oldest old. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011, 104, 671-679.	0.5	8
88	EXercising with C omputers in L ater L ife (EXCELL) - pilot and feasibility study of the acceptability of the Nintendo® WiiFit in community-dwelling fallers. <i>BMC Research Notes</i> , 2010, 3, 238.	1.4	125
89	Hormonal responses to a single session of wholebody vibration exercise in older individuals. <i>British Journal of Sports Medicine</i> , 2010, 44, 284-288.	6.7	82
90	Use of the Augmentation Index to Predict Short-Term Outcome After Acute Ischemic Stroke. <i>American Journal of Hypertension</i> , 2010, 23, 737-742.	2.0	18

#	ARTICLE	IF	CITATIONS
91	Optimising whole body vibration training for use in older people. <i>Age and Ageing</i> , 2010, 39, 141-141.	1.6	1
92	Association between prescribing of antimuscarinic drugs and antimuscarinic adverse effects in older people. <i>Expert Review of Clinical Pharmacology</i> , 2010, 3, 441-452.	3.1	45
93	Creatinine and eGFR are similarly predictive of outcome of acute coronary syndrome. <i>International Journal of Cardiology</i> , 2010, 141, 118-120.	1.7	5
94	Use of pulse wave analysis to measure arterial stiffness in old age. <i>Age and Ageing</i> , 2009, 38, 638-638.	1.6	0
95	Genetic determinants of ageing processes and diseases in later life. <i>Maturitas</i> , 2009, 62, 225-229.	2.4	22
96	Attitudes of first year medical students in Singapore towards older people and willingness to consider a career in geriatric medicine. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 465-1.	0.4	1
97	Medical Student Attitudes Toward Older People and Willingness to Consider a Career in Geriatric Medicine. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 334-338.	2.6	115
98	White matter lesions and endothelial dysfunction measured by pulse wave analysis. <i>Geriatrics and Gerontology International</i> , 2008, 8, 209-211.	1.5	0
99	Neuroimaging studies of delirium: A systematic review. <i>Journal of Psychosomatic Research</i> , 2008, 65, 239-248.	2.6	76
100	Nonequivalence of Inhaled and Nebulized Salbutamol in the Assessment of Endothelial Dysfunction. <i>Cardiovascular Therapeutics</i> , 2008, 26, 262-268.	2.5	2
101	Study was flawed. <i>BMJ: British Medical Journal</i> , 2008, 336, 462.1-462.	2.3	0
102	Electrolyte and salt disturbances in older people: causes, management and implications. <i>Reviews in Clinical Gerontology</i> , 2008, 18, 143-158.	0.5	23
103	Spontaneous splenic rupture mimicking pneumonia: a case report. <i>Cases Journal</i> , 2008, 1, 35.	0.4	5
104	Attitudes of first-year medical students in Singapore towards older people and willingness to consider a career in geriatric medicine. <i>Annals of the Academy of Medicine, Singapore</i> , 2008, 37, 947-51.	0.4	17
105	Use of pulse wave analysis to measure arterial stiffness in old age. <i>Age and Ageing</i> , 2007, 36, 475-476.	1.6	5
106	Prognostic implications of hyponatremia in elderly hospitalized patients. <i>Archives of Gerontology and Geriatrics</i> , 2007, 45, 253-258.	3.0	35
107	Prior clopidogrel use and outcome of acute coronary syndrome. <i>International Journal of Cardiology</i> , 2006, 111, 313-314.	1.7	2
108	TIMI Risk Score predicts early readmission. <i>International Journal of Cardiology</i> , 2006, 111, 324-325.	1.7	0

#	ARTICLE	IF	CITATIONS
109	PREVALENCE OF HYPONATREMIA IN ELDERLY PATIENTS. Journal of the American Geriatrics Society, 2006, 54, 1473-1473.	2.6	24
110	Risk stratification in acute coronary syndromes—does the TIMI risk score work in unselected cases?. QJM - Monthly Journal of the Association of Physicians, 2006, 99, 81-87.	0.5	33
111	Age-Dependent Differences in Presentation, Risk Factor Profile, and Outcome of Suspected Acute Coronary Syndrome. Journal of the American Geriatrics Society, 2005, 53, 1961-1965.	2.6	24
112	Non-fatal haemophagocytic syndrome in an elderly patient. Age and Ageing, 2005, 34, 522-524.	1.6	2
113	Evidence of ageism in the management of acute coronary syndromes. Age and Ageing, 2005, 34, 413-413.	1.6	1
114	Bioelectrical impedance analysis is more accurate than clinical examination in determining the volaemic status of elderly patients with fragility fracture and hyponatraemia. Journal of Nutrition, Health and Aging, 0, , .	3.3	4