
Karin Leander

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3068068/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-term exposure to low ambient air pollution concentrations and mortality among 28 million people: results from seven large European cohorts within the ELAPSE project. Lancet Planetary Health, The, 2022, 6, e9-e18.	5.1	130
2	Long-term exposure to ambient air pollution and bladder cancer incidence in a pooled European cohort: the ELAPSE project. British Journal of Cancer, 2022, 126, 1499-1507.	2.9	12
3	Using Distributed Lag Non-Linear Models to Estimate Exposure Lag-Response Associations between Long-Term Air Pollution Exposure and Incidence of Cardiovascular Disease. International Journal of Environmental Research and Public Health, 2022, 19, 2630.	1.2	10
4	Long-term Air Pollution Exposure and Pneumonia-related Mortality in a Large Pooled European Cohort. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 1429-1439.	2.5	17
5	Per- and Polyfluoroalkyl Substances and Risk of Myocardial Infarction and Stroke: A Nested Case–Control Study in Sweden. Environmental Health Perspectives, 2022, 130, 37007.	2.8	16
6	Antibodies Against Phosphorylcholine Among 60-Year-Olds: Clinical Role and Simulated Interactions. Frontiers in Cardiovascular Medicine, 2022, 9, 809007.	1.1	6
7	Dietary Acrylamide Exposure and Risk of Site-Specific Cancer: A Systematic Review and Dose-Response Meta-Analysis of Epidemiological Studies. Frontiers in Nutrition, 2022, 9, 875607.	1.6	15
8	Long-Term Exposure to Source-Specific Fine Particles and Mortality─A Pooled Analysis of 14 European Cohorts within the ELAPSE Project. Environmental Science & Technology, 2022, 56, 9277-9290.	4.6	11
9	Exposure to surrounding greenness and natural-cause and cause-specific mortality in the ELAPSE pooled cohort. Environment International, 2022, 166, 107341.	4.8	9
10	Physical activity attenuates cardiovascular risk and mortality in men and women with and without the metabolic syndrome – a 20-year follow-up of a population-based cohort of 60-year-olds. European Journal of Preventive Cardiology, 2021, 28, 1376-1385.	0.8	17
11	Alcohol consumption in relation to carotid subclinical atherosclerosis and its progression: results from a European longitudinal multicentre study. European Journal of Nutrition, 2021, 60, 123-134.	1.8	9
12	Long-term low-level ambient air pollution exposure and risk of lung cancer – A pooled analysis of 7 European cohorts. Environment International, 2021, 146, 106249.	4.8	79
13	Long-term exposure to low-level air pollution and incidence of chronic obstructive pulmonary disease: The ELAPSE project. Environment International, 2021, 146, 106267.	4.8	50
14	Long-term exposure to fine particle elemental components and lung cancer incidence in the ELAPSE pooled cohort. Environmental Research, 2021, 193, 110568.	3.7	32
15	Sex Differences in Rupture Risk and Mortality in Untreated Patients With Intact Abdominal Aortic Aneurysms. Journal of the American Heart Association, 2021, 10, e019592.	1.6	11
16	CYP2D6-inhibiting drugs and risk of fall injuries after newly initiated antidepressant and antipsychotic therapy in a Swedish, register-based case-crossover study. Scientific Reports, 2021, 11, 5796.	1.6	6
17	Long-Term Exposure to Fine Particle Elemental Components and Natural and Cause-Specific Mortality—a Pooled Analysis of Eight European Cohorts within the ELAPSE Project. Environmental Health Perspectives, 2021, 129, 47009.	2.8	53
18	Blood n-3 fatty acid levels and total and cause-specific mortality from 17 prospective studies. Nature Communications, 2021, 12, 2329.	5.8	132

#	Article	IF	CITATIONS
19	Intake of food rich in saturated fat in relation to subclinical atherosclerosis and potential modulating effects from single genetic variants. Scientific Reports, 2021, 11, 7866.	1.6	1
20	Abstract 026: Biomarkers Of Dairy Fat Intake Associated With Lower Cardiovascular Disease Risk: A Cohort Study And Meta-analysis. Circulation, 2021, 143, .	1.6	1
21	The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860.	9.4	341
22	Elevated Apolipoprotein B/A-1 Ratio is Associated With an Increased Risk of Aortic Stenosis: Experience From the AMORIS Cohort. Heart Lung and Circulation, 2021, 30, 1050-1057.	0.2	6
23	Perfluoroalkyl substances and risk of myocardial infarction and stroke. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
24	Longâ€ŧerm exposure to air pollution and liver cancer incidence in six European cohorts. International Journal of Cancer, 2021, 149, 1887-1897.	2.3	35
25	Chlorinated persistent organic pollutants in plasma and risk of cardiovascular disease: a prospective nested case-control study in two Swedish cohorts. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
26	Tomorrow never dies. Resuscitation, 2021, 168, 223-224.	1.3	0
27	Biomarkers of dairy fat intake, incident cardiovascular disease, and all-cause mortality: A cohort study, systematic review, and meta-analysis. PLoS Medicine, 2021, 18, e1003763.	3.9	39
28	Long-term exposure to particulate air pollution and black carbon in relation to natural and cause-specific mortality: a multicohort study in Sweden. BMJ Open, 2021, 11, e046040.	0.8	10
29	Long term exposure to low level air pollution and mortality in eight European cohorts within the ELAPSE project: pooled analysis. BMJ, The, 2021, 374, n1904.	3.0	93
30	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. European Respiratory Journal, 2021, 57, 2003099.	3.1	36
31	Long-Term Exposure to Transportation Noise and Risk of Incident Stroke: A Pooled Study of Nine Scandinavian Cohorts. Environmental Health Perspectives, 2021, 129, 107002.	2.8	28
32	Interleukin 6 trans-signalling and the risk of future cardiovascular events in men and women. Open Heart, 2021, 8, e001694.	0.9	6
33	Estrogen receptors and the aging brain. Essays in Biochemistry, 2021, 65, 913-925.	2.1	41
34	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. European Respiratory Journal, 2021, 57, 2003099.	3.1	40
35	Long-term risk of a major cardiovascular event by apoB, apoA-1, and the apoB/apoA-1 ratio—Experience from the Swedish AMORIS cohort: A cohort study. PLoS Medicine, 2021, 18, e1003853.	3.9	22
36	Pesticide exposure among Bolivian farmers: associations between worker protection and exposure biomarkers. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 730-742.	1.8	35

#	Article	IF	CITATIONS
37	Association between carbohydrate intake and fatty acids in the de novo lipogenic pathway in serum phospholipids and adipose tissue in a population of Swedish men. European Journal of Nutrition, 2020, 59, 2089-2097.	1.8	9
38	Genetic Variants Associated with Non-Alcoholic Fatty Liver Disease Do Not Associate with Measures of Sub-Clinical Atherosclerosis: Results from the IMPROVE Study. Genes, 2020, 11, 1243.	1.0	5
39	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. Molecular Psychiatry, 2020, 26, 2111-2125.	4.1	17
40	Sex differences and temporal trends in aortic dissection: a population-based study of incidence, treatment strategies, and outcome in Swedish patients during 15 years. European Heart Journal, 2020, 41, 2430-2438.	1.0	88
41	Analysis of the genetic variants associated with circulating levels of sgp130. Results from the IMPROVE study. Genes and Immunity, 2020, 21, 100-108.	2.2	11
42	Bereavement in the year before a first myocardial infarction: Impact on prognosis. European Journal of Preventive Cardiology, 2020, , 204748732091695.	0.8	7
43	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950Â000 adults. International Journal of Epidemiology, 2019, 48, 2018-2025.	0.9	21
44	Long-Term Exposure to Particulate Air Pollution, Black Carbon, and Their Source Components in Relation to Ischemic Heart Disease and Stroke. Environmental Health Perspectives, 2019, 127, 107012.	2.8	101
45	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. American Journal of Epidemiology, 2019, 188, 1033-1054.	1.6	85
46	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. Nature Communications, 2019, 10, 376.	5.8	64
47	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. Circulation Genomic and Precision Medicine, 2019, 12, e002470.	1.6	17
48	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. Circulation Genomic and Precision Medicine, 2019, 12, e002471.	1.6	22
49	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. Circulation, 2019, 139, 2422-2436.	1.6	199
50	A multi-ancestry genome-wide study incorporating gene–smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. Human Molecular Genetics, 2019, 28, 2615-2633.	1.4	31
51	Multi-ancestry genome-wide gene–smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. Nature Genetics, 2019, 51, 636-648.	9.4	112
52	Serum IL8 is not associated with cardiovascular events but with all-cause mortality. BMC Cardiovascular Disorders, 2019, 19, 34.	0.7	11
53	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. American Journal of Human Genetics, 2018, 102, 375-400.	2.6	123
54	Comorbidities in relation to fatality of first myocardial infarction. Cardiovascular Pathology, 2018, 32, 32-37.	0.7	5

#	Article	IF	CITATIONS
55	Circulating fatty acids in relation to alcohol consumption: Cross-sectional results from a cohort of 60-year-old men and women. Clinical Nutrition, 2018, 37, 2001-2010.	2.3	10
56	Understanding abdominal aortic aneurysm epidemiology: socioeconomic position affects outcome. Journal of Epidemiology and Community Health, 2018, 72, 904-910.	2.0	31
57	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. PLoS ONE, 2018, 13, e0198166.	1.1	94
58	Risk of fall injuries with concomitant use of antidepressants and CYP2D6 inhibitors. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-14-11.	0.0	0
59	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977.	5.8	169
60	Screening of siblings to patients with abdominal aortic aneurysms in Sweden. Scandinavian Cardiovascular Journal, 2017, 51, 167-171.	0.4	5
61	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. Diabetes, 2017, 66, 2888-2902.	0.3	615
62	Impact of Selection Bias on Estimation of Subsequent Event Risk. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	28
63	Risks and Benefits of Increased Nut Consumption: Cardiovascular Health Benefits Outweigh the Burden of Carcinogenic Effects Attributed to Aflatoxin B1 Exposure. Nutrients, 2017, 9, 1355.	1.7	20
64	IgM antibodies to oxidized phosphatidylserine as protection markers in cardiovascular disease among 60-year olds. PLoS ONE, 2017, 12, e0171195.	1.1	4
65	Postmenopausal hormone therapy and risk of stroke: A pooled analysis of data from population-based cohort studies. PLoS Medicine, 2017, 14, e1002445.	3.9	44
66	Serum Fatty Acids, Desaturase Activities and Abdominal Obesity – A Population-Based Study of 60-Year Old Men and Women. PLoS ONE, 2017, 12, e0170684.	1.1	33
67	Crossâ€sectional relationships between dietary fat intake and serum cholesterol fatty acids in a Swedish cohort of 60â€yearâ€old men and women. Journal of Human Nutrition and Dietetics, 2016, 29, 325-337.	1.3	11
68	Human IgM Antibodies to Malondialdehyde Conjugated With Albumin Are Negatively Associated With Cardiovascular Disease Among 60â€Yearâ€Olds. Journal of the American Heart Association, 2016, 5, .	1.6	17
69	Diabetes, hypertension, overweight and hyperlipidemia and 7-day case-fatality in first myocardial infarction. IJC Metabolic & Endocrine, 2016, 12, 30-35.	0.5	8
70	FTO gene variation, macronutrient intake and coronary heart disease risk: a gene–diet interaction analysis. European Journal of Nutrition, 2016, 55, 247-255.	1.8	15
71	Circulating Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Predicts Future Risk of Cardiovascular Events Independently of Established Risk Factors. Circulation, 2016, 133, 1230-1239.	1.6	166
72	Pulse pressure is not an independent predictor of incident atrial fibrillation in 60-year-old men and women. Annals of Medicine, 2015, 47, 679-686.	1.5	3

#	Article	IF	CITATIONS
73	Does menopausal hormone therapy reduce myocardial infarction risk if initiated early after menopause? A population-based case-control study. Menopause, 2015, 22, 598-606.	0.8	10
74	Obesity, Metabolic Syndrome and Risk of Atrial Fibrillation: A Swedish, Prospective Cohort Study. PLoS ONE, 2015, 10, e0127111.	1.1	54
75	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	1.5	331
76	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	13.7	1,328
77	Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206.	13.7	3,823
78	Duffy antigen receptor genetic variant and the association with Interleukin 8 levels. Cytokine, 2015, 72, 178-184.	1.4	9
79	Plasma IL-5 concentration and subclinical carotid atherosclerosis. Atherosclerosis, 2015, 239, 125-130.	0.4	36
80	Protein biomarkers for the prediction of cardiovascular disease in type 2 diabetes. Diabetologia, 2015, 58, 1363-1371.	2.9	57
81	Traffic-related air pollution exposure and incidence of stroke in four cohorts from Stockholm. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 517-523.	1.8	49
82	Polyunsaturated Fat Intake Estimated by Circulating Biomarkers and Risk of Cardiovascular Disease and All-Cause Mortality in a Population-Based Cohort of 60-Year-Old Men and Women. Circulation, 2015, 132, 586-594.	1.6	35
83	Long-term effects of elemental composition of particulate matter on inflammatory blood markers in European cohorts. Environment International, 2015, 82, 76-84.	4.8	77
84	Circulating levels of interleukin 6 soluble receptor and its natural antagonist, sgp130, and the risk of myocardial infarction. Atherosclerosis, 2015, 240, 477-481.	0.4	32
85	Is the adiposityâ€associated <scp><i>FTO</i></scp> gene variant related to allâ€cause mortality independent of adiposity? Metaâ€analysis of data from 169,551 <scp>C</scp> aucasian adults. Obesity Reviews, 2015, 16, 327-340.	3.1	8
86	Sexâ€Specific Effects of Adiponectin on Carotid Intimaâ€Media Thickness and Incident Cardiovascular Disease. Journal of the American Heart Association, 2015, 4, e001853.	1.6	33
87	Interleukin-8 is associated with increased total mortality in women but not in men—findings from a community-based cohort of elderly. Annals of Medicine, 2015, 47, 28-33.	1.5	7
88	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. Nature Genetics, 2015, 47, 1415-1425.	9.4	365
89	Agreement between Myocardial Infarction Patients and Their Spouses on Reporting of Data on 82 Cardiovascular Risk Exposures. PLoS ONE, 2015, 10, e0132601.	1.1	4
90	Long-Term Exposure to Ambient Air Pollution and Incidence of Cerebrovascular Events: Results from 11 European Cohorts within the ESCAPE Project. Environmental Health Perspectives, 2014, 122, 919-925.	2.8	285

#	Article	IF	CITATIONS
91	Long term exposure to ambient air pollution and incidence of acute coronary events: prospective cohort study and meta-analysis in 11 European cohorts from the ESCAPE Project. BMJ, The, 2014, 348, f7412-f7412.	3.0	481
92	Arterial Blood Pressure and Long-Term Exposure to Traffic-Related Air Pollution: An Analysis in the European Study of Cohorts for Air Pollution Effects (ESCAPE). Environmental Health Perspectives, 2014, 122, 896-905.	2.8	112
93	P249Association of the soluble interleukin 6 receptor and its natural antagonist, sgp130, with the risk of myocardial infarction. Cardiovascular Research, 2014, 103, S44.4-S44.	1.8	0
94	Financial stress in late adulthood and diverse risks of incident cardiovascular disease and all-cause mortality in women and men. BMC Public Health, 2014, 14, 17.	1.2	40
95	<i>FTO</i> Genotype, Physical Activity, and Coronary Heart Disease Risk in Swedish Men and Women. Circulation: Cardiovascular Genetics, 2014, 7, 171-177.	5.1	34
96	Association of interleukin 8 with myocardial infarction: Results from the Stockholm Heart Epidemiology Program. International Journal of Cardiology, 2014, 172, 173-178.	0.8	31
97	Prediction of cardiovascular disease by abdominal obesity measures is dependent on body weight and sex – Results from two community based cohort studies. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 891-899.	1.1	23
98	Response to: Modifiable lifestyle risks, cardiovascular disease, and all-cause mortality. International Journal of Cardiology, 2014, 173, 560.	0.8	1
99	Plasma autoantibodies against apolipoprotein B-100 peptide 210 in subclinical atherosclerosis. Atherosclerosis, 2014, 232, 242-248.	0.4	27
100	Reasons for non-participation in population-based abdominal aortic aneurysm screening. British Journal of Surgery, 2014, 101, 481-487.	0.1	33
101	Low levels of IgM antibodies against phosphorylcholine are associated with fast carotid intima media thickness progression and cardiovascular risk in men. Atherosclerosis, 2014, 236, 394-399.	0.4	23
102	Lim Domain Binding 2. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 2068-2077.	1.1	17
103	Differences in anthropometric measures in immigrants and Swedish-born individuals: Results from two community-based cohort studies. Preventive Medicine, 2014, 69, 151-156.	1.6	9
104	A serum 25-hydroxyvitamin D concentration-associated genetic variant in DHCR7 interacts with type 2 diabetes status to influence subclinical atherosclerosis (measured by carotid intima–media) Tj ETQq0 0 0 rgBT	/Ozerlock	1 0 4f 50 212
105	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. Nature Genetics, 2014, 46, 234-244.	9.4	959
106	Long-term exposure to elemental constituents of particulate matter and cardiovascular mortality in 19 European cohorts: Results from the ESCAPE and TRANSPHORM projects. Environment International, 2014, 66, 97-106.	4.8	127
107	Lipidomic profile and cardiovascular events in diabetic subjects. Atherosclerosis, 2014, 235, e48-e49.	0.4	0
108	Abstract 20129: Polyunsaturated Fat Intake Estimated by Circulating Biomarkers is Inversely Associated with Cardiovascular Disease and All-Cause Mortality in a Large Population-Based Cohort of Swedish Women and Men. Circulation, 2014, 130, .	1.6	0

#	Article	IF	CITATIONS
109	Seven modifiable lifestyle factors predict reduced risk for ischemic cardiovascular disease and all-cause mortality regardless of body mass index: A cohort study. International Journal of Cardiology, 2013, 168, 946-952.	0.8	88
110	The association between plasma homocysteine and coronary heart disease is modified by the MTHFR 677C>T polymorphism. Heart, 2013, 99, 1761-1765.	1.2	27
111	Large-scale association analysis identifies new risk loci for coronary artery disease. Nature Genetics, 2013, 45, 25-33.	9.4	1,439
112	Low levels of IgM antibodies to oxidized cardiolipin increase and high levels decrease risk of cardiovascular disease among 60-year olds: a prospective study. BMC Cardiovascular Disorders, 2013, 13, 1.	0.7	43
113	Identifying the odds ratio estimated by a twoâ€stage instrumental variable analysis with a logistic regression model. Statistics in Medicine, 2013, 32, 4726-4747.	0.8	65
114	Serum 25-Hydroxyvitamin D Concentration in Subclinical Carotid Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2633-2638.	1.1	33
115	Interleukin 8 serum levels and the risk of myocardial infarction. Results from the Stockholm Heart Epidemiology program. European Heart Journal, 2013, 34, P1564-P1564.	1.0	0
116	Interaction between air pollution exposure and genes in relation to levels of inflammatory markers and risk of myocardial infarction. BMJ Open, 2013, 3, e003058.	0.8	19
117	Novel and established anthropometric measures and the prediction of incident cardiovascular disease: a cohort study. International Journal of Obesity, 2013, 37, 1579-1585.	1.6	39
118	The Risk of Type 2 Diabetes in Men Is Synergistically Affected by Parental History of Diabetes and Overweight. PLoS ONE, 2013, 8, e61763.	1.1	25
119	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. European Heart Journal, 2012, 33, 393-407.	1.0	93
120	Identification of the <i>BCAR1-CFDP1-TMEM170A</i> Locus as a Determinant of Carotid Intima-Media Thickness and Coronary Artery Disease Risk. Circulation: Cardiovascular Genetics, 2012, 5, 656-665.	5.1	47
121	Elevated ApoB serum levels strongly predict early cardiovascular events. Heart, 2012, 98, 1242-1245.	1.2	18
122	Impaired fibrinolytic capacity and increased fibrin formation associate with myocardial infarction. Thrombosis and Haemostasis, 2012, 107, 1092-1099.	1.8	37
123	Interaction of apolipoprotein E genotype with smoking and physical inactivity on coronary heart disease risk in men and women. Atherosclerosis, 2012, 220, 486-492.	0.4	32
124	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. Nature Genetics, 2012, 44, 981-990.	9.4	1,748
125	Relationships of plasma factor VIIa-antithrombin complexes to manifest and future cardiovascular disease. Thrombosis Research, 2012, 130, 221-225.	0.8	16
126	NAMPT (visfatin) and AKT1 genetic variants associate with myocardial infarction. Clinica Chimica Acta, 2012, 413, 727-732.	0.5	12

#	Article	IF	CITATIONS
127	Chromosome 1p13 genetic variants antagonize the risk of myocardial infarction associated with high ApoB serum levels. BMC Cardiovascular Disorders, 2012, 12, 90.	0.7	8
128	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. Nature Genetics, 2012, 44, 659-669.	9.4	762
129	Regional variation in the incidence of abdominal aortic aneurysm in Sweden. British Journal of Surgery, 2012, 99, 647-653.	0.1	15
130	Genome-Wide Association Identifies Nine Common Variants Associated With Fasting Proinsulin Levels and Provides New Insights Into the Pathophysiology of Type 2 Diabetes. Diabetes, 2011, 60, 2624-2634.	0.3	335
131	Plasma CD93 concentration is a potential novel biomarker for coronary artery disease. Journal of Internal Medicine, 2011, 270, 229-236.	2.7	39
132	A genome-wide association study in Europeans and South Asians identifies five new loci for coronary artery disease. Nature Genetics, 2011, 43, 339-344.	9.4	643
133	Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. Nature Genetics, 2011, 43, 333-338.	9.4	1,685
134	Large-Scale Gene-Centric Analysis Identifies Novel Variants for Coronary Artery Disease. PLoS Genetics, 2011, 7, e1002260.	1.5	203
135	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. BMJ: British Medical Journal, 2011, 342, d548-d548.	2.4	530
136	Apolipoprotein C-I genotype and serum levels of triglycerides, C-reactive protein and coronary heart disease. Metabolism: Clinical and Experimental, 2010, 59, 1736-1741.	1.5	14
137	Genetic Variation at the <i>Phospholipid Transfer Protein</i> Locus Affects Its Activity and High-Density Lipoprotein Size and Is a Novel Marker of Cardiovascular Disease Susceptibility. Circulation, 2010, 122, 470-477.	1.6	86
138	W58 COMMON GENETIC VARIANTS ASSOCIATED WITH LOW Lp(a) KRINGLE-IV COPY NUMBER, HIGH Lp(a) CONCENTRATION, AND INCREASED RISK OF CORONARY HEART DISEASE. Atherosclerosis Supplements, 2010, 11, 13.	1.2	0
139	The Interaction between Coagulation Factor 2 Receptor and Interleukin 6 Haplotypes Increases the Risk of Myocardial Infarction in Men. PLoS ONE, 2010, 5, e11300.	1.1	20
140	Associations of long- and short-term air pollution exposure with markers of inflammation and coagulation in a population sample. Occupational and Environmental Medicine, 2009, 66, 747-753.	1.3	113
141	Multi-Organ Expression Profiling Uncovers a Gene Module in Coronary Artery Disease Involving Transendothelial Migration of Leukocytes and LIM Domain Binding 2: The Stockholm Atherosclerosis Gene Expression (STAGE) Study. PLoS Genetics, 2009, 5, e1000754.	1.5	118
142	Genetic Variants Associated with Lp(a) Lipoprotein Level and Coronary Disease. New England Journal of Medicine, 2009, 361, 2518-2528.	13.9	1,233
143	ASSOCIATION STUDY OF CORONARY ARTERY DISEASE (CAD) USING HUMANCVD 50K CHIP. Atherosclerosis, 2009, 207, e4.	0.4	0
144	Long- and Short-Term Air Pollution Exposure and Markers of Inflammation and Coagulation in a Population Sample from Stockholm. Epidemiology, 2009, 20, S156-S157.	1.2	0

#	Article	IF	CITATIONS
145	Outcome After Leg Bypass Surgery for Critical Limb Ischemia Is Poor in Patients With Diabetes. Diabetes Care, 2008, 31, 887-892.	4.3	84
146	Primary risk factors influence risk of recurrent myocardial infarction/death from coronary heart disease: results from the Stockholm Heart Epidemiology Program (SHEEP). European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 532-537.	3.1	31
147	The association between fibrinogen haplotypes and myocardial infarction in men is partly mediated through pleiotropic effects on the serum IL-6 concentration. Journal of Internal Medicine, 2007, 261, 138-47.	2.7	16
148	The complex between tPA and PAI-1: risk factor for myocardial infarction as studied in the SHEEP project. Thrombosis Research, 2005, 116, 223-232.	0.8	44
149	PAI-1 level and the PAI-1 4G/5G polymorphism in relation to risk of non-fatal myocardial infarction. Thrombosis and Haemostasis, 2003, 89, 1064-1071.	1.8	39
150	PAI-1 level and the PAI-1 4G/5G polymorphism in relation to risk of non-fatal myocardial infarction: results from the Stockholm Heart Epidemiology Program (SHEEP). Thrombosis and Haemostasis, 2003, 89, 1064-71.	1.8	10
151	The G-455A polymorphism of the fibrinogen BBeta-gene relates to plasma fibrinogen in male cases, but does not interact with environmental factors in causing myocardial infarction in either men or women. Journal of Internal Medicine, 2002, 252, 332-341.	2.7	27
152	Family History of Coronary Heart Disease, a Strong Risk Factor for Myocardial Infarction Interacting with Other Cardiovascular Risk Factors: Results from the Stockholm Heart Epidemiology Program (SHEEP). Epidemiology, 2001, 12, 215-221.	1.2	126
153	Associations of Polymorphisms in the Peroxisome Proliferator-Activated Receptor Gamma Coactivator-1 Alpha Gene With Subsequent Coronary Heart Disease: An Individual-Level Meta-Analysis. Frontiers in Physiology, 0, 13, .	1.3	1