List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3070645/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Palladium-Based Catalytic Systems for the Synthesis of Conjugated Enynes by Sonogashira Reactions and Related Alkynylations. Angewandte Chemie - International Edition, 2007, 46, 834-871.	13.8	773
2	trans-[RuCl2(phosphane)2(1,2-diamine)] and Chiraltrans-[RuCl2(diphosphane)(1,2-diamine)]: Shelf-Stable Precatalysts for the Rapid, Productive, and Stereoselective Hydrogenation of Ketones. Angewandte Chemie - International Edition, 1998, 37, 1703-1707.	13.8	576
3	Asymmetric Hydrogenation of Alkenyl, Cyclopropyl, and Aryl Ketones. RuCl2(xylbinap)(1,2-diamine) as a Precatalyst Exhibiting a Wide Scope. Journal of the American Chemical Society, 1998, 120, 13529-13530.	13.7	403
4	Palladium atalyzed C3 or C4 Direct Arylation of Heteroaromatic Compounds with Aryl Halides by CH Bond Activation. ChemCatChem, 2010, 2, 20-40.	3.7	366
5	Suzuki–Miyaura Crossâ€Coupling Reactions of Alkylboronic Acid Derivatives or Alkyltrifluoroborates with Aryl, Alkenyl or Alkyl Halides and Triflates. European Journal of Organic Chemistry, 2008, 2008, 2013-2030.	2.4	319
6	Asymmetric Activation of Racemic Ruthenium(II) Complexes for Enantioselective Hydrogenation. Journal of the American Chemical Society, 1998, 120, 1086-1087.	13.7	205
7	Regioselectivity in palladium-catalysed direct arylation of 5-membered ring heteroaromatics. Catalysis Science and Technology, 2016, 6, 2005-2049.	4.1	190
8	The Scope of Catalytic Asymmetric Hydroboration/Oxidation with Rhodium Complexes of 1,1′-(2-Diarylphosphino-1-naphthyl)isoquinolines. Chemistry - A European Journal, 1999, 5, 1320-1330.	3.3	174
9	Greener solvents for ruthenium and palladium-catalysed aromatic C–H bond functionalisation. Green Chemistry, 2011, 13, 741.	9.0	167
10	General Synthesis of (Z)-Alk-1-en-1-yl Esters via Ruthenium-Catalyzed anti-Markovnikov trans-Addition of Carboxylic Acids to Terminal Alkynes. Journal of Organic Chemistry, 1995, 60, 7247-7255.	3.2	161
11	Functionalization of C–H Bonds via Metal-Catalyzed Desulfitative Coupling: An Alternative Tool for Access to Aryl- or Alkyl-Substituted (Hetero)arenes. ACS Catalysis, 2015, 5, 978-991.	11.2	142
12	Ligand-less palladium-catalyzed direct 5-arylation of thiophenes at low catalyst loadings. Green Chemistry, 2009, 11, 425.	9.0	131
13	Phosphine-Free Palladium-Catalyzed Direct Arylation of Imidazo[1,2-a]pyridines with Aryl Bromides at Low Catalyst Loading. Journal of Organic Chemistry, 2012, 77, 4473-4478.	3.2	126
14	A Versatile Palladium/Triphosphane System for Direct Arylation of Heteroarenes with Chloroarenes at Low Catalyst Loading. Angewandte Chemie - International Edition, 2010, 49, 6650-6654.	13.8	124
15	Catalytic Efficiency of a New Tridentate Ferrocenyl Phosphine Auxiliary:  Sonogashira Cross-Coupling Reactions of Alkynes with Aryl Bromides and Chlorides at Low Catalyst Loadings of 10-1 to 10-4 Mol %. Organic Letters, 2004, 6, 3473-3476.	4.6	115
16	Ligand-Free Palladium-Catalyzed Direct Arylation of Thiazoles at Low Catalyst Loadings. Journal of Organic Chemistry, 2009, 74, 1179-1186.	3.2	113
17	Aryl triflates: useful coupling partners for the direct arylation of heteroaryl derivatives via Pd-catalyzed C–H activation–functionalization. Organic and Biomolecular Chemistry, 2008, 6, 169-174.	2.8	110
18	Carbonates: eco-friendly solvents for palladium-catalysed direct arylation of heteroaromatics. Green Chemistry, 2010, 12, 2053.	9.0	109

#	Article	IF	CITATIONS
19	Regioselective Câ€2 or Câ€5 Direct Arylation of Pyrroles with Aryl Bromides using a Ligandâ€Free Palladium Catalyst. Advanced Synthesis and Catalysis, 2009, 351, 1977-1990.	4.3	108
20	Efficient Heck Vinylation of Aryl Halides Catalyzed by a New Air-Stable Palladiumâ^'Tetraphosphine Complex. Journal of Organic Chemistry, 2001, 66, 5923-5925.	3.2	104
21	A New Tetratertiary Phosphine Ligand and Its Use in Pd-Catalyzed Allylic Substitution. Journal of Organic Chemistry, 2001, 66, 1633-1637.	3.2	102
22	Application of Palladium-Catalyzed C(sp2)–H Bond Arylation to the Synthesis of Polycyclic (Hetero)Aromatics. CheM, 2019, 5, 2006-2078.	11.7	101
23	Benzenesulfonyl chlorides: new reagents for access to alternative regioisomers in palladium-catalysed direct arylations of thiophenes. Chemical Science, 2014, 5, 392-396.	7.4	98
24	Ligandâ€Free Palladium atalysed Direct Arylation of Heteroaromatics Using Low Catalyst Loadings. ChemSusChem, 2008, 1, 404-407.	6.8	97
25	A Palladiumâ^'Ferrocenyl Tetraphosphine System as Catalyst for Suzuki Cross-Coupling and Heck Vinylation of Aryl Halides:Â Dynamic Behavior of the Palladium/Phosphine Species. Organometallics, 2003, 22, 4490-4499.	2.3	95
26	Palladium-Catalyzed Direct Arylation of Furans via Câ^'H Functionalization at Low Catalyst Loadings. Organometallics, 2007, 26, 472-474.	2.3	93
27	Direct arylation of oxazole and benzoxazole with aryl or heteroaryl halides using a palladium–diphosphine catalyst. Journal of Organometallic Chemistry, 2008, 693, 135-144.	1.8	92
28	Palladium–tetraphosphine catalysed cross coupling of aryl bromides with arylboronic acids: remarkable influence of the nature of the ligand. Chemical Communications, 2001, , 325-326.	4.1	90
29	Low catalyst loading ligand-free palladium-catalyzed direct arylation of furans: an economically and environmentally attractive access to 5-arylfurans. Green Chemistry, 2009, 11, 1832.	9.0	85
30	Palladium atalysed Direct Arylation of Heteroaromatics Bearing Unprotected Hydroxyalkyl Functions using Aryl Bromides. Advanced Synthesis and Catalysis, 2010, 352, 696-710.	4.3	81
31	Catalytic Efficiency of a New Tridentate Ferrocenyl Phosphine Auxiliary: Sonogashira Cross-Coupling Reactions of Alkynes with Aryl Bromides and Chlorides at Low Catalyst Loadings of 10-1 to 10-4 mol % ChemInform, 2005, 36, no.	0.0	80
32	Synthesis of (Poly)fluorobiphenyls through Metalâ€catalyzed CH Bond Activation/Arylation of (Poly)fluorobenzene Derivatives. ChemCatChem, 2014, 6, 1824-1859.	3.7	79
33	Direct Arylation of Thiophenes <i>via</i> Palladium atalysed CH Functionalisation at Low Catalyst Loadings. Advanced Synthesis and Catalysis, 2007, 349, 2507-2516.	4.3	77
34	Palladium-catalysed direct arylation of thiophenes tolerant to silyl groups. Chemical Communications, 2011, 47, 1872-1874.	4.1	76
35	Nâ€Heterocyclic Carbenes: Useful Ligands for the Palladiumâ€Catalysed Direct C5 Arylation of Heteroaromatics with Aryl Bromides or Electronâ€Deficient Aryl Chlorides. European Journal of Inorganic Chemistry, 2010, 2010, 1798-1805.	2.0	75
36	Ligandâ€Freeâ€Palladiumâ€Catalyzed Direct 4â€Arylation of Isoxazoles Using Aryl Bromides. European Journal of Organic Chemistry, 2009, 2009, 4041-4050.	2.4	74

#	Article	IF	CITATIONS
37	Phosphine-free palladium-catalysed direct 5-arylation of imidazole derivatives at low catalyst loading. Tetrahedron, 2009, 65, 9772-9781.	1.9	73
38	Palladium-Catalyzed Direct Arylation of Heteroaromatics with Activated Aryl Chlorides Using a Sterically Relieved Ferrocenyl-Diphosphane. ACS Catalysis, 2012, 2, 1033-1041.	11.2	73
39	Stereoselective synthesis of Z-enol esters catalysed by [bis(diphenylphosphino)alkane]bis(2-methylpropenyl)ruthenium complexes. Journal of the Chemical Society Chemical Communications, 1993, , 850-851.	2.0	71
40	Regioselective Pd atalyzed Methoxycarbonylation of Alkenes Using both Paraformaldehyde and Methanol as CO Surrogates. Angewandte Chemie - International Edition, 2015, 54, 4493-4497.	13.8	71
41	Tetraphosphine/palladium-catalyzed Heck reactions of aryl halides with disubstituted alkenes. Tetrahedron Letters, 2003, 44, 8487-8491.	1.4	69
42	Palladium-catalyzed direct heteroarylation of chloropyridines and chloroquinolines. Journal of Organometallic Chemistry, 2009, 694, 455-465.	1.8	67
43	Use of a bulky phosphine of weak σ-donicity with palladium as a versatile and highly-active catalytic system: allylation and arylation coupling reactions at 10â^'1–10â^'4mol% catalyst loadings of ferrocenyl bis(difurylphosphine)/Pd. Tetrahedron, 2005, 61, 9759-9766.	1.9	66
44	Synthesis of 1′-(2-(diarylphosphino)1-naphthyl)isoquinolines; variation of the aryl substituent. Tetrahedron: Asymmetry, 1997, 8, 3775-3784.	1.8	65
45	Activated Aryl Chlorides: Useful Partners for the Coupling with 2-Substituted Thiazoles in the Palladium-Catalysed C-H Activation/Functionalisation Reaction. European Journal of Inorganic Chemistry, 2007, 2007, 3629-3632.	2.0	65
46	Palladium atalyzed Direct Câ€4 Arylation of 2,5â€Disubstituted Furans with Aryl Bromides. Advanced Synthesis and Catalysis, 2008, 350, 2183-2188.	4.3	65
47	Alkenyl bromides: useful coupling partners for the palladium-catalysed coupling with heteroaromatics via a C–H bond activation. Tetrahedron Letters, 2008, 49, 2926-2930.	1.4	64
48	Palladium-Catalyzed Direct Arylation of Free NH ₂ -Substituted Thiophene Derivatives. Organic Letters, 2010, 12, 4320-4323.	4.6	62
49	Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst. Journal of Organometallic Chemistry, 2003, 687, 327-336.	1.8	61
50	Palladium-tetraphosphine complex: an efficient catalyst for the coupling of aryl halides with alkynes. Organic and Biomolecular Chemistry, 2003, 1, 2235.	2.8	61
51	Palladium Catalyzed Direct 3â€Arylation of Benzofurans using Low Catalyst Loadings. ChemSusChem, 2010, 3, 367-376.	6.8	61
52	Cyclopentyl Methyl Ether: An Alternative Solvent for Palladium atalyzed Direct Arylation of Heteroaromatics. ChemSusChem, 2011, 4, 526-534.	6.8	61
53	Heck reaction with heteroaryl halides in the presence of a palladium-tetraphosphine catalyst. Tetrahedron Letters, 2002, 43, 5625-5628.	1.4	60
54	Palladiumâ€Catalysed Direct Câ€H Activation/Arylation of Heteroaromatics: An Environmentally Attractive Access to Bi―or Polydentate Ligands. European Journal of Inorganic Chemistry, 2008, 2008, 2550-2559.	2.0	60

#	Article	IF	CITATIONS
55	Palladiumâ€Catalysed Direct 3―or 4â€Arylation of 2,5â€Disubstituted Pyrrole Derivatives: An Economically and Environmentally Attractive Procedure. ChemSusChem, 2009, 2, 153-157.	6.8	60
56	Palladium atalysed Direct Polyarylation of Pyrrole Derivatives. ChemCatChem, 2013, 5, 255-262.	3.7	60
57	In vitro screening, homology modeling and molecular docking studies of some pyrazole and imidazole derivatives. Biomedicine and Pharmacotherapy, 2018, 103, 653-661.	5.6	60
58	Palladium atalysed Direct Desulfitative Arylation of Pyrroles using Benzenesulfonyl Chlorides as Alternative Coupling Partners. Advanced Synthesis and Catalysis, 2014, 356, 3831-3841.	4.3	59
59	Tetraphosphine/palladium-catalysed Suzuki cross-coupling with sterically hindered aryl bromides and arylboronic acids. Tetrahedron Letters, 2001, 42, 6667-6670.	1.4	58
60	Suzuki Cross-Coupling Reactions between Alkenylboronic Acids and Aryl Bromides Catalysed by a Tetraphosphane-Palladium Catalyst. European Journal of Organic Chemistry, 2004, 2004, 1075-1082.	2.4	58
61	Conformational Control of Metallocene Backbone by Cyclopentadienyl Ring Substitution: A New Concept in Polyphosphane Ligands Evidenced by "Through-Space―Nuclear Spinâr'Spin Coupling. Application in Heteroaromatics Arylation by Direct Câr'H Activation. Organometallics, 2009, 28, 3152-3160	2.3	58
62	Synthesis of Polysubstituted Alkenes by Heck Vinylation or Suzuki Cross-Coupling Reactions in the Presence of a Tetraphosphaneâ^'Palladium Catalyst. European Journal of Organic Chemistry, 2003, 2003, 1091-1096.	2.4	57
63	Sonogashira cross-coupling reactions with heteroaryl halides in the presence of a tetraphosphine–palladium catalyst. Tetrahedron Letters, 2005, 46, 1717-1720.	1.4	57
64	Palladiumâ^'Tetraphosphine as Catalyst Precursor for High-Turnover-Number Negishi Cross-Coupling of Alkyl- or Phenylzinc Derivatives with Aryl Bromides. Organometallics, 2006, 25, 5219-5222.	2.3	57
65	Palladium-catalysed direct 3- or 4-arylation of thiophene derivatives using aryl bromides. Tetrahedron Letters, 2009, 50, 2778-2781.	1.4	57
66	Hybrid P-chiral diphosphines for asymmetric hydrogenation. Chemical Communications, 1999, , 261-262.	4.1	56
67	Direct Arylation of Heteroaromatic Compounds with Congested, Functionalised Aryl Bromides at Low Palladium/Triphosphane Catalyst Loading. Chemistry - A European Journal, 2011, 17, 6453-6461.	3.3	54
68	Palladium-catalysed direct arylation of a tris-cyclometallated Ir(iii) complex bearing 2,2′-thienylpyridine ligands: a powerful tool for the tuning of luminescence properties. Chemical Communications, 2012, 48, 1260-1262.	4.1	54
69	Efficient coupling of heteroaryl bromides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst. Tetrahedron Letters, 2001, 42, 5659-5662.	1.4	53
70	Palladiumâ€Based Catalytic System for the Direct C3â€Arylation of Furanâ€2â€carboxamides and Thiopheneâ€2â€carboxamides. ChemCatChem, 2012, 4, 815-823.	3.7	53
71	Environmentally Benign Arylations of 5â€Membered Ring Heteroarenes by Pdâ€Catalyzed Câ^'H Bonds Activations. ChemCatChem, 2019, 11, 269-286.	3.7	52
72	Heck reaction of aryl halides with linear or cyclic alkenes catalysed by a tetraphosphine/palladium catalyst. Tetrahedron Letters, 2003, 44, 1221-1225.	1.4	51

#	Article	IF	CITATIONS
73	PEPPSI-Type Palladium-NHC Complexes: Synthesis, Characterization, and Catalytic Activity in the Direct C5-Arylation of 2-Substituted Thiophene Derivatives with Aryl Halides. European Journal of Inorganic Chemistry, 2017, 2017, 1382-1391.	2.0	51
74	cis,cis,cis-1,2,3,4-Tetrakis(diphenylphosphinomethyl)cyclopentane: Tedicyp, an Efficient Ligand in Palladium-Catalysed Reactions. Synlett, 2006, 2006, 2001-2015.	1.8	49
75	Ecoâ€Friendly Solvents for Palladium atalyzed Desulfitative CH Bond Arylation of Heteroarenes. ChemSusChem, 2015, 8, 1794-1804.	6.8	49
76	Palladiumâ€Catalysed Intramolecular Direct Arylation of 2â€Bromobenzenesulfonic Acid Derivatives. Advanced Synthesis and Catalysis, 2012, 354, 3533-3538.	4.3	47
77	Sonogashira cross-coupling reactions of aryl chlorides with alkynes catalysed by a tetraphosphine–palladium catalyst. Tetrahedron Letters, 2004, 45, 8443-8446.	1.4	46
78	Steric Control at the Wingtip of a Bis-N-Heterocyclic Carbene Ligand: Coordination Behavior and Catalytic Responses of Its Ruthenium Compounds. Organometallics, 2012, 31, 5500-5505.	2.3	46
79	Metalâ€Catalyzed Câ^'H Bond Activation of 5â€Membered Carbocyclic Rings: A Powerful Access to Azulene, Acenaphthylene and Fulvene Derivatives. Chemistry - an Asian Journal, 2018, 13, 143-157.	3.3	46
80	A new efficient tetraphosphine/palladium catalyst for the Heck reaction of aryl halides with styrene or vinylether derivatives. Tetrahedron Letters, 2002, 43, 2191-2194.	1.4	45
81	Synthesis of N-heterocyclic carbene-palladium-PEPPSI complexes and their catalytic activity in the direct C-H bond activation. Journal of Organometallic Chemistry, 2018, 867, 404-412.	1.8	45
82	Tetraphosphine/palladium catalysed Suzuki cross-coupling reactions of aryl halides with alkylboronic acids. Tetrahedron, 2004, 60, 3813-3818.	1.9	44
83	Palladiumâ€Catalyzed C2 or C5 Direct Arylation of 3â€Formylthiophene Derivatives with Aryl Bromides. European Journal of Organic Chemistry, 2010, 2010, 611-615.	2.4	44
84	Palladium/Tetraphosphine Catalysed Heck Reaction with ortho-Substituted Aryl Bromides. Synlett, 2001, 2001, 1980-1982.	1.8	43
85	Methyl 2â€Furoate: An Alternative Reagent to Furan for Palladium atalysed Direct Arylation. European Journal of Organic Chemistry, 2011, 2011, 7163-7173.	2.4	43
86	<i>N</i> -Heterocyclic carbene–palladium catalysts for the direct arylation of pyrrole derivatives with aryl chlorides. Beilstein Journal of Organic Chemistry, 2013, 9, 303-312.	2.2	43
87	Powerful control by organoruthenium catalysts of the regioselective addition to C(1) or C(2) of the prop-2-ynyl ethers Cĩ †C triple bond. Journal of Organometallic Chemistry, 1998, 551, 151-157.	1.8	42
88	Carbonates: Ecofriendly Solvents for Palladium atalyzed Direct 2â€Arylation of Oxazole Derivatives. ChemSusChem, 2009, 2, 951-956.	6.8	42
89	Palladium-Catalyzed Direct Arylation of 5-Chloropyrazoles: A Selective Access to 4-Aryl Pyrazoles. Journal of Organic Chemistry, 2012, 77, 7659-7664.	3.2	42
90	Synthesis of β-aryl ketones by tetraphosphine/palladium catalysed Heck reactions of 2- or 3-substituted allylic alcohols with aryl bromides. Tetrahedron, 2006, 62, 4372-4383.	1.9	41

#	Article	IF	CITATIONS
91	Ruthenium catalysed regioselective synthesis of O-1-(1,3-dienyl) carbamates directly from CO2. Tetrahedron Letters, 1991, 32, 7409-7410.	1.4	40
92	Synthesis of biheteroaryl derivatives by tetraphosphine/palladium-catalysed Suzuki coupling of heteroaryl bromides with heteroarylboronic acids. Journal of Molecular Catalysis A, 2007, 269, 110-118.	4.8	40
93	A straightforward access to guaiazulene derivatives using palladium-catalysed sp2 or sp3 C–H bond functionalisation. Chemical Communications, 2013, 49, 5598.	4.1	39
94	Palladium-tetraphosphine catalysed allylic substitution in water. Tetrahedron Letters, 2001, 42, 2313-2315.	1.4	38
95	Isoquinoline Derivatives via Stepwise Regioselective sp2 and sp3 C–H Bond Functionalizations. Journal of Organic Chemistry, 2012, 77, 3674-3678.	3.2	38
96	Solventâ€Free Palladiumâ€Catalyzed Direct Arylation of Heteroaromatics with Aryl Bromides. ChemSusChem, 2012, 5, 1559-1567.	6.8	38
97	Efficient synthesis of enynes by tetraphosphine–palladium-catalysed reaction of vinyl bromides with terminal alkynes. Tetrahedron, 2006, 62, 112-120.	1.9	37
98	Titanium catalysed enantioselective addition of allyltributyltin to aldehydes: a simple and easily reproducible procedure. Tetrahedron: Asymmetry, 2000, 11, 4163-4169.	1.8	36
99	Reactivity of 3â€Substituted Fluorobenzenes in Palladium―Catalysed Direct Arylations with Aryl Bromides. Advanced Synthesis and Catalysis, 2014, 356, 1586-1596.	4.3	36
100	Reaction of aryl di-, tri-, or tetrabromides with arylboronic acids or alkenes in the presence of a palladium-tetraphosphine catalyst. Journal of Organometallic Chemistry, 2004, 689, 2786-2798.	1.8	35
101	Heck reactions of aryl bromides with alk-1-en-3-ol derivatives catalysed by a tetraphosphine/palladium complex. Tetrahedron Letters, 2004, 45, 5633-5636.	1.4	33
102	Direct Arylation of Heterocycles: The Performances of Ferroceneâ€Based Polyphosphane Ligands in Palladiumâ€Catalyzed CH Bond Activation. ChemCatChem, 2010, 2, 296-305.	3.7	33
103	Palladium-Catalyzed Direct Arylation of Thiophenes Bearing SO2R Substituents. Journal of Organic Chemistry, 2011, 76, 6407-6413.	3.2	33
104	Palladiumâ€Catalyzed Direct Arylations of Fiveâ€Membered Heteroarenes Bearing <i>N</i> â€Monoalkylcarboxamide Substituents. European Journal of Organic Chemistry, 2011, 2011, 4373-4385.	2.4	33
105	Palladium Catalysed Cross-Coupling of Aryl Chlorides with Arylboronic Acids in the Presence of a New Tetraphosphine Ligand. Synlett, 2001, 2001, 1458-1460.	1.8	32
106	Sonogashira reaction of aryl halides with propiolaldehyde diethyl acetal catalyzed by a tetraphosphine/palladium complex. Tetrahedron, 2005, 61, 9839-9847.	1.9	32
107	Congested Ferrocenyl Polyphosphanes Bearing Electron-Donating or Electron-Withdrawing Phosphanyl Groups: Assessment of Metallocene Conformation from NMR Spin Couplings and Use in Palladium-Catalyzed Chloroarenes Activation. Inorganic Chemistry, 2011, 50, 11592-11603.	4.0	32
108	Palladium Complexes with Tetrahydropyrimidin-2-ylidene Ligands: Catalytic Activity for the Direct Arylation of Furan, Thiophene, and Thiazole Derivatives, Organometallics, 2015, 34, 2487-2493	2.3	32

#	Article	IF	CITATIONS
109	Catalyst-Controlled Regiodivergent C–H Arylation Site of Fluorinated 2-Arylpyridine Derivatives: Application to Luminescent Iridium(III) Complexes. ACS Catalysis, 2019, 9, 1320-1328.	11.2	32
110	Dramatic acceleration of the catalytic process of the amination of allyl acetates in the presence of a tetraphosphine/palladium system. Chemical Communications, 2001, , 43-44.	4.1	31
111	Coupling reactions of aryl bromides with 1-alkynols catalysed by a tetraphosphine/palladium catalyst. Tetrahedron Letters, 2004, 45, 1603-1606.	1.4	31
112	Palladium-catalysed direct arylations of NH-free pyrrole and N-tosylpyrrole with aryl bromides. Tetrahedron Letters, 2012, 53, 509-513.	1.4	31
113	Synthesis of Heteroarylated Polyfluorobiphenyls via Palladium-Catalyzed Sequential sp ² C–H Bonds Functionalizations. Journal of Organic Chemistry, 2013, 78, 4177-4183.	3.2	31
114	Palladium-catalysed direct diarylations of pyrazoles with aryl bromides: a one step access to 4,5-diarylpyrazoles. Tetrahedron Letters, 2014, 55, 1697-1701.	1.4	31
115	Selective Heck reaction of aryl bromides with cyclopent-2-en-1-one or cyclohex-2-en-1-one. Tetrahedron, 2009, 65, 489-495.	1.9	30
116	A straightforward access to photochromic diarylethene derivatives via palladium-catalysed direct heteroarylation of 1,2-dichloroperfluorocyclopentene. Chemical Communications, 2012, 48, 11951.	4.1	30
117	Palladium atalysed Regioselective Sequential Câ€5 and Câ€2 Direct Arylations of 3â€Acetylpyrroles with Aryl Bromides. Advanced Synthesis and Catalysis, 2013, 355, 1423-1432.	4.3	30
118	Direct heteroarylation of 5-bromothiophen-2-ylpyridine and of 8-bromoquinoline via palladium-catalysed C–H bond activation: simpler access to heteroarylated nitrogen-based derivatives. Catalysis Science and Technology, 2013, 3, 2072.	4.1	30
119	Short Synthesis of Sulfur Analogues of Polyaromatic Hydrocarbons through Three Palladium-Catalyzed C–H Bond Arylations. Organic Letters, 2016, 18, 4182-4185.	4.6	30
120	Palladium-Catalyzed Regioselective C–H Bond Arylations of Benzoxazoles and Benzothiazoles at the C7 Position. ACS Catalysis, 2016, 6, 4248-4252.	11.2	30
121	Direct C3â€Arylation of 2 <i>H</i> â€Indazole Derivatives with Aryl Bromides by using Low Loading of a Phosphineâ€free Palladium Catalyst. ChemCatChem, 2017, 9, 2239-2249.	3.7	30
122	Synthesis of all-cis-3-(2-diphenylphosphinoethyl)-1,2,4-tris(diphenylphosphinomethyl)cyclopentane (Ditricyp) from dicyclopentadiene. Tetrahedron, 2007, 63, 9514-9521.	1.9	29
123	Heck reaction with an alkenylidenecyclopropane: the formation of arylallylidenecyclopropanes. Tetrahedron Letters, 2007, 48, 3579-3581.	1.4	29
124	Phosphineâ€Free Palladium Catalytic System for the Selective Direct Arylation of Furans or Thiophenes bearing Alkenes and Inhibition of Heckâ€Type Reaction. Advanced Synthesis and Catalysis, 2011, 353, 2749-2760.	4.3	29
125	Palladium-Catalyzed Direct Arylation of Luminescent Bis-Cyclometalated Iridium(III) Complexes Incorporating C^N- or O^O-Coordinating Thiophene-Based Ligands: an Efficient Method for Color Tuning. Inorganic Chemistry, 2013, 52, 12416-12428.	4.0	29
126	Palladium atalysed Dehydrogenative <i>sp</i> ³ CH Bonds Functionalisation into Alkenes: A Direct Access to <i>N</i> â€Alkenylbenzenesulfonamides. Advanced Synthesis and Catalysis, 2014, 356, 119-124.	4.3	29

#	Article	IF	CITATIONS
127	Regiocontroled Palladiumâ€Catalysed Direct Arylation at Carbon C2 of Benzofurans using Benzenesulfonyl Chlorides as the Coupling Partners. ChemCatChem, 2014, 6, 1303-1309.	3.7	29
128	Pd atalysed Direct Arylation of Heteroaromatics Using (Poly)halobenzenesulfonyl Chlorides as Coupling Partners: One Step Access to (Poly)halo‧ubstituted Bi(hetero)aryls. European Journal of Organic Chemistry, 2015, 2015, 4428-4436.	2.4	29
129	Palladium-Catalyzed Cascade sp ² C–H Bond Functionalizations Allowing One-Pot Access to 4-Aryl-1,2,3,4-tetrahydroquinolines from <i>N</i> -Allyl- <i>N</i> -arylsulfonamides. ACS Catalysis, 2016, 6, 8121-8126.	11.2	29
130	Access to (Hetero)arylated Selenophenes via Palladiumâ€catalysed Stille, Negishi or Suzuki Couplings or Câ°'H Bond Functionalization Reaction. ChemCatChem, 2017, 9, 2895-2913.	3.7	29
131	Phosphine-free palladium-catalysed direct C2-arylation of benzothiophenes with aryl bromides. Tetrahedron, 2013, 69, 7082-7089.	1.9	27
132	Reactivity of 2,1â€Benzisoxazole in Palladiumâ€Catalyzed Direct Arylation with Aryl Bromides. ChemCatChem, 2016, 8, 1583-1590.	3.7	27
133	Exploring Green Solvents Associated to Pd/C as Heterogeneous Catalyst for Direct Arylation of Heteroaromatics with Aryl Bromides. Advanced Synthesis and Catalysis, 2018, 360, 3306-3317.	4.3	26
134	Suzuki Coupling of Cyclopropylboronic Acid With Aryl Halides Catalyzed by a Palladium–Tetraphosphine Complex. Synthetic Communications, 2006, 36, 121-128.	2.1	25
135	Sonogashira reaction of heteroaryl halides with alkynes catalysed by a palladium-tetraphosphine complex. Journal of Molecular Catalysis A, 2006, 256, 75-84.	4.8	25
136	Heck Reactions of α- or β-Substituted Enol Ethers with Aryl Bromides Catalysed by a Tetraphosphane/Palladium Complex – Direct Access to Acetophenone or 1-Arylpropanone Derivatives. European Journal of Organic Chemistry, 2007, 2007, 3122-3132.	2.4	25
137	Oneâ€Pot Synthesis of Furo―or Thienoquinolines through Sequential Imination and Intramolecular Palladium atalyzed Direct Arylation. European Journal of Organic Chemistry, 2012, 2012, 6745-6751.	2.4	25
138	Catalytic System for Inhibition of Aminationâ€Type Reaction and Palladiumâ€Catalysed Direct Arylation using Nonâ€Protected Pyrazole Derivatives. Advanced Synthesis and Catalysis, 2012, 354, 747-750.	4.3	25
139	Access to Alternative Regioisomers for Palladium atalysed Direct Arylations of (Benzo)thiophenes. ChemCatChem, 2013, 5, 3495-3496.	3.7	25
140	Environmentallyâ€Safe Conditions for a Palladiumâ€Catalyzed Direct C3â€Arylation with High Turn Over Frequency of Imidazo[1,2â€ <i>b</i>]pyridazines Using Aryl Bromides and Chlorides. Chemistry - an Asian Journal, 2016, 11, 2443-2452.	3.3	25
141	Palladium/tetraphosphine catalyzed suzuki crossâ€coupling of heteroarylboronic acids with aryl halides. Journal of Heterocyclic Chemistry, 2008, 45, 109-118.	2.6	24
142	Ester as a blocking group for palladium-catalysed direct forced arylation at the unfavourable site of heteroaromatics: simple access to the less accessible regioisomers. Green Chemistry, 2012, 14, 1111.	9.0	24
143	Formyl Substituent at Câ€4 of Pyrazoles: A Temporary Protecting Group for Regioselective Palladium atalyzed Direct Arylation at Câ€5. European Journal of Organic Chemistry, 2014, 2014, 1778-1786.	2.4	24
144	Palladium atalyzed Iterative Câ^'H Bond Arylations: Synthesis of Medium‣ize Heterocycles with a Bridgehead Nitrogen Atom. ChemCatChem, 2015, 7, 3544-3554.	3.7	24

#	Article	IF	CITATIONS
145	Enantioselective hydrogenation of 2′-chloroacetophenone with ((R)-Binap)Ru(O2CAr)2 complexes: Influence of carboxylate ligands and solvents. Tetrahedron: Asymmetry, 1996, 7, 525-528.	1.8	23
146	Unprecedented Access to βâ€Arylated Selenophenes through Palladiumâ€Catalysed Direct Arylation. Chemistry - A European Journal, 2017, 23, 2788-2791.	3.3	23
147	Effective Tools for the Metal atalyzed Regiodivergent Direct Arylations of (Hetero)arenes. Chemical Record, 2021, 21, 343-356.	5.8	23
148	Direct Synthesis of Protected Arylacetaldehydes by Tetrakis(phosphane)palladium-Catalyzed Arylation of Ethyleneglycol Vinyl Ether. European Journal of Organic Chemistry, 2006, 2006, 765-774.	2.4	22
149	Palladium-catalysed direct arylations of heteroaromatics using more eco-compatible solvents pentan-1-ol or 3-methylbutan-1-ol. Tetrahedron Letters, 2011, 52, 1383-1387.	1.4	22
150	Direct arylation of dithienylperfluorocyclopentenes via palladium-catalysed C–H bond activation: a simpler access to photoswitches. Catalysis Science and Technology, 2012, 2, 1242.	4.1	22
151	Room temperature C–H bond activation on a [Pdl–Pdl] platform. Chemical Communications, 2013, 49, 9764.	4.1	22
152	Intermolecular <i>versus</i> Intramolecular Palladiumâ€Catalyzed Direct Arylations between 1â€{2â€Bromobenzyl)imidazoles and Aryl Bromides. Advanced Synthesis and Catalysis, 2015, 357, 2869-2882.	4.3	22
153	Palladium-Tetraphosphine Complex: An Efficient Catalyst for Allylic Substitution and Suzuki Cross-Coupling. Synthesis, 2001, 2001, 2320-2326.	2.3	21
154	Direct 2-Arylation of Thiophene Using Low Loading of a Phosphine-Free Palladium Catalyst. Synthetic Communications, 2011, 41, 3524-3531.	2.1	21
155	Effective modulation of the photoluminescence properties of 2,1,3-benzothiadiazoles and 2,1,3-benzoselenadiazoles by Pd-catalyzed C–H bond arylations. Journal of Materials Chemistry C, 2018, 6, 1731-1737.	5.5	21
156	Direct synthesis of 3-arylpropionic acids by tetraphosphine/palladium catalysed Heck reactions of aryl halides with acrolein ethylene acetal. Tetrahedron, 2004, 60, 11533-11540.	1.9	20
157	Selective synthesis of (E)-triethyl(2-arylethenyl)silane derivatives by reaction of aryl bromides with triethyl vinylsilane catalysed by a palladium–tetraphosphine complex. Journal of Organometallic Chemistry, 2005, 690, 3790-3802.	1.8	20
158	Heck reactions of 2-substituted enol ethers with aryl bromides catalysed by a tetraphosphine/palladium complex. Tetrahedron Letters, 2006, 47, 459-462.	1.4	20
159	Arylation of alkenylidenecyclopropanes via Heck reaction. A simple access to arylallylidenecyclopropanes. Tetrahedron, 2010, 66, 2181-2188.	1.9	20
160	Palladium-catalysed direct arylation of heteroaromatics with functionalised bromopyridines. Tetrahedron, 2012, 68, 7655-7662.	1.9	20
161	One pot Pd(OAc)2-catalysed 2,5-diarylation of imidazoles derivatives. Tetrahedron, 2014, 70, 8316-8323.	1.9	20
162	Heck reactions of aryl halides with alk-1-en-3-ol derivatives catalysed by a tetraphosphine–palladium complex. Applied Organometallic Chemistry, 2006, 20, 855-868.	3.5	19

#	Article	IF	CITATIONS
163	Palladium-catalysed direct regiospecific arylation at C5 of thiophenes bearing SO2R substituents at C3. RSC Advances, 2012, 2, 7197.	3.6	19
164	Conditions for palladium-catalyzed direct arylations of 4-bromo and 4-iodo N-substituted pyrazoles without C–Br or C–I bond cleavage. Organic Chemistry Frontiers, 2015, 2, 917-926.	4.5	19
165	Direct Arylations of Heteroarenes with Benzenesulfonyl Chlorides Using Pd/C Catalyst. European Journal of Organic Chemistry, 2020, 2020, 91-97.	2.4	19
166	Cyclometalations on the Imidazo[1,2-a][1,8]naphthyridine Framework. Organometallics, 2013, 32, 4306-4313.	2.3	18
167	Palladium-acetate catalyst for regioselective direct arylation at C2 of 3-furanyl or 3-thiophenyl acrylates with inhibition of Heck type reaction. Tetrahedron, 2013, 69, 4381-4388.	1.9	18
168	Reactivity of <i>Para</i> â€Substituted Fluorobenzenes in Palladiumâ€catalyzed Intermolecular Direct Arylations. ChemCatChem, 2015, 7, 2130-2140.	3.7	18
169	Identification of novel antifungal agents: antimicrobial evaluation, SAR, ADME–Tox and molecular docking studies of a series of imidazole derivatives. BMC Chemistry, 2019, 13, 100.	3.8	18
170	Reaction Conditions for the Regiodivergent Direct Arylations at C2―or C5â€Positions of Oxazoles using Phosphineâ€Free Palladium Catalysts. Advanced Synthesis and Catalysis, 2019, 361, 4748-4760.	4.3	18
171	Palladium-catalysed direct polyheteroarylation of di- or tribromobenzene derivatives: a one step synthesis of conjugated poly(hetero)aromatics. RSC Advances, 2011, 1, 1527.	3.6	17
172	Benzenesulfonyl Chlorides: Alternative Coupling Partners for Regiocontrolled Palladium-Catalyzed Direct Desulfitative 5-Arylation of Furans. Synthesis, 2014, 46, 2515-2523.	2.3	17
173	Reactivity of 1-(2-bromobenzyl)-4-halopyrazoles in intermolecular and intramolecular Pd-catalysed direct arylations. Tetrahedron, 2016, 72, 4312-4320.	1.9	17
174	Direct access to 2-(hetero)arylated pyridines from 6-substituted 2-bromopyridines via phosphine-free palladium-catalyzed C–H bond arylations: the importance of the C6 substituent. RSC Advances, 2016, 6, 17110-17117.	3.6	17
175	Heck Reaction of Protected Allyl Alcohols with Aryl Bromides Catalyzed by a Tetraphosphanepalladium Complex. European Journal of Organic Chemistry, 2005, 2005, 1367-1377.	2.4	16
176	Direct synthesis of cinnamaldehyde derivatives by reaction of aryl bromides with 3,3-diacetoxypropene catalyzed by a palladium–tetraphosphine complex. Catalysis Letters, 2005, 102, 281-284.	2.6	16
177	Palladium-catalyzed direct arylation using free NH2 substituted thiophene derivatives with inhibition of amination type reaction. Tetrahedron, 2012, 68, 7463-7471.	1.9	16
178	Kinetic and Electrochemical Studies of the Oxidative Addition of Demanding Organic Halides to Pd(0): the Efficiency of Polyphosphane Ligands in Low Palladium Loading Cross-Couplings Decrypted. Inorganic Chemistry, 2013, 52, 11923-11933.	4.0	16
179	Palladium-Catalyzed C–H Bond Functionalization of 6,6-Diphenylfulvenes: An Easier Access to C1-Arylated and C1,C4-Diarylated Fulvenes. Organic Letters, 2017, 19, 2584-2587.	4.6	16
180	Halo-substituted benzenesulfonyls and benzenesulfinates: convenient sources of arenes in metal-catalyzed C–C bond formation reactions for the straightforward access to halo-substituted arenes. Organic and Biomolecular Chemistry, 2018, 16, 4399-4423.	2.8	16

#	Article	IF	CITATIONS
181	Palladium atalysed Direct 5â€Arylation of Furfurylamine or 2â€(Aminoalkyl)thiophene Derivatives. European Journal of Organic Chemistry, 2010, 2010, 4412-4425.	2.4	15
182	Binuclear Copper Complexes and Their Catalytic Evaluation. European Journal of Inorganic Chemistry, 2012, 2012, 1680-1687.	2.0	15
183	Pd-catalysed heteroarylations of 3-bromochromen-4-one via C–H bond activation of heteroarenes. Tetrahedron Letters, 2013, 54, 4888-4891.	1.4	15
184	Palladium atalysed Regioselective Direct Arylations of Heteroarenes by Bromobenzamides: Direct Synthesis of Heteroaryl Benzamides. ChemCatChem, 2013, 5, 1956-1963.	3.7	15
185	Late-Stage Diversification of Imidazole-Based Pharmaceuticals through Pd-Catalyzed Regioselective C–H Bond Arylations. Journal of Organic Chemistry, 2019, 84, 13135-13143.	3.2	15
186	Palladiumâ€catalysed Suzuki crossâ€coupling of primary alkylboronic acids with alkenyl halides. Applied Organometallic Chemistry, 2008, 22, 503-509.	3.5	14
187	Palladium-catalyzed 2,5-diheteroarylation of 2,5-dibromothiophene derivatives. Beilstein Journal of Organic Chemistry, 2014, 10, 2912-2919.	2.2	14
188	Palladium-catalyzed direct desulfitative C2 arylations of 3-halo-N-protected indoles using (hetero)arenesulfonyl chlorides. Organic and Biomolecular Chemistry, 2016, 14, 4947-4956.	2.8	14
189	Synthesis of Phenanthrothiazoles and 1,2-Di(heteroaryl)benzenes through Successive Pd-Catalyzed Direct Arylations. Journal of Organic Chemistry, 2017, 82, 3886-3894.	3.2	14
190	Pd/C as Heterogeneous Catalyst for the Direct Arylation of (Poly)fluorobenzenes. Chemistry - A European Journal, 2019, 25, 9504-9513.	3.3	14
191	Novel Two-Step Stereoselective Synthesis of (E)-Enamines and 1-Amino-1,3-dienes from Terminal Alkynes. Synlett, 1997, 1997, 807-808.	1.8	13
192	Palladium-Tetraphosphine Complex Catalysed Heck Reaction of Vinyl Bromides with Alkenes: A Powerful Access to Conjugated Dienes. Synthesis, 2008, 2008, 1142-1152.	2.3	13
193	Palladium-Catalysed Direct Arylation of Heteroaromatics Using Unprotected Iodoanilines with Inhibition of the Amination Reaction. Synthesis, 2012, 44, 2264-2276.	2.3	13
194	Influence of 1,3â€Difluorobenzene Substituents for Palladium atalyzed Direct Arylations. European Journal of Organic Chemistry, 2013, 2013, 7152-7163.	2.4	13
195	Palladium-Catalysed Direct Monoarylation of Bithiophenyl Derivatives or Bis(thiophen-2-yl)methanone with Aryl Bromides. European Journal of Inorganic Chemistry, 2011, 2011, 3493-3502.	2.0	12
196	Reactivity of C–H bonds of polychlorobenzenes for palladium-catalysed direct arylations with aryl bromides. Catalysis Science and Technology, 2014, 4, 352-360.	4.1	12
197	Palladium-Catalysed Desulfitative Heck Reaction Tolerant to Aryl Carbon–Halogen Bonds for Access to (Poly)halo-Substituted Stilbene or Cinnamate Derivatives. Synthesis, 2016, 48, 3097-3106.	2.3	12
198	Novel cyclometallated 5-ï€-delocalized donor-1,3-di(2-pyridyl)benzene platinum(<scp>ii</scp>) complexes with good second-order nonlinear optical properties. Dalton Transactions, 2019, 48, 202-208.	3.3	12

#	Article	IF	CITATIONS
199	Heck arylations of pent-4-enoates or allylmalonate using a palladium/tetraphosphine catalyst. Journal of Organometallic Chemistry, 2007, 692, 2270-2281.	1.8	11
200	Palladium-catalysed direct arylations of heteroaromatics bearing dicyanovinyls at C2. Tetrahedron Letters, 2012, 53, 6801-6805.	1.4	11
201	Perfluorocyclohexene bridges in inverse DiArylEthenes: synthesis through Pd-catalysed C–H bond activation, experimental and theoretical studies on their photoreactivity. Chemical Communications, 2013, 49, 7896.	4.1	11
202	Benzothiophene or Benzofuran Bridges in Diaryl Ethenes: Two‣tep Access by Pd atalyzed CH Activation and Theoretical/Experimental Studies on Their Photoreactivity. Chemistry - A European Journal, 2014, 20, 10073-10083.	3.3	11
203	Hindered aryl bromides for regioselective palladium-catalysed direct arylation at less favourable C5-carbon of 3-substituted thiophenes. Beilstein Journal of Organic Chemistry, 2014, 10, 1239-1245.	2.2	11
204	Pd atalyzed Functionalization of the Thenoyltrifluoroacetone Coligands by Aromatic Dyes in Bis(cyclometallated) Ir ^{III} Complexes: From Phosphorescence to Fluorescence?Â- European Journal of Inorganic Chemistry, 2015, 2015, 2956-2964.	2.0	11
205	Reactivity of 3-(pyrrol-1-yl)thiophenes in Pd-catalysed direct arylations. Tetrahedron, 2015, 71, 6586-6593.	1.9	11
206	Desulfitative Pd-catalysed coupling reaction using benzenesulfonyl chlorides and enones as the coupling partners. Catalysis Science and Technology, 2015, 5, 2904-2912.	4.1	11
207	Palladium atalyzed Regioselective Direct Arylation of Benzofurazans at the Câ€4 Position. Advanced Synthesis and Catalysis, 2017, 359, 2448-2456.	4.3	11
208	Palladium catalytic system for inhibition of O-arylation type reaction and regioselective direct arylation at C2 of phenols. Catalysis Science and Technology, 2011, 1, 1243.	4.1	10
209	Palladium-catalyzed direct 5-arylation of formyl- or acetyl-halothiophene derivatives. Journal of Organometallic Chemistry, 2011, 696, 1749-1759.	1.8	10
210	Regiocontroled Pd-catalysed C5-arylation of 3-substituted thiophene derivatives using a bromo-substituent as blocking group. Beilstein Journal of Organic Chemistry, 2016, 12, 2197-2203.	2.2	10
211	Asymmetrical 1,3-Bis(heteroazolyl)benzene Platinum Complexes with Tunable Second-Order Non-Linear Optical Properties. European Journal of Inorganic Chemistry, 2016, 2016, 4774-4782.	2.0	10
212	Reactivity of (poly)fluorobenzamides in palladium-catalysed direct arylations. RSC Advances, 2016, 6, 62866-62875.	3.6	10
213	Palladium-catalysed direct arylation of heteroarenes using 1-(bromophenyl)-1,2,3-triazoles as aryl source. Catalysis Communications, 2017, 92, 124-127.	3.3	10
214	Quinoxaline as an integrated directing group in palladium-catalyzed <i>ortho</i> -C–H bond arylation of the aryl unit of 2-arylquinoxalines. New Journal of Chemistry, 2018, 42, 16036-16039.	2.8	10
215	Palladium-catalyzed successive Câ \in "H bond arylations and annulations toward the Ï \in -extension of selenophene-containing aromatic skeletons. Organic Chemistry Frontiers, 2019, 6, 2398-2403.	4.5	10
216	Synthesis of cis,cis,cis-1-alkylidene-2,3,4,5-tetrakis(diphenylphosphinomethyl)cyclopentanes. Tetrahedron, 2009, 65, 7440-7448.	1.9	9

#	Article	IF	CITATIONS
217	Wagner–Meerwein rearrangement in the course of the ozonolysis of a bornene derivative. Tetrahedron Letters, 2009, 50, 627-629.	1.4	9
218	Palladium-Catalysed C2 or C5 Direct Arylation of 3-Substituted Thiophenes with Aryl Bromides. Synthesis, 2011, 2011, 3530-3546.	2.3	9
219	Sequential Palladiumâ€Catalysed Direct Arylation Followed by Suzuki Coupling of Bromoâ€2â€chloropyridines: Simple Access to a Variety of 2â€Arylpyridines. European Journal of Inorganic Chemistry, 2012, 2012, 4454-4462.	2.0	9
220	Synthesis of heteroarenes dyads from heteroarenes and heteroarylsulfonyl chlorides via Pd-catalyzed desulfitative C–H bond heteroarylations. RSC Advances, 2015, 5, 65175-65183.	3.6	9
221	Reactivity of benzofuran and benzothiophene in palladium-catalysed direct C2,C3-diarylations. Journal of Organometallic Chemistry, 2017, 843, 32-39.	1.8	9
222	Palladium-catalyzed regioselective C–H bond arylations at the C3 position of ortho-substituted fluorobenzenes. Organic and Biomolecular Chemistry, 2017, 15, 7447-7455.	2.8	9
223	Efficiency of a tetraphosphine ligand in palladium catalysed allylic amination. Journal of Molecular Catalysis A, 2002, 182-183, 471-480.	4.8	8
224	Suzuki Coupling of 2â€Chloroacrylonitrile, Methyl 2â€Chloroacrylate, or 2â€Chloropropâ€1â€enâ€3â€ol with Arylboronic Acids Catalyzed by a Palladiumâ€Tetraphosphine Complex. Synthetic Communications, 2006, 36, 3019-3027.	2.1	8
225	Heck Vinylations Using Vinyl Sulfide, Vinyl Sulfoxide, Vinyl Sulfone, or Vinyl Sulfonate Derivatives and Aryl Bromides Catalyzed by a Palladium Complex Derived from a Tetraphosphine. Synthesis, 2006, 2006, 3495-3505.	2.3	8
226	Electrosynthesis as a Powerful Method for the Generation of Catalytic Intermediates: Efficient Isolation of a Palladium Aryl Halide Oxidative Addition Product. Chemistry - A European Journal, 2011, 17, 9901-9906.	3.3	8
227	Palladium-Catalysed Direct Heteroarylations of Heteroaromatics Using Esters as Blocking Groups at C2 of Bromofuran and Bromothiophene Derivatives: AÂOne-Step Access to Biheteroaryls. Synlett, 2012, 23, 2077-2082.	1.8	8
228	Palladium-catalysed direct heteroarylation of bromobenzenes bearing SO2R substituents at C2 or C4. RSC Advances, 2013, 3, 5987.	3.6	8
229	Reactivity of bromofluorenes in palladium-catalysed direct arylation of heteroaromatics. Catalysis Science and Technology, 2014, 4, 3723-3732.	4.1	8
230	Efficient synthesis of ï€-conjugated molecules incorporating fluorinated phenylene units through palladium-catalyzed iterative C(sp ²)–H bond arylations. Beilstein Journal of Organic Chemistry, 2015, 11, 2012-2020.	2.2	8
231	Synthesis of symmetrical and unsymmetrical 1,3-diheteroarylbenzenes through palladium-catalyzed direct arylation of benzene-1,3-disulfonyl dichloride and 3-bromobenzenesulfonyl chlorides. Tetrahedron, 2015, 71, 9617-9625.	1.9	8
232	Cyclisation reaction between 3-methylquinoxaline-2-thione and benzaldehydes into 3-benzyl-2-aryl-thieno[2,3-b]quinoxaline promoted by BrĄ̃nsted acids. Comptes Rendus Chimie, 2015, 18, 808-815.	0.5	8
233	Palladium-catalyzed non-directed C–H bond arylation of difluorobenzenes and dichlorobenzenes bearing benzoxazole or benzothiazole. Catalysis Communications, 2015, 71, 13-16.	3.3	8
234	Reactivity of N-protected 5-(2-bromophenyl)tetrazoles in palladium-catalyzed direct arylation of heteroarenes or fluorobenzenes. Journal of Organometallic Chemistry, 2017, 831, 55-63.	1.8	8

#	Article	IF	CITATIONS
235	Reactivity of 3-Bromofuran in Pd-Catalyzed C–H Bond Arylation toward the Synthesis of 2,3,5-Triarylfurans. Synthesis, 2019, 51, 3241-3249.	2.3	8
236	Exploiting the Reactivity of Fluorinated 2-Arylpyridines in Pd-Catalyzed C–H Bond Arylation for the Preparation of Bright Emitting Iridium(III) Complexes. Inorganic Chemistry, 2020, 59, 13898-13911.	4.0	8
237	Transition Metalâ€Catalyzed Regiodivergent Câ~H Arylations of Arylâ€Substituted Azoles. European Journal of Organic Chemistry, 2022, 2022, .	2.4	8
238	Stereoselectivity in the mass-spectral fragmentation of palladium phosphinamine complexes. Chemical Communications, 1997, , 2097-2098.	4.1	7
239	Palladium Catalysed Cross-Coupling of Aryl Bromides with Functionalised Arylboronic Acids in the Presence of a Tetraphosphine Ligand. Synlett, 2002, 2002, 1807-1810.	1.8	7
240	Syntheses of new benzoxazole derivatives. Journal of Heterocyclic Chemistry, 2011, 48, 1126-1131.	2.6	7
241	Influence of the solvent and of the reaction concentration for palladium-catalysed direct arylation of heteroaromatics with 4-bromoacetophenone. Comptes Rendus Chimie, 2014, 17, 1184-1189.	0.5	7
242	Palladium atalysed Direct Arylation using Freeâ€Amineâ€Substituted Polyfluoroanilines with Inhibition of Aminationâ€Type Reaction. Asian Journal of Organic Chemistry, 2015, 4, 1085-1095.	2.7	7
243	New Arylating Agents in Pd-Catalyzed C–H Bond Functionalization of 5-Membered Ring Heteroarenes. Topics in Organometallic Chemistry, 2015, , 103-118.	0.7	7
244	Conditions for the Palladium-Catalysed Direct 2-Arylation of 3-Bromobenzo[b]thiophene Tolerant of the BenzoÂŧhienyl Carbon–Bromine Bond. Synthesis, 2015, 47, 3354-3362.	2.3	7
245	Reactivity of 5-aminopyrazoles bearing a cyclopropyl group at C3-position in palladium-catalyzed direct C4-arylation. Catalysis Communications, 2018, 115, 55-58.	3.3	7
246	Pd-Catalysed Direct 5-Arylation of 1-Methylpyrazole with Aryl Bromides. Synthesis, 2011, 2011, 2553-2560.	2.3	6
247	A Simple and Efficient Synthesis of (Hetero)Aryl-Substituted Benzothiazolyl or Benzoxazolyl Furan, Thiophene and N-methylpyrrole Derivatives through a Palladium-Catalyzed Regioselective C–H Bond Arylation. Synthesis, 2014, 46, 3341-3350.	2.3	6
248	Synthesis of 2-(fluorinated aryl)pyridine derivatives via palladium-catalyzed C H bond arylation of fluorobenzenes using 2-halopyridines as aryl sources. Tetrahedron Letters, 2017, 58, 3205-3208.	1.4	6
249	Reactivity of bromoselenophenes in palladium-catalyzed direct arylations. Beilstein Journal of Organic Chemistry, 2017, 13, 2862-2868.	2.2	6
250	Reactivity of 1,2,3- and 1,2,4-Trifluorobenzenes in Palladium-Catalyzed Direct Arylation. Journal of Organic Chemistry, 2018, 83, 4015-4023.	3.2	6
251	Intermolecular Followed by Intramolecular Palladiumâ€Catalyzed Direct Arylation for the Synthesis of Ï€â€Extended Aromatic Compounds Containing One or Two Heteroelements. European Journal of Organic Chemistry, 2019, 2019, 4581-4588.	2.4	6
252	Convenient Access to C10―and C11â€(di)arylated dibenzo[<i>b</i> , <i>f</i>]azepines <i>via</i> Palladiumâ€catalyzed Câ^'H Bonds Cleavages. Advanced Synthesis and Catalysis, 2019, 361, 791-802.	4.3	6

#	Article	IF	CITATIONS
253	Regiodivergent Lateâ€Stage Pd―or Ruâ€Catalyzed C–H Bond Functionalization Applied to the Straightforward Synthesis of <i>N</i> â€Methylated Diflufenican Derivatives. European Journal of Organic Chemistry, 2020, 2020, 4792-4795.	2.4	6
254	Câ^'H Bond Arylation of Pyrazoles at the βâ€Position: General Conditions and Computational Elucidation for a High Regioselectivity. Chemistry - A European Journal, 2021, 27, 5546-5554.	3.3	6
255	Unusual reactivity of bicyclo[2.2.1]heptene derivatives during the ozonolysis. Tetrahedron, 2007, 63, 9100-9105.	1.9	5
256	Neighbouring effect in the course of the ozonolysis of a hindered bornene derivative. Tetrahedron Letters, 2009, 50, 3385-3387.	1.4	5
257	Palladium-catalysed direct regioselective C5-arylation of a thiophene bearing a cyclopropyl ketone group at C2. Catalysis Communications, 2013, 41, 119-122.	3.3	5
258	Synthesis of mono- and di-arylated acenaphthylenes and programmed access to dibenzo[<i>j</i> , <i>l</i>]fluoranthenes <i>via</i> palladium-catalysed C–H bond functionalisation. Organic Chemistry Frontiers, 2018, 5, 398-408.	4.5	5
259	Palladiumâ^'Ruthenium Catalyst Complementarity Strengthens <i>Ortho</i> â€Directed Câ^'H Bond Arylation of 2â€Arylpyrazines. ChemCatChem, 2021, 13, 338-345.	3.7	5
260	Suzuki Cross-Coupling Reactionof Benzylic Halides with Arylboronic Acids in the Presence of aTetraphosphine/Palladium Catalyst. Synlett, 2003, 2003, 1668-1672.	1.8	4
261	Suzuki Coupling Reactions of Heteroarylboronic Acids with Aryl Halides and Arylboronic Acids with Heteroaryl Bromides Using a Tetraphosphine/Palladium Catalyst. Synlett, 2005, 2005, 2057-2061.	1.8	4
262	Palladium-Tetraphosphine Catalysed Heck Reaction with Simple Alkenes: Influence of Reaction Conditions on the Migration of the Double Bond. Synthesis, 2007, 2007, 1683-1696.	2.3	4
263	Regioselective metathesis reactions of various polyunsaturated ketones and alcohols. Applied Organometallic Chemistry, 2010, 24, 794-797.	3.5	4
264	Palladium-Catalysed Direct Heteroarylation of Bromobenzylacetamide Derivatives: A Simple Access to Heteroarylated Benzylamine Derivatives. Synthesis, 2010, 2010, 2553-2566.	2.3	4
265	sp3–sp3 carbon–carbon bond formation using 2-alkylazoles and a bromoacrylate as the reaction partners. Tetrahedron Letters, 2015, 56, 4354-4358.	1.4	4
266	Synthesis of (Poly)haloâ€6ubstituted Diarylsulfones through Palladiumâ€Catalyzed C–H Bond Sulfonylation Using (Poly)Halobenzenesulfonyl Chlorides. European Journal of Organic Chemistry, 2018, 2018, 6114-6120.	2.4	4
267	Synthesis of C9,C10â€Diheteroarylated Phenanthrenes via Palladiumâ€Catalyzed C–H Bond Activation. European Journal of Organic Chemistry, 2018, 2018, 6092-6100.	2.4	4
268	Regiocontrolled palladium-catalyzed direct C2-arylations of Methoxalen using benzenesulfonyl chlorides and C2,C3-diarylations using aryl bromides as the aryl sources. Tetrahedron Letters, 2020, 61, 151342.	1.4	4
269	Pdâ€Catalyzed Direct Arylations of Heteroarenes with Polyfluoroalkoxyâ€Substituted Bromobenzenes. European Journal of Organic Chemistry, 2020, 2020, 6094-6101.	2.4	4
270	Reactivity of antipyrine and haloantipyrines in Pd-catalyzed C H bond arylations. Tetrahedron Letters, 2020, 61, 151798.	1.4	4

#	Article	IF	CITATIONS
271	Direct Synthesis of Protected Arylacetaldehydes by Palladium-TetraÂphosphine-Catalyzed Arylation of Ethyleneglycol Vinylether. Synlett, 2004, 2004, 1561-1564.	1.8	3
272	Unusual reactivity of bicyclo[2.2.1]heptene derivatives during the ozonolysis. Part 2. Tetrahedron, 2010, 66, 4101-4108.	1.9	3
273	Synthesis of Spherical Polyols from Itaconic Acid. Synthesis, 2010, 2010, 1787-1792.	2.3	3
274	Palladium atalyzed selective decarboxylative coupling reaction versus direct C―H arylation for arylation of heteroaromatics. Applied Organometallic Chemistry, 2013, 27, 595-600.	3.5	3
275	A Straightforward Oneâ€Step Access to Ticlopidine Derivatives Arylated at the C5â€Position of the Thienyl Ring via Pdâ€Catalyzed Direct Arylations. Asian Journal of Organic Chemistry, 2019, 8, 2155-2161.	2.7	3
276	Reactivity of 4â€phenylthiazoles in ruthenium catalyzed direct arylations. Applied Organometallic Chemistry, 2019, 33, e4794.	3.5	3
277	Palladium atalyzed Câ^'H Bond Arylation of Cyclometalated Difluorinated 2â€Arylisoquinolinyl Iridium(III) Complexes. Chemistry - A European Journal, 2021, 27, 12552-12557.	3.3	3
278	Heck Reaction of Vinyl Bromideswith Alkenes in the Presence of a TetraÂphosphine/PalladiumCatalyst. Synlett, 2003, 2003, 0841-0844.	1.8	2
279	Palladium-Catalysed Heck Reactions of Alk-1-en-3-ones with Aryl Bromides: A Very Simple Access to (E)-1-Arylalk-1-en-3-ones. Synthesis, 2009, 2009, 1021-1035.	2.3	2
280	Palladium-Catalyzed Direct Arylation of Pyrazole Derivatives: A Green Access to 4-Arylpyrazoles. Synthesis, 2010, 2010, 127-135.	2.3	2
281	Late stage Pd-catalyzed C-H bond functionalization: A powerful tool for the one step access to arylated Cyproheptadine and cyclobenzaprine derivatives. Catalysis Communications, 2019, 129, 105716.	3.3	2
282	Regiocontrolled palladium-catalyzed direct C2-arylation of a difluorobenzo[d]imidazole. Tetrahedron Letters, 2021, 73, 153112.	1.4	2
283	Oneâ€Pot Synthesis of Pyrrolo[1,2â€ <i>f</i>]phenanthridines From 1â€Arylpyrroles <i>via</i> Successive Palladium atalyzed Direct Arylations. European Journal of Organic Chemistry, 2021, 2021, 4974-4983.	2.4	2
284	Tetraphosphine/palladium Catalyzed Suzuki Cross-Coupling Reactions of Aryl Halides with Alkylboronic Acids ChemInform, 2004, 35, no.	0.0	1
285	Application of Palladium-Catalyzed C(sp2)–H Bond Arylation to the Synthesis of Polycyclic (Hetero)Aromatics. CheM, 2019, 5, 2277.	11.7	1
286	Regioselective Pd-catalyzed direct C1- and C2-arylations of lilolidine for the access to 5,6-dihydropyrrolo[3,2,1- <i>ij</i>]quinoline derivatives. Beilstein Journal of Organic Chemistry, 2019, 15, 2069-2075.	2.2	1
287	Palladiumâ€Catalyzed Direct Diarylation of 2â€Benzylâ€1,2,3â€triazole: a Simple Access to 4â€Arylâ€or 4,5â€Diarylâ€2â€benzylâ€1,2,3â€triazoles and Phenanthro[9,10―d][1,2,3]triazoles. European Journal of Orga Chemistry, 2021, 2021, 2375-2382.	ni@.4	1
288	Palladium-Catalyzed C–H Bond Arylation and O- to N-Alkyl Migratory Rearrangement of 2-Alkoxythiazoles: One-Pot Access to 2-Alkoxy-5-arylthiazoles or 3-Alkyl-5-arylthiazol-2(3H)-ones. Synthesis, 0, 54, .	2.3	1

#	Article	IF	CITATIONS
289	Heck Reaction of Aryl Halides with Linear or Cyclic Alkenes Catalyzed by a Tetraphosphine/Palladium Catalyst ChemInform, 2003, 34, no.	0.0	0
290	Synthesis of Polysubstituted Alkenes by Heck Vinylation or Suzuki Cross-Coupling Reactions in the Presence of a Tetraphosphane—Palladium Catalyst ChemInform, 2003, 34, no.	0.0	0
291	Palladium-Tetraphosphine Complex: An Efficient Catalyst for the Coupling of Aryl Halides with Alkynes ChemInform, 2003, 34, no.	0.0	0
292	Tetraphosphine/Palladium-Catalyzed Heck Reactions of Aryl Halides with Disubstituted Alkenes ChemInform, 2004, 35, no.	0.0	0
293	Efficient Coupling of Heteroaryl Halides with Arylboronic Acids in the Presence of a Palladium—Tetraphosphine Catalyst ChemInform, 2004, 35, no.	0.0	0
294	Coupling Reactions of Aryl Bromides with 1-Alkynols Catalyzed by a Tetraphosphine/Palladium Catalyst ChemInform, 2004, 35, no.	0.0	0
295	Suzuki Cross-Coupling Reactions Between Alkenylboronic Acids and Aryl Bromides Catalyzed by a Tetraphosphane-Palladium Catalyst ChemInform, 2004, 35, no.	0.0	0
296	Heck Reactions of Aryl Bromides with Alk-1-en-3-ol Derivatives Catalyzed by a Tetraphosphine/Palladium Complex ChemInform, 2004, 35, no.	0.0	0
297	Reaction of Aryl Di-, Tri-, or Tetrabromides with Arylboronic Acids or Alkenes in the Presence of a Palladium-Tetraphosphine Catalyst ChemInform, 2004, 35, no.	0.0	0
298	Reaction of Aryl Di-, Tri-, or Tetrabromides with Arylboronic Acids or Alkenes in the Presence of a Palladium-Tetraphosphine Catalyst ChemInform, 2004, 35, no.	0.0	0
299	Sonogashira Cross-Coupling Reactions of Aryl Chlorides with Alkynes Catalyzed by a Tetraphosphine?Palladium Catalyst ChemInform, 2005, 36, no.	0.0	0
300	Direct Synthesis of 3-Arylpropionic Acids by Tetraphosphine/Palladium Catalyzed Heck Reactions of Aryl Halides with Acrolein Ethylene Acetal ChemInform, 2005, 36, no.	0.0	0
301	Sonogashira Cross-Coupling Reactions with Heteroaryl Halides in the Presence of a Tetraphosphine—Palladium Catalyst ChemInform, 2005, 36, no.	0.0	0
302	Selective Synthesis of (E)-Triethyl(2-arylethenyl)silane Derivatives by Reaction of Aryl Bromides with Triethyl Vinylsilane Catalyzed by a Palladium—Tetraphosphine Complex ChemInform, 2005, 36, no.	0.0	0
303	Alkynylation of Aryl Bromides with Propargylamines Catalyzed by a Palladium-Tetraphosphine Complex. Synthesis, 2005, 2005, 1359-1367.	2.3	0
304	Sonogashira Reaction of Aryl Halides with Propiolaldehyde Diethyl Acetal Catalyzed by a Tetraphosphine/Palladium Complex ChemInform, 2006, 37, no.	0.0	0
305	Heck Reaction of Protected Alk-1-en-3-ol, -4-ols, -5-ol or -6-ol with Aryl Bromides Catalysed by a Palladium Complex Derived from a Tetraphosphine. Synthesis, 2006, 2006, 1518-1536.	2.3	0
306	Synthesis of (E)-1-Aryl Alk-1-en-3-ones by Tetraphosphine/Palladium-Catalysed Heck Reactions of Alk-1-en-3-ones with Aryl Bromides. Synlett, 2006, 2006, 2935-2940.	1.8	0

#	Article	IF	CITATIONS
307	C2 molecule: formation from bromoacetylene and reactions with cyclohexene or 2,3-dimethyl-2-butene. Tetrahedron Letters, 2010, 51, 695-697.	1.4	0
308	On the influence of the nature of the iron(III) salt catalyst precursor for the preparation of sodium amide. Comptes Rendus Chimie, 2011, 14, 434-436.	0.5	0
309	Stereoselective Synthesis of Spiro Tricyclic Polyoxygenated Compounds: Solvolytic Behavior of 1-(Tosyloxymethyl)spiro[2.4]hepta-4,6-diene. Synthesis, 2011, 2011, 674-680.	2.3	0
310	Reactivity of N-methyl-N-(polyfluorobenzyl)acetamides and N-methyl-N-(polyfluorobenzyl)benzamides in Pd-catalyzed C–H bond arylation. Comptes Rendus Chimie, 2019, 22, 628-638.	0.5	0
311	Double Câ€H bond functionalization for the annulative <i>Ï€</i> â€extension of 1â€arylimidazoles: A palladiumâ€catalyzed one pot access to imidazo[1,5― <i>f</i>]phenanthridines. Applied Organometallic Chemistry, 0, , .	3.5	0
312	Palladium-catalyzed direct C5-arylation or C4,C5-diarylation of 2-alkylisothiazol-3-ones. Tetrahedron, 2022, , 132894.	1.9	0