

Giuseppe Gorini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3072150/publications.pdf>

Version: 2024-02-01

173
papers

20,302
citations

81900

39
h-index

13771

129
g-index

218
all docs

218
docs citations

218
times ranked

21205
citing authors

#	ARTICLE	IF	CITATIONS
1	Electronic Cigarette Use in 12 European Countries: Results From the TackSHS Survey. <i>Journal of Epidemiology</i> , 2023, 33, 276-284.	2.4	6
2	Impact of COVID-19 lockdown on smoking consumption in a large representative sample of Italian adults. <i>Tobacco Control</i> , 2022, 31, 615-622.	3.2	79
3	Use and Awareness of Heated Tobacco Products in Europe. <i>Journal of Epidemiology</i> , 2022, 32, 139-144.	2.4	28
4	The global burden of adolescent and young adult cancer in 2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Oncology</i> , The, 2022, 23, 27-52.	10.7	90
5	Gender effect in the ITALUNG screening trial. A comparison with UKLS and other trials. <i>Lancet Regional Health - Europe</i> , The, 2022, 13, 100300.	5.6	7
6	Use of electronic cigarettes and heated tobacco products during the Covid-19 pandemic. <i>Scientific Reports</i> , 2022, 12, 702.	3.3	20
7	Implementation of a centralized HPV-based cervical cancer screening programme in Tuscany: First round results and comparison with the foregoing Pap-based screening programme. <i>Journal of Medical Screening</i> , 2022, 29, 110-122.	2.3	3
8	COVID-19 lockdown: The relationship between trait impulsivity and addictive behaviors in a large representative sample of Italian adults. <i>Journal of Affective Disorders</i> , 2022, 302, 424-427.	4.1	2
9	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. <i>JAMA Oncology</i> , 2022, 8, 420.	7.1	719
10	Burden of non-communicable diseases among adolescents aged 10â€“24 years in the EU, 1990â€“2019: a systematic analysis of the Global Burden of Diseases Study 2019. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 367-383.	5.6	48
11	COVID-19 lockdown impact on familial relationships and mental health in a large representative sample of Italian adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1543-1555.	3.1	8
12	Global, regional, and national burden of colorectal cancer and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 627-647.	8.1	177
13	Eâ€“cigarette use and conventional cigarette smoking among European students: findings from the 2019 ESPAD survey. <i>Addiction</i> , 2022, 117, 2918-2932.	3.3	8
14	Burden of disease from exposure to secondhand smoke in children in Europe. <i>Pediatric Research</i> , 2021, 90, 216-222.	2.3	10
15	Who Smokes in Europe? Data From 12 European Countries in the TackSHS Survey (2017â€“2018). <i>Journal of Epidemiology</i> , 2021, 31, 145-151.	2.4	55
16	Secondhand smoke exposure in outdoor childrenâ€™s playgrounds in 11 European countries. <i>Environment International</i> , 2021, 149, 105775.	10.0	16
17	The Role of Novel (Tobacco) Products on Tobacco Control in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1895.	2.6	14
18	Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. <i>Preventive Medicine</i> , 2021, 145, 106412.	3.4	15

#	ARTICLE	IF	CITATIONS
19	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	10.0	38
20	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 397, 2337-2360.	13.7	609
21	The impact of COVID-19 lockdown on gambling habit: A cross-sectional study from Italy. <i>Journal of Behavioral Addictions</i> , 2021, 10, 711-721.	3.7	20
22	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 1030-1049.	10.7	86
23	Secondhand smoke exposure assessment in outdoor hospitality venues across 11 European countries. <i>Environmental Research</i> , 2021, 200, 111355.	7.5	5
24	COVID-19 lockdown impact on mental health in a large representative sample of Italian adults. <i>Journal of Affective Disorders</i> , 2021, 292, 398-404.	4.1	97
25	Morbidity Attributable to Second-Hand Smoke in European Children. <i>Archivos De Bronconeumologia</i> , 2021, , .	0.8	1
26	Missing not at random in end of life care studies: multiple imputation and sensitivity analysis on data from the ACTION study. <i>BMC Medical Research Methodology</i> , 2021, 21, 13.	3.1	18
27	Lung function changes in patients with chronic obstructive pulmonary disease (COPD) and asthma exposed to secondhand smoke in outdoor areas. <i>Journal of Asthma</i> , 2021, 58, 1169-1175.	1.7	10
28	Italians Do It – Less. COVID-19 Lockdown Impact on Sexual Activity: Evidence From a Large Representative Sample of Italian Adults. <i>Journal of Epidemiology</i> , 2021, 31, 648-652.	2.4	6
29	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 398, 1593-1618.	13.7	92
30	Intervention-related Deaths in the European Randomized Study of Screening for Prostate Cancer. <i>European Urology Open Science</i> , 2021, 34, 27-32.	0.4	1
31	The –Polonium In Vivo–Study: Polonium-210 in Bronchial Lavages of Patients with Suspected Lung Cancer. <i>Biomedicines</i> , 2021, 9, 4.	3.2	2
32	Global, regional and national burden of bladder cancer and its attributable risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease study 2019. <i>BMJ Global Health</i> , 2021, 6, e004128.	4.7	41
33	Moderate-severe coronary calcification predicts long-term cardiovascular death in CT lung cancer screening: The ITALUNG trial. <i>European Journal of Radiology</i> , 2021, 145, 110040.	2.6	11
34	Smoking prevalence among healthcare workers in Italy, PASSI surveillance system data, 2014-2018. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2021, 57, 151-160.	0.4	1
35	Electronic cigarettes in Italy: a tool for harm reduction or a gateway to smoking tobacco?. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054726.	3.2	29
36	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. <i>Gaceta Sanitaria</i> , 2020, 34, 77-82.	1.5	30

#	ARTICLE	IF	CITATIONS
37	The global, regional, and national burden of stomach cancer in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 42-54.	8.1	390
38	Content analysis of Advance Directives completed by patients with advanced cancer as part of an Advance Care Planning intervention: insights gained from the ACTION trial. Supportive Care in Cancer, 2020, 28, 1513-1522.	2.2	14
39	Smoking Cessation in the ITALUNG Lung Cancer Screening: What Does â€œTeachable Momentâ€ Mean?. Nicotine and Tobacco Research, 2020, 22, 1484-1491.	2.6	38
40	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 37-59.	9.1	104
41	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 60-79.	9.1	95
42	Passive exposure of non-smokers to E-Cigarette aerosols: Sensory irritation, timing and association with volatile organic compounds. Environmental Research, 2020, 182, 108963.	7.5	29
43	Prevalence of tobacco smoking and electronic cigarette use among adolescents in Italy: Global Youth Tobacco Surveys (GYTS), 2010, 2014, 2018. Preventive Medicine, 2020, 131, 105903.	3.4	23
44	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
45	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
46	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
47	What is the face of new nicotine users? 2012â€“2018 e-cigarettes and tobacco use among young students in Italy. International Journal of Drug Policy, 2020, 86, 102941.	3.3	14
48	Secondhand smoke exposure and other signs of tobacco consumption at outdoor entrances of primary schools in 11 European countries. Science of the Total Environment, 2020, 743, 140743.	8.0	9
49	No double-edged sword and no doubt about the relation between smoking and COVID-19 severity. European Journal of Internal Medicine, 2020, 77, 33-35.	2.2	23
50	Measuring for change: A multi-centre pre-post trial of an air quality feedback intervention to promote smoke-free homes. Environment International, 2020, 140, 105738.	10.0	10
51	Burden of disease from breast cancer attributable to smoking and secondâ€“hand smoke exposure in Europe. International Journal of Cancer, 2020, 147, 2387-2393.	5.1	15
52	The global, regional, and national burden of oesophageal cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 582-597.	8.1	241
53	National burden of cancer in Italy, 1990â€“2017: a systematic analysis for the global burden of disease study 2017. Scientific Reports, 2020, 10, 22099.	3.3	19
54	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. PLoS Medicine, 2020, 17, e1003422.	8.4	68

#	ARTICLE	IF	CITATIONS
55	Tobacco smoking and COVID-19 pandemic: old and new issues. A summary of the evidence from the scientific literature. <i>Acta Biomedica</i> , 2020, 91, 106-112.	0.3	47
56	COVID-19 lockdown impact on lifestyle habits of Italian adults. <i>Acta Biomedica</i> , 2020, 91, 87-89.	0.3	71
57	Italian pool of asbestos workers cohorts: asbestos related mortality by industrial sector and cumulative exposure. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2020, 56, 292-302.	0.4	2
58	Covid-19 and the role of smoking: the protocol of the multicentric prospective study COSMO-IT (COvid19 and SMOking in ITaly). <i>Acta Biomedica</i> , 2020, 91, e2020062.	0.3	3
59	Title is missing!. , 2020, 17, e1003422.		0
60	Title is missing!. , 2020, 17, e1003422.		0
61	Title is missing!. , 2020, 17, e1003422.		0
62	Title is missing!. , 2020, 17, e1003422.		0
63	Title is missing!. , 2020, 17, e1003422.		0
64	Title is missing!. , 2020, 17, e1003422.		0
65	Title is missing!. , 2020, 17, e1003422.		0
66	A long way to go: 20-year trends from multiple surveillance systems show a still huge use of tobacco in minors in Italy. <i>European Journal of Public Health</i> , 2019, 29, 164-169.	0.3	11
67	Cumulative asbestos exposure and mortality from asbestos related diseases in a pooled analysis of 21 asbestos cement cohorts in Italy. <i>Environmental Health</i> , 2019, 18, 71.	4.0	40
68	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 913-933.	8.1	259
69	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	27.8	161
70	Trained facilitatorsâ€™ experiences with structured advance care planning conversations in oncology: an international focus group study within the ACTION trial. <i>BMC Cancer</i> , 2019, 19, 1026.	2.6	6
71	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 934-947.	8.1	372
72	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. <i>JAMA Oncology</i> , 2019, 5, 1749.	7.1	1,691

#	ARTICLE	IF	CITATIONS
73	Burden of disease attributable to second-hand smoke exposure: A systematic review. Preventive Medicine, 2019, 129, 105833.	3.4	84
74	Response regarding the methodological approach used to calculate the burden of respiratory disease attributable to secondhand smoke exposure in children in Spain for the year 2015. Preventive Medicine, 2019, 129, 105723.	3.4	0
75	Effects of a prevention program on multiple health-compromising behaviours in adolescence: A cluster randomized controlled trial. Preventive Medicine, 2019, 124, 1-10.	3.4	2
76	Burden of respiratory disease attributable to secondhand smoke exposure at home in children in Spain (2015). Preventive Medicine, 2019, 123, 34-40.	3.4	12
77	Role of asbestos clearance in explaining long-term risk of pleural and peritoneal cancer: a pooled analysis of cohort studies. Occupational and Environmental Medicine, 2019, 76, 611-616.	2.8	11
78	Italy's health performance, 1990â€“2017: findings from the Global Burden of Disease Study 2017. Lancet Public Health, The, 2019, 4, e645-e657.	10.0	54
79	Vatican beats Italy 1â€™0 in the tobacco endgame. Tobacco Control, 2019, 28, 239-240.	3.2	1
80	Trend in electronic cigarettes and smokeless tobacco in Italian adolescents, Global Youth Tobacco Smoke (GYTS), 2014, 2018. Tobacco Prevention and Cessation, 2019, 5, .	0.4	2
81	Socioeconomic disparities in quitting smoking and in steps on the smoking cessation pathway among smokers in Italy: findings from the SIDRIAT cohort study. Addiction Research and Theory, 2018, 26, 63-70.	1.9	4
82	Are smokers less likely to seek preventive healthcare measures in Italy?. European Journal of Cancer Prevention, 2018, 27, 507-513.	1.3	7
83	Issues in implementing lung cancer screening in United States and Europe. Annals of Translational Medicine, 2018, 6, S54-S54.	1.7	0
84	The Regulatory Environment and Cost of Electronic Cigarettes in Italy, 2014-2015, Influenced their Use for Quitting. Nicotine and Tobacco Research, 2018, 20, 1029-1030.	2.6	0
85	Heat-Not-Burn Tobacco Products Are Getting Hot in Italy. Journal of Epidemiology, 2018, 28, 274-275.	2.4	31
86	Occupational exposure to organic solvents and risk of male breast cancer: a European multicenter case-control study. Scandinavian Journal of Work, Environment and Health, 2018, 44, 310-322.	3.4	18
87	Italian pool of asbestos workers cohorts: mortality trends of asbestos-related neoplasms after long time since first exposure. Occupational and Environmental Medicine, 2017, 74, 887-898.	2.8	55
88	Electronic cigarette use as an aid to quit smoking in the representative Italian population PASSI survey. Preventive Medicine, 2017, 102, 1-5.	3.4	16
89	Smoking in Italy in 2015-2016: Prevalence, Trends, Roll-your-own Cigarettes, and Attitudes towards Incoming Regulations. Tumori, 2017, 103, 353-359.	1.1	47
90	Challenges of quitting smoking and lung cancer screening. Annals of Translational Medicine, 2017, 5, 488-488.	1.7	4

#	ARTICLE	IF	CITATIONS
91	Voluntary home smoking ban: prevalence, trend and determinants in Italy: Table 1. <i>European Journal of Public Health</i> , 2016, 26, 841-844.	0.3	12
92	Mediating factors of a school-based multi-component smoking prevention intervention: the LdP cluster randomized controlled trial. <i>Health Education Research</i> , 2016, 31, 439-449.	1.9	6
93	Advance care planning "a multi-centre cluster randomised clinical trial: the research protocol of the ACTION study. <i>BMC Cancer</i> , 2016, 16, 264.	2.6	43
94	Smoke-Free Homes and Youth Smoking Behavior in Italy: Findings From the SIDRIAT Longitudinal Study. <i>Nicotine and Tobacco Research</i> , 2016, 18, 2075-2082.	2.6	11
95	Reduction of Risk of Dying from Tobacco-related Diseases after Quitting Smoking in Italy. <i>Tumori</i> , 2015, 101, 657-663.	1.1	8
96	Impact of National Smoke-Free Legislation on Educational Disparities in Smoke-Free Homes: Findings from the SIDRIAT Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 8705-8716.	2.6	4
97	Causation, Confounding, and Contrast-Enhanced Computed Tomography. <i>Annals of Emergency Medicine</i> , 2015, 66, 275-276.	0.6	1
98	A prevention program for multiple health-compromising behaviors in adolescence: Baseline results from a cluster randomized controlled trial. <i>Preventive Medicine</i> , 2015, 71, 20-26.	3.4	8
99	Time Trends of Italian Former Smokers 1980-2009 and 2010-2030 Projections Using a Bayesian Age Period Cohort Model. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 1-12.	2.6	12
100	Life Gain in Italian Smokers Who Quit. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 2395-2406.	2.6	7
101	Effectiveness of a school-based multi-component smoking prevention intervention: The LdP cluster randomized controlled trial. <i>Preventive Medicine</i> , 2014, 61, 6-13.	3.4	23
102	Breast cancer mortality trends in Italy by region and screening programme, 1980-2008. <i>Journal of Medical Screening</i> , 2014, 21, 189-193.	2.3	3
103	Compliance with the smoking ban in Italy 8 years after its application. <i>International Journal of Public Health</i> , 2014, 59, 549-554.	2.3	49
104	Decennial trends of social differences in smoking habits in Italy: a 30-year update. <i>Cancer Causes and Control</i> , 2013, 24, 1385-1391.	1.8	19
105	Sales of different tobacco products in Italy, 2004-2012. <i>Preventive Medicine</i> , 2013, 56, 422-423.	3.4	7
106	Is 20% of a loaf enough?. <i>Cancer</i> , 2013, 119, 3420-3420.	4.1	0
107	The "Don't Smoke in Our Home" Randomized Controlled Trial to Protect Children from Second-Hand Smoke Exposure at Home. <i>Tumori</i> , 2013, 99, 23-29.	1.1	7
108	Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 924-931.	1.7	7

#	ARTICLE	IF	CITATIONS
109	A School-Based Peer-Led Smoking Prevention Intervention with Extracurricular Activities: The LILT-LdP Cluster Randomized Controlled Trial Design and Study Population. <i>Tumori</i> , 2013, 99, 572-577.	1.1	7
110	The "Don't smoke in our home" randomized controlled trial to protect children from second-hand smoke exposure at home. <i>Tumori</i> , 2013, 99, 23-9.	1.1	2
111	A school-based peer-led smoking prevention intervention with extracurricular activities: the LILT-LdP cluster randomized controlled trial design and study population. <i>Tumori</i> , 2013, 99, 572-7.	1.1	3
112	Can a National Lung Cancer Screening Program in Combination with Smoking Cessation Policies Cause an Early Decrease in Tobacco Deaths in Italy?. <i>Cancer Prevention Research</i> , 2012, 5, 874-882.	1.5	17
113	Predicting the future prevalence of cigarette smoking in Italy over the next three decades. <i>European Journal of Public Health</i> , 2012, 22, 699-704.	0.3	8
114	Estimating the probabilities of making a smoking quit attempt in Italy: stall in smoking cessation levels, 1986-2009. <i>BMC Public Health</i> , 2012, 12, 183.	2.9	15
115	Italy SimSmoke: the effect of tobacco control policies on smoking prevalence and smoking attributable deaths in Italy. <i>BMC Public Health</i> , 2012, 12, 709.	2.9	19
116	The Pap smear screening as an occasion for smoking cessation and physical activity counselling: effectiveness of the SPRINT randomized controlled trial. <i>BMC Public Health</i> , 2012, 12, 740.	2.9	13
117	Cervical Cancer Screening visit as an Occasion for Counseling Female Smokers to Quit. <i>Tumori</i> , 2012, 98, 27-32.	1.1	3
118	Pesticide exposure in farming and forestry and the risk of uveal melanoma. <i>Cancer Causes and Control</i> , 2012, 23, 141-151.	1.8	13
119	Exposure to Secondhand Smoke in Terraces and Other Outdoor Areas of Hospitality Venues in Eight European Countries. <i>PLoS ONE</i> , 2012, 7, e42130.	2.5	49
120	Occupational exposure to endocrine-disrupting chemicals and the risk of uveal melanoma. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 476-483.	3.4	11
121	Cervical cancer screening visit as an occasion for counseling female smokers to quit. <i>Tumori</i> , 2012, 98, 27-32.	1.1	6
122	Is Cancer Overtaking Cardiovascular Diseases as the Killer Number one in Men in Tuscany?. <i>Tumori</i> , 2011, 97, 14-18.	1.1	1
123	SP1-6 No effect of hormonal exposures on uveal melanoma. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A375-A375.	3.7	0
124	SP1-7 Pesticide exposure in farming and forestry and the risk of uveal melanoma. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A375-A376.	3.7	0
125	The Pap smear screening as an occasion for smoking cessation and physical activity counselling: baseline characteristics of women involved in the SPRINT randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 906.	2.9	10
126	Association Between Genetic Polymorphisms in the XRCC1, XRCC3, XPD, GSTM1, GSTT1, MSH2, MLH1, MSH3, and MGMT Genes and Radiosensitivity in Breast Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 52-58.	0.8	76

#	ARTICLE	IF	CITATIONS
127	Is cancer overtaking cardiovascular diseases as the killer number one in men in Tuscany?. Tumori, 2011, 97, 14-8.	1.1	1
128	Smoke-free policy development in Italy through the legislative process of the ban 2000-2005, and press media review 1998-2008. Annali Dell'Istituto Superiore Di Sanita, 2011, 47, 260-5.	0.4	8
129	Mortality study in an asbestos cement factory in Naples, Italy. Annali Dell'Istituto Superiore Di Sanita, 2011, 47, 296-304.	0.4	20
130	Hormonal exposures and the risk of uveal melanoma. Cancer Causes and Control, 2010, 21, 1625-1634.	1.8	23
131	Breast cancer in priests: follow-up of an observation made 167 years ago. European Journal of Epidemiology, 2010, 25, 219-221.	5.7	5
132	Occupational exposure to electromagnetic fields and sex-differential risk of uveal melanoma. Occupational and Environmental Medicine, 2010, 67, 751-759.	2.8	12
133	Occupation and occupational exposure to endocrine disrupting chemicals in male breast cancer: a case-control study in Europe. Occupational and Environmental Medicine, 2010, 67, 837-844.	2.8	70
134	The epidemics of smoking bans in Europe: contributions of Italy and Spain. Epidemiologia E Prevenzione, 2010, 34, 47-51.	1.1	3
135	Lung cancer mortality trend by birth cohort in men, Tuscany, 1971-2006. Tumori, 2010, 96, 680-3.	1.1	0
136	Exposure to Benzene and Risk of Breast Cancer among Shoe Factory Workers in Italy. Tumori, 2009, 95, 8-12.	1.1	31
137	Survival of peritoneal malignant mesothelioma in Italy: A population-based study. International Journal of Cancer, 2009, 124, 194-200.	5.1	37
138	On the relationship between smoking bans and incidence of acute myocardial infarction. European Journal of Epidemiology, 2009, 24, 597-602.	5.7	64
139	Exposure to benzene and risk of breast cancer among shoe factory workers in Italy. Tumori, 2009, 95, 8-12.	1.1	16
140	Prediction of mesothelioma and lung cancer in a cohort of asbestos exposed workers. European Journal of Epidemiology, 2008, 23, 541-546.	5.7	13
141	Italy and Austria before and after study: second-hand smoke exposure in hospitality premises before and after 2 years from the introduction of the Italian smoking ban. Indoor Air, 2008, 18, 328-334.	4.3	55
142	Benzene exposure in a sample of population residing in a district of Florence, Italy. Science of the Total Environment, 2008, 392, 41-49.	8.0	15
143	Secondhand Smoke Exposure in Spanish Adult Non-Smokers Following the Introduction of an Anti-Smoking Law. Revista Espanola De Cardiologia (English Ed), 2008, 61, 687-694.	0.6	18
144	Letter by Gasparrini and Gorini Regarding Article, "Effect of the Italian Smoking Ban on Population Rates of Acute Coronary Events". Circulation, 2008, 118, e139; author reply e140.	1.6	0

#	ARTICLE	IF	CITATIONS
145	Prevalence of Second-Hand Smoke Exposure After Introduction of the Italian Smoking Ban: The Florence and Belluno Survey. <i>Tumori</i> , 2008, 94, 798-802.	1.1	17
146	Secondhand Smoke Exposure in Hospitality Venues in Europe. <i>Environmental Health Perspectives</i> , 2008, 116, 1469-1472.	6.0	36
147	Gastric cancer mortality trends in Tuscany, Italy, 1971-2004. <i>Tumori</i> , 2008, 94, 787-92.	1.1	0
148	Prevalence of second-hand smoke exposure after introduction of the Italian smoking ban: the Florence and Belluno survey. <i>Tumori</i> , 2008, 94, 798-802.	1.1	7
149	Alcohol consumption and risk of Hodgkin's lymphoma and multiple myeloma: a multicentre caseâ€“control study. <i>Annals of Oncology</i> , 2007, 18, 143-148.	1.2	24
150	What happened in Italy? A brief summary of studies conducted in Italy to evaluate the impact of the smoking ban. <i>Annals of Oncology</i> , 2007, 18, 1620-1622.	1.2	49
151	Smoking prevalence in Italy after the smoking ban: Towards a comprehensive evaluation of tobacco control programs in Europe. <i>Preventive Medicine</i> , 2007, 45, 123-124.	3.4	20
152	Analysis of latency time and its determinants in asbestos related malignant mesothelioma cases of the Italian register. <i>European Journal of Cancer</i> , 2007, 43, 2722-2728.	2.8	124
153	Improvements in rearing method for <i>Hyposoter didymator</i> (Hymenoptera: Ichneumonidae), considering sex allocation and sex determination theories used for Hymenoptera. <i>Biological Control</i> , 2007, 43, 271-277.	3.0	9
154	Alcohol consumption and risk of leukemia: A multicenter caseâ€“control study. <i>Leukemia Research</i> , 2007, 31, 379-386.	0.8	28
155	Survey of Feline Giardiasis by ELISA Test in Italy. <i>Veterinary Research Communications</i> , 2007, 31, 297-303.	1.6	10
156	Prostate cancer specific mortality in the Florence screening pilot study cohort 1992â€“1993. <i>European Journal of Cancer</i> , 2006, 42, 1858-1862.	2.8	8
157	Lung Cancer Mortality Patterns in Women Resident in Different Urbanization Areas in Central Italy from 1987â€“2002. <i>Tumori</i> , 2006, 92, 271-275.	1.1	6
158	Retrospective mortality cohort study of Italian workers compensated for silicosis. <i>Occupational and Environmental Medicine</i> , 2006, 63, 762-765.	2.8	14
159	Cigarette smoking and alcohol consumption as determinants of survival in non-Hodgkin's lymphoma: a population-based study. <i>Annals of Oncology</i> , 2006, 17, 1283-1289.	1.2	29
160	Lung cancer mortality patterns in women resident in different urbanization areas in central Italy from 1987-2002. <i>Tumori</i> , 2006, 92, 271-5.	1.1	2
161	Survival of malignant pleural mesothelioma cases in the Tuscan Mesothelioma Register, 1988â€“2000: a population-based study. <i>European Journal of Cancer Prevention</i> , 2005, 14, 195-199.	1.3	22
162	Environmental Tobacco Smoke (ETS) Exposure in Florence Hospitality Venues Before and After the Smoking Ban in Italy. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 1208-1210.	1.7	20

#	ARTICLE	IF	CITATIONS
163	Survey on giardiasis in shelter dog populations. <i>Veterinary Parasitology</i> , 2005, 128, 333-339.	1.8	42
164	Predictions of mortality from pleural mesothelioma in Italy: A model based on asbestos consumption figures supports results from age-period-cohort models. <i>International Journal of Cancer</i> , 2005, 115, 142-147.	5.1	106
165	Mesothelioma of the Tunica Vaginalis Testis: Report of 2 Cases with Asbestos Occupational Exposure. <i>International Journal of Surgical Pathology</i> , 2005, 13, 211-214.	0.8	19
166	Environmental tobacco smoke exposure in public places of European cities. <i>Tobacco Control</i> , 2005, 14, 60-63.	3.2	83
167	Epidemiologic surveillance for primary prevention of malignant mesothelioma: the Italian experience. <i>Medicina Del Lavoro</i> , 2005, 96, 338-46.	0.4	10
168	Breast cancer mortality trends in two areas of the province of Florence, Italy, where screening programmes started in the 1970s and 1990s. <i>British Journal of Cancer</i> , 2004, 90, 1780-1783.	6.4	22
169	Malignant mesothelioma in Italy, 1997. <i>American Journal of Industrial Medicine</i> , 2004, 45, 55-62.	2.1	36
170	Analysis of survival of mesothelioma cases in the Italian register (ReNaM). <i>European Journal of Cancer</i> , 2003, 39, 1290-1295.	2.8	46
171	Ras gene mutations in patients with acute myeloid leukaemia and exposure to chemical agents. <i>Carcinogenesis</i> , 2003, 25, 749-755.	2.8	23
172	Is the ratio of pleural mesothelioma mortality to pleural cancer mortality approximately unity for Italy? Considerations from the oldest regional mesothelioma register in Italy. <i>British Journal of Cancer</i> , 2002, 86, 1970-1971.	6.4	14
173	The importance of smoking and medical history for development of small bowel carcinoid tumor: a European population-based case-control study. <i>Cancer Causes and Control</i> , 2002, 13, 27-34.	1.8	42