Hajime Shirai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3073746/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Mist chemical vapor deposition of crystalline MoS ₂ atomic layer films using sequential mist supply mode and its application in field-effect transistors. Nanotechnology, 2022, 33, 045601. | 2.6 | 6 |
| 2 | Mist chemical vapor deposition of Al _{1â^'<i>x</i>} Ti <i>_x</i> O <i>_y</i> thin films and their application to a high dielectric material. Journal of Applied Physics, 2022, 131, 105301. | 2.5 | 2 |
| 3 | Mesh Bias Controlled Synthesis of TiO ₂ and Al _{0.74} Ti _{0.26} O ₃ Thin Films by Mist Chemical Vapor Deposition and Applications as Gate Dielectric Layers for Field-Effect Transistors. ACS Applied Electronic Materials, 2022 4 2516-2524 | 4.3 | 2 |
| 4 | AlO _{<i>x</i>> /i>x} Thin Films Synthesized by Mist Chemical Vapor Deposition, Monitored by a Fast-Scanning Mobility Particle Analyzer, and Applied as a Gate Insulating Layer in the Field-Effect Transistors. ACS Applied Electronic Materials, 2021, 3, 658-667. | 4.3 | 4 |
| 5 | State-of-the-Art of Solution-Processed Crystalline Silicon/Organic Heterojunction Solar Cells: Challenges and Future. Challenges and Advances in Computational Chemistry and Physics, 2021, , 33-56. | 0.6 | 1 |
| 6 | Effect of CdS and In3Se4 BSF layers on the photovoltaic performance of PEDOT:PSS/n-Si solar cells: Simulation based on experimental data. Superlattices and Microstructures, 2021, 152, 106853. | 3.1 | 36 |
| 7 | Optimization of multilayer anti-reflection coatings for efficient light management of PEDOT:PSS/c-Si heterojunction solar cells. Materials Research Express, 2020, 7, 015502. | 1.6 | 20 |
| 8 | Effect of thermally annealed atomic-layer-deposited AlOx/chemical tunnel oxide stack layer at the PEDOT:PSS/n-type Si interface to improve its junction quality. Journal of Applied Physics, 2020, 128, 045305. | 2.5 | 3 |
| 9 | Synthesis of AlO <i>x</i> thin films by atmospheric-pressure mist chemical vapor deposition for surface passivation and electrical insulator layers. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2020, 38, . | 2.1 | 4 |
| 10 | A novel CdTe ink-assisted direct synthesis of CdTe thin films for the solution-processed CdTe solar cells. Journal of Materials Science, 2020, 55, 7715-7730. | 3.7 | 32 |
| 11 | Solution-processed TiO ₂ as a hole blocking layer in PEDOT:PSS/n-Si heterojunction solar cells. EPJ Photovoltaics, 2020, 11, 7. | 1.6 | 5 |
| 12 | A novel synthesis and characterization of transparent CdS thin films for CdTe/CdS solar cells. Applied Physics A: Materials Science and Processing, 2020, 126, 1. | 2.3 | 44 |
| 13 | Role of the solvent in large crystal grain growth of inorganic-organic halide FA0.8Cs0.2Pbl <i>x</i> Br3 ⴒ <i>x</i> perovskite thin films monitored by ellipsometry. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2019, 37, . | 11.2 | 2 |
| 14 | Chemical mist deposition of organic for efficient front- and back-PEDOT:PSS/crystalline Si heterojunction solar cells. Applied Physics Letters, 2019, 114, . | 3.3 | 11 |
| 15 | Solution-Processed Crystalline Silicon Heterojunction Solar Cells. , 2019, , 97-117. | | 5 |
| 16 | Highly crystalline large-grained perovskite films using two additives without an antisolvent for high-efficiency solar cells. Thin Solid Films, 2019, 679, 27-34. | 1.8 | 7 |
| 17 | Nb-doped amorphous titanium oxide compact layer for formamidinium-based high efficiency perovskite solar cells by low-temperature fabrication. Journal of Materials Chemistry A, 2018, 6, 9583-9591. | 10.3 | 30 |
| 18 | Optical Anisotropy and Compositional Ratio of Conductive Polymer PEDOT:PSS and Their Effect on | | 4 |

Optical Anisotropy and Compositional Ratio of Conductive Polymer PEDOT:PSS and Their Effect on Photovoltaic Performance of Crystalline Silicon/Organic Heterojunction Solar Cells. , 2018, , 137-159. 18

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 19 | Crystalline-Si heterojunction with organic thin-layer (HOT) solar cell module using poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate)(PEDOT:PSS). Solar Energy Materials and Solar Cells, 2018, 181, 60-70. | 6.2 | 20 |
| 20 | Thiocyanate Containing Two-Dimensional Cesium Lead Iodide Perovskite, Cs ₂ Pbl ₂ (SCN) ₂ : Characterization, Photovoltaic Application, and Degradation Mechanism. ACS Applied Materials & Interfaces, 2018, 10, 42363-42371. | 8.0 | 40 |
| 21 | Fabrication of {CH(NH ₂) ₂ } _{1â^²} <i>_x</i> Cs <i>_x</i> Pbl _{3 Perovskite Thin Films by Two-step Method and Its Application to Thin Film Solar Cells. Chemistry Letters. 2017, 46, 612-615.} | sub> 1.3 | 5 |
| 22 | Barium hydroxide hole blocking layer for front- and back-organic/crystalline Si heterojunction solar cells. Journal of Applied Physics, 2017, 122, . | 2.5 | 26 |
| 23 | Effect of substrate bias on mist deposition of conjugated polymer on textured crystalline‣i for efficient c‣i/organic heterojunction solar cells. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 1922-1925. | 1.8 | 8 |
| 24 | Correlation between the fine structure of spin-coated PEDOT:PSS and the photovoltaic performance of organic/crystalline-silicon heterojunction solar cells. Journal of Applied Physics, 2016, 120, . | 2.5 | 46 |
| 25 | Investigating the chemical mist deposition technique for poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate) on textured crystalline-silicon for organic/crystalline-silicon heterojunction solar cells. Japanese Journal of Applied Physics, 2016, 55, 031601. | 1.5 | 16 |
| 26 | Nafion-Modified PEDOT:PSS as a Transparent Hole-Transporting Layer for High-Performance Crystalline-Si/Organic Heterojunction Solar Cells with Improved Light Soaking Stability. ACS Applied Materials & Interfaces, 2016, 8, 31926-31934. | 8.0 | 63 |
| 27 | Role of Isopropyl Alcohol Solvent in the Synthesis of Organic–Inorganic Halide CH(NH ₂) ₂ Pbl _{<i>x</i>} Br _{3–<i>x</i>} Perovskite Thin Films by a Two-Step Method. Journal of Physical Chemistry C, 2016, 120, 25371-25377. | 3.1 | 12 |
| 28 | Solution-processed crystalline silicon double-heterojunction solar cells. Applied Physics Express, 2016, 9, 022301. | 2.4 | 15 |
| 29 | Highly Efficient Solutionâ€Processed Poly(3,4â€ethylenedioâ€xythiophene):Poly(styrenesulfonate)/Crystalline–Silicon Heterojunction Solar Cells with Improved Lightâ€Induced Stability. Advanced Energy Materials, 2015, 5, 1500744. | 19.5 | 85 |
| 30 | Solution-Processed Organic/Crystalline-Silicon Heterojunction Solar Cells with Improved Light-Induced Stability. , 2015, , . | | 0 |
| 31 | Efficient organic/polycrystalline silicon hybrid solar cells. Nano Energy, 2015, 11, 260-266. | 16.0 | 18 |
| 32 | Fabrication of Organic/inorganic Hybrid CMOS Devices using Solution-processed Graphene Electrodes. IEEJ Transactions on Electronics, Information and Systems, 2015, 135, 156-159. | 0.2 | 0 |
| 33 | Improved performance of poly(3,4-ethylenedioxythiophene):poly(stylene sulfonate)/n-Si hybrid solar cell by incorporating silver nanoparticles. Japanese Journal of Applied Physics, 2014, 53, 110305. | 1.5 | 7 |
| 34 | Self-assembled silver nanowires as top electrode for poly(3,4-ethylenedioxythiophene):poly(stylenesulfonate)/n-silicon solar cell. Thin Solid Films, 2014, 558, 306-310. | 1.8 | 16 |
| 35 | Plasmonicâ€enhanced crystalline silicon/organic heterojunction cells by incorporating gold nanoparticles. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 1179-1183. | 1.8 | 12 |
| 36 | Improved photovoltaic response by incorporating green tea modified multiwalled carbon nanotubes in organic–inorganic hybrid solar cell. Canadian Journal of Physics, 2014, 92, 849-852. | 1.1 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|--------------------|
| 37 | Self assembled silver nanowire mesh as top electrode for organic–inorganic hybrid solar cell. Canadian Journal of Physics, 2014, 92, 867-870. | 1.1 | 7 |
| 38 | Green-tea modified multiwalled carbon nanotubes for efficient poly(3,4-ethylenedioxythiophene):poly(stylenesulfonate)/n-silicon hybrid solar cell. Applied Physics Letters, 2013, 102, . | 3.3 | 31 |
| 39 | Efficient Organic Photovoltaic Cells Using MoO3Hole-Transporting Layers Prepared by Simple Spin-Cast of Its Dispersion Solution in Methanol. Japanese Journal of Applied Physics, 2013, 52, 020202. | 1.5 | 4 |
| 40 | Large-Area Cold Atmospheric Pressure Discharges Realized by Mesh Covered Tube-Plate Electrodes in Open Air. IEEE Transactions on Plasma Science, 2013, 41, 421-424. | 1.3 | 3 |
| 41 | Optical anisotropy in solvent-modified poly(3,4-ethylenedioxythiophene):poly(styrenesulfonic acid) and its effect on the photovoltaic performance of crystalline silicon/organic heterojunction solar cells. Applied Physics Letters, 2013, 102, . | 3.3 | 43 |
| 42 | Efficient Crystalline Si/Poly(ethylene dioxythiophene):Poly(styrene sulfonate):Graphene Oxide Composite Heterojunction Solar Cells. Applied Physics Express, 2012, 5, 032301. | 2.4 | 28 |
| 43 | Optical properties and carrier transport in c-Si/conductive PEDOT:PSS(GO) composite heterojunctions. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 2075-2078. | 0.8 | 13 |
| 44 | Efficient crystalline Si/organic hybrid heterojunction solar cells. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 2101-2106. | 0.8 | 8 |
| 45 | Chemical mist deposition of graphene oxide and PEDOT:PSS films for crystalline Si/organic heterojunction solar cells. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 2134-2137. | 0.8 | 22 |
| 46 | Rapid thermal annealing treatment of ZnO: Al films for photovoltaic applications. Journal of Non-Crystalline Solids, 2012, 358, 2501-2503. | 3.1 | 3 |
| 47 | Highly efficient crystalline silicon/Zonyl fluorosurfactant-treated organic heterojunction solar cells. Applied Physics Letters, 2012, 100, . | 3.3 | 102 |
| 48 | Rapid thermal annealing of sputter-deposited ZnO/ZnO:N/ZnO multilayered structures. Thin Solid Films, 2012, 520, 3729-3735. | 1.8 | 5 |
| 49 | Electrospray Deposition of Poly(3-hexylthiophene) Films for Crystalline Silicon/Organic Hybrid Junction Solar Cells. Japanese Journal of Applied Physics, 2012, 51, 061602. | 1.5 | 4 |
| 50 | Bulk heterojunction organic photovoltaic cell fabricated by the electrospray deposition method using mixed organic solvent. Physica Status Solidi - Rapid Research Letters, 2011, 5, 229-231. | 2.4 | 45 |
| 51 | Surface chemistry of the preferred (111) and (220) crystal oriented microcrystalline Si films by radio-frequency plasma-enhanced chemical vapor deposition. Physica Status Solidi C: Current Topics in Solid State Physics, 2011, 8, 3009-3012. | 0.8 | 1 |
| 52 | Depth profile characterization of spin-coated poly(3,4-ethylenedioxythiophene): poly(styrene sulfonic) Tj ETQqO State Physics, 2011, 8, 3025-3028. | 0 0 rgBT / 0.8 | Overlock 10 T 3 |
| 53 | Fast deposition of microcrystalline Si films from SiH2Cl2 using a high-density microwave plasma source for Si thin-film solar cells. Solar Energy Materials and Solar Cells, 2010, 94, 524-530. | 6.2 | 19 |
| 54 | Real time monitoring of the crystallization process during the plasma annealing of amorphous cilicon. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 574,577 | 1.8 | 2 |

54 silicon. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 574-577.

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Si Thin-Film Solar Cells Fabricated by RF PE-CVD of a Si ₃ H ₈ and H ₂ Mixture on ZnO:Al. Transactions of the Materials Research Society of Japan, 2010, 35, 617-620. | 0.2 | 0 |
| 56 | Role of oxygen atoms in the growth of magnetron sputter-deposited ZnO films. Journal of Applied Physics, 2010, 108, . | 2.5 | 18 |
| 57 | Local Deposition of Carbon Containing SiO _X Synthesized Using Atmospheric Pressure Microplasma Jet. Transactions of the Materials Research Society of Japan, 2010, 35, 187-190. | 0.2 | 0 |
| 58 | Microplasma discharge in ethanol solution: Characterization and its application to the synthesis of carbon microstructures. Thin Solid Films, 2008, 516, 4435-4440. | 1.8 | 22 |
| 59 | Physicochemistry of the plasma-electrolyte solution interface. Thin Solid Films, 2008, 516, 6688-6693. | 1.8 | 28 |
| 60 | Deposition of controllable preferred orientation silicon films on glass by inductively coupled plasma chemical vapor deposition. Journal of Applied Physics, 2008, 103, 043505. | 2.5 | 29 |
| 61 | Rapid Crystallization of Amorphous Silicon Utilizing the Plasma Annealing at Atmospheric Pressure. Materials Research Society Symposia Proceedings, 2007, 989, 4. | 0.1 | 1 |
| 62 | Control of the gas phase and the surface reactions during the high rate synthesis of high quality microcrystalline silicon films: Effects of the source gas supply method and the substrate bias. Journal of Applied Physics, 2007, 101, 114912. | 2.5 | 16 |
| 63 | High rate growth highly crystallized microcrystalline silicon films using SiH4/H2 high-density microwave plasma. Thin Solid Films, 2007, 515, 4098-4104. | 1.8 | 3 |
| 64 | Synthesis of Si nanocones using rf microplasma at atmospheric pressure. Thin Solid Films, 2007, 515, 4153-4158. | 1.8 | 29 |
| 65 | Effect of substrate bias on high-rate synthesis of microcrystalline silicon films using a high-density microwave SiH4/H2plasma. Journal Physics D: Applied Physics, 2006, 39, 3844-3848. | 2.8 | 23 |
| 66 | Toward the fast deposition of highly crystallized microcrystalline silicon films with low defect density for Si thin-film solar cells. Journal of Non-Crystalline Solids, 2006, 352, 896-900. | 3.1 | 8 |
| 67 | Si thin film solar cells using SiH2Cl2 by rf plasma-enhanced chemical vapor deposition. Journal of Non-Crystalline Solids, 2006, 352, 1967-1971. | 3.1 | 2 |
| 68 | Rapid recrystallization of amorphous silicon utilizing the plasma jet at atmospheric pressure. Journal of Non-Crystalline Solids, 2006, 352, 989-992. | 3.1 | 5 |
| 69 | Si thin-film solar cells using SiH2Cl2 by rf plasma-enhanced chemical vapor deposition. Thin Solid Films, 2006, 511-512, 46-50. | 1.8 | 2 |
| 70 | Synthesis of novel p-type nanocrystalline silicon from SiH2Cl2 and SiCl4 by rf plasma-enhanced chemical vapor deposition. Thin Solid Films, 2006, 506-507, 38-44. | 1.8 | 1 |
| 71 | Fast Deposition of Highly Crystallized Microcrystalline Si Films Utilizing a High-Density Microwave Plasma Source for Si Thin Film Solar Cells. Materials Research Society Symposia Proceedings, 2006, 910, 3. | 0.1 | 3 |
| 72 | Carbon Microstructures Synthesized Utilizing the RF Microplasma Jet at Atmospheric Pressure. Japanese Journal of Applied Physics, 2005, 44, 4122-4127. | 1.5 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Characterization of Microcrystalline Silicon Film Growth on ZnO:Al Using the High-Density Microwave Plasma. Japanese Journal of Applied Physics, 2005, 44, 837-841. | 1.5 | 6 |
| 74 | Synthesis of Novel P-Type Nanocrystalline Si Prepared from SiH2Cl2and SiCl4for Window Layer of Thin Film Si Solar Cell. Japanese Journal of Applied Physics, 2004, 43, 5960-5966. | 1.5 | 10 |
| 75 | Role of chlorine in the nanocrystalline silicon film formation by rf plasma-enhanced chemical vapor deposition of chlorinated materials. Thin Solid Films, 2004, 457, 90-96. | 1.8 | 9 |
| 76 | Rf microplasma jet at atmospheric pressure: characterization and application to thin film processing. Journal Physics D: Applied Physics, 2004, 37, 1537-1543. | 2.8 | 77 |
| 77 | Role of chlorine in the nanocrystalline silicon film formation by rf plasma-enhanced chemical vapor deposition of chlorinated materials. Thin Solid Films, 2004, 457, 90-90. | 1.8 | Ο |
| 78 | Relationship between microstructure and photovoltaic performance in microcrystalline silicon film solar cells fabricated by a high-density microwave plasma. Thin Solid Films, 2003, 427, 27-32. | 1.8 | 12 |
| 79 | Luminescent silicon nanocrystal dots fabricated by SiCl4/H2 RF plasma-enhanced chemical vapor deposition. Physica E: Low-Dimensional Systems and Nanostructures, 2003, 16, 388-394. | 2.7 | 4 |
| 80 | Formation of Si:H:Cl Films at Low Temperatures of 90–140°C by RF Plasma-Enhanced Chemical Vapor Deposition of a SiH2Cl2and H2Mixture. Japanese Journal of Applied Physics, 2003, 42, 1173-1178. | 1.5 | 4 |
| 81 | Direct formation of crystalline silicon films on an amorphous substrate from chlorinated materials by plasma-enhanced chemical vapor deposition. Journal of Non-Crystalline Solids, 2002, 299-302, 118-122. | 3.1 | 2 |
| 82 | Fast deposition of microcrystalline silicon films with preferred (220) crystallographic texture using the high-density microwave plasma. Solar Energy Materials and Solar Cells, 2002, 74, 505-511. | 6.2 | 2 |
| 83 | Chemistry of the chlorine-terminated surface for low-temperature growth of crystal silicon films by RF plasma-enhanced chemical vapor deposition. Solar Energy Materials and Solar Cells, 2002, 74, 421-427. | 6.2 | 11 |
| 84 | Optical emission spectroscopy study toward high rate growth of microcrystalline silicon. Thin Solid Films, 2001, 386, 256-260. | 1.8 | 44 |
| 85 | Low temperature formation of microcrystalline silicon films using high-density SiH4 microwave plasma. Thin Solid Films, 2001, 386, 261-266. | 1.8 | 16 |
| 86 | Low-Temperature Plasma-Enahanced Chemical Vapor Deposition of Crystal Silicon Film from Dichlorosilane. Japanese Journal of Applied Physics, 2001, 40, 44-48. | 1.5 | 18 |
| 87 | Growth of Crystal Silicon Films from Chlorinated Silanes by RF Plasma-Enhanced Chemical Vapor Deposition. Japanese Journal of Applied Physics, 2001, 40, L215-L218. | 1.5 | 34 |
| 88 | Formation of Self-Assembled Nanocrystalline Silicon Dots by SiCl4/H2 RF Plasma-Enhanced Chemical Vapor Deposition. Japanese Journal of Applied Physics, 2001, 40, L1214-L1216. | 1.5 | 11 |
| 89 | Plasma Technology for Poly-crystaline Silicon Thin Film Transister Manufacturing. Control of the Si-Network Structure by The High-Density Microwave Plasma Utilizing a Spoke Antenna Shinku/Journal of the Vacuum Society of Japan, 2001, 44, 572-577. | 0.2 | 0 |
| 90 | Growth kinetics of nanocrystalline silicon from SiH2Cl2 by plasma-enhanced chemical vapor deposition. Journal of Non-Crystalline Solids, 2000, 266-269, 131-135. | 3.1 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Enhanced Crystallinity at Initial Growth Stage of Microcrystalline Silicon on Corning #7059 Glass Using SiH2Cl2. Japanese Journal of Applied Physics, 1999, 38, L554-L557. | 1.5 | 28 |
| 92 | Fast Deposition of Microcrystalline Silicon Using High-Density SiH4Microwave Plasma. Japanese Journal of Applied Physics, 1999, 38, 6629-6635. | 1.5 | 41 |
| 93 | The control of the high-density microwave plasma for large-area electronics. Thin Solid Films, 1999, 337, 12-17. | 1.8 | 10 |
| 94 | The Generation of High-Density Microwave Plasma and Its Application to Large-Area Microcrystalline Silicon Thin Film Formation. Japanese Journal of Applied Physics, 1998, 37, L1078-L1081. | 1.5 | 39 |
| 95 | Spectroscopic Ellipsometry. In situ Ellipsometry Study of Initial Stage of Hydrogenated Silicon Film Growth Hyomen Kagaku, 1997, 18, 687-694. | 0.0 | Ο |
| 96 | Study of effect of SiH4gas heating during growth of hydrogenated microcrystalline silicon on SiO2by plasmaâ€enhanced chemicalâ€vapor deposition. Journal of Applied Physics, 1996, 80, 4976-4983. | 2.5 | 10 |
| 97 | Role of \$f SiH_{4}\$ Gas Heating in the Growth of Hydrogenated Microcrystalline Silicon. Japanese Journal of Applied Physics, 1996, 35, L676-L679. | 1.5 | 5 |
| 98 | Processing Development and Surface Preparation Review. In-situ Characterization of nc-Si:H Growth Monitored by Spectroscopic Ellipsometry Shinku/Journal of the Vacuum Society of Japan, 1996, 39, 609-617. | 0.2 | 0 |
| 99 | Role of Hydrogen Plasma during Growth of Hydrogenated Microcrystalline Silicon: In Situ UV-Visible and Infrared Ellipsometry Study. Japanese Journal of Applied Physics, 1994, 33, 5590-5598. | 1.5 | 56 |