

Luca Segreti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3076017/publications.pdf>

Version: 2024-02-01

63
papers

1,693
citations

394421

19
h-index

289244

40
g-index

65
all docs

65
docs citations

65
times ranked

1616
citing authors

#	ARTICLE	IF	CITATIONS
1	When local impedance meets contact force: preliminary experience from the CHARISMA registry. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, 63, 749-758.	1.3	7
2	Left atrial thrombus and stroke resolution in patients with atrial fibrillation under chronic oral anticoagulation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, , 1.	1.3	4
3	Improved procedural workflow for catheter ablation of paroxysmal AF with high-density mapping system and advanced technology: Rationale and study design of a multicenter international study. <i>Clinical Cardiology</i> , 2022, , .	1.8	1
4	Transvenous Lead Extraction in Patients with Cardiac Implantable Device: The Impact of Systemic and Local Infection on Clinical Outcomes—An ESC-EHRA ELECTRa (European Lead Extraction Controlled) Registry Substudy. <i>Biology</i> , 2022, 11, 615.	2.8	5
5	Targeted ablation of residual pulmonary vein potentials in atrial fibrillation ablation through ultra-high-density mapping: Insights from the CHARISMA registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 1414-1424.	1.7	3
6	Comparison between leadless and transvenous single-chamber pacemaker therapy in a referral centre for lead extraction. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 61, 395-404.	1.3	10
7	Predictors of ventricular ablation—™s success: Viability, innervation, or mismatch?. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 175-183.	2.1	10
8	Risk Factors and Long-Term Survival of Octogenarians and Nonagenarians Undergoing Transvenous Lead Extraction Procedures. <i>Gerontology</i> , 2021, 67, 36-48.	2.8	9
9	Pulmonary vein isolation in atrial fibrillation patients guided by a novel local impedance algorithm: 1-year outcome from the CHARISMA study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1540-1548.	1.7	18
10	Prolonged care delivery time and reduced rate of electrophysiological procedures during the lockdown period due to Covid-19 outbreak. <i>Expert Review of Medical Devices</i> , 2021, 18, 493-498.	2.8	2
11	Lead Abandonment and Subcutaneous Implantable Cardioverter-Defibrillator (S-ICD) Implantation in a Cohort of Patients With ICD Lead Malfunction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 692943.	2.4	6
12	Standard versus strict stability criteria in radiofrequency paroxysmal atrial fibrillation ablation using ablation index. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1404-1412.	1.2	1
13	Early rhythm—control ablation therapy to prevent atrial fibrillation recurrences: Insights from the CHARISMA Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 2031-2040.	1.2	4
14	Safety and efficacy of transvenous mechanical lead extraction in patients with abandoned leads. <i>Europace</i> , 2020, 22, 1401-1408.	1.7	17
15	Lead extraction in women. , 2020, , 885-892.		0
16	Leadless pacing in the elderly: never too old for something new. <i>Monaldi Archives for Chest Disease</i> , 2020, 90, .	0.6	5
17	Predictors of zero X ray procedures in supraventricular arrhythmias ablation. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1599-1607.	1.5	8
18	Transvenous lead extraction: Efficacy and safety of the procedure in octogenarian patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 382-387.	1.2	16

#	ARTICLE	IF	CITATIONS
19	A novel local impedance algorithm to guide effective pulmonary vein isolation in atrial fibrillation patients: Preliminary experience across different ablation sites from the CHARISMA pilot study. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2319-2327.	1.7	22
20	Feasibility and long-term effectiveness of a non-apical Micra pacemaker implantation in a referral centre for lead extraction. <i>Europace</i> , 2019, 21, 114-120.	1.7	26
21	Micra pacemaker implant after cardiac implantable electronic device extraction: feasibility and long-term outcomes. <i>Europace</i> , 2019, 21, 1229-1236.	1.7	20
22	To abandon or not to abandon: Late consequences of pacing and ICD lead abandonment. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1006-1017.	1.2	26
23	Impact of anticoagulation therapy on outcomes in patients with cardiac implantable resynchronization devices undergoing transvenous lead extraction: A substudy of the ESC-EHRA EORP ELECTRa (European Lead Extraction ConTRolled) Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1086-1095.	1.7	1
24	Major cardiac and vascular complications after transvenous lead extraction: acute outcome and predictive factors from the ESC-EHRA ELECTRa (European Lead Extraction ConTRolled) registry. <i>Europace</i> , 2019, 21, 771-780.	1.7	56
25	Procedural outcomes associated with transvenous lead extraction in patients with abandoned leads: an ESC-EHRA ELECTRa (European Lead Extraction ConTRolled) Registry Sub-Analysis. <i>Europace</i> , 2019, 21, 645-654.	1.7	39
26	Use and outcomes of subcutaneous implantable cardioverter-defibrillator (ICD) after transvenous ICD extraction: An analysis of current clinical practice and a comparison with transvenous ICD reimplantation. <i>Heart Rhythm</i> , 2019, 16, 564-571.	0.7	37
27	Leadless pacing in a patient with superior vena cava syndrome undergoing lead extraction and percutaneous angioplasty. <i>Journal of Cardiology Cases</i> , 2018, 17, 212-214.	0.5	3
28	Left ventricular reverse remodeling after transcatheter aortic valve implantation complicated by paroxysmal complete atrioventricular block. <i>Journal of Cardiology Cases</i> , 2018, 17, 194-196.	0.5	0
29	Predictors of Zero X-Ray Ablation for Supraventricular Tachycardias in a Nationwide Multicenter Experience. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005592.	4.8	37
30	How to prevent atrial-oesophageal fistula following ablation of atrial fibrillation: are there actually any effective methods?. <i>Europace</i> , 2018, 20, 562-562.	1.7	1
31	Utility of risk scores to predict adverse events in cardiac lead extraction. <i>Expert Review of Cardiovascular Therapy</i> , 2018, 16, 695-705.	1.5	7
32	Overcoming the current issues surrounding device leads: reducing the complications during extraction. <i>Expert Review of Medical Devices</i> , 2017, 14, 469-480.	2.8	9
33	Prevention of sudden cardiac death: from wearable to subcutaneous cardioverter defibrillator. <i>Minerva Cardiology and Angiology</i> , 2017, 66, 83-99.	0.7	0
34	Cardiac lead management: the future of transvenous lead extraction approaches and technologies. <i>Minerva Cardiology and Angiology</i> , 2017, 66, 100-112.	0.7	0
35	High recurrence of device-related adverse events following transvenous lead extraction procedure in patients with cardiac resynchronization devices. <i>European Journal of Heart Failure</i> , 2016, 18, 1270-1277.	7.1	11
36	Leadless cardiac pacemaker implant in a patient with two deep brain stimulators: A peaceful cohabitation beyond prejudices. <i>International Journal of Cardiology</i> , 2016, 223, 136-138.	1.7	4

#	ARTICLE	IF	CITATIONS
37	Subcutaneous Implantable Defibrillator in an acromegalic pregnant woman for secondary prevention of sudden cardiac death: When (2) technologies save (2) lives. <i>International Journal of Cardiology</i> , 2016, 223, 313-315.	1.7	6
38	Where is the future of cardiac lead extraction heading?. <i>Expert Review of Cardiovascular Therapy</i> , 2016, 14, 1197-1203.	1.5	9
39	Retrieval of a transcatheter pacemaker in sheep after a mid-term implantation time. <i>HeartRhythm Case Reports</i> , 2016, 2, 43-46.	0.4	5
40	Incessant accelerated idioventricular rhythm in pregnancy: An unusual long lasting case. <i>International Journal of Cardiology</i> , 2016, 209, 151-152.	1.7	2
41	Transvenous extraction profile of Riata leads: Procedural outcomes and technical complexity of mechanical removal. <i>Heart Rhythm</i> , 2015, 12, 580-587.	0.7	27
42	Subcutaneous Implantable Cardiac Defibrillators: Indications and Limitations. <i>Current Heart Failure Reports</i> , 2015, 12, 79-86.	3.3	10
43	A Questionable Indication For ICD Extraction After Successful VT Ablation. <i>Journal of Atrial Fibrillation</i> , 2015, 7, 1172.	0.5	1
44	Major predictors of fibrous adherences in transvenous implantable cardioverter-defibrillator lead extraction. <i>Heart Rhythm</i> , 2014, 11, 2196-2201.	0.7	82
45	Safety and efficacy of internal transjugular approach for transvenous extraction of implantable cardioverter defibrillator leads. <i>Europace</i> , 2014, 16, 1356-1362.	1.7	38
46	Multicenter experience with extraction of the Riata/Riata ST ICD lead. <i>Heart Rhythm</i> , 2014, 11, 1613-1618.	0.7	45
47	Port-a-Cath Complicated by Infection or Migration Not Removed by Manual Traction: Usefulness of Cardiac Pacing Leads Extraction Techniques. <i>Annals of Vascular Surgery</i> , 2013, 27, 529-536.	0.9	0
48	Short-term extraction profile of cardiac pacing leads with hybrid silicone-polyurethane insulator: A pilot study. <i>International Journal of Cardiology</i> , 2013, 168, 4432-4433.	1.7	6
49	Temporary coronary sinus pacing to allow hip surgery in a patient with drug-refractory incessant ventricular tachycardia. <i>International Journal of Cardiology</i> , 2013, 169, e21-e23.	1.7	1
50	Superior Vena Cava Defibrillator Coils Make Transvenous Lead Extraction More Challenging and Riskier. <i>Journal of the American College of Cardiology</i> , 2013, 61, 987-989.	2.8	421
51	Cardiac resynchronization therapy after coronary sinus lead extraction: feasibility and mid-term outcome of transvenous reimplantation in a tertiary referral centre. <i>Europace</i> , 2012, 14, 515-521.	1.7	25
52	Large, Single-Center Experience in Transvenous Coronary Sinus Lead Extraction: Procedural Outcomes and Predictors for Mechanical Dilatation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 215-222.	1.2	44
53	A Modified Transvenous Single Mechanical Dilatation Technique to Remove a Chronically Implanted Active-Fixation Coronary Sinus Pacing Lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, e66-9.	1.2	19
54	Tools, Techniques, and Approaches. , 2011, , 57-81.		1

#	ARTICLE	IF	CITATIONS
55	Role of intraoperative electrical parameters in predicting reverse remodelling after cardiac resynchronization therapy and correlation with interventricular mechanical dyssynchrony. <i>Europace</i> , 2010, 12, 1453-1459.	1.7	11
56	Transvenous Extraction Performance of Expanded Polytetrafluoroethylene Covered ICD Leads in Comparison to Traditional ICD Leads in Humans. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010, 33, 1376-1381.	1.2	43
57	Multicenter Experience With Extraction of the Sprint Fidelis Implantable Cardioverter-Defibrillator Lead. <i>Journal of the American College of Cardiology</i> , 2010, 56, 646-650.	2.8	88
58	Early Left Ventricular Structural Myocardial Alterations and Their Relationship with Functional and Electrical Properties of the Heart in Myotonic Dystrophy Type 1. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1173-1179.	2.8	19
59	Cardiac Resynchronization after Left Ventricular Lead Extraction: Usefulness of Angioplasty in Coronary Sinus Stenosis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 908-911.	1.2	9
60	Intracardiac Echocardiography in Patients with Pacing and Defibrillating Leads: A Feasibility Study. <i>Echocardiography</i> , 2008, 25, 632-638.	0.9	57
61	Radiofrequency catheter ablation of atrioventricular nodal reciprocating tachycardia using intracardiac echocardiography in pregnancy. <i>Europace</i> , 2008, 10, 1018-1021.	1.7	23
62	Transvenous removal of pacing and implantable cardiac defibrillating leads using single sheath mechanical dilatation and multiple venous approaches: high success rate and safety in more than 2000 leads. <i>European Heart Journal</i> , 2008, 29, 2886-2893.	2.2	227
63	Usefulness of mechanical transvenous dilation and location of areas of adherence in patients undergoing coronary sinus lead extraction. <i>Europace</i> , 2007, 9, 69-73.	1.7	49