

Guy Goodwin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3078146/publications.pdf>

Version: 2024-02-01

455
papers

44,211
citations

1614

105
h-index

2628

194
g-index

467
all docs

467
docs citations

467
times ranked

30641
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Distinct patterns of brain activity in young carriers of the <i>APOE</i> ϵ 4 allele. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7209-7214. | 7.1 | 1,524 |
| 2 | Risks of all-cause and suicide mortality in mental disorders: a meta-review. World Psychiatry, 2014, 13, 153-160. | 10.4 | 1,336 |
| 3 | THE CONTRIBUTION OF MUSCLE AFFERENTS TO KESLESTHESIA SHOWN BY VIBRATION INDUCED ILLUSIONSOF MOVEMENT AND BY THE EFFECTS OF PARALYSING JOINT AFFERENTS. Brain, 1972, 95, 705-748. | 7.6 | 1,269 |
| 4 | Cognitive deficits in depression: Possible implications for functional neuropathology. British Journal of Psychiatry, 2001, 178, 200-206. | 2.8 | 998 |
| 5 | Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. Nature Reviews Drug Discovery, 2012, 11, 141-168. | 46.4 | 960 |
| 6 | Relapse prevention with antidepressant drug treatment in depressive disorders: a systematic review. Lancet, The, 2003, 361, 653-661. | 13.7 | 808 |
| 7 | Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2016, 30, 495-553. | 4.0 | 755 |
| 8 | Lithium toxicity profile: a systematic review and meta-analysis. Lancet, The, 2012, 379, 721-728. | 13.7 | 695 |
| 9 | Proprioceptive Illusions Induced by Muscle Vibration: Contribution by Muscle Spindles to Perception?. Science, 1972, 175, 1382-1384. | 12.6 | 617 |
| 10 | The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262. | 7.2 | 579 |
| 11 | Long-Term Lithium Therapy for Bipolar Disorder: Systematic Review and Meta-Analysis of Randomized Controlled Trials. American Journal of Psychiatry, 2004, 161, 217-222. | 7.2 | 576 |
| 12 | Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. Molecular Psychiatry, 2018, 23, 932-942. | 7.9 | 558 |
| 13 | Cardiovascular and respiratory responses to changes in central command during isometric exercise at constant muscle tension. Journal of Physiology, 1972, 226, 173-190. | 2.9 | 553 |
| 14 | Comparative efficacy and acceptability of antimanic drugs in acute mania: a multiple-treatments meta-analysis. Lancet, The, 2011, 378, 1306-1315. | 13.7 | 534 |
| 15 | A Pooled Analysis of 2 Placebo-Controlled 18-Month Trials of Lamotrigine and Lithium Maintenance in Bipolar I Disorder. Journal of Clinical Psychiatry, 2004, 65, 432-441. | 2.2 | 518 |
| 16 | Increased Positive Versus Negative Affective Perception and Memory in Healthy Volunteers Following Selective Serotonin and Norepinephrine Reuptake Inhibition. American Journal of Psychiatry, 2004, 161, 1256-1263. | 7.2 | 501 |
| 17 | Antidepressants for Bipolar Depression: A Systematic Review of Randomized, Controlled Trials. American Journal of Psychiatry, 2004, 161, 1537-1547. | 7.2 | 492 |
| 18 | Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. Acta Psychiatrica Scandinavica, 2013, 128, 149-162. | 4.5 | 481 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Sustained attention deficit in bipolar disorder. <i>British Journal of Psychiatry</i> , 2002, 180, 313-319. | 2.8 | 473 |
| 20 | Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): a randomised open-label trial. <i>Lancet</i> , The, 2010, 375, 385-395. | 13.7 | 467 |
| 21 | The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , the, 2017, 4, 749-758. | 7.4 | 459 |
| 22 | Evidence-based guidelines for treating bipolar disorder: revised second editionâ€”recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2009, 23, 346-388. | 4.0 | 451 |
| 23 | Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009, 195, 102-108. | 2.8 | 451 |
| 24 | Antidepressant Drug Treatment Modifies the Neural Processing of Nonconscious Threat Cues. <i>Biological Psychiatry</i> , 2006, 59, 816-820. | 1.3 | 411 |
| 25 | Effect of Acute Antidepressant Administration on Negative Affective Bias in Depressed Patients. <i>American Journal of Psychiatry</i> , 2009, 166, 1178-1184. | 7.2 | 408 |
| 26 | The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009, 11, 453-473. | 1.9 | 401 |
| 27 | Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 1710-1716. | 7.9 | 400 |
| 28 | Review of the pharmacology and clinical pharmacology of 3,4-methylenedioxymethamphetamine (MDMA or â€œEcstasyâ€). <i>Psychopharmacology</i> , 1995, 119, 247-260. | 3.1 | 394 |
| 29 | Acute SSRI Administration Affects the Processing of Social Cues in Healthy Volunteers. <i>Neuropsychopharmacology</i> , 2003, 28, 148-152. | 5.4 | 381 |
| 30 | Cortical grey matter reductions associated with treatment-resistant chronic unipolar depression. <i>British Journal of Psychiatry</i> , 1998, 172, 527-532. | 2.8 | 373 |
| 31 | Lamotrigine for treatment of bipolar depression: independent meta-analysis and meta-regression of individual patient data from five randomised trials. <i>British Journal of Psychiatry</i> , 2009, 194, 4-9. | 2.8 | 370 |
| 32 | Evidence-Based Guidelines for Treating Bipolar Disorder: Recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2003, 17, 149-173. | 4.0 | 369 |
| 33 | A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5â€HT ₁ and 5â€HT ₂ receptors. <i>British Journal of Pharmacology</i> , 1985, 84, 743-753. | 5.4 | 367 |
| 34 | The Therapeutic Potential of Psychedelic Drugs: Past, Present, and Future. <i>Neuropsychopharmacology</i> , 2017, 42, 2105-2113. | 5.4 | 364 |
| 35 | The dopamine hypothesis of bipolar affective disorder: the state of the art and implications for treatment. <i>Molecular Psychiatry</i> , 2017, 22, 666-679. | 7.9 | 347 |
| 36 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2012 on the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 154-219. | 2.6 | 344 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Sleep-Related Functioning in Euthymic Patients With Bipolar Disorder, Patients With Insomnia, and Subjects Without Sleep Problems. <i>American Journal of Psychiatry</i> , 2005, 162, 50-57. | 7.2 | 337 |
| 38 | Agomelatine Prevents Relapse in Patients With Major Depressive Disorder Without Evidence of a Discontinuation Syndrome. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1128-1137. | 2.2 | 317 |
| 39 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2009 on the Treatment of Acute Mania. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 85-116. | 2.6 | 302 |
| 40 | Cognitive function in major depression. <i>Journal of Affective Disorders</i> , 1992, 25, 21-29. | 4.1 | 289 |
| 41 | Diagnostic guidelines for bipolar depression: a probabilistic approach. <i>Bipolar Disorders</i> , 2008, 10, 144-152. | 1.9 | 276 |
| 42 | A Neuropsychological Investigation of Prefrontal Cortex Involvement in Acute Mania. <i>American Journal of Psychiatry</i> , 2001, 158, 1605-1611. | 7.2 | 268 |
| 43 | Mindfulness-based Cognitive Therapy (MBCT) in bipolar disorder: Preliminary evaluation of immediate effects on between-episode functioning. <i>Journal of Affective Disorders</i> , 2008, 107, 275-279. | 4.1 | 266 |
| 44 | Emotional side-effects of selective serotonin reuptake inhibitors: qualitative study. <i>British Journal of Psychiatry</i> , 2009, 195, 211-217. | 2.8 | 253 |
| 45 | The pharmacology of the hypothermic response in mice to 8-hydroxy-2-(DI-n-propylamino)tetralin (8-OH-DPAT). <i>Neuropharmacology</i> , 1985, 24, 1187-1194. | 4.1 | 246 |
| 46 | Toward a Neuropsychological Theory of Antidepressant Drug Action: Increase in Positive Emotional Bias After Potentiation of Norepinephrine Activity. <i>American Journal of Psychiatry</i> , 2003, 160, 990-992. | 7.2 | 241 |
| 47 | Induction of Depressed Mood Disrupts Emotion Regulation Neurocircuitry and Enhances Pain Unpleasantness. <i>Biological Psychiatry</i> , 2010, 67, 1083-1090. | 1.3 | 226 |
| 48 | The cognitive neuropsychology of depression in the elderly. <i>Psychological Medicine</i> , 2007, 37, 1693-1702. | 4.5 | 217 |
| 49 | A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007, 21, 684-690. | 4.0 | 214 |
| 50 | Toxic Effects of Depression on Brain Function: Impairment of Delayed Recall and the Cumulative Length of Depressive Disorder in a Large Sample of Depressed Outpatients. <i>American Journal of Psychiatry</i> , 2008, 165, 731-739. | 7.2 | 203 |
| 51 | Lateral Prefrontal Cortex Mediates the Cognitive Modification of Attentional Bias. <i>Biological Psychiatry</i> , 2010, 67, 919-925. | 1.3 | 202 |
| 52 | The pharmacology of the behavioral and hypothermic responses of rats to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). <i>Psychopharmacology</i> , 1987, 91, 506-511. | 3.1 | 189 |
| 53 | Patterns of mandibular movement and jaw muscle activity during mastication in the monkey.. <i>Journal of Neurophysiology</i> , 1974, 37, 954-966. | 1.8 | 187 |
| 54 | Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression. <i>Journal of Psychopharmacology</i> , 1997, 11, 115-122. | 4.0 | 184 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Wake-up call for British psychiatry. <i>British Journal of Psychiatry</i> , 2008, 193, 6-9. | 2.8 | 183 |
| 56 | Linkage Analysis of Extremely Discordant and Concordant Sibling Pairs Identifies Quantitative-Trait Loci That Influence Variation in the Human Personality Trait Neuroticism. <i>American Journal of Human Genetics</i> , 2003, 72, 879-890. | 6.2 | 180 |
| 57 | Mental imagery as an emotional amplifier: Application to bipolar disorder. <i>Behaviour Research and Therapy</i> , 2008, 46, 1251-1258. | 3.1 | 179 |
| 58 | Single photon emission tomography with 99mTc-exametazime in major depression and the pattern of brain activity underlying the psychotic/neurotic continuum. <i>Journal of Affective Disorders</i> , 1992, 26, 31-43. | 4.1 | 174 |
| 59 | Impairment of Executive Function But Not Memory in First-Degree Relatives of Patients With Bipolar I Disorder and in Euthymic Patients With Unipolar Depression. <i>American Journal of Psychiatry</i> , 2005, 162, 1980-1982. | 7.2 | 174 |
| 60 | Depression and violence: a Swedish population study. <i>Lancet Psychiatry</i> , 2015, 2, 224-232. | 7.4 | 169 |
| 61 | Normalization of Enhanced Fear Recognition by Acute SSRI Treatment in Subjects With a Previous History of Depression. <i>American Journal of Psychiatry</i> , 2004, 161, 166-168. | 7.2 | 168 |
| 62 | A review of the biochemical and neuropharmacological actions of lithium. <i>Psychological Medicine</i> , 1987, 17, 579-600. | 4.5 | 167 |
| 63 | Recurrence of Mania after Lithium Withdrawal. <i>British Journal of Psychiatry</i> , 1994, 164, 149-152. | 2.8 | 163 |
| 64 | World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Bipolar Disorders, Part I: Treatment of Bipolar Depression. <i>World Journal of Biological Psychiatry</i> , 2002, 3, 115-124. | 2.6 | 161 |
| 65 | 5-HT ₂ receptor characteristics in frontal cortex and 5-HT ₂ receptor-mediated head-twitch behaviour following antidepressant treatment to mice. <i>British Journal of Pharmacology</i> , 1984, 83, 235-242. | 5.4 | 158 |
| 66 | Highly neurotic never-depressed students have negative biases in information processing. <i>Psychological Medicine</i> , 2007, 37, 1281-1291. | 4.5 | 155 |
| 67 | Transcranial magnetic stimulation of medial frontal cortex impairs the processing of angry facial expressions. <i>Nature Neuroscience</i> , 2001, 4, 17-18. | 14.8 | 154 |
| 68 | Folate for Depressive Disorders: Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Psychopharmacology</i> , 2004, 18, 251-256. | 4.0 | 154 |
| 69 | Sustained attention-deficit confirmed in euthymic bipolar disorder but not in first-degree relatives of bipolar patients or euthymic unipolar depression. <i>Biological Psychiatry</i> , 2005, 57, 183-187. | 1.3 | 154 |
| 70 | The longitudinal course of bipolar disorder as revealed through weekly text messaging: a feasibility study. <i>Bipolar Disorders</i> , 2010, 12, 327-334. | 1.9 | 154 |
| 71 | Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <i>Biological Psychiatry</i> , 2005, 57, 517-524. | 1.3 | 149 |
| 72 | Tryptophan depletion decreases the recognition of fear in female volunteers. <i>Psychopharmacology</i> , 2003, 167, 411-417. | 3.1 | 148 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 5-13. | 2.6 | 148 |
| 74 | Tyrosine depletion attenuates dopamine function in healthy volunteers. <i>Psychopharmacology</i> , 2001, 154, 105-111. | 3.1 | 147 |
| 75 | Clinical and psychometric correlates of dopamine D2 binding in depression. <i>Psychological Medicine</i> , 1997, 27, 1247-1256. | 4.5 | 146 |
| 76 | Discharge of spindle afferents from jaw-closing muscles during chewing in alert monkeys. <i>Journal of Neurophysiology</i> , 1975, 38, 560-571. | 1.8 | 142 |
| 77 | Lithium Treatment and Prophylaxis in Unipolar Depression: A Meta-analysis. <i>British Journal of Psychiatry</i> , 1991, 158, 666-675. | 2.8 | 137 |
| 78 | Regional cerebral blood flow and cognitive function in patients with chronic liver disease. <i>Lancet</i> , The, 1991, 337, 1250-1253. | 13.7 | 135 |
| 79 | A review of the current nomenclature for psychotropic agents and an introduction to the Neuroscience-based Nomenclature. <i>European Neuropsychopharmacology</i> , 2015, 25, 2318-2325. | 0.7 | 135 |
| 80 | Enhanced recognition of disgust in bipolar illness. <i>Biological Psychiatry</i> , 2002, 51, 298-304. | 1.3 | 134 |
| 81 | Enhanced Early Morning Salivary Cortisol in Neuroticism. <i>American Journal of Psychiatry</i> , 2005, 162, 807-809. | 7.2 | 134 |
| 82 | Single-photon emission computed tomography with ^{99m} Tc-exametazime in unmediated schizophrenic patients. <i>Biological Psychiatry</i> , 1993, 33, 487-495. | 1.3 | 133 |
| 83 | Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. <i>British Journal of Psychiatry</i> , 2001, 179, 356-360. | 2.8 | 133 |
| 84 | State- and trait-related deficits in sustained attention in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 61-68. | 3.2 | 133 |
| 85 | Detecting Bipolar Depression From Geographic Location Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1761-1771. | 4.2 | 132 |
| 86 | ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008, 18, 535-549. | 0.7 | 131 |
| 87 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 2-58. | 2.6 | 128 |
| 88 | Advantages and disadvantages of combination treatment with antipsychotics. <i>European Neuropsychopharmacology</i> , 2009, 19, 520-532. | 0.7 | 125 |
| 89 | Presynaptic serotonin receptor-mediated response in mice attenuated by antidepressant drugs and electroconvulsive shock. <i>Nature</i> , 1985, 317, 531-533. | 27.8 | 124 |
| 90 | The pattern of function-related regional cerebral blood flow investigated by single photon emission tomography with ^{99m} Tc-HMPAO in patients with presenile Alzheimer's disease and Korsakoff's psychosis. <i>Psychological Medicine</i> , 1989, 19, 847-855. | 4.5 | 124 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part III: Maintenance Treatment. <i>World Journal of Biological Psychiatry</i> , 2004, 5, 120-135. | 2.6 | 124 |
| 92 | Cognitive functioning in patients with affective disorders and schizophrenia: A meta-analysis. <i>International Review of Psychiatry</i> , 2009, 21, 336-356. | 2.8 | 124 |
| 93 | After-effects of fusimotor stimulation on the response of muscle spindle primary afferent endings. <i>Journal of Physiology</i> , 1969, 205, 677-694. | 2.9 | 121 |
| 94 | State changes in brain activity shown by the uptake of ^{99m} Tc-exametazime with single photon emission tomography in major depression before and after treatment. <i>Journal of Affective Disorders</i> , 1993, 29, 243-253. | 4.1 | 120 |
| 95 | Structure of a variable number tandem repeat of the serotonin transporter gene and association with affective disorder. <i>Psychiatric Genetics</i> , 1996, 6, 177-182. | 1.1 | 120 |
| 96 | The overlap between anxiety, depression, and obsessive-compulsive disorder. <i>Dialogues in Clinical Neuroscience</i> , 2015, 17, 249-260. | 3.7 | 120 |
| 97 | Diurnal variation of mood and neuropsychological function in major depression with melancholia. <i>Journal of Affective Disorders</i> , 1994, 32, 257-269. | 4.1 | 119 |
| 98 | Nonlinear time-series approaches in characterizing mood stability and mood instability in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 916-924. | 2.6 | 119 |
| 99 | Attenuation by electroconvulsive shock and antidepressant drugs of the 5-HT _{1A} receptor-mediated hypothermia and serotonin syndrome produced by 8-OH-DPAT in the rat. <i>Psychopharmacology</i> , 1987, 91, 500-505. | 3.1 | 118 |
| 100 | Blunting of neuroendocrine responses to infusion of L-tryptophan in women with perimenstrual mood change. <i>Psychological Medicine</i> , 1991, 21, 305-312. | 4.5 | 117 |
| 101 | Lithium for maintenance treatment of mood disorders. <i>The Cochrane Library</i> , 2001, , . | 2.8 | 116 |
| 102 | Brief cognitive screening of the elderly: a comparison of the Mini-Mental State Examination (MMSE), Abbreviated Mental Test (AMT) and Mental Status Questionnaire (MSQ). <i>Psychological Medicine</i> , 1996, 26, 427-430. | 4.5 | 115 |
| 103 | Chronic, treatment-resistant depression and right fronto-striatal atrophy. <i>British Journal of Psychiatry</i> , 2002, 180, 434-440. | 2.8 | 114 |
| 104 | Trait-Related Decision-Making Impairment in the Three Phases of Bipolar Disorder. <i>Biological Psychiatry</i> , 2011, 70, 357-365. | 1.3 | 114 |
| 105 | Learning from the past and looking to the future: Emerging perspectives for improving the treatment of psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2015, 25, 599-656. | 0.7 | 113 |
| 106 | Effects of destroying spindle afferents from jaw muscles on mastication in monkeys. <i>Journal of Neurophysiology</i> , 1974, 37, 967-981. | 1.8 | 108 |
| 107 | Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. <i>Sleep</i> , 2016, 39, 173-181. | 1.1 | 108 |
| 108 | Risk for depression and neural responses to fearful facial expressions of emotion. <i>British Journal of Psychiatry</i> , 2009, 194, 139-145. | 2.8 | 106 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Sustained attention deficit in bipolar disorder is not a working memory impairment in disguise. <i>Neuropsychologia</i> , 2002, 40, 1586-1590. | 1.6 | 105 |
| 110 | Emotional blunting with antidepressant treatments: A survey among depressed patients. <i>Journal of Affective Disorders</i> , 2017, 221, 31-35. | 4.1 | 104 |
| 111 | Role of monkey precentral cortex in control of voluntary jaw movements. <i>Journal of Neurophysiology</i> , 1975, 38, 146-157. | 1.8 | 103 |
| 112 | The strength of the reflex response to sinusoidal stretch of monkey jaw closing muscles during voluntary contraction.. <i>Journal of Physiology</i> , 1978, 279, 81-111. | 2.9 | 103 |
| 113 | High and low neuroticism predict different cortisol responses to the combined dexamethasone+CRH test. <i>Biological Psychiatry</i> , 2001, 49, 410-415. | 1.3 | 103 |
| 114 | Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011, 25, 1148-1158. | 4.0 | 103 |
| 115 | Innovative solutions to novel drug development in mental health. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2438-2444. | 6.1 | 102 |
| 116 | Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. <i>European Neuropsychopharmacology</i> , 2016, 26, 994-1003. | 0.7 | 100 |
| 117 | Short-term antidepressant treatment and facial processing. <i>British Journal of Psychiatry</i> , 2007, 190, 531-532. | 2.8 | 99 |
| 118 | Valproate+/-lithium in the treatment of bipolar disorder in clinical practice: observational nationwide register-based cohort study. <i>British Journal of Psychiatry</i> , 2011, 199, 57-63. | 2.8 | 99 |
| 119 | The effects of fusimotor stimulation during small amplitude stretching on the frequency response of the primary ending of the mammalian muscle spindle.. <i>Journal of Physiology</i> , 1975, 253, 175-206. | 2.9 | 98 |
| 120 | Dieting changes serotonergic function in women, not men: implications for the aetiology of anorexia nervosa?. <i>Psychological Medicine</i> , 1987, 17, 839-842. | 4.5 | 98 |
| 121 | Acute administration of citalopram facilitates memory consolidation in healthy volunteers. <i>Psychopharmacology</i> , 2002, 163, 106-110. | 3.1 | 96 |
| 122 | Exploring the physiological effects of double-cone coil TMS over the medial frontal cortex on the anterior cingulate cortex: an H215O PET study. <i>European Journal of Neuroscience</i> , 2007, 25, 2224-2233. | 2.6 | 93 |
| 123 | Uptake of 99mTc-exametazime shown by single photon emission computed tomography before and after lithium withdrawal in bipolar patients: Associations with mania. <i>British Journal of Psychiatry</i> , 1997, 170, 426-430. | 2.8 | 92 |
| 124 | How Psychological Symptoms Relate to Different Motivations for Gambling: An Online Study of Internet Gamblers. <i>Biological Psychiatry</i> , 2010, 68, 733-740. | 1.3 | 92 |
| 125 | A comprehensive review and model of putative prodromal features of bipolar affective disorder. <i>Psychological Medicine</i> , 2011, 41, 1567-1577. | 4.5 | 92 |
| 126 | The enhancement by lithium of the 5-HT1A mediated serotonin syndrome produced by 8-OH-DPAT in the rat: evidence for a post-synaptic mechanism. <i>Psychopharmacology</i> , 1986, 90, 488-493. | 3.1 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Depression and associated physical diseases and symptoms. Dialogues in Clinical Neuroscience, 2006, 8, 259-265. | 3.7 | 91 |
| 128 | Lithium Augmentation in Antidepressant-Resistant Patients a Quantitative Analysis. British Journal of Psychiatry, 1991, 159, 510-514. | 2.8 | 90 |
| 129 | Presence of Multiple Functional Polyadenylation Signals and a Single Nucleotide Polymorphism in the 3' Untranslated Region of the Human Serotonin Transporter Gene. Journal of Neurochemistry, 1999, 72, 1384-1388. | 3.9 | 88 |
| 130 | Altered Allelic Distributions of the Serotonin Transporter Gene in Migraine Without Aura and Migraine with Aura. Cephalalgia, 1998, 18, 23-26. | 3.9 | 87 |
| 131 | Mood stability versus mood instability in bipolar disorder: A possible role for emotional mental imagery. Behaviour Research and Therapy, 2011, 49, 707-713. | 3.1 | 87 |
| 132 | Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. Bipolar Disorders, 2018, 20, 419-431. | 1.9 | 86 |
| 133 | Comparative evaluation of quetiapine plus lamotrigine combination versus quetiapine monotherapy (and folic acid versus placebo) in bipolar depression (CEQUEL): a 2-factorial randomised trial. Lancet Psychiatry, 2016, 3, 31-39. | 7.4 | 84 |
| 134 | Cerebral perfusion in chronic fatigue syndrome and depression. British Journal of Psychiatry, 2000, 176, 550-556. | 2.8 | 83 |
| 135 | Gender Differences in the Relationship between Personality Dimensions and Relative Body Weight. Obesity, 2001, 9, 647-650. | 4.0 | 81 |
| 136 | Hypoactivation of the Ventral and Dorsal Striatum During Reward and Loss Anticipation in Antipsychotic and Mood Stabilizer-Naive Bipolar Disorder. Neuropsychopharmacology, 2015, 40, 658-666. | 5.4 | 81 |
| 137 | Innovative approaches to bipolar disorder and its treatment. Annals of the New York Academy of Sciences, 2016, 1366, 76-89. | 3.8 | 81 |
| 138 | A Single Photon Emission Computerised Tomography Study of Regional Brain Function in Elderly Patients with Major Depression and with Alzheimer-Type Dementia. British Journal of Psychiatry, 1993, 163, 155-165. | 2.8 | 79 |
| 139 | Selecting controls for schizophrenia research studies: the use of the national adult reading test (NART) is a measure of pre-morbid ability. Schizophrenia Research, 1992, 8, 137-141. | 2.0 | 78 |
| 140 | A specific role for serotonin in overcoming effort cost. ELife, 2016, 5, . | 6.0 | 77 |
| 141 | Common and Specific Elements of Psychosocial Treatments for Bipolar Disorder: A Survey of Clinicians Participating in Randomized Trials. Journal of Psychiatric Practice, 2008, 14, 77-85. | 0.7 | 76 |
| 142 | Developing a measure of interpretation bias for depressed mood: An ambiguous scenarios test. Personality and Individual Differences, 2011, 51, 349-354. | 2.9 | 76 |
| 143 | Hippocampal volume in vulnerability and resilience to depression. Journal of Affective Disorders, 2016, 189, 199-202. | 4.1 | 74 |
| 144 | The effects of a 5-HT ₁ receptor ligand isapirone (TVX Q 7821) on 5-HT synthesis and the behavioural effects of 5-HT agonists in mice and rats. Psychopharmacology, 1986, 89, 382-387. | 3.1 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Personality associations with the uptake of the cerebral blood flow marker 99mTc-Exametazime estimated with single photon emission tomography. <i>Personality and Individual Differences</i> , 1994, 17, 587-595. | 2.9 | 73 |
| 146 | Effects of a branched-chain amino acid drink in mania. <i>British Journal of Psychiatry</i> , 2003, 182, 210-213. | 2.8 | 73 |
| 147 | Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory "oddball" tasks. <i>Electroencephalography and Clinical Neurophysiology</i> , 1995, 95, 434-443. | 0.3 | 72 |
| 148 | Erythropoietin Improves Mood and Modulates the Cognitive and Neural Processing of Emotion 3 Days Post Administration. <i>Neuropsychopharmacology</i> , 2008, 33, 611-618. | 5.4 | 69 |
| 149 | Experiences of Remote Mood and Activity Monitoring in Bipolar Disorder: A Qualitative Study. <i>European Psychiatry</i> , 2017, 41, 115-121. | 0.2 | 69 |
| 150 | Meta-analysis of regional white matter volume in bipolar disorder with replication in an independent sample using coordinates, T-maps, and individual MRI data. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 84, 162-170. | 6.1 | 68 |
| 151 | Facilitated Integrated Mood Management for adults with bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 185-197. | 1.9 | 67 |
| 152 | Efficacy of agomelatine and escitalopram on depression, subjective sleep and emotional experiences in patients with major depressive disorder: a 24-wk randomized, controlled, double-blind trial. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2219-2234. | 2.1 | 67 |
| 153 | A Pilot Study of Mindfulness-Based Cognitive Therapy for Bipolar Disorder. <i>International Journal of Cognitive Therapy</i> , 2009, 2, 373-382. | 2.2 | 66 |
| 154 | Down-regulation of β_2 -adrenoceptors in rat cortex by repeated administration of desipramine, electroconvulsive shock and clenbuterol requires 5-HT neurones but not 5-HT. <i>Neuropharmacology</i> , 1985, 24, 279-283. | 4.1 | 65 |
| 155 | Altered Risk-Aversion and Risk-Seeking Behavior in Bipolar Disorder. <i>Biological Psychiatry</i> , 2009, 66, 840-846. | 1.3 | 65 |
| 156 | Daily rest-activity patterns in the bipolar phenotype: A controlled actigraphy study. <i>Chronobiology International</i> , 2014, 31, 290-296. | 2.0 | 65 |
| 157 | Cortical glutathione levels in young people with bipolar disorder: a pilot study using magnetic resonance spectroscopy. <i>Psychopharmacology</i> , 2014, 231, 327-332. | 3.1 | 65 |
| 158 | Diurnal Variation of Adrenocortical Activity in Chronic Fatigue Syndrome. <i>Neuropsychobiology</i> , 1998, 38, 213-217. | 1.9 | 64 |
| 159 | A plan for mental illness. <i>Nature</i> , 2012, 483, 269-269. | 27.8 | 64 |
| 160 | Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. <i>Psychological Medicine</i> , 2014, 44, 2409-2418. | 4.5 | 64 |
| 161 | Psychological Effect of an Analogue Traumatic Event Reduced by Sleep Deprivation. <i>Sleep</i> , 2015, 38, 1017-1025. | 1.1 | 64 |
| 162 | Agomelatine or placebo as adjunctive therapy to a mood stabiliser in bipolar I depression: Randomised double-blind placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2016, 208, 78-86. | 2.8 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. <i>Psychopharmacology</i> , 2002, 160, 192-197. | 3.1 | 63 |
| 164 | The pharmacokinetic profile of lithium in rat and mouse; An important factor in psychopharmacological investigation of the drug. <i>Neuropharmacology</i> , 1986, 25, 1285-1288. | 4.1 | 62 |
| 165 | Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. <i>Psychopharmacology</i> , 2001, 154, 383-389. | 3.1 | 62 |
| 166 | The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. <i>Molecular Psychiatry</i> , 2008, 13, 1011-1020. | 7.9 | 62 |
| 167 | Regional cerebral blood flow in IDDM patients: Effects of diabetes and of recurrent severe hypoglycaemia. <i>Diabetologia</i> , 1994, 37, 257-263. | 6.3 | 61 |
| 168 | The Neuropsychiatric Sequelae of Mercury Poisoning. <i>British Journal of Psychiatry</i> , 1995, 167, 95-98. | 2.8 | 61 |
| 169 | Lack of insight may predict impaired decision making in manic patients. <i>Bipolar Disorders</i> , 2008, 10, 829-837. | 1.9 | 61 |
| 170 | Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , 2011, 25, 1159-1167. | 4.0 | 61 |
| 171 | Applications of time-series analysis to mood fluctuations in bipolar disorder to promote treatment innovation: a case series. <i>Translational Psychiatry</i> , 2016, 6, e720-e720. | 4.8 | 61 |
| 172 | Short-term effects of electroconvulsive treatment on the uptake of ^{99m} Tc-Exametazime into brain in major depression shown with single photon emission tomography. <i>Journal of Affective Disorders</i> , 1994, 30, 27-34. | 4.1 | 60 |
| 173 | Effect of chronic treatment with 5-HT ₁ agonist (8-OH- δ PAT and RU 24969) and antagonist (isapirone) drugs on the behavioural responses of mice to 5-HT ₁ and 5-HT ₂ agonists. <i>British Journal of Pharmacology</i> , 1986, 89, 377-384. | 5.4 | 59 |
| 174 | Hypothermia induced by baclofen, a possible index of GABA _B receptor function in mice, is enhanced by antidepressant drugs and ECS. <i>British Journal of Pharmacology</i> , 1987, 92, 863-870. | 5.4 | 59 |
| 175 | Relapse into mania or depression following lithium discontinuation: a 7-year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 91-95. | 4.5 | 59 |
| 176 | Lithium decreases 5-HT _{1A} and 5-HT ₂ receptor and β -adrenoreceptor mediated function in mice. <i>Psychopharmacology</i> , 1986, 90, 482-7. | 3.1 | 58 |
| 177 | The effects of corticosterone on 5-HT receptor function in rodents. <i>Neuropharmacology</i> , 1992, 31, 433-438. | 4.1 | 58 |
| 178 | The difference in patterns of motor and cognitive function in chronic fatigue syndrome and severe depressive illness. <i>Psychological Medicine</i> , 2000, 30, 433-442. | 4.5 | 58 |
| 179 | A Voxel-Based Analysis of Cerebral Perfusion in Dementia and Depression of Old Age. <i>NeuroImage</i> , 1998, 7, 199-208. | 4.2 | 57 |
| 180 | Cerebellar responses during anticipation of noxious stimuli in subjects recovered from depression. <i>British Journal of Psychiatry</i> , 2002, 181, 411-415. | 2.8 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol. <i>Journal of Affective Disorders</i> , 2001, 63, 179-187. | 4.1 | 56 |
| 182 | The effects of cortisol infusion upon hormone secretion from the anterior pituitary and subjective mood in depressive illness and in controls. <i>Journal of Affective Disorders</i> , 1992, 26, 73-83. | 4.1 | 55 |
| 183 | Effects of a single dose of the acetylcholinesterase inhibitor velnacrine on recognition memory and regional cerebral blood flow in Alzheimer's disease. <i>Psychopharmacology</i> , 1992, 108, 103-109. | 3.1 | 55 |
| 184 | EDITORIAL. <i>Psychological Medicine</i> , 1997, 27, 995-999. | 4.5 | 55 |
| 185 | The role of the anterior cingulate cortex in the counting Stroop task. <i>Experimental Brain Research</i> , 2004, 154, 355-358. | 1.5 | 55 |
| 186 | Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. <i>Psychiatry Research</i> , 2016, 241, 141-146. | 3.3 | 54 |
| 187 | Pharmacological treatment and risk of psychiatric hospital admission in bipolar disorder. <i>British Journal of Psychiatry</i> , 2017, 210, 197-202. | 2.8 | 54 |
| 188 | Defining Faecal Calprotectin Thresholds as a Surrogate for Endoscopic and Histological Disease Activity in Ulcerative Colitis—a Prospective Analysis. <i>Journal of Crohn's and Colitis</i> , 2019, 13, 424-430. | 1.3 | 54 |
| 189 | Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019, 214, 27-35. | 2.8 | 54 |
| 190 | Smoking and the risk for bipolar disorder: evidence from a bidirectional Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021, 218, 88-94. | 2.8 | 54 |
| 191 | Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7 days post-administration. <i>Experimental Brain Research</i> , 2008, 184, 313-321. | 1.5 | 53 |
| 192 | Cerebral Pharmacodynamics of Physostigmine in Alzheimer's Disease Investigated Using Single-Photon Computerised Tomography. <i>British Journal of Psychiatry</i> , 1991, 158, 351-357. | 2.8 | 52 |
| 193 | Dysfunctional beliefs in bipolar disorder: Hypomanic vs. depressive attitudes. <i>Journal of Affective Disorders</i> , 2010, 122, 294-300. | 4.1 | 52 |
| 194 | Predicting treatment response to antidepressant medication using early changes in emotional processing. <i>European Neuropsychopharmacology</i> , 2019, 29, 66-75. | 0.7 | 52 |
| 195 | 5HT3 antagonism abolishes the emotion potentiated startle effect in humans. <i>Psychopharmacology</i> , 2006, 186, 18-24. | 3.1 | 51 |
| 196 | What is a mood stabilizer?. <i>Psychological Medicine</i> , 2007, 37, 609. | 4.5 | 51 |
| 197 | Internet Gamblers: A Latent Class Analysis of Their Behaviours and Health Experiences. <i>Journal of Gambling Studies</i> , 2010, 26, 387-399. | 1.6 | 51 |
| 198 | The effects of antidepressant treatments and lithium upon 5-HT1A receptor function. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1989, 13, 445-451. | 4.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Lithium - a continuing story in the treatment of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 7-12. | 4.5 | 50 |
| 200 | Increased temporo-insular engagement in unmedicated bipolar II disorder: an exploratory resting state study using independent component analysis. <i>Bipolar Disorders</i> , 2014, 16, 748-755. | 1.9 | 50 |
| 201 | Psychiatric assessment of mood instability: qualitative study of patient experience. <i>British Journal of Psychiatry</i> , 2014, 204, 234-239. | 2.8 | 50 |
| 202 | Cerebral perfusion correlates of depressed mood. <i>British Journal of Psychiatry</i> , 1997, 170, 77-81. | 2.8 | 49 |
| 203 | The Edinburgh Cohort of HIV-Positive Drug Users: Pattern of Cognitive Impairment in Relation to Progression of Disease. <i>British Journal of Psychiatry</i> , 1992, 161, 522-531. | 2.8 | 48 |
| 204 | Effects of glucocorticoids on 5-HT1A presynaptic function in the mouse. <i>Psychopharmacology</i> , 1994, 114, 360-364. | 3.1 | 48 |
| 205 | Risk for depression is associated with neural biases in emotional categorisation. <i>Neuropsychologia</i> , 2008, 46, 2896-2903. | 1.6 | 47 |
| 206 | Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009, 207, 133-142. | 3.1 | 47 |
| 207 | The course of bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2010, 16, 318-328. | 0.5 | 47 |
| 208 | Clonidine infusion increases uptake of ^{99m} Tc-Exametazime in anterior cingulate cortex in Korsakoff's psychosis. <i>Psychological Medicine</i> , 1994, 24, 53-61. | 4.5 | 46 |
| 209 | Clinical Studies on the Efficacy of Agomelatine on Depressive Symptoms. <i>CNS Drugs</i> , 2009, 23, 35-39. | 5.9 | 46 |
| 210 | Lithium versus antidepressants in the long-term treatment of unipolar affective disorder. <i>The Cochrane Library</i> , 2006, , CD003492. | 2.8 | 45 |
| 211 | Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007, 37, 904-911. | 4.2 | 45 |
| 212 | Longitudinal mood monitoring in bipolar disorder: Course of illness as revealed through a short messaging service. <i>Journal of Affective Disorders</i> , 2017, 223, 139-145. | 4.1 | 45 |
| 213 | Bipolar depression and treatment with antidepressants. <i>British Journal of Psychiatry</i> , 2012, 200, 5-6. | 2.8 | 44 |
| 214 | A signature-based machine learning model for distinguishing bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2018, 8, 274. | 4.8 | 44 |
| 215 | The pattern of cerebral activity underlying verbal fluency shown by split-dose single photon emission tomography (SPET or SPECT) in normal volunteers. <i>Psychological Medicine</i> , 1991, 21, 687-696. | 4.5 | 43 |
| 216 | Association of Short Alleles of a VNTR of the Serotonin Transporter Gene with Anxiety Symptoms in Patients Presenting After Deliberate Self Harm. <i>Neuropharmacology</i> , 1997, 36, 439-443. | 4.1 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | What is the heartland of psychiatry?. <i>British Journal of Psychiatry</i> , 2007, 191, 189-191. | 2.8 | 43 |
| 218 | Mental imagery in bipolar affective disorder versus unipolar depression: Investigating cognitions at times of "positive" mood. <i>Journal of Affective Disorders</i> , 2014, 166, 234-242. | 4.1 | 43 |
| 219 | Mood Homeostasis Before and During the Coronavirus Disease 2019 (COVID-19) Lockdown Among Students in the Netherlands. <i>JAMA Psychiatry</i> , 2021, 78, 110. | 11.0 | 43 |
| 220 | Variability in phase and amplitude of diurnal rhythms is related to variation of mood in bipolar and borderline personality disorder. <i>Scientific Reports</i> , 2018, 8, 1649. | 3.3 | 42 |
| 221 | Magnetic Resonance Imaging and Single Photon Emission Tomography in Treatment-Responsive and Treatment-Resistant Schizophrenia. <i>British Journal of Psychiatry</i> , 1995, 167, 202-210. | 2.8 | 41 |
| 222 | Functional imaging, affective disorder and dementia. <i>British Medical Bulletin</i> , 1996, 52, 495-512. | 6.9 | 41 |
| 223 | The effects of a branched chain amino acid mixture supplemented with tryptophan on biochemical indices of neurotransmitter function and decision-making. <i>Psychopharmacology</i> , 2005, 179, 761-768. | 3.1 | 41 |
| 224 | Bipolar disorder dynamics: affective instabilities, relaxation oscillations and noise. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20150670. | 3.4 | 41 |
| 225 | The effects of acute hypoglycemia on relative cerebral blood flow distribution in patients with type I (insulin-dependent) diabetes and impaired hypoglycemia awareness. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 974-980. | 3.4 | 39 |
| 226 | Safety of antipsychotics in people with intellectual disability. <i>British Journal of Psychiatry</i> , 2011, 199, 289-295. | 2.8 | 39 |
| 227 | Differential patterns of local cerebral glucose utilization in response to 5-hydroxytryptamine, agonists. <i>Neuroscience</i> , 1988, 25, 907-915. | 2.3 | 38 |
| 228 | The elevation of plasma β^2 -endorphin levels in major depression. <i>Journal of Affective Disorders</i> , 1993, 29, 281-289. | 4.1 | 38 |
| 229 | Uptake of ^{99m}Tc -exametazime shown by single photon emission computerized tomography in obsessive-compulsive disorder compared with major depression and normal controls. <i>Acta Psychiatrica Scandinavica</i> , 1994, 90, 298-303. | 4.5 | 38 |
| 230 | Using an Experimental Medicine Model to Explore Combination Effects of Pharmacological and Cognitive Interventions for Depression and Anxiety. <i>Neuropsychopharmacology</i> , 2011, 36, 2689-2697. | 5.4 | 38 |
| 231 | Bipolar disorder: clinical uncertainty, evidence-based medicine and large-scale randomised trials. <i>British Journal of Psychiatry</i> , 2001, 178, s191-s194. | 2.8 | 37 |
| 232 | Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394. | 3.3 | 36 |
| 233 | Correlation of regional cerebral blood flow equivalents measured by single photon emission computerized tomography with P300 latency and eye movement abnormality in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994, 90, 157-166. | 4.5 | 35 |
| 234 | The Oxford Questionnaire on the Emotional Side-effects of Antidepressants (OQuESA): Development, validity, reliability and sensitivity to change. <i>Journal of Affective Disorders</i> , 2012, 140, 66-74. | 4.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17. | 2.2 | 35 |
| 236 | The effect of anxiety induction on the regional uptake of 99mTc-Exametazime in simple phobia as shown by single photon emission tomography (SPET). <i>Journal of Affective Disorders</i> , 1993, 28, 203-210. | 4.1 | 34 |
| 237 | Allelic variation in the serotonin 5-HT _{2C} receptor gene and migraine. <i>NeuroReport</i> , 1997, 8, 2651-2563. | 1.2 | 34 |
| 238 | The Risk of Child Abuse among Mothers who Attempt Suicide. <i>British Journal of Psychiatry</i> , 1985, 146, 486-489. | 2.8 | 33 |
| 239 | A Single Photon Emission Computerised Tomography Study of Regional Brain Function Underlying Verbal Memory in Patients with Alzheimer-Type Dementia. <i>British Journal of Psychiatry</i> , 1993, 163, 166-172. | 2.8 | 33 |
| 240 | Presence of Mental Imagery Associated with Chronic Pelvic Pain: A Pilot Study. <i>Pain Medicine</i> , 2011, 12, 1086-1093. | 1.9 | 33 |
| 241 | Forecasting Depression in Bipolar Disorder. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 2801-2807. | 4.2 | 33 |
| 242 | Vitamin D deficiency in patients with intellectual disabilities: prevalence, risk factors and management strategies. <i>British Journal of Psychiatry</i> , 2014, 205, 458-464. | 2.8 | 33 |
| 243 | Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 236. | 1.6 | 33 |
| 244 | The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314. | 5.4 | 33 |
| 245 | The neuroendocrine responses and psychological effects of infusion of L-tryptophan in anorexia nervosa. <i>Psychological Medicine</i> , 1989, 19, 857-864. | 4.5 | 32 |
| 246 | Further Evidence that Reading Ability is not Preserved in Alzheimer's Disease. <i>British Journal of Psychiatry</i> , 1995, 167, 659-662. | 2.8 | 32 |
| 247 | The role of lithium in the treatment of bipolar depression. <i>Clinical Neuroscience Research</i> , 2002, 2, 222-227. | 0.8 | 32 |
| 248 | 5-HT _{1A} receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl- ¹¹ C]WAY-100635. <i>Journal of Affective Disorders</i> , 2010, 123, 77-80. | 4.1 | 32 |
| 249 | Gambling problems in bipolar disorder in the UK: Prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015, 207, 328-333. | 2.8 | 32 |
| 250 | The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 558. | 1.6 | 32 |
| 251 | Better sexual acceptability of agomelatine (25 and 50 mg) compared to escitalopram (20 mg) in healthy volunteers. A 9-week, placebo-controlled study using the PRSexDQ scale. <i>Journal of Psychopharmacology</i> , 2015, 29, 1119-1128. | 4.0 | 31 |
| 252 | Associations between mood instability and emotional processing in a large cohort of bipolar patients. <i>Psychological Medicine</i> , 2016, 46, 3151-3160. | 4.5 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Efficacy of digital cognitive behavioral therapy for moderate-to-severe symptoms of generalized anxiety disorder: A randomized controlled trial. <i>Depression and Anxiety</i> , 2020, 37, 1168-1178. | 4.1 | 31 |
| 254 | Suicides by Violent Means in Individuals Taking SSRIs and Other Antidepressants. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 503-506. | 1.4 | 30 |
| 255 | Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010, 210, 419-428. | 3.1 | 30 |
| 256 | Increased eating in dementia. <i>International Journal of Eating Disorders</i> , 1989, 8, 111-115. | 4.0 | 29 |
| 257 | Estimating pre-morbid intellectual ability in the Alcoholic Korsakoff Syndrome. <i>Psychological Medicine</i> , 1992, 22, 903-909. | 4.5 | 29 |
| 258 | PASAT performance and the pattern of uptake of ^{99m} Tc-exametazime in brain estimated with single photon emission tomography. <i>Biological Psychology</i> , 1994, 38, 1-18. | 2.2 | 29 |
| 259 | The True Colours Remote Symptom Monitoring System: A Decade of Evolution. <i>Journal of Medical Internet Research</i> , 2020, 22, e15188. | 4.3 | 29 |
| 260 | Follow-up study of depression in the elderly. <i>British Journal of Psychiatry</i> , 1999, 175, 252-258. | 2.8 | 28 |
| 261 | Reduced Subjective Response to Acute Ethanol Administration Among Young Men with a Broad Bipolar Phenotype. <i>Neuropsychopharmacology</i> , 2012, 37, 1808-1815. | 5.4 | 28 |
| 262 | Opioid-Independent and Opioid-Mediated Modes of Pain Modulation. <i>Journal of Neuroscience</i> , 2018, 38, 9047-9058. | 3.6 | 28 |
| 263 | Mood Homeostasis, Low Mood, and History of Depression in 2 Large Population Samples. <i>JAMA Psychiatry</i> , 2020, 77, 944. | 11.0 | 28 |
| 264 | Unilateral voluntary hand movement and regional cerebral uptake of technetium-99m-exametazime in human control subjects. <i>Journal of Nuclear Medicine</i> , 1992, 33, 1623-7. | 5.0 | 28 |
| 265 | Hypomania: What's in a name?. <i>British Journal of Psychiatry</i> , 2002, 181, 94-95. | 2.8 | 27 |
| 266 | Investigation of the impact of total sleep deprivation at home on the number of intrusive memories to an analogue trauma. <i>Translational Psychiatry</i> , 2019, 9, 104. | 4.8 | 27 |
| 267 | Diurnal variation of plasma corticosterone in depression. <i>Psychoneuroendocrinology</i> , 1990, 15, 485-488. | 2.7 | 26 |
| 268 | The effects of adrenalectomy and ovariectomy on the behavioural and hypothermic responses of rats to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). <i>Neuropharmacology</i> , 1993, 32, 653-657. | 4.1 | 26 |
| 269 | Latest maintenance data on lithium in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003, 13, 51-55. | 0.7 | 26 |
| 270 | Developing the BALANCE trial - the role of the pilot study and start-up phase. <i>Bipolar Disorders</i> , 2004, 6, 26-31. | 1.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Risperidone alone or in combination for acute mania. The Cochrane Library, 2006, , CD004043. | 2.8 | 26 |
| 272 | NK ₁ receptor antagonism and emotional processing in healthy volunteers. Journal of Psychopharmacology, 2010, 24, 481-487. | 4.0 | 26 |
| 273 | White matter alterations in antipsychotic- and mood stabilizer-naïve individuals with bipolar II/NOS disorder. NeuroImage: Clinical, 2013, 3, 271-278. | 2.7 | 26 |
| 274 | Attacks on antidepressants: signs of deep-seated stigma?. Lancet Psychiatry, the, 2014, 1, 102-104. | 7.4 | 26 |
| 275 | Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD) – recommendations. Translational Psychiatry, 2019, 9, 162. | 4.8 | 26 |
| 276 | Sleep and intrusive memories immediately after a traumatic event in emergency department patients. Sleep, 2020, 43, . | 1.1 | 26 |
| 277 | Dieting and weight loss in volunteers increases the number of β_2 -adrenoceptors and 5-HT receptors on blood platelets without effect on [3H]imipramine binding. Journal of Affective Disorders, 1987, 12, 267-274. | 4.1 | 25 |
| 278 | The common adolescent bipolar phenotype shows positive biases in emotional processing. Bipolar Disorders, 2010, 12, 606-615. | 1.9 | 25 |
| 279 | Psychoeducation and online mood tracking for patients with bipolar disorder: A randomised controlled trial. Journal of Affective Disorders, 2016, 205, 245-251. | 4.1 | 25 |
| 280 | DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis – A narrative review from the ECNP bipolar disorders network. European Neuropsychopharmacology, 2021, 47, 54-61. | 0.7 | 25 |
| 281 | Oral D-Fenfluramine and neuroendocrine challenge: problems with the 30 mg dose in men. Journal of Affective Disorders, 1994, 30, 117-122. | 4.1 | 24 |
| 282 | Epileptic aphasia: a consequence of regional hypometabolic encephalopathy?. Developmental Medicine and Child Neurology, 1998, 40, 508-516. | 2.1 | 24 |
| 283 | Perceptual switch rates with ambiguous structure-from-motion figures in bipolar disorder. Proceedings of the Royal Society B: Biological Sciences, 2008, 275, 1839-1848. | 2.6 | 24 |
| 284 | Hypomanic Experience in Young Adults Confers Vulnerability to Intrusive Imagery After Experimental Trauma. Clinical Psychological Science, 2014, 2, 675-684. | 4.0 | 24 |
| 285 | Mood dynamics in bipolar disorder. International Journal of Bipolar Disorders, 2014, 2, 11. | 2.2 | 24 |
| 286 | Korsakoff's syndrome, cognition and clonidine. Psychological Medicine, 1993, 23, 341-347. | 4.5 | 23 |
| 287 | Treatment of bipolar depressive mood disorders: Algorithms for pharmacotherapy. International Journal of Psychiatry in Clinical Practice, 1997, 1, S9-S12. | 2.4 | 23 |
| 288 | Lamotrigine in the treatment of bipolar disorder. Expert Opinion on Pharmacotherapy, 2005, 6, 1401-1408. | 1.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Reduced limbic connections may contraindicate subgenual cingulate deep brain stimulation for intractable depression. <i>Journal of Neurosurgery</i> , 2009, 111, 780-784. | 1.6 | 23 |
| 290 | Lithium might be associated with better decision-making performance in euthymic bipolar patients. <i>European Neuropsychopharmacology</i> , 2015, 25, 788-797. | 0.7 | 23 |
| 291 | Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 116. | 1.6 | 23 |
| 292 | Olanzapine alone or in combination for acute mania. <i>The Cochrane Library</i> , 2003, , CD004040. | 2.8 | 22 |
| 293 | Effective maintenance treatmentâ€”breaking the cycle of bipolar disorder. <i>European Psychiatry</i> , 2005, 20, 365-371. | 0.2 | 22 |
| 294 | Distinguishing bipolar disorder from borderline personality disorder: A study of current clinical practice. <i>European Psychiatry</i> , 2015, 30, 965-974. | 0.2 | 22 |
| 295 | The experience of gambling problems in British professional footballers: a preliminary qualitative study. <i>Addiction Research and Theory</i> , 2017, 25, 129-138. | 1.9 | 22 |
| 296 | Prevention of motor nerve sprouting in botulinum toxin poisoned mouse soleus muscles by direct stimulation of the muscle [proceedings]. <i>Journal of Physiology</i> , 1977, 267, 42P-43P. | 2.9 | 22 |
| 297 | The effects of the gaba-mimetic drugs, progabide and baclofen, on the biochemistry and function of 5-hydroxytryptamine and noradrenaline. <i>Neuropharmacology</i> , 1986, 25, 711-716. | 4.1 | 21 |
| 298 | A UK consensus on the administration of aripiprazole for the treatment of mania. <i>Journal of Psychopharmacology</i> , 2009, 23, 231-240. | 4.0 | 21 |
| 299 | How Law 180 in Italy has reshaped psychiatry after 30 years: past attitudes, current trends and unmet needs. <i>British Journal of Psychiatry</i> , 2010, 197, 261-262. | 2.8 | 21 |
| 300 | Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 13-22. | 3.2 | 21 |
| 301 | The Edinburgh cohort of HIV-positive drug users: the relationship between auditory P3 latency, cognitive function and self-rated mood. <i>Psychological Medicine</i> , 1993, 23, 613-622. | 4.5 | 20 |
| 302 | Effects of fluvoxamine treatment on cognitive functioning in the alcoholic Korsakoff syndrome. <i>Psychopharmacology</i> , 1994, 116, 85-88. | 3.1 | 20 |
| 303 | Revealing the Mindâ€™s Eye: Bringing (Mental) Images Into Psychiatry. <i>American Journal of Psychiatry</i> , 2012, 169, 1245-1246. | 7.2 | 20 |
| 304 | Economic evaluations in bipolar disorder: a systematic review and critical appraisal. <i>Bipolar Disorders</i> , 2014, 16, 557-582. | 1.9 | 20 |
| 305 | Verbal learning impairment in euthymic bipolar disorder: BDI v BDII. <i>Journal of Affective Disorders</i> , 2015, 182, 95-100. | 4.1 | 20 |
| 306 | 60 years of advances in neuropsychopharmacology for improving brain health, renewed hope for progress. <i>European Neuropsychopharmacology</i> , 2015, 25, 591-598. | 0.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Actigraphic patterns, impulsivity and mood instability in bipolar disorder, borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 374-384. | 4.5 | 20 |
| 308 | The tonic vibration reflex seen in the acute spinal cat after treatment with DOPA. <i>Brain Research</i> , 1973, 49, 463-466. | 2.2 | 19 |
| 309 | A new US&UK diagnostic project: mood elevation and depression in first-year undergraduates at Oxford and Stanford universities. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 81-85. | 4.5 | 19 |
| 310 | Desynchronization of diurnal rhythms in bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2018, 8, 79. | 4.8 | 19 |
| 311 | Clinical Insight Into Latent Variables of Psychiatric Questionnaires for Mood Symptom Self-Assessment. <i>JMIR Mental Health</i> , 2017, 4, e15. | 3.3 | 19 |
| 312 | Prophylaxis of bipolar disorder: how and who should we treat in the long term?. <i>European Neuropsychopharmacology</i> , 1999, 9, S125-S129. | 0.7 | 18 |
| 313 | Contemporary Approaches to Frequent Mood Monitoring in Bipolar Disorder. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 572-581. | 0.8 | 18 |
| 314 | Combined NK1 antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. <i>Journal of Psychopharmacology</i> , 2013, 27, 435-443. | 4.0 | 18 |
| 315 | Is it time to shift to better characterization of patients in trials assessing novel antidepressants? An example of two relapse prevention studies with agomelatine. <i>International Clinical Psychopharmacology</i> , 2013, 28, 20-28. | 1.7 | 18 |
| 316 | The effects of medication and current mood upon facial emotion recognition: findings from a large bipolar disorder cohort study. <i>Journal of Psychopharmacology</i> , 2017, 31, 320-326. | 4.0 | 18 |
| 317 | Analysing UK clinicians&TM understanding of cognitive symptoms in major depression: A survey of primary care physicians and psychiatrists. <i>Journal of Affective Disorders</i> , 2017, 207, 346-352. | 4.1 | 18 |
| 318 | Patient fibroblast circadian rhythms predict lithium sensitivity in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5252-5265. | 7.9 | 18 |
| 319 | BALANCE: a large simple trial of maintenance treatment for bipolar disorder. <i>World Psychiatry</i> , 2002, 1, 48-51. | 10.4 | 18 |
| 320 | The effects of lithium discontinuation and the non-effect of oral inositol upon thyroid hormones and cortisol in patients with bipolar affective disorder. <i>Journal of Affective Disorders</i> , 1991, 22, 165-170. | 4.1 | 17 |
| 321 | Modelling a loss event: effect of imagined bereavement on the hypothalamic&pituitary&adrenal axis. <i>Psychological Medicine</i> , 2000, 30, 219-223. | 4.5 | 17 |
| 322 | Experimental medicine in psychiatry. <i>Journal of Psychopharmacology</i> , 2005, 19, 565-566. | 4.0 | 17 |
| 323 | Long-Term Prophylaxis in Bipolar Disorder. <i>CNS Drugs</i> , 2006, 20, 303-310. | 5.9 | 17 |
| 324 | Effectiveness as an outcome measure for treatment trials in psychiatry. <i>World Psychiatry</i> , 2009, 8, 23-27. | 10.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 2. | 2.2 | 17 |
| 326 | Borderline personality disorder, but not euthymic bipolar disorder, is associated with a failure to sustain reciprocal cooperative behaviour: implications for spectrum models of mood disorders. <i>Psychological Medicine</i> , 2015, 45, 1591-1600. | 4.5 | 17 |
| 327 | Antidepressants, withdrawal, and addiction; where are we now?. <i>Journal of Psychopharmacology</i> , 2019, 33, 655-659. | 4.0 | 17 |
| 328 | Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020, 36, 121-136. | 0.7 | 17 |
| 329 | The effects of dieting and weight loss upon the stimulation of thyrotropin (TSH) by thyrotropin-releasing hormone (TRH) and suppression of cortisol secretion by dexamethasone in men and women. <i>Journal of Affective Disorders</i> , 1988, 14, 137-144. | 4.1 | 16 |
| 330 | Perspectives for clinical research on bipolar disorders in the new millennium. <i>Bipolar Disorders</i> , 2000, 2, 302-304. | 1.9 | 16 |
| 331 | Imagery-Focused Cognitive Therapy (ImCT) for Mood Instability and Anxiety in a Small Sample of Patients with Bipolar Disorder: a Pilot Clinical Audit. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 706-725. | 1.2 | 16 |
| 332 | Feasibility and efficacy of a digital CBT intervention for symptoms of Generalized Anxiety Disorder: A randomized multiple-baseline study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021, 70, 101609. | 1.2 | 16 |
| 333 | Proactive interference and the neuropsychology of schizophrenia. <i>British Journal of Clinical Psychology</i> , 1993, 32, 353-356. | 3.5 | 15 |
| 334 | A population-based study of personality in 34 000 sib-pairs. <i>Twin Research and Human Genetics</i> , 2000, 3, 310-315. | 1.0 | 15 |
| 335 | Does Depression Influence Symptom Severity in Irritable Bowel Syndrome? Case Study of a Patient With Irritable Bowel Syndrome and Bipolar Disorder. <i>Psychosomatic Medicine</i> , 2003, 65, 919-923. | 2.0 | 15 |
| 336 | Aromatase inhibitors and bipolar mood disorder: a case report. <i>Bipolar Disorders</i> , 2006, 8, 516-518. | 1.9 | 15 |
| 337 | Remote mood monitoring for adults with bipolar disorder: An explorative study of compliance and impact on mental health service use and costs. <i>European Psychiatry</i> , 2017, 45, 14-19. | 0.2 | 15 |
| 338 | Circadian rest-activity patterns in bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2019, 9, 195. | 4.8 | 15 |
| 339 | Lymphocyte glucocorticoid receptor binding in depression: normal values following recovery. <i>Journal of Affective Disorders</i> , 1988, 14, 155-159. | 4.1 | 14 |
| 340 | The differentiation of major depression from dementia of the Alzheimer type using within-subject neuropsychological discrepancy analysis. <i>British Journal of Clinical Psychology</i> , 1994, 33, 23-32. | 3.5 | 14 |
| 341 | Early morning salivary cortisol is not associated with extraversion. <i>Personality and Individual Differences</i> , 2006, 40, 395-400. | 2.9 | 14 |
| 342 | Validation of the Oxford Depression Questionnaire: Sensitivity to change, minimal clinically important difference, and response threshold for the assessment of emotional blunting. <i>Journal of Affective Disorders</i> , 2021, 294, 924-931. | 4.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Munchausen's Syndrome and Organic Brain Disorder. <i>British Journal of Psychiatry</i> , 1993, 162, 545-549. | 2.8 | 13 |
| 344 | Suicide trends in discharged patients with mood disorders: associations with selective serotonin uptake inhibitors and comorbid substance misuse. <i>International Clinical Psychopharmacology</i> , 2006, 21, 111-115. | 1.7 | 13 |
| 345 | Thought suppression in patients with bipolar disorder.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 355-365. | 1.9 | 13 |
| 346 | Pituitary gland volumes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 169, 197-202. | 4.1 | 13 |
| 347 | Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 20. | 2.2 | 13 |
| 348 | Group-Personalized Regression Models for Predicting Mental Health Scores From Objective Mobile Phone Data Streams: Observational Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e10194. | 4.3 | 13 |
| 349 | A systematic distortion of position sense produced by muscle fibrillation. <i>Journal of Physiology</i> , 1972, 221, 8P-9P. | 2.9 | 13 |
| 350 | Cerebral Vascular Transit Time in Alzheimer's Disease and Korsakoff's Psychosis and its Relation to Cognitive Function. <i>British Journal of Psychiatry</i> , 1989, 154, 790-796. | 2.8 | 12 |
| 351 | Laterality of visuo-spatial attention in acute and chronic schizophrenia, major depression and in healthy controls. <i>Psychological Medicine</i> , 1995, 25, 1091-1095. | 4.5 | 12 |
| 352 | Correlates of depression in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132320. | 2.6 | 12 |
| 353 | Effects of short-term quetiapine treatment on emotional processing, sleep and circadian rhythms. <i>Journal of Psychopharmacology</i> , 2016, 30, 273-282. | 4.0 | 12 |
| 354 | Real-time data monitoring for ulcerative colitis: patient perception and qualitative analysis. <i>Intestinal Research</i> , 2019, 17, 365-374. | 2.6 | 12 |
| 355 | The β_2 -adrenoceptor agonists clenbuterol and salbutamol enhance the hypothermic action of 8-hydroxy-2-(di-n-propylamino)tetralin (8-oh-dpat) in mice by a central mechanism. <i>Neuropharmacology</i> , 1986, 25, 21-24. | 4.1 | 11 |
| 356 | Luteinizing hormone responses to luteinizing hormone releasing hormone (LHRH) in acute mania and the effects of lithium on LHRH and thyrotrophin releasing hormone tests in volunteers. <i>Psychological Medicine</i> , 1989, 19, 69-77. | 4.5 | 11 |
| 357 | The Rise and Fall of Mood Stabilizers. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 779-783. | 2.3 | 11 |
| 358 | Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , 2011, 27, 2285-2299. | 1.9 | 11 |
| 359 | Borderline personality disorder, but not euthymic bipolar I disorder, is associated with prolonged post-error slowing in sensorimotor performance. <i>Journal of Affective Disorders</i> , 2016, 198, 163-170. | 4.1 | 11 |
| 360 | Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression: 20 years on. <i>Journal of Psychopharmacology</i> , 2016, 30, 1090-1094. | 4.0 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Insensitivity to the Magnitude of Potential Gains or Losses When Making Risky Choices: Women With Borderline Personality Disorder Compared With Bipolar Disorder and Controls. <i>Journal of Personality Disorders</i> , 2016, 30, 530-544. | 1.4 | 11 |
| 362 | Biochemical and genetic predictors and correlates of response to lamotrigine and folic acid in bipolar depression: Analysis of the <sc>CEQUEL</sc> clinical trial. <i>Bipolar Disorders</i> , 2017, 19, 477-486. | 1.9 | 11 |
| 363 | Comparative economic evaluation of quetiapine plus lamotrigine combination vs quetiapine monotherapy (and folic acid vs placebo) in patients with bipolar depression (CEQUEL). <i>Bipolar Disorders</i> , 2018, 20, 733-745. | 1.9 | 11 |
| 364 | Vitamin <sc>D</sc>, bone mineral density and risk of fracture in people with intellectual disabilities. <i>Journal of Intellectual Disability Research</i> , 2019, 63, 357-367. | 2.0 | 11 |
| 365 | Lithium Revisited: A Reply. <i>British Journal of Psychiatry</i> , 1995, 167, 573-574. | 2.8 | 11 |
| 366 | The sense of limb position and movement. <i>Exercise and Sport Sciences Reviews</i> , 1976, 4, 87-124. | 3.0 | 11 |
| 367 | Psilocin acutely alters sleep-wake architecture and cortical brain activity in laboratory mice. <i>Translational Psychiatry</i> , 2022, 12, 77. | 4.8 | 11 |
| 368 | The Efficacy of Lithium in Prophylaxis of Unipolar Depression Evidence from its Discontinuation. <i>British Journal of Psychiatry</i> , 1990, 157, 718-722. | 2.8 | 10 |
| 369 | Erythropoietin has no effect on hippocampal response during memory retrieval 3Âdays post-administration. <i>Psychopharmacology</i> , 2007, 195, 451-453. | 3.1 | 10 |
| 370 | Special issue on CNS experimental medicine. <i>Journal of Psychopharmacology</i> , 2011, 25, 1145-1147. | 4.0 | 10 |
| 371 | Plasma glutathione suggests oxidative stress is equally present in earlyâ€and lateâ€onset bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 61-67. | 1.9 | 10 |
| 372 | The costs of bipolar disorder in the United Kingdom. <i>Brain and Behavior</i> , 2021, 11, e2351. | 2.2 | 10 |
| 373 | A populationâ€based study of personality in 34 000 sibâ€pairs. <i>Twin Research and Human Genetics</i> , 2000, 3, 310-315. | 1.0 | 9 |
| 374 | Introduction to Systematic Reviews. <i>Journal of Psychopharmacology</i> , 2004, 18, 249-250. | 4.0 | 9 |
| 375 | Short-Term Quetiapine Treatment Alters the Use of Reinforcement Signals during Risky Decision-Making and Promotes the Choice of Negative Expected Values in Healthy Adult Males. <i>Journal of Neuroscience</i> , 2013, 33, 15588-15595. | 3.6 | 9 |
| 376 | Thoughts and acts of self-harm, and suicidal ideation, in online gamblers. <i>International Gambling Studies</i> , 2016, 16, 408-423. | 2.1 | 9 |
| 377 | Consensus Statement on European Brain Research: the need to expand brain research in Europe â€ 2015. <i>European Journal of Neuroscience</i> , 2016, 44, 1919-1926. | 2.6 | 9 |
| 378 | Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 379 | Studies on Muscle Spindle Primary Endings with Sinusoidal Stretching. <i>Progress in Brain Research</i> , 1976, 44, 89-98. | 1.4 | 8 |
| 380 | HIV and the brain: functional investigations in drug users. <i>International Review of Psychiatry</i> , 1991, 3, 343-356. | 2.8 | 8 |
| 381 | The Edinburgh cohort of HIV positive drug users: Who are they and who cares for them?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1992, 4, 421-424. | 1.2 | 8 |
| 382 | Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. <i>Psychopharmacology</i> , 2002, 159, 222-223. | 3.1 | 8 |
| 383 | Public mental health: science or politics?. <i>World Psychiatry</i> , 2015, 14, 3-4. | 10.4 | 8 |
| 384 | Regional lithium prescription rates and recurrence in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 18. | 2.2 | 8 |
| 385 | A double-blind, placebo-controlled study of tacrine in patients with Alzheimer's disease using SPET. <i>Journal of Psychopharmacology</i> , 1996, 10, 175-181. | 4.0 | 7 |
| 386 | Executive function and uptake of 99m Tcexametazime shown by single photon emission tomography after oral idazoxan in probable Alzheimer-type dementia. <i>Psychopharmacology</i> , 1997, 131, 371-378. | 3.1 | 7 |
| 387 | Self-Organization in Bipolar Disorder: Replication of Compartmentalization and Self-Complexity. <i>Cognitive Therapy and Research</i> , 2010, 34, 479-486. | 1.9 | 7 |
| 388 | Antidepressants; what's the beef?. <i>Acta Neuropsychiatrica</i> , 2019, 31, 59-60. | 2.1 | 7 |
| 389 | Blood pressure in bipolar disorder: evidence of elevated pulse pressure and associations between mean pressure and mood instability. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 5. | 2.2 | 7 |
| 390 | Do environmental risk factors for the development of psychosis distribute differently across dimensionally assessed psychotic experiences?. <i>Translational Psychiatry</i> , 2021, 11, 226. | 4.8 | 7 |
| 391 | Revisiting Treatment Options for Depressed Patients with Generalised Anxiety Disorder. <i>Advances in Therapy</i> , 2021, 38, 61-68. | 2.9 | 7 |
| 392 | Generalised Anxiety Disorder and Depression: Contemporary Treatment Approaches. <i>Advances in Therapy</i> , 2021, 38, 45-51. | 2.9 | 7 |
| 393 | Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2000, 3, 297-302. | 2.1 | 6 |
| 394 | Role of mood stabilizers in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2002, 2, 239-248. | 2.8 | 6 |
| 395 | The Safety of Lithium. <i>JAMA Psychiatry</i> , 2015, 72, 1167. | 11.0 | 6 |
| 396 | Using a generative model of affect to characterize affective variability and its response to treatment in bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 7.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 397 | Antidepressants and Emotional Processing. <i>Neuropsychopharmacology</i> , 2003, 28, 1384-1385. | 5.4 | 5 |
| 398 | Conflict of interest is not just about advising pharmaceutical companies. <i>Journal of Psychopharmacology</i> , 2004, 18, 447-448. | 4.0 | 5 |
| 399 | Bipolar-spectrum disorders: an epidemic unseen, invisible or unreal?. <i>Advances in Psychiatric Treatment</i> , 2004, 10, 1-3. | 0.5 | 5 |
| 400 | Dr. Gijssman and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2005, 162, 1547-1548. | 7.2 | 5 |
| 401 | Psilocybin: Psychotherapy or drug?. <i>Journal of Psychopharmacology</i> , 2016, 30, 1201-1202. | 4.0 | 5 |
| 402 | Digital Communication Biomarkers of Mood and Diagnosis in Borderline Personality Disorder, Bipolar Disorder, and Healthy Control Populations. <i>Frontiers in Psychiatry</i> , 2021, 12, 610457. | 2.6 | 5 |
| 403 | Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2022, 54, 90-99. | 0.7 | 5 |
| 404 | The persistence of stable bonds between actin and myosin filaments of intrafusal muscle fibres following their activation. <i>Journal of Physiology</i> , 1970, 210, 9P-10P. | 2.9 | 5 |
| 405 | Lithium augmentation in antidepressant-resistant patients. <i>British Journal of Psychiatry</i> , 1992, 161, 128-129. | 2.8 | 4 |
| 406 | Psychiatric genetics: A genetic basis for health?. <i>Current Biology</i> , 1999, 9, R326-R328. | 3.9 | 4 |
| 407 | International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476. | 1.3 | 4 |
| 408 | Conflicting interests and doing right. <i>World Psychiatry</i> , 2007, 6, 25-6. | 10.4 | 4 |
| 409 | Comments on the Northwick Park "Functional" Psychosis Study. <i>British Journal of Psychiatry</i> , 1989, 154, 406-409. | 2.8 | 3 |
| 410 | Stimulation of growth hormone secretion by baclofen in man: Failure to confirm published findings. <i>Human Psychopharmacology</i> , 1989, 4, 135-138. | 1.5 | 3 |
| 411 | Lithium may reduce gambling severity in pathological gamblers with bipolar disorder. <i>Evidence-Based Mental Health</i> , 2005, 8, 80-80. | 4.5 | 3 |
| 412 | Self-discrepancy in students with bipolar disorder II or NOS. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 135-139. | 1.2 | 3 |
| 413 | Corrections to "Forecasting Depression in Bipolar Disorder" [Oct 12 2801-2807]. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 3550-3550. | 4.2 | 3 |
| 414 | Antidepressant effect in older depressed patients. <i>International Clinical Psychopharmacology</i> , 2017, 32, 184-194. | 1.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 415 | Tapering of SSRI treatment to mitigate withdrawal symptoms. <i>Lancet Psychiatry</i> , 2019, 6, 560-561. | 7.4 | 3 |
| 416 | Value of monitoring negative emotional bias in primary care in England for personalised antidepressant treatment: a modelling study. <i>Evidence-Based Mental Health</i> , 2019, 22, 145-152. | 4.5 | 3 |
| 417 | Major Depressive Disorder: Treat the Disability, Not the Diagnosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e830-e831. | 2.2 | 3 |
| 418 | Mechanism of action of lithium. <i>Current Opinion in Psychiatry</i> , 1988, 1, 72-75. | 6.3 | 2 |
| 419 | Neuroendocrine function and the biology of the eating disorders. <i>Human Psychopharmacology</i> , 1990, 5, 249-253. | 1.5 | 2 |
| 420 | Innovation translates into antidepressant effectiveness. <i>Journal of Psychopharmacology</i> , 2008, 22, 9-12. | 4.0 | 2 |
| 421 | Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatría Biológica</i> , 2011, 18, 55-67. | 0.1 | 2 |
| 422 | Comparative efficacy of anti-manic drugs in acute mania – Authors' reply. <i>Lancet, The</i> , 2012, 379, 894. | 13.7 | 2 |
| 423 | The serotonin transporter gene and affective disorder. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1996, 61, 791-5. | 1.1 | 2 |
| 424 | Clinical, psychological and neuroradiological findings in a case of chronic schizophrenia with cognitive impairment and a mis-sense mutation at codon 713 of the Î²2 amyloid precursor protein gene. <i>Schizophrenia Research</i> , 1993, 10, 273-275. | 2.0 | 1 |
| 425 | Bipolar disorder: is psychiatry's Cinderella starting to get out a little more?. <i>Acta Neuropsychiatrica</i> , 2000, 12, 105-105. | 2.1 | 1 |
| 426 | Management commentary. , 2008, , 262-264. | | 1 |
| 427 | Using guidelines in real clinical situations: clozapine and breast feeding in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2005, 19, 317-318. | 4.0 | 1 |
| 428 | Quetiapine more effective than placebo for depression in bipolar I and II disorder. <i>Evidence-Based Mental Health</i> , 2007, 10, 82-82. | 4.5 | 1 |
| 429 | Reply to Comments by Mr Carlin and Mr Hardisty. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 477. | 1.4 | 1 |
| 430 | Bipolar anxiety. <i>Revista De PsiquiatrĀa Y Salud Mental (English Edition)</i> , 2009, 2, 95-98. | 0.3 | 1 |
| 431 | Symptom relief and facilitation of emotional processing. <i>European Neuropsychopharmacology</i> , 2011, 21, S710-S715. | 0.7 | 1 |
| 432 | Profil toxique du lithiumĀ: revue exhaustive de la littĀature avec mĀta-analyse des rĀsultats. <i>Annales Medico-Psychologiques</i> , 2014, 172, 212-218. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Network meta-analysis: drawing conclusions regarding trials of psychosocial interventions for bipolar disorder. <i>British Journal of Psychiatry</i> , 2017, 211, 334-336. | 2.8 | 1 |
| 434 | Re-medicalizing the care of patients with schizophrenia?. <i>L'Encephale</i> , 2019, 45, 90-91. | 0.9 | 1 |
| 435 | Why sleep matters for young people who may get depressed. <i>Interface Focus</i> , 2020, 10, 20190115. | 3.0 | 1 |
| 436 | Letter to BJPsych in response to Horowitz and Moncrieff. <i>British Journal of Psychiatry</i> , 2021, 219, 619-620. | 2.8 | 1 |
| 437 | Stretch reflex strength in voluntary biting revealed following electrolytic lesions of monkey mesencephalic nucleus (5th cranial nerve) [proceedings]. <i>Journal of Physiology</i> , 1977, 269, 53P-54P. | 2.9 | 1 |
| 438 | The neural mechanisms subserving kinesthesia. <i>Behavioral and Brain Sciences</i> , 1978, 1, 151-152. | 0.7 | 0 |
| 439 | Mechanism of action of lithium. <i>Current Opinion in Psychiatry</i> , 1989, 2, 117-118. | 6.3 | 0 |
| 440 | EXAMETAZIME UPTAKE AFTER ECT: A SPET STUDY. <i>Clinical Neuropharmacology</i> , 1992, 15, 405B. | 0.7 | 0 |
| 441 | SINGLE PHOTON EMISSION TOMOGRAPHY WITH 99mTC-EXAMETAZIME IN MAJOR DEPRESSION AND THE ENDOGENOUS/NEUROTIC CONTINUUM. <i>Clinical Neuropharmacology</i> , 1992, 15, 200B. | 0.7 | 0 |
| 442 | Depression: clinical considerations for behavioural pharmacologists. <i>Behavioural Pharmacology</i> , 1997, 8, 648-649. | 1.7 | 0 |
| 443 | “Perspectives on lithium treatment of bipolar disorder”...by Mogens Schou: a commentary. <i>Bipolar Disorders</i> , 1999, 1, 11-12. | 1.9 | 0 |
| 444 | Approaches to the management of bipolar disorder: past, present and future. <i>Expert Review of Neurotherapeutics</i> , 2004, 4, S1-S2. | 2.8 | 0 |
| 445 | Drs. Harmer, Goodwin, and Cowen Reply. <i>American Journal of Psychiatry</i> , 2010, 167, 599-600. | 7.2 | 0 |
| 446 | The effects of quetiapine on risky decision-making. <i>International Clinical Psychopharmacology</i> , 2011, 26, e141. | 1.7 | 0 |
| 447 | Key experiences of bipolar disorder. <i>International Clinical Psychopharmacology</i> , 2011, 26, e24. | 1.7 | 0 |
| 448 | Letter to the Editor: Comments on “Is there an excess of significant findings in published studies of psychotherapy for depression?”. <i>Psychological Medicine</i> , 2015, 45, 447-447. | 4.5 | 0 |
| 449 | Depression and violence “what do we really know?” “Authors' reply. <i>Lancet Psychiatry</i> , the, 2015, 2, 492. | 7.4 | 0 |
| 450 | Brain imaging in understanding the action of psychotropic drugs: The drugs for depression. <i>Annales Medico-Psychologiques</i> , 2015, 173, 255-258. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. FASEB Journal, 2013, 27, lb528. | 0.5 | 0 |
| 452 | The American Psychiatric Press Textbook of Neuropsychiatry (3rd edn). Edited by S. Yudofsky and R. Hales. Washington, DC: American Psychiatric Press. 1997.1114 pp. £129. ISBN 0-88048-787-9. British Journal of Psychiatry, 1999, 174, 279-279. | 2.8 | 0 |
| 453 | Lithium for acute mania. The Cochrane Library, 0, , . | 2.8 | 0 |
| 454 | Studies on central nervous system serotonin receptors in mood disorders. Annals of the Academy of Medicine, Singapore, 1991, 20, 46-50. | 0.4 | 0 |
| 455 | Review: Lower doses of antidepressant drugs are effective and have fewer adverse effects in depression. ACP Journal Club, 2000, 132, 25. | 0.1 | 0 |