

# Dedra H Fagan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3080121/publications.pdf>

Version: 2024-02-01

12  
papers

662  
citations

1163117

8  
h-index

1199594

12  
g-index

12  
all docs

12  
docs citations

12  
times ranked

712  
citing authors

#	ARTICLE	IF	CITATIONS
1	Updated performance of the Micra transcatheter pacemaker in the real-world setting: A comparison to the investigational study and a transvenous historical control. <i>Heart Rhythm</i> , 2018, 15, 1800-1807.	0.7	239
2	Long-term performance of a transcatheter pacing system: 12-Month results from the Micra Transcatheter Pacing Study. <i>Heart Rhythm</i> , 2017, 14, 702-709.	0.7	230
3	Incidence and outcomes of systemic infections in patients with leadless pacemakers: Data from the Micra IDE study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1105-1110.	1.2	56
4	Inappropriate shocks in single-chamber and subcutaneous implantable cardioverter-defibrillators: a systematic review and meta-analysis. <i>Europace</i> , 2017, 19, 1973-1980.	1.7	38
5	Predictors of short-term clinical response to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2017, 19, 1056-1063.	7.1	27
6	Development and validation of a risk score for predicting pericardial effusion in patients undergoing leadless pacemaker implantation: experience with the Micra transcatheter pacemaker. <i>Europace</i> , 2022, 24, 1119-1126.	1.7	25
7	Success of pacemaker remote monitoring using app-based technology: Does patient age matter?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1329-1335.	1.2	18
8	A Predictive Model for the Long-Term Electrical Performance of a Leadless Transcatheter Pacemaker. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 502-512.	3.2	12
9	Heart failure hospitalization reduction and cost savings achieved by improved delivery of effective biventricular pacing: economic implications of the OLE study under the US setting. <i>ClinicoEconomics and Outcomes Research</i> , 2019, Volume 11, 385-393.	1.9	7
10	SVT discrimination algorithms significantly reduce the rate of inappropriate therapy in the setting of modern-day delayed high-rate detection programming. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2877-2884.	1.7	5
11	Leadless pacemaker implant with concomitant atrioventricular node ablation: Experience with the Micra transcatheter pacemaker. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 832-841.	1.7	3
12	Comparison of ICD shock rates in Japanese and non-Japanese patients in the PainFree SST study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1185-1191.	1.2	2