

P P Dijkwel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3080952/publications.pdf>

Version: 2024-02-01

58
papers

3,154
citations

236925

25
h-index

168389

53
g-index

63
all docs

63
docs citations

63
times ranked

3903
citing authors

#	ARTICLE	IF	CITATIONS
1	A mutation in Arabidopsis SAL1 alters its in vitro activity against IP3 and delays developmental leaf senescence in association with lower ROS levels. <i>Plant Molecular Biology</i> , 2022, 108, 549-563.	3.9	5
2	Strigolactones regulate sepal senescence in Arabidopsis. <i>Journal of Experimental Botany</i> , 2021, 72, 5462-5477.	4.8	11
3	Primary metabolic processes as drivers of leaf ageing. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 6351-6364.	5.4	6
4	<i>Phytophthora agathidicida</i> : research progress, cultural perspectives and knowledge gaps in the control and management of kauri dieback in New Zealand. <i>Plant Pathology</i> , 2020, 69, 3-16.	2.4	48
5	Developmentally controlled changes during Arabidopsis leaf development indicate causes for loss of stress tolerance with age. <i>Journal of Experimental Botany</i> , 2020, 71, 6340-6354.	4.8	18
6	Putative alternative translation start site-encoding nucleotides of CPR5 regulate growth and resistance. <i>BMC Plant Biology</i> , 2020, 20, 295.	3.6	2
7	Functional analysis of RXLR effectors from the New Zealand kauri dieback pathogen <i>Phytophthora agathidicida</i> . <i>Molecular Plant Pathology</i> , 2020, 21, 1131-1148.	4.2	13
8	Conservation and expansion of a necrosis-inducing small secreted protein family from host-variable phytopathogens of the Sclerotiniaceae. <i>Molecular Plant Pathology</i> , 2020, 21, 512-526.	4.2	23
9	<i>Camellia</i> Plant Resistance and Susceptibility to Petal Blight Disease Are Defined by the Timing of Defense Responses. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 982-995.	2.6	2
10	Genome-Wide Analysis of ROS Antioxidant Genes in Resurrection Species Suggest an Involvement of Distinct ROS Detoxification Systems during Desiccation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3101.	4.1	34
11	Hypothesis: Plant stem cells hold the key to extreme longevity. <i>Translational Medicine of Aging</i> , 2019, 3, 14-16.	1.3	10
12	Efficient nonenzymatic cyclization and domain shuffling drive pyrrolopyrazine diversity from truncated variants of a fungal NRPS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25614-25623.	7.1	27
13	Genome draft of the Arabidopsis relative <i>Pachycladon cheesemanii</i> reveals novel strategies to tolerate New Zealand's high ultraviolet B radiation environment. <i>BMC Genomics</i> , 2019, 20, 838.	2.8	9
14	Orthologous peramine and pyrrolopyrazine-producing biosynthetic gene clusters in <i>Metarhizium rileyi</i> , <i>Metarhizium majus</i> and <i>Cladonia grayi</i> . <i>Environmental Microbiology</i> , 2019, 21, 928-939.	3.8	6
15	Identification of Postharvest Senescence Regulators Through Map-Based Cloning Using Detached Arabidopsis Inflorescences as a Model Tissue. <i>Methods in Molecular Biology</i> , 2018, 1744, 195-220.	0.9	2
16	ABA signalling manipulation suppresses senescence of a leafy vegetable stored at room temperature. <i>Plant Biotechnology Journal</i> , 2018, 16, 530-544.	8.3	23
17	Molecular Mechanisms Preventing Senescence in Response to Prolonged Darkness in a Desiccation-Tolerant Plant. <i>Plant Physiology</i> , 2018, 177, 1319-1338.	4.8	26
18	Drought-induced senescence of <i>Medicago truncatula</i> nodules involves serpin and ferritin to control proteolytic activity and iron levels. <i>New Phytologist</i> , 2018, 220, 196-208.	7.3	28

#	ARTICLE	IF	CITATIONS
19	Kunitz Proteinase Inhibitors Limit Water Stress Responses in White Clover (<i>Trifolium repens</i> L.) Plants. <i>Frontiers in Plant Science</i> , 2017, 8, 1683.	3.6	16
20	<i>Arabidopsis</i> AGAMOUS Regulates Sepal Senescence by Driving Jasmonate Production. <i>Frontiers in Plant Science</i> , 2017, 8, 2101.	3.6	20
21	Î ² -Substituting alanine synthases: roles in cysteine metabolism and abiotic and biotic stress signalling in plants. <i>Functional Plant Biology</i> , 2016, 43, 307.	2.1	6
22	Redox and hormone profiling of a <i>Nicotiana tabacum</i> dedifferentiated protoplast culture suggests a role for a cytokinin and gibberellin in plant totipotency. <i>Plant Cell, Tissue and Organ Culture</i> , 2016, 124, 295-306.	2.3	9
23	Knockdown of transcript abundance of a family of Kunitz proteinase inhibitor genes in white clover (<i>Trifolium repens</i> L.) results in increased growth and nitrogen use efficiency. <i>Plant Biotechnology Journal</i> , 2016, 14, 1188-1201.	7.3	16
24	Transcription of Biotic Stress Associated Genes in White Clover (<i>Trifolium repens</i> L.) Differs in Response to Cyst and Root-Knot Nematode Infection. <i>PLoS ONE</i> , 2015, 10, e0137981.	2.5	24
25	Staying green postharvest: how three mutations in the <i>Arabidopsis</i> chlorophyll <i>b</i> reductase gene <i>NYC1</i> delay degreening by distinct mechanisms. <i>Journal of Experimental Botany</i> , 2015, 66, 6849-6862.	4.8	29
26	Hormonal regulation of leaf senescence through integration of developmental and stress signals. <i>Plant Molecular Biology</i> , 2013, 82, 547-561.	3.9	308
27	Activation of <i>R</i> -mediated innate immunity and disease susceptibility is affected by mutations in a cytosolic <i>O</i> -acetylserine (thiol) lyase in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2013, 73, 118-130.	5.7	36
28	Could ROS signals drive tissue-specific clocks?. <i>Transcription</i> , 2013, 4, 206-208.	3.1	6
29	<i>Ciborinia camelliae</i> (Sclerotiniaceae) Induces Variable Plant Resistance Responses in Selected Species of <i>Camellia</i> . <i>Phytopathology</i> , 2013, 103, 725-732.	2.2	14
30	<i>CIRCADIAN CLOCK-ASSOCIATED 1</i> regulates ROS homeostasis and oxidative stress responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17129-17134.	7.1	336
31	Carbon Deprivation-Driven Transcriptome Reprogramming in Detached Developmentally Arresting <i>Arabidopsis</i> Inflorescences. <i>Plant Physiology</i> , 2012, 160, 1357-1372.	4.8	30
32	Positional Information Resolves Structural Variations and Uncovers an Evolutionarily Divergent Genetic Locus in Accessions of <i>Arabidopsis thaliana</i> . <i>Genome Biology and Evolution</i> , 2011, 3, 627-640.	2.5	6
33	A mutation in the cytosolic <i>O</i> -acetylserine (thiol) lyase induces a genome-dependent early leaf death phenotype in <i>Arabidopsis</i> . <i>BMC Plant Biology</i> , 2010, 10, 80.	3.6	21
34	Noncanonical Translation Initiation of the <i>Arabidopsis</i> Flowering Time and Alternative Polyadenylation Regulator <i>FCA</i> . <i>Plant Cell</i> , 2010, 22, 3764-3777.	6.6	33
35	Expression of multiple expansin genes is associated with cell expansion in potato organs. <i>Plant Science</i> , 2010, 179, 77-85.	3.6	25
36	Method for the identification of single mutations in large genomic regions using massive parallel sequencing. <i>Molecular Breeding</i> , 2009, 23, 51-59.	2.1	3

#	ARTICLE	IF	CITATIONS
37	Early leaf senescence is associated with an altered cellular redox balance in <i>Arabidopsis cpr5</i> mutants. <i>Plant Biology</i> , 2008, 10, 85-98.	3.8	86
38	CPR5, a Jack of all trades in plants. <i>Plant Signaling and Behavior</i> , 2008, 3, 562-563.	2.4	23
39	Study of Early Leaf Senescence in <i>Arabidopsis thaliana</i> by Quantitative Proteomics Using Reciprocal ¹⁴ N/ ¹⁵ N Labeling and Difference Gel Electrophoresis. <i>Molecular and Cellular Proteomics</i> , 2008, 7, 108-120.	3.8	79
40	The <i>Arabidopsis</i> onset of leaf death5 Mutation of Quinolinate Synthase Affects Nicotinamide Adenine Dinucleotide Biosynthesis and Causes Early Ageing. <i>Plant Cell</i> , 2008, 20, 2909-2925.	6.6	106
41	<i>Arabidopsis</i> CPR5 is a senescence-regulatory gene with pleiotropic functions as predicted by the evolutionary theory of senescence. <i>Journal of Experimental Botany</i> , 2007, 58, 3885-3894.	4.8	44
42	<i>Arabidopsis</i> RecQ14A suppresses homologous recombination and modulates DNA damage responses. <i>Plant Journal</i> , 2005, 43, 789-798.	5.7	47
43	Ethylene-induced leaf senescence depends on age-related changes and OLD genes in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2005, 56, 2915-2923.	4.8	185
44	RNA processing and <i>Arabidopsis</i> flowering time control. <i>Biochemical Society Transactions</i> , 2004, 32, 565-566.	3.4	28
45	<i>Arabidopsis</i> RecQsim, a plant-specific member of the RecQ helicase family, can suppress the MMS hypersensitivity of the yeast <i>sgs1</i> mutant. <i>Plant Molecular Biology</i> , 2003, 52, 273-284.	3.9	19
46	Ageing in Plants: Conserved Strategies and Novel Pathways. <i>Plant Biology</i> , 2003, 5, 455-464.	3.8	51
47	FY Is an RNA 3' End-Processing Factor that Interacts with FCA to Control the <i>Arabidopsis</i> Floral Transition. <i>Cell</i> , 2003, 113, 777-787.	28.9	399
48	Functional Significance of the Alternative Transcript Processing of the <i>Arabidopsis</i> Floral Promoter FCA. <i>Plant Cell</i> , 2002, 14, 877-888.	6.6	220
49	<i>Arabidopsis</i> onset of leaf death mutants identify a regulatory pathway controlling leaf senescence. <i>Plant Journal</i> , 2002, 32, 51-63.	5.7	121
50	Molecular Analysis Of Flowering Time And Vernalization Response In <i>Arabidopsis</i> , A Minireview. <i>Developments in Plant Genetics and Breeding</i> , 2000, , 115-121.	0.6	0
51	[12] Analysis of light-regulated gene expression. <i>Methods in Enzymology</i> , 1998, 297, 182-191.	1.0	0
52	Sucrose control of phytochrome A signaling in <i>Arabidopsis</i> .. <i>Plant Cell</i> , 1997, 9, 583-595.	6.6	197
53	Sucrose Control of Phytochrome A Signaling in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1997, 9, 583.	6.6	34
54	An <i>Arabidopsis</i> mutant showing reduced feedback inhibition of photosynthesis. <i>Plant Journal</i> , 1997, 12, 1011-1020.	5.7	46

#	ARTICLE	IF	CITATIONS
55	Sucrose Represses the Developmentally Controlled Transient Activation of the Plastocyanin Gene in <i>Arabidopsis thaliana</i> Seedlings. <i>Plant Physiology</i> , 1996, 110, 455-463.	4.8	68
56	Characterization of the Ac/Ds behaviour in transgenic tomato plants using plasmid rescue. <i>Plant Molecular Biology</i> , 1992, 20, 61-70.	3.9	40
57	Developmental and Hormonal Control of Leaf Senescence. , 0, , 145-170.		71
58	The secreted proteome of necrotrophic <i>Ciborinia camelliae</i> causes non-host-specific virulence. <i>Plant Pathology</i> , 0, , .	2.4	1