

Toshinori Nakayama

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/3081918/publications.pdf>

Version: 2024-02-01

258
papers

21,920
citations

6613

79
h-index

11052

137
g-index

260
all docs

260
docs citations

260
times ranked

24008
citing authors

#	ARTICLE	IF	CITATIONS
1	Epigenetic regulation of inflammation by CxxC domain-containing proteins*. Immunological Reviews, 2022, 305, 137-151.	6.0	7
2	Nematode ascarosides attenuate mammalian type 2 inflammatory responses. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	5
3	Stage-specific action of Runx1 and GATA3 controls silencing of PU.1 expression in mouse pro-T cells. Journal of Experimental Medicine, 2021, 218, .	8.5	11
4	Roles of TET and TDG in DNA demethylation in proliferating and non-proliferating immune cells. Genome Biology, 2021, 22, 186.	8.8	31
5	SCD2-mediated monounsaturated fatty acid metabolism regulates cGAS-STING-dependent type I IFN responses in CD4+ T cells. Communications Biology, 2021, 4, 820.	4.4	21
6	ACC1-expressing pathogenic T helper 2 cell populations facilitate lung and skin inflammation in mice. Journal of Experimental Medicine, 2021, 218, .	8.5	16
7	A long noncoding RNA regulates inflammation resolution by mouse macrophages through fatty acid oxidation activation. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 14365-14375.	7.1	39
8	CD103hi Treg cells constrain lung fibrosis induced by CD103lo tissue-resident pathogenic CD4 T cells. Nature Immunology, 2019, 20, 1469-1480.	14.5	80
9	ACC1 determines memory potential of individual CD4+ T cells by regulating de novo fatty acid biosynthesis. Nature Metabolism, 2019, 1, 261-275.	11.9	48
10	A SNP uncoupling Mina expression from the TGF β 2 signaling pathway. Immunity, Inflammation and Disease, 2018, 6, 58-71.	2.7	5
11	CXCR6 ⁺ ST2 ⁺ memory T helper 2 cells induced the expression of major basic protein in eosinophils to reduce the fecundity of helminth. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E9849-E9858.	7.1	21
12	Maintenance of pathogenic Th2 cells in allergic disorders. Allergy International, 2017, 66, 369-376.	3.3	27
13	Th2 Cells in Health and Disease. Annual Review of Immunology, 2017, 35, 53-84.	21.8	283
14	CD45RA ^{hi} Foxp3high regulatory T cells have a negative impact on the clinical outcome of head and neck squamous cell carcinoma. Cancer Immunology, Immunotherapy, 2017, 66, 1275-1285.	4.2	35
15	The Transcription Factor T-bet Limits Amplification of Type I IFN Transcriptome and Circuitry in T Helper 1 Cells. Immunity, 2017, 46, 983-991.e4.	14.3	79
16	Nutritional control of IL-23/Th17-mediated autoimmune disease through HO-1/STAT3 activation. Scientific Reports, 2017, 7, 44482.	3.3	28
17	Guidelines for the use of flow cytometry and cell sorting in immunological studies [*] . European Journal of Immunology, 2017, 47, 1584-1797.	2.9	505
18	Introduction to "allergic inflammation". Immunological Reviews, 2017, 278, 5-7.	6.0	12

#	ARTICLE	IF	CITATIONS
19	Memory-type ST2+CD4+ T cells participate in the steroid-resistant pathology of eosinophilic pneumonia. <i>Scientific Reports</i> , 2017, 7, 6805.	3.3	21
20	Crucial role for <scp>CD</scp>69 in allergic inflammatory responses: <scp>CD</scp>69&Myl9 system in the pathogenesis of airway inflammation. <i>Immunological Reviews</i> , 2017, 278, 87-100.	6.0	66
21	Epigenetic regulation of T&helper cell differentiation, memory, and plasticity in allergic asthma. <i>Immunological Reviews</i> , 2017, 278, 8-19.	6.0	70
22	Menin Controls the Memory Th2 Cell Function by Maintaining the Epigenetic Integrity of Th2 Cells. <i>Journal of Immunology</i> , 2017, 199, 1153-1162.	0.8	12
23	The obesity-related pathology and Th17 cells. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 1231-1245.	5.4	65
24	Anti-tumor immunity via the superoxide-eosinophil axis induced by a lipophilic component of Mycobacterium lipomannan. <i>International Immunology</i> , 2017, 29, 411-421.	4.0	10
25	Mucosal Mesenchymal Cells: Secondary Barrier and Peripheral Educator for the Gut Immune System. <i>Frontiers in Immunology</i> , 2017, 8, 1787.	4.8	13
26	Establishment of a new three&dimensional human epidermal model reconstructed from plucked hair follicle&derived keratinocytes. <i>Experimental Dermatology</i> , 2016, 25, 903-906.	2.9	9
27	Fatty acid metabolic reprogramming via mTOR-mediated inductions of PPAR ^{Î³} directs early activation of T cells. <i>Nature Communications</i> , 2016, 7, 13683.	12.8	194
28	CD4 + T-cell subsets in inflammatory diseases: beyond the T h 1/T h 2 paradigm. <i>International Immunology</i> , 2016, 28, 163-171.	4.0	343
29	Thy1⁺IL-7⁺lymphatic endothelial cells in iBALT provide a survival niche for memory T-helper cells in allergic airway inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2842-51.	7.1	97
30	Timing and duration of MHC I positive selection signals are adjusted in the thymus to prevent lineage errors. <i>Nature Immunology</i> , 2016, 17, 1415-1423.	14.5	19
31	Antibody&dependent cellular cytotoxicity toward neuroblastoma enhanced by activated invariant natural killer T cells. <i>Cancer Science</i> , 2016, 107, 233-241.	3.9	20
32	Akt1-mediated Gata3 phosphorylation controls the repression of IFN ^{Î³} in memory-type Th2 cells. <i>Nature Communications</i> , 2016, 7, 11289.	12.8	31
33	Blockade of programmed death-1/programmed death ligand pathway enhances the antitumor immunity of human invariant natural killer T cells. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 1477-1489.	4.2	50
34	Bach2&Batf interactions control Th2-type immune response by regulating the IL-4 amplification loop. <i>Nature Communications</i> , 2016, 7, 12596.	12.8	73
35	Specific niches for lung-resident memory CD8+ T cells at the site of tissue regeneration enable CD69-independent maintenance. <i>Journal of Experimental Medicine</i> , 2016, 213, 3057-3073.	8.5	196
36	Invariant NKT cells are resistant to circulating CD15 + myeloid&derived suppressor cells in patients with head and neck cancer. <i>Cancer Science</i> , 2016, 107, 207-216.	3.9	23

#	ARTICLE	IF	CITATIONS
37	Matrix metalloproteinase 12 is produced by M2 macrophages and plays important roles in the development of contact hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1397-1400.	2.9	18
38	The Interleukin-33-p38 Kinase Axis Confers Memory T Helper 2 Cell Pathogenicity in the Airway. <i>Immunity</i> , 2015, 42, 294-308.	14.3	199
39	Interleukin-25 and mucosal T cells in noneosinophilic and eosinophilic chronic rhinosinusitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2015, 114, 289-298.	1.0	51
40	Epigenetics of T cells regulated by Polycomb/Trithorax molecules. <i>Trends in Molecular Medicine</i> , 2015, 21, 330-340.	6.7	25
41	Asymmetric Action of STAT Transcription Factors Drives Transcriptional Outputs and Cytokine Specificity. <i>Immunity</i> , 2015, 42, 877-889.	14.3	137
42	Methylation of Gata3 Protein at Arg-261 Regulates Transactivation of the Il5 Gene in T Helper 2 Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 13095-13103.	3.4	28
43	Obesity Drives Th17 Cell Differentiation by Inducing the Lipid Metabolic Kinase, ACC1. <i>Cell Reports</i> , 2015, 12, 1042-1055.	6.4	182
44	Spatial Interplay between Polycomb and Trithorax Complexes Controls Transcriptional Activity in T Lymphocytes. <i>Molecular and Cellular Biology</i> , 2015, 35, 3841-3853.	2.3	18
45	Pathogenic Th2 (Tpath2) cells in airway inflammation. <i>Oncotarget</i> , 2015, 6, 32303-32304.	1.8	12
46	Screening of Alternative Drugs to the Tumor Suppressor miR-375 in Esophageal Squamous Cell Carcinoma Using the Connectivity Map. <i>Oncology</i> , 2014, 87, 351-363.	1.9	6
47	Histone acetylation mediated by Brd1 is crucial for Cd8 gene activation during early thymocyte development. <i>Nature Communications</i> , 2014, 5, 5872.	12.8	33
48	The Menin-Bach2 axis is critical for regulating CD4 T-cell senescence and cytokine homeostasis. <i>Nature Communications</i> , 2014, 5, 3555.	12.8	82
49	Effect of invariant natural killer T cells with IL-5 and activated IL-6 receptor in ventilator-associated lung injury in mice. <i>Experimental Lung Research</i> , 2014, 40, 1-11.	1.2	5
50	Roles of mast cells in the pathogenesis of inflammatory myopathy. <i>Arthritis Research and Therapy</i> , 2014, 16, R72.	3.5	19
51	Th2-type inflammation instructs inflammatory dendritic cells to induce airway hyperreactivity. <i>International Immunology</i> , 2014, 26, 103-114.	4.0	11
52	Trithorax complex component Menin controls differentiation and maintenance of T helper 17 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12829-12834.	7.1	21
53	The Transcription Factor GATA3 Is Critical for the Development of All IL-7R α -Expressing Innate Lymphoid Cells. <i>Immunity</i> , 2014, 40, 378-388.	14.3	320
54	The transcription factor Zbtb32 controls the proliferative burst of virus-specific natural killer cells responding to infection. <i>Nature Immunology</i> , 2014, 15, 546-553.	14.5	132

#	ARTICLE	IF	CITATIONS
55	Pathogenic memory type Th2 cells in allergic inflammation. Trends in Immunology, 2014, 35, 69-78.	6.8	104
56	Nanoparticulation of BCG-CWS for application to bladder cancer therapy. Journal of Controlled Release, 2014, 176, 44-53.	9.9	66
57	Leucomycin A3, a 16-membered macrolide antibiotic, inhibits influenza A virus infection and disease progression. Journal of Antibiotics, 2014, 67, 213-222.	2.0	21
58	Sox5 and c-Maf cooperatively induce Th17 cell differentiation via RORÎ³t induction as downstream targets of Stat3. Journal of Experimental Medicine, 2014, 211, 1857-1874.	8.5	128
59	Activation of invariant natural killer T cells in regional lymph nodes as new antigen-specific immunotherapy via induction of interleukin-21 and interferon-Î³. Clinical and Experimental Immunology, 2014, 178, 65-74.	2.6	5
60	A novel autoantibody against moesin in the serum of patients with MPO-ANCA-associated vasculitis. Nephrology Dialysis Transplantation, 2014, 29, 1168-1177.	0.7	47
61	Correlation of interleukinâ€6 and monocyte chemotactic proteinâ€1 concentrations with crescent formation and myeloperoxidaseâ€specific antiâ€neutrophil cytoplasmic antibody titer in <scp>SCG</scp>/<scp>K</scp> mice by treatment with antiâ€interleukinâ€6 receptor antibody or mizoribine. Microbiology and Immunology, 2013, 57, 640-650.	1.4	5
62	CD49bâ€dependent establishment of T helper cell memory. Immunology and Cell Biology, 2013, 91, 524-531.	2.3	30
63	The Polycomb Protein Ezh2 Regulates Differentiation and Plasticity of CD4+ T Helper Type 1 and Type 2 Cells. Immunity, 2013, 39, 819-832.	14.3	260
64	Proposal of anti-moesin as a novel biomarker for ANCA-associated vasculitis. Clinical and Experimental Nephrology, 2013, 17, 638-641.	1.6	12
65	Activation of invariant natural killer T cells by Î±-galactosylceramide ameliorates myocardial ischemia/reperfusion injury in mice. Journal of Molecular and Cellular Cardiology, 2013, 62, 179-188.	1.9	38
66	Transcriptional reprogramming of mature CD4+ helper T cells generates distinct MHC class IIâ€restricted cytotoxic T lymphocytes. Nature Immunology, 2013, 14, 281-289.	14.5	306
67	A homozygous mucosa-associated lymphoid tissue 1 (MALT1) mutation in a family with combined immunodeficiency. Journal of Allergy and Clinical Immunology, 2013, 132, 151-158.	2.9	124
68	Gata3/Ruvbl2 complex regulates T helper 2 cell proliferation via repression of Cdkn2c expression. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 18626-18631.	7.1	36
69	Paraoxonase-1 Suppresses Experimental Colitis via the Inhibition of IFN-Î³ Production from CD4 T Cells. Journal of Immunology, 2013, 191, 949-960.	0.8	8
70	Functionally distinct Gata3/Chd4 complexes coordinately establish T helper 2 (Th2) cell identity. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 4691-4696.	7.1	78
71	Interleukin-25 Induces Pulmonary Arterial Remodeling via Natural Killer T Cell-Dependent Mechanisms. International Archives of Allergy and Immunology, 2013, 161, 118-124.	2.1	9
72	A Novel Small Compound SH-2251 Suppresses Th2 Cell-Dependent Airway Inflammation through Selective Modulation of Chromatin Status at the Il5 Gene Locus. PLoS ONE, 2013, 8, e61785.	2.5	5

#	ARTICLE	IF	CITATIONS
73	Crucial Role for CD69 in the Pathogenesis of Dextran Sulphate Sodium-Induced Colitis. PLoS ONE, 2013, 8, e65494.	2.5	15
74	Genome-Wide Gene Expression Profiling Revealed a Critical Role for GATA3 in the Maintenance of the Th2 Cell Identity. PLoS ONE, 2013, 8, e66468.	2.5	21
75	NKT Cells as an Ideal Anti-Tumor Immunotherapeutic. Frontiers in Immunology, 2013, 4, 409.	4.8	103
76	Platelet-rich plasma inhibits the apoptosis of highly adipogenic homogeneous preadipocytes in an <i>in vitro</i> culture system. Experimental and Molecular Medicine, 2012, 44, 330.	7.7	37
77	Bmi1 facilitates primitive endoderm formation by stabilizing Gata6 during early mouse development. Genes and Development, 2012, 26, 1445-1458.	5.9	21
78	Type II membrane protein CD69 regulates the formation of resting T-helper memory. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 7409-7414.	7.1	121
79	Regulation of memory CD4 T-cell pool size and function by natural killer T cells <i>in vivo</i> . Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 16992-16997.	7.1	26
80	CD69 Regulates Type I IFN-Induced Tolerogenic Signals to Mucosal CD4 T Cells That Attenuate Their Colitogenic Potential. Journal of Immunology, 2012, 188, 2001-2013.	0.8	68
81	The apelin/APJ system induces maturation of the tumor vasculature and improves the efficiency of immune therapy. Oncogene, 2012, 31, 3254-3264.	5.9	60
82	<i>Murine Schnurri-2</i> controls natural killer cell function and lymphoma development. Leukemia and Lymphoma, 2012, 53, 479-486.	1.3	6
83	A possible relationship of natural killer T cells with humoral immune response to 23-valent pneumococcal polysaccharide vaccine in clinical settings. Vaccine, 2012, 30, 3304-3310.	3.8	8
84	Activation of Natural Killer T Cells Ameliorates Postinfarct Cardiac Remodeling and Failure in Mice. Circulation Research, 2012, 111, 1037-1047.	4.5	73
85	Role of CD69 in acute lung injury. Life Sciences, 2012, 90, 657-665.	4.3	13
86	Bcl6 Controls the Th2 Inflammatory Activity of Regulatory T Cells by Repressing Gata3 Function. Journal of Immunology, 2012, 189, 4759-4769.	0.8	81
87	Type II NKT Cells Stimulate Diet-Induced Obesity by Mediating Adipose Tissue Inflammation, Steatohepatitis and Insulin Resistance. PLoS ONE, 2012, 7, e30568.	2.5	86
88	Identification of a New Pathway for Th1 Cell Development Induced by Cooperative Stimulation with IL-4 and TGF- β 2. Journal of Immunology, 2012, 188, 4846-4857.	0.8	24
89	Accumulation of Activated Invariant Natural Killer T Cells in the Tumor Microenvironment after α -Galactosylceramide-Pulsed Antigen Presenting Cells. Journal of Clinical Immunology, 2012, 32, 1071-1081.	3.8	61
90	<i>AP-1</i> is involved in <i>ICOS</i> gene expression downstream of <i>TCR</i> / <i>CD</i> 28 and cytokine receptor signaling. European Journal of Immunology, 2012, 42, 1850-1862.	2.9	17

#	ARTICLE	IF	CITATIONS
91	The transcription factor Sox4 is a downstream target of signaling by the cytokine TGF- β 2 and suppresses TH2 differentiation. <i>Nature Immunology</i> , 2012, 13, 778-786.	14.5	157
92	Sublingual administration of <i>Lactobacillus paracasei</i> KW3110 inhibits Th2-dependent allergic responses via upregulation of PD-L2 on dendritic cells. <i>Clinical Immunology</i> , 2012, 143, 170-179.	3.2	16
93	Fibrin glue is a candidate scaffold for long-term therapeutic protein expression in spontaneously differentiated adipocytes in vitro. <i>Experimental Cell Research</i> , 2012, 318, 8-15.	2.6	14
94	Contribution of neutrophil-derived myeloperoxidase in the early phase of fulminant acute respiratory distress syndrome induced by influenza virus infection. <i>Microbiology and Immunology</i> , 2012, 56, 171-182.	1.4	51
95	Cigarette smoke-induced pulmonary inflammation is attenuated in CD69-deficient mice. <i>Journal of Receptor and Signal Transduction Research</i> , 2011, 31, 434-439.	2.5	13
96	IL-22 attenuates IL-25 production by lung epithelial cells and inhibits antigen-induced eosinophilic airway inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 1067-1076.e6.	2.9	100
97	Eomesodermin Controls Interleukin-5 Production in Memory T Helper 2 Cells through Inhibition of Activity of the Transcription Factor GATA3. <i>Immunity</i> , 2011, 35, 733-745.	14.3	103
98	Key role of regulated upon activation normal T-cell expressed and secreted, nonstructural protein1 and myeloperoxidase in cytokine storm induced by influenza virus PR-8 (A/H1N1) infection in A549 bronchial epithelial cells. <i>Microbiology and Immunology</i> , 2011, 55, 874-884.	1.4	20
99	Induction of NKT cell-specific immune responses in cancer tissues after NKT cell-targeted adoptive immunotherapy. <i>Clinical Immunology</i> , 2011, 138, 255-265.	3.2	150
100	Increase of regulatory T cells and the ratio of specific IgE to total IgE are candidates for response monitoring or prognostic biomarkers in 2-year sublingual immunotherapy (SLIT) for Japanese cedar pollinosis. <i>Clinical Immunology</i> , 2011, 139, 65-74.	3.2	80
101	Anti-tumor immune responses induced by iNKT cell-based immunotherapy for lung cancer and head and neck cancer. <i>Clinical Immunology</i> , 2011, 140, 167-176.	3.2	93
102	Repressor of GATA negatively regulates murine contact hypersensitivity through the inhibition of type-2 allergic responses. <i>Clinical Immunology</i> , 2011, 139, 267-276.	3.2	14
103	NKT-cell-based immunotherapies in clinical trials. <i>Clinical Immunology</i> , 2011, 140, 117-118.	3.2	26
104	Migration and immunological reaction after the administration of α -GalCer-pulsed antigen-presenting cells into the submucosa of patients with head and neck cancer. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 207-215.	4.2	31
105	Attenuation of lung inflammation and fibrosis in CD69-deficient mice after intratracheal bleomycin. <i>Respiratory Research</i> , 2011, 12, 131.	3.6	37
106	TSLP enhances the function of helper type 2 cells. <i>European Journal of Immunology</i> , 2011, 41, 1862-1871.	2.9	176
107	Interleukin 12 and myeloperoxidase (MPO) in Vietnamese children with acute respiratory distress syndrome due to Avian influenza (H5N1) infection. <i>Journal of Infection</i> , 2011, 62, 104-106.	3.3	6
108	Direct activation of glomerular endothelial cells by anti-moesin activity of anti-myeloperoxidase antibody. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2752-2760.	0.7	43

#	ARTICLE	IF	CITATIONS
109	HIV-1 Nef impairs multiple T-cell functions in antigen-specific immune response in mice. International Immunology, 2011, 23, 433-441.	4.0	2
110	Apolipoprotein A-II Suppressed Concanavalin A-Induced Hepatitis via the Inhibition of CD4 T Cell Function. Journal of Immunology, 2011, 186, 3410-3420.	0.8	27
111	Genome-Wide Analysis Reveals Unique Regulation of Transcription of Th2-Specific Genes by GATA3. Journal of Immunology, 2011, 186, 6378-6389.	0.8	53
112	Memory Type 2 Helper T Cells Induce Long-Lasting Antitumor Immunity by Activating Natural Killer Cells. Cancer Research, 2011, 71, 4790-4798.	0.9	24
113	Ceiling culture-derived proliferative adipocytes retain high adipogenic potential suitable for use as a vehicle for gene transduction therapy. American Journal of Physiology - Cell Physiology, 2011, 301, C181-C185.	4.6	28
114	Activation of pulmonary invariant NKT cells leads to exacerbation of acute lung injury caused by LPS through local production of IFN- γ and TNF- α by Gr-1+ monocytes. International Immunology, 2011, 23, 97-108.	4.0	28
115	Role of NKT cells in allergic asthma. Current Opinion in Immunology, 2010, 22, 807-813.	5.5	67
116	Immunogenicity of a monovalent pandemic influenza A H1N1 vaccine in health-care workers of a university hospital in Japan. Microbiology and Immunology, 2010, 54, 618-624.	1.4	14
117	A set of genes associated with the interferon- γ response of lung cancer patients undergoing α -galactosylceramide-pulsed dendritic cell therapy. Cancer Science, 2010, 101, 2333-2340.	3.9	9
118	Organization of immunological memory by bone marrow stroma. Nature Reviews Immunology, 2010, 10, 193-200.	22.7	210
119	Reduction of MPO-ANCA epitopes in SCG/Kj mice by 15-deoxyspergualin treatment restricted by IgG2b associated with crescentic glomerulonephritis. Rheumatology, 2010, 49, 1245-1256.	1.9	10
120	Protective Roles of B and T Lymphocyte Attenuator in NKT Cell-Mediated Experimental Hepatitis. Journal of Immunology, 2010, 184, 127-133.	0.8	28
121	The Induced Regulatory T Cell Level, Defined as the Proportion of IL-10 ⁺ Foxp3 ⁺ Cells among CD25 ⁺ CD4 ⁺ Leukocytes, Is a Potential Therapeutic Biomarker for Sublingual Immunotherapy: A Preliminary Report. International Archives of Allergy and Immunology, 2010, 153, 378-387.	2.1	43
122	<i>Polycomb</i> Group Gene Product Ring1B Regulates Th2-Driven Airway Inflammation through the Inhibition of Bim-Mediated Apoptosis of Effector Th2 Cells in the Lung. Journal of Immunology, 2010, 184, 4510-4520.	0.8	22
123	STAT6-mediated displacement of polycomb by trithorax complex establishes long-term maintenance of GATA3 expression in T helper type 2 cells. Journal of Experimental Medicine, 2010, 207, 2493-2506.	8.5	87
124	Essential Role of Endogenous Heat Shock Protein 90 of Dendritic Cells in Antigen Cross-Presentation. Journal of Immunology, 2010, 185, 2693-2700.	0.8	62
125	Phosphate-activated glutaminase (GLS2), a p53-inducible regulator of glutamine metabolism and reactive oxygen species. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 7461-7466.	7.1	548
126	Color-coded real-time cellular imaging of lung T-lymphocyte accumulation and focus formation in a mouse asthma model. Journal of Allergy and Clinical Immunology, 2010, 125, 461-468.e6.	2.9	33

#	ARTICLE	IF	CITATIONS
127	Adjuvant activity mediated by iNKT cells. <i>Seminars in Immunology</i> , 2010, 22, 97-102.	5.6	34
128	The TCR-mediated signaling pathways that control the direction of helper T cell differentiation. <i>Seminars in Immunology</i> , 2010, 22, 303-309.	5.6	86
129	The Runx3 Transcription Factor Augments Th1 and Down-Modulates Th2 Phenotypes by Interacting with and Attenuating GATA3. <i>Journal of Immunology</i> , 2009, 183, 7817-7824.	0.8	67
130	A Phase I-II Study of α -Galactosylceramide-Pulsed IL-2/GM-CSF-Cultured Peripheral Blood Mononuclear Cells in Patients with Advanced and Recurrent Non-Small Cell Lung Cancer. <i>Journal of Immunology</i> , 2009, 182, 2492-2501.	0.8	206
131	cAMP activation by PACAP/VIP stimulates IL-6 release and inhibits osteoblastic differentiation through VPAC2 receptor in osteoblastic MC3T3 cells. <i>Journal of Cellular Physiology</i> , 2009, 221, 75-83.	4.1	26
132	Combination therapy of <i>in vitro</i> -expanded natural killer T cells and α -galactosylceramide-pulsed antigen-presenting cells in patients with recurrent head and neck carcinoma. <i>Cancer Science</i> , 2009, 100, 1092-1098.	3.9	168
133	Critical role of the Polycomb and Trithorax complexes in the maintenance of CD4 T cell memory. <i>Seminars in Immunology</i> , 2009, 21, 78-83.	5.6	52
134	Immune Response Induced by Fluorescent Nanocrystal Quantum Dots <i>In Vitro</i> and <i>In Vivo</i> . <i>IEEE Transactions on Nanobioscience</i> , 2009, 8, 51-57.	3.3	28
135	CD69 Controls the Pathogenesis of Allergic Airway Inflammation. <i>Journal of Immunology</i> , 2009, 183, 8203-8215.	0.8	68
136	Initiation and maintenance of Th2 cell identity. <i>Current Opinion in Immunology</i> , 2008, 20, 265-271.	5.5	78
137	Phase I study of α -galactosylceramide-pulsed antigen presenting cells administration to the nasal submucosa in unresectable or recurrent head and neck cancer. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 337-345.	4.2	152
138	Toll-like receptors in the respiratory system: Their roles in inflammation. <i>Current Allergy and Asthma Reports</i> , 2008, 8, 7-13.	5.3	60
139	Clinical applications of natural killer T cell-based immunotherapy for cancer. <i>Cancer Science</i> , 2008, 99, 638-645.	3.9	79
140	Lymphoid enhancer factor interacts with GATA-3 and controls its function in T helper type 2 cells. <i>Immunology</i> , 2008, 125, 377-386.	4.4	27
141	Repressor of GATA regulates TH2-driven allergic airway inflammation and airway hyperresponsiveness. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 512-520.e11.	2.9	56
142	MPO-ANCA induces IL-17 production by activated neutrophils in vitro via its Fc region- and complement-dependent manner. <i>Journal of Autoimmunity</i> , 2008, 31, 79-89.	6.5	98
143	Matrix Metalloproteinase-3 Enhances the Free Fatty Acids-Induced VEGF Expression in Adipocytes Through Toll-Like Receptor 2. <i>Experimental Biology and Medicine</i> , 2008, 233, 1213-1221.	2.4	20
144	Human Th1 differentiation induced by lipoarabinomannan/lipomannan from <i>Mycobacterium bovis</i> BCG Tokyo-172. <i>International Immunology</i> , 2008, 20, 849-860.	4.0	19

#	ARTICLE	IF	CITATIONS
145	Bmi1 regulates memory CD4 T cell survival via repression of the <i>Noxa</i> gene. Journal of Experimental Medicine, 2008, 205, 1109-1120.	8.5	102
146	Development and characterization of IL-21-producing CD4 ⁺ T cells. Journal of Experimental Medicine, 2008, 205, 1369-1379.	8.5	224
147	Role of V α 14 ⁺ NKT cells in the development of Hepatitis B virus-specific CTL: activation of V α 14 ⁺ NKT cells promotes the breakage of CTL tolerance. International Immunology, 2008, 20, 869-879.	4.0	46
148	A novel subset of mouse NKT cells bearing the IL-17 receptor B responds to IL-25 and contributes to airway hyperreactivity. Journal of Experimental Medicine, 2008, 205, 2727-2733.	8.5	224
149	Cfi1-mediated Stabilization of GATA3 Protein Is Required for Th2 Cell Differentiation. Journal of Biological Chemistry, 2008, 283, 28216-28225.	3.4	47
150	Paradoxically high resistance of natural killer T (NKT) cell-deficient mice to Legionella pneumophila: another aspect of NKT cells for modulation of host responses. Journal of Medical Microbiology, 2008, 57, 1340-1348.	1.8	9
151	Induction of Natural Killer Cell-dependent Antitumor Immunity by the Autographa californica Multiple Nuclear Polyhedrosis Virus. Molecular Therapy, 2008, 16, 261-268.	8.2	46
152	Sex Dimorphism in Wound Healing: The Roles of Sex Steroids and Macrophage Migration Inhibitory Factor. Endocrinology, 2008, 149, 5747-5757.	2.8	84
153	Progress in Allergy Signal Research on Mast Cells: Regulation of Allergic Airway Inflammation Through Toll-Like Receptor 4-Mediated Modification of Mast Cell Function. Journal of Pharmacological Sciences, 2008, 106, 332-335.	2.5	24
154	Schnurri-2 regulates Th2-dependent airway inflammation and airway hyperresponsiveness. International Immunology, 2007, 19, 755-762.	4.0	16
155	Spontaneous tolerance involving natural killer T cells after hepatic grafting in mice. Transplant Immunology, 2007, 18, 142-145.	1.2	15
156	Chromatin remodeling at the Th2 cytokine gene loci in human type 2 helper T cells. Molecular Immunology, 2007, 44, 2249-2256.	2.2	31
157	Role of Macrophage Migration Inhibitory Factor in Corneal Neovascularization. , 2007, 48, 3545.		26
158	Role of interferon- γ in V α 14 ⁺ natural killer T cell-mediated host defense against Streptococcus pneumoniae infection in murine lungs. Microbes and Infection, 2007, 9, 364-374.	1.9	83
159	Detection of natural killer T cells in the sinus mucosa from asthmatics with chronic sinusitis. Allergy: European Journal of Allergy and Clinical Immunology, 2007, 62, 1451-1455.	5.7	33
160	Glycolipid activation of invariant T cell receptor ⁺ NK T cells is sufficient to induce airway hyperreactivity independent of conventional CD4 ⁺ T cells. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 2782-2787.	7.1	206
161	IL-21-induced B μ cell apoptosis mediated by natural killer T cells suppresses IgE responses. Journal of Experimental Medicine, 2006, 203, 2929-2937.	8.5	107
162	Hyperresponsive TH2 cells with enhanced nuclear factor- κ B activation induce atopic dermatitis-like skin lesions in Nishiki-nezumi Cinnamon/Nagoya mice. Journal of Allergy and Clinical Immunology, 2006, 118, 725-733.	2.9	24

#	ARTICLE	IF	CITATIONS
163	Crucial Role of MLL for the Maintenance of Memory T Helper Type 2 Cell Responses. <i>Immunity</i> , 2006, 24, 611-622.	14.3	134
164	Natural killer T cell-mediated antitumor immune responses and their clinical applications. <i>Cancer Science</i> , 2006, 97, 807-812.	3.9	66
165	NKT cells play a limited role in the neutrophilic inflammatory responses and host defense to pulmonary infection with <i>Pseudomonas aeruginosa</i> . <i>Microbes and Infection</i> , 2006, 8, 2679-2685.	1.9	16
166	Up-regulation of adhesion molecule expression in glomerular endothelial cells by anti-myeloperoxidase antibody. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 77-87.	0.7	36
167	A Phase I Study of In vitro Expanded Natural Killer T Cells in Patients with Advanced and Recurrent Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 6079-6086.	7.0	217
168	Regulation of allergic airway inflammation through Toll-like receptor 4-mediated modification of mast cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2286-2291.	7.1	136
169	Hematopoietic stem cell and marrow stromal cell for spinal cord injury in mice. <i>NeuroReport</i> , 2005, 16, 1763-1767.	1.2	84
170	Dendritic cell maturation by CD11c ⁺ T cells and V α 24 ⁺ natural killer T-cell activation by α -Galactosylceramide. <i>International Journal of Cancer</i> , 2005, 117, 265-273.	5.1	36
171	V α 14 NKT cell-mediated anti-tumor responses and their clinical application. <i>Seminars in Immunopathology</i> , 2005, 27, 65-74.	4.0	20
172	Plasma membrane-focused proteomics: Dramatic changes in surface expression during the maturation of human dendritic cells. <i>Proteomics</i> , 2005, 5, 4001-4011.	2.2	47
173	Ras-ERK MAPK Cascade Regulates GATA3 Stability and Th2 Differentiation through Ubiquitin-Proteasome Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 29409-29419.	3.4	141
174	Prolonged skin allograft survival by IL-10 gene-introduced CD4 T cell administration. <i>International Immunology</i> , 2005, 17, 759-768.	4.0	8
175	Regulation of T helper type 2 cell differentiation by murine Schnurri-2. <i>Journal of Experimental Medicine</i> , 2005, 201, 397-408.	8.5	56
176	Accelerated chemically induced tumor development mediated by CD4 ⁺ CD25 ⁺ regulatory T cells in wild-type hosts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9253-9257.	7.1	102
177	A Phase I Study of α -Galactosylceramide (KRN7000)-Pulsed Dendritic Cells in Patients with Advanced and Recurrent Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 1910-1917.	7.0	379
178	Macrophage Migration Inhibitory Factor. <i>American Journal of Pathology</i> , 2005, 167, 1561-1574.	3.8	89
179	Differentiation of NK1 and NK2 Cells. <i>Critical Reviews in Immunology</i> , 2005, 25, 361-374.	0.5	26
180	Bone Marrow Allograft Rejection Mediated by a Novel Murine NK Receptor, NKG2I. <i>Journal of Experimental Medicine</i> , 2004, 199, 137-144.	8.5	15

#	ARTICLE	IF	CITATIONS
181	Downregulation of the invariant V α 14 antigen receptor in NKT cells upon activation. <i>International Immunology</i> , 2004, 16, 241-247.	4.0	127
182	CD28 Costimulation Controls Histone Hyperacetylation of the Interleukin 5 Gene Locus in Developing Th2 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 23123-23133.	3.4	38
183	Essential Role of GATA3 for the Maintenance of Type 2 Helper T (Th2) Cytokine Production and Chromatin Remodeling at the Th2 Cytokine Gene Loci. <i>Journal of Biological Chemistry</i> , 2004, 279, 26983-26990.	3.4	133
184	Interleukin (IL)-4-independent Maintenance of Histone Modification of the IL-4 Gene Loci in Memory Th2 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 39454-39464.	3.4	55
185	Fas-disabling small exocyclic peptide mimetics limit apoptosis by an unexpected mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6599-6604.	7.1	30
186	Ultraviolet A-induced Production of Matrix Metalloproteinase-1 Is Mediated by Macrophage Migration Inhibitory Factor (MIF) in Human Dermal Fibroblasts. <i>Journal of Biological Chemistry</i> , 2004, 279, 1676-1683.	3.4	81
187	Impaired IFN- γ production of V α 24 NKT cells in non-remitting sarcoidosis. <i>International Immunology</i> , 2004, 16, 215-222.	4.0	29
188	Hyporesponsiveness of CD4 T Cells Induced in Oral Tolerance Is Maintained by Selective Impairment in the TCR-Induced Calcium/NFAT Signaling Pathway Resulting from Caspase Activation. <i>Annals of the New York Academy of Sciences</i> , 2004, 1029, 344-345.	3.8	1
189	Correlation between interleukin 6 production and tumor proliferation in non-small cell lung cancer. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 786-92.	4.2	61
190	Cysteine-dependent immune regulation by TRX and MIF/GIF family proteins. <i>Immunology Letters</i> , 2004, 92, 143-147.	2.5	38
191	Inhibition of joint inflammation and destruction induced by anti-type II collagen antibody/lipopolysaccharide (LPS)-induced arthritis in mice due to deletion of macrophage migration inhibitory factor (MIF). <i>Cytokine</i> , 2004, 26, 187-194.	3.2	58
192	Osteopontin as a Mediator of NKT Cell Function in T Cell-Mediated Liver Diseases. <i>Immunity</i> , 2004, 21, 539-550.	14.3	186
193	Role of a NK receptor, KLRE-1, in bone marrow allograft rejection: analysis with KLRE-1-deficient mice. <i>Blood</i> , 2004, 104, 781-783.	1.4	7
194	Impaired contact hypersensitivity in macrophage migration inhibitory factor-deficient mice. <i>European Journal of Immunology</i> , 2003, 33, 1478-1487.	2.9	31
195	Critical role of V α 14+ natural killer cells in the innate phase of host protection against <i>Streptococcus pneumoniae</i> infection. <i>European Journal of Immunology</i> , 2003, 33, 3322-3330.	2.9	176
196	The NKT cell system: bridging innate and acquired immunity. <i>Nature Immunology</i> , 2003, 4, 1164-1165.	14.5	214
197	Essential role of NKT cells producing IL-4 and IL-13 in the development of allergen-induced airway hyperreactivity. <i>Nature Medicine</i> , 2003, 9, 582-588.	30.7	639
198	TH1-biased immunity induced by exposure to Antarctic winter. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 1353-1360.	2.9	36

#	ARTICLE	IF	CITATIONS
199	Mesenchymal expression of Foxl1, a winged helix transcriptional factor, regulates generation and maintenance of gut-associated lymphoid organs. <i>Developmental Biology</i> , 2003, 255, 278-289.	2.0	24
200	CD8 T Cell-Specific Downregulation of Histone Hyperacetylation and Gene Activation of the IL-4 Gene Locus by ROG, Repressor of GATA. <i>Immunity</i> , 2003, 19, 281-294.	14.3	79
201	Gamma Interferon Production by Hepatic NK T Cells during <i>Escherichia coli</i> Infection Is Resistant to the Inhibitory Effects of Oxidative Stress. <i>Infection and Immunity</i> , 2003, 71, 2468-2477.	2.2	8
202	Expression of recombination-activating gene in mature peripheral T cells in Peyer's patch. <i>International Immunology</i> , 2003, 15, 393-402.	4.0	10
203	CD4+ CD25+ T cells responding to serologically defined autoantigens suppress antitumor immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10902-10906.	7.1	152
204	Rap1 translates chemokine signals to integrin activation, cell polarization, and motility across vascular endothelium under flow. <i>Journal of Cell Biology</i> , 2003, 161, 417-427.	5.2	339
205	CD69 α null mice protected from arthritis induced with anti α type II collagen antibodies. <i>International Immunology</i> , 2003, 15, 987-992.	4.0	59
206	Acceptance of islet allografts in the liver of mice by blockade of an inducible costimulator1. <i>Transplantation</i> , 2003, 75, 1115-1118.	1.0	20
207	During <i>Trypanosoma cruzi</i> Infection CD1d-Restricted NK T Cells Limit Parasitemia and Augment the Antibody Response to a Glycophosphoinositol-Modified Surface Protein. <i>Infection and Immunity</i> , 2002, 70, 36-48.	2.2	69
208	Identification of a Conserved GATA3 Response Element Upstream Proximal from the Interleukin-13 Gene Locus. <i>Journal of Biological Chemistry</i> , 2002, 277, 42399-42408.	3.4	157
209	Th1/Th2 cell differentiation of developing CD4 single-positive thymocytes. <i>International Immunology</i> , 2002, 14, 943-951.	4.0	9
210	CD4+CD25+ T-cell development is regulated by at least 2 distinct mechanisms. <i>Blood</i> , 2002, 99, 555-560.	1.4	77
211	Fyn and Cdk5 Mediate Semaphorin-3A Signaling, Which Is Involved in Regulation of Dendrite Orientation in Cerebral Cortex. <i>Neuron</i> , 2002, 35, 907-920.	8.1	311
212	Preserved IFN- γ production of circulating V β 24 NKT cells in primary lung cancer patients. <i>International Journal of Cancer</i> , 2002, 102, 159-165.	5.1	96
213	Regulation of Th2 Cell Differentiation by mel-18, a Mammalian Polycomb Group Gene. <i>Immunity</i> , 2001, 15, 275-287.	14.3	107
214	Activation of natural killer T cells by β -galactosylceramide treatment prevents the onset and recurrence of autoimmune Type 1 diabetes. <i>Nature Medicine</i> , 2001, 7, 1057-1062.	30.7	585
215	The Role of β -Galactosylceramide-Activated V β 14 Natural Killer T Cells in the Regulation of Th2 Cell Differentiation. <i>International Archives of Allergy and Immunology</i> , 2001, 124, 38-42.	2.1	2
216	Requirement for natural killer T (NKT) cells in the induction of allograft tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 2577-2581.	7.1	241

#	ARTICLE	IF	CITATIONS
217	Activation of VÎ±14+ Natural Killer T Cells by Î±-Galactosylceramide Results in Development of Th1 Response and Local Host Resistance in Mice Infected with <i>Cryptococcus neoformans</i> . <i>Infection and Immunity</i> , 2001, 69, 213-220.	2.2	140
218	Progression of T cell lineage restriction in the earliest subpopulation of murine adult thymus visualized by the expression of Ick proximal promoter activity. <i>International Immunology</i> , 2001, 13, 105-117.	4.0	78
219	Crucial amino acid residues of mouse CD1d for glycolipid ligand presentation to VÎ±14 NKT cells. <i>International Immunology</i> , 2001, 13, 853-861.	4.0	50
220	Deficiency of the macrophage migration inhibitory factor gene has no significant effect on endotoxaemia. <i>Immunology</i> , 2000, 100, 84-90.	4.4	67
221	Î±-Galactosylceramide-activated VÎ±14 natural killer T cells mediate protection against murine malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8461-8466.	7.1	249
222	Impaired Ca/calcineurin pathway in in vivo anergized CD4 T cells. <i>International Immunology</i> , 2000, 12, 817-824.	4.0	25
223	Tracking the Response of Natural Killer T Cells to a Glycolipid Antigen Using Cd1d Tetramers. <i>Journal of Experimental Medicine</i> , 2000, 192, 741-754.	8.5	818
224	Involvement of decidual VÎ±14 NKT cells in abortion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 740-744.	7.1	167
225	Synergism between the Calmodulin-binding and Autoinhibitory Domains on Calcineurin Is Essential for the Induction of Their Phosphatase Activity. <i>Journal of Biological Chemistry</i> , 2000, 275, 11728-11734.	3.4	31
226	T Cell Receptor-Induced Calcineurin Activation Regulates T Helper Type 2 Cell Development by Modifying the Interleukin 4 Receptor Signaling Complex. <i>Journal of Experimental Medicine</i> , 2000, 191, 1869-1880.	8.5	97
227	CD4+ VÎ±14 NKT cells play a crucial role in an early stage of protective immunity against infection with <i>Leishmania major</i> . <i>International Immunology</i> , 2000, 12, 1267-1274.	4.0	99
228	Augmentation of VÎ±14 Nkt Cell-Mediated Cytotoxicity by Interleukin 4 in an Autocrine Mechanism Resulting in the Development of Concanavalin A-Induced Hepatitis. <i>Journal of Experimental Medicine</i> , 2000, 191, 105-114.	8.5	390
229	Prolongation of Rat Islet Xenograft Survival in the Liver of IFN-Î³-Deficient Mice. <i>Journal of Surgical Research</i> , 2000, 93, 101-107.	1.6	2
230	Recognition and function of VÎ±14 NKT cells. <i>Seminars in Immunology</i> , 2000, 12, 543-550.	5.6	72
231	Tyk2 Plays a Restricted Role in IFNÎ± Signaling, Although It Is Required for IL-12-Mediated T Cell Function. <i>Immunity</i> , 2000, 13, 561-571.	14.3	307
232	CD4+ VÎ±14 natural killer T cells are essential for acceptance of rat islet xenografts in mice. <i>Journal of Clinical Investigation</i> , 2000, 105, 1761-1767.	8.2	136
233	A novel recognition motif of human NKT antigen receptor for a glycolipid ligand. <i>International Immunology</i> , 1999, 11, 881-887.	4.0	56
234	Inhibition of T Helper Cell Type 2 Cell Differentiation and Immunoglobulin E Response by Ligand-Activated VÎ±14 Natural Killer T Cells. <i>Journal of Experimental Medicine</i> , 1999, 190, 783-792.	8.5	153

#	ARTICLE	IF	CITATIONS
235	Induction of differentiation of pre-NKT cells to mature V α 14 NKT cells by granulocyte/macrophage colony-stimulating factor. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 7439-7444.	7.1	52
236	T cell antigen receptor-mediated activation of the Ras/mitogen-activated protein kinase pathway controls interleukin 4 receptor function and type-2 helper T cell differentiation. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 1024-1029.	7.1	188
237	Regulation of T cell autoreactivity to MHC class II by controlling CD80 (B7-1) expression on B cells.. International Immunology, 1998, 10, 147-158.	4.0	3
238	Physical and Functional Interaction of Murine and Xenopus Smad7 with Bone Morphogenetic Protein Receptors and Transforming Growth Factor- β Receptors. Journal of Biological Chemistry, 1998, 273, 25364-25370.	3.4	143
239	Requirement for p56(lck) tyrosine kinase activation in Th subset differentiation. International Immunology, 1998, 10, 577-591.	4.0	67
240	Natural killer-like nonspecific tumor cell lysis mediated by specific ligand-activated V α 14 NKT cells. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 5690-5693.	7.1	443
241	T-cell subset-specific expression of the IL-4 gene is regulated by a silencer element and STAT6. EMBO Journal, 1997, 16, 4007-4020.	7.8	131
242	CD4 regulates the efficiency of an endogenous superantigen-induced clonal deletion of TCRV β 11 + cells in the periphery. Immunology, 1997, 92, 437-446.	4.4	2
243	Requirement for p56lck tyrosine kinase activation in T cell receptor-mediated thymic selection.. Journal of Experimental Medicine, 1996, 184, 931-943.	8.5	73
244	T cell receptor-mediated signaling events in CD4+CD8+ thymocytes undergoing thymic selection: requirement of calcineurin activation for thymic positive selection but not negative selection.. Journal of Experimental Medicine, 1995, 181, 927-941.	8.5	88
245	Physical dissociation of the TCR-CD3 complex accompanies receptor ligation.. Journal of Experimental Medicine, 1995, 182, 1997-2006.	8.5	54
246	A novel form of self tolerance dictated in the thymus of transgenic mice with autoreactive TCR β 1 and β 2 chain genes. International Immunology, 1994, 6, 593-602.	4.0	16
247	Engagement of the external domains of CD45 tyrosine phosphatase can regulate the differentiation of immature CD4+CD8+ thymocytes into mature T cells.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 6933-6937.	7.1	7
248	Negative Selection of Thymus-Dependent CD4+8+ Intestinal Intraepithelial Lymphocytes by Internal Superantigens. Cellular Immunology, 1993, 147, 158-166.	3.0	6
249	CD69 cell surface expression identifies developing thymocytes which audition for T cell antigen receptor-mediated positive selection. International Immunology, 1993, 5, 1139-1150.	4.0	208
250	Decreased signaling competence as a result of receptor overexpression: overexpression of CD4 reduces its ability to activate p56lck tyrosine kinase and to regulate T-cell antigen receptor expression in immature CD4+CD8+ thymocytes.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 10534-10538.	7.1	25
251	In vivo calcium elevations in thymocytes with T cell receptors that are specific for self ligands. Science, 1992, 257, 96-99.	12.6	71
252	Ligand-stimulated signaling events in immature CD4+CD8+ thymocytes expressing competent T-cell receptor complexes.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 9949-9953.	7.1	31

#	ARTICLE	IF	CITATIONS
253	Novel post-translational regulation of TCR expression in CD4+CD8+ thymocytes influenced by CD4. Nature, 1990, 344, 247-251.	27.8	70
254	Inhibition of T cell receptor expression and function in immature CD4+CD8+ cells by CD4. Science, 1990, 249, 1558-1561.	12.6	131
255	Biochemical identification of I-J as a novel dimeric surface molecule on mouse helper and suppressor T cell clones. International Immunology, 1989, 1, 50-58.	4.0	20
256	Intrathymic signalling in immature CD4+ CD8+ thymocytes results in tyrosine phosphorylation of the T-cell receptor zeta chain. Nature, 1989, 341, 651-654.	27.8	137
257	Epitopes associated with major histocompatibility complex (MHC) restriction site of T cells IV. I-J epitopes on MHC-restricted cloned T cells. European Journal of Immunology, 1988, 18, 761-765.	2.9	24
258	Epitopes associated with MHC restriction site of T cells. III. I-J epitope on MHC-restricted T helper cells.. Journal of Experimental Medicine, 1987, 166, 1613-1626.	8.5	15