Pirkko Kortelainen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3088636/publications.pdf

Version: 2024-02-01

86 papers 13,919 citations

66343 42 h-index 80 g-index

90 all docs 90 docs citations

90 times ranked 10981 citing authors

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 1 | Iron in boreal river catchments: Biogeochemical, ecological and management implications. Science of the Total Environment, 2022, 805, 150256. | 8.0 | 8 |
| 2 | Shifting stoichiometry: Longâ€ŧerm trends in streamâ€dissolved organic matter reveal altered C:N ratios due to history of atmospheric acid deposition. Global Change Biology, 2022, 28, 98-114. | 9.5 | 22 |
| 3 | Stream Dissolved Organic Matter in Permafrost Regions Shows Surprising Compositional Similarities but Negative Priming and Nutrient Effects. Global Biogeochemical Cycles, 2021, 35, e2020GB006719. | 4.9 | 30 |
| 4 | Lakes in the era of global change: moving beyond single″ake thinking in maintaining biodiversity and ecosystem services. Biological Reviews, 2021, 96, 89-106. | 10.4 | 142 |
| 5 | Drainage for forestry increases N, P and TOC export to boreal surface waters. Science of the Total Environment, 2021, 762, 144098. | 8.0 | 46 |
| 6 | Gradients of Anthropogenic Nutrient Enrichment Alter N Composition and DOM Stoichiometry in Freshwater Ecosystems. Global Biogeochemical Cycles, 2021, 35, e2021GB006953. | 4.9 | 22 |
| 7 | Sources and sinks of greenhouse gases in the landscape: Approach for spatially explicit estimates. Science of the Total Environment, 2021, 781, 146668. | 8.0 | 9 |
| 8 | Lakes as nitrous oxide sources in the boreal landscape. Global Change Biology, 2020, 26, 1432-1445. | 9.5 | 28 |
| 9 | Landâ€use dominates climate controls on nitrogen and phosphorus export from managed and natural Nordic headwater catchments. Hydrological Processes, 2020, 34, 4831-4850. | 2.6 | 20 |
| 10 | Potential impacts of a future Nordic bioeconomy on surface water quality. Ambio, 2020, 49, 1722-1735. | 5 . 5 | 31 |
| 11 | Rising methane emissions from boreal lakes due to increasing ice-free days. Environmental Research Letters, 2020, 15, 064008. | 5.2 | 25 |
| 12 | Novel â€~chemical cocktails' in inland waters are a consequence of the freshwater salinization syndrome. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20180017. | 4.0 | 72 |
| 13 | Global changeâ€driven effects on dissolved organic matter composition: Implications for food webs of northern lakes. Global Change Biology, 2018, 24, 3692-3714. | 9.5 | 229 |
| 14 | Optimal Phosphorus Abatement Redefined: Insights From Coupled Element Cycles. Ecological Economics, 2017, 137, 13-19. | 5.7 | 36 |
| 15 | Spatial variations in the molecular diversity of dissolved organic matter in water moving through a boreal forest in eastern Finland. Scientific Reports, 2017, 7, 42102. | 3.3 | 24 |
| 16 | Runoff changes have a land cover specific effect on the seasonal fluxes of terminal electron acceptors in the boreal catchments. Science of the Total Environment, 2017, 601-602, 946-958. | 8.0 | 8 |
| 17 | Widespread Increases in Iron Concentration in European and North American Freshwaters. Global Biogeochemical Cycles, 2017, 31, 1488-1500. | 4.9 | 79 |
| 18 | The effect of iron on the biodegradation of natural dissolved organic matter. Journal of Geophysical Research G: Biogeosciences, 2016, 121, 2544-2561. | 3.0 | 11 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Current Browning of Surface Waters Will Be Further Promoted by Wetter Climate. Environmental Science and Technology Letters, 2016, 3, 430-435. | 8.7 | 257 |
| 20 | Regional Variability and Drivers of Below Ice CO2 in Boreal and Subarctic Lakes. Ecosystems, 2016, 19, 461-476. | 3.4 | 28 |
| 21 | Long-term trends (1975–2014) in the concentrations and export of carbon from Finnish rivers to the Baltic Sea: organic and inorganic components compared. Aquatic Sciences, 2016, 78, 505-523. | 1.5 | 42 |
| 22 | Boreal forests can have a remarkable role in reducing greenhouse gas emissions locally: Land use-related and anthropogenic greenhouse gas emissions and sinks at the municipal level. Science of the Total Environment, 2016, 557-558, 51-57. | 8.0 | 27 |
| 23 | Biomass offsets little or none of permafrost carbon release from soils, streams, and wildfire: an expert assessment. Environmental Research Letters, 2016, 11, 034014. | 5.2 | 199 |
| 24 | Land Cover Controls the Export of Terminal Electron Acceptors from Boreal Catchments. Ecosystems, 2015, 18, 343-358. | 3.4 | 17 |
| 25 | Spatial and temporal variability of organic C and N concentrations and export from 30 boreal rivers induced by land use and climate. Science of the Total Environment, 2015, 508, 145-154. | 8.0 | 44 |
| 26 | Dissolved organic matter in the Baltic Sea. Journal of Marine Systems, 2015, 142, 47-61. | 2.1 | 71 |
| 27 | Organic Carbon Concentration in the Northern Coastal Baltic Sea between 1975 and 2011. Estuaries and Coasts, 2015, 38, 466-481. | 2.2 | 29 |
| 28 | Environmental Impactsâ€"Freshwater Biogeochemistry. Regional Climate Studies, 2015, , 307-336. | 1.2 | 1 |
| 29 | Almost 50Âyears of monitoring shows that climate, not forestry, controls longâ€term organic carbon fluxes in a large boreal watershed. Global Change Biology, 2014, 20, 1225-1237. | 9.5 | 64 |
| 30 | Global carbon dioxide emissions from inland waters. Nature, 2013, 503, 355-359. | 27.8 | 1,670 |
| 31 | Iron concentrations are increasing in surface waters from forested headwater catchments in eastern Finland. Science of the Total Environment, 2013, 463-464, 683-689. | 8.0 | 68 |
| 32 | Carbon evasion/accumulation ratio in boreal lakes is linked to nitrogen. Global Biogeochemical Cycles, 2013, 27, 363-374. | 4.9 | 67 |
| 33 | Age and source of different forms of carbon released from boreal peatland streams during spring snowmelt in E. Finland. Biogeochemistry, 2012, 111, 273-286. | 3.5 | 35 |
| 34 | Carbon Dioxide in Boreal Surface Waters: A Comparison of Lakes and Streams. Ecosystems, 2012, 15, 1295-1307. | 3.4 | 61 |
| 35 | 36 year trends in dissolved organic carbon export from Finnish rivers to the Baltic Sea. Science of the Total Environment, 2012, 435-436, 188-201. | 8.0 | 67 |
| 36 | Global abundance and size distribution of streams and rivers. Inland Waters, 2012, 2, 229-236. | 2.2 | 257 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Carbon pools and fluxes in a chain of five boreal lakes: A dry and wet year comparison. Journal of Geophysical Research, 2011, 116, . | 3.3 | 71 |
| 38 | Nitrogen processes in aquatic ecosystems. , 2011, , 126-146. | | 46 |
| 39 | Stream water hydrochemistry as an indicator of carbon flow paths in Finnish peatland catchments during a spring snowmelt event. Science of the Total Environment, 2011, 409, 4858-4867. | 8.0 | 16 |
| 40 | Release of aquatic carbon from two peatland catchments in E. Finland during the spring snowmelt period. Biogeochemistry, 2011, 103, 125-142. | 3.5 | 61 |
| 41 | Organic and inorganic carbon concentrations and fluxes from managed and unmanaged boreal first-order catchments. Science of the Total Environment, 2010, 408, 1649-1658. | 8.0 | 57 |
| 42 | Effects of temperature and sediment properties on benthic CO ₂ production in an oligotrophic boreal lake. Freshwater Biology, 2010, 55, 1747-1757. | 2.4 | 28 |
| 43 | Methane dynamics in different boreal lake types. Biogeosciences, 2009, 6, 209-223. | 3.3 | 181 |
| 44 | Export of dissolved organic matter in relation to land use along a European climatic gradient. Science of the Total Environment, 2009, 407, 1967-1976. | 8.0 | 120 |
| 45 | Trends in hydrometeorological conditions and stream water organic carbon in boreal forested catchments. Science of the Total Environment, 2009, 408, 92-101. | 8.0 | 105 |
| 46 | Lakes and reservoirs as regulators of carbon cycling and climate. Limnology and Oceanography, 2009, 54, 2298-2314. | 3.1 | 1,977 |
| 47 | Controls of organic and inorganic carbon in randomly selected Boreal lakes in varied catchments. Biogeochemistry, 2008, 91, 151-162. | 3.5 | 39 |
| 48 | Sediment organic carbon burial in agriculturally eutrophic impoundments over the last century. Global Biogeochemical Cycles, 2008, 22, . | 4.9 | 399 |
| 49 | Increased organic C and N leaching in a northern boreal river basin in Finland. Global Biogeochemical Cycles, 2008, 22, . | 4.9 | 97 |
| 50 | Patterns and regulation of dissolved organic carbon: An analysis of 7,500 widely distributed lakes. Limnology and Oceanography, 2007, 52, 1208-1219. | 3.1 | 391 |
| 51 | Methane efflux from littoral vegetation stands of southern boreal lakes: An upscaled regional estimate. Atmospheric Environment, 2007, 41, 339-351. | 4.1 | 84 |
| 52 | Organic and minerogenic acidity in Finnish rivers in relation to land use and deposition. Science of the Total Environment, 2007, 383, 183-192. | 8.0 | 22 |
| 53 | Plumbing the Global Carbon Cycle: Integrating Inland Waters into the Terrestrial Carbon Budget. Ecosystems, 2007, 10, 172-185. | 3.4 | 2,836 |
| 54 | The global abundance and size distribution of lakes, ponds, and impoundments. Limnology and Oceanography, 2006, 51, 2388-2397. | 3.1 | 1,426 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Sediment respiration and lake trophic state are important predictors of large CO2 evasion from small boreal lakes. Global Change Biology, 2006, 12, 1554-1567. | 9.5 | 237 |
| 56 | Controls on the export of C, N, P and Fe from undisturbed boreal catchments, Finland. Aquatic Sciences, 2006, 68, 453-468. | 1.5 | 185 |
| 57 | Nitrogen in river basins: Sources, retention in the surface waters and peatlands, and fluxes to estuaries in Finland. Science of the Total Environment, 2006, 365, 238-259. | 8.0 | 78 |
| 58 | Organic carbon budget for the Gulf of Bothnia. Journal of Marine Systems, 2006, 63, 155-161. | 2.1 | 63 |
| 59 | Interannual variation and climatic regulation of the CO2 emission from large boreal lakes. Global Change Biology, 2005, 11 , $1368-1380$. | 9.5 | 121 |
| 60 | Export of DOM from Boreal Catchments: Impacts of Land Use Cover and Climate. Biogeochemistry, 2005, 76, 373-394. | 3.5 | 229 |
| 61 | A large carbon pool and small sink in boreal Holocene lake sediments. Global Change Biology, 2004, 10, 1648-1653. | 9.5 | 156 |
| 62 | Finnish Lake Survey: The Role of Catchment Attributes in Determining Nitrogen, Phosphorus, and Organic Carbon Concentrations. Water, Air and Soil Pollution, 2004, 4, 683-699. | 0.8 | 31 |
| 63 | Sulphate and base cation concentrations and export in streams from unmanaged forested catchments in Finland. Forest Ecology and Management, 2004, 195, 115-128. | 3.2 | 26 |
| 64 | Finnish Lake Survey: The Role of Catchment Attributes in Determining Nitrogen, Phosphorus, and Organic Carbon Concentrations., 2004, , 683-699. | | 8 |
| 65 | Brook Water Quality and Background Leaching from Unmanaged Forested Catchments in Finland. Water, Air, and Soil Pollution, 2003, 147, 275-298. | 2.4 | 84 |
| 66 | Long-Term Base Cation Balances of Forest Mineral Soils in Finland. Water, Air, and Soil Pollution, 2003, 150, 255-273. | 2.4 | 24 |
| 67 | Midsummer spatial variation in methane efflux from stands of littoral vegetation in a boreal meso-eutrophic lake. Freshwater Biology, 2003, 48, 1617-1629. | 2.4 | 38 |
| 68 | Carbon dioxide partial pressure and 13C content of north temperate and boreal lakes at spring ice melt. Limnology and Oceanography, 2001, 46, 941-945. | 3.1 | 160 |
| 69 | CH4, CO2 and N2O supersaturation in 12 Finnish lakes before and after ice-melt. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2000, 27, 1410-1414. | 0.1 | 17 |
| 70 | Leaching of Nutrients, Organic Carbon and Iron from Finnish Forestry Land. Water, Air, and Soil Pollution, 1998, 105, 239-250. | 2.4 | 54 |
| 71 | Dissolved organic carbon fractions in Finnish and Maine (USA) lakes. Environment International, 1998, 24, 521-525. | 10.0 | 18 |
| 72 | Leaching of nitrogen from forested catchments in Finland. Global Biogeochemical Cycles, 1997, 11, 627-638. | 4.9 | 111 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 73 | Acid neutralizing capacity of solutions containing organic acids isolated from Finnish lakes. Water, Air, and Soil Pollution, 1995, 85, 505-510. | 2.4 | 4 |
| 74 | Organic vs. minerogenic acidity in headwater streams in Finland. Water, Air, and Soil Pollution, 1995, 85, 559-564. | 2.4 | 25 |
| 75 | Effect of organic anions on acid neutralizing capacity in surface waters. Environment International, 1994, 20, 369-372. | 10.0 | 10 |
| 76 | Content of Total Organic Carbon in Finnish Lakes and Its Relationship to Catchment Characteristics. Canadian Journal of Fisheries and Aquatic Sciences, 1993, 50, 1477-1483. | 1.4 | 199 |
| 77 | Acid-base characteristics of organic carbon in the HUMEX lake Skjervatjern. Environment International, 1992, 18, 621-629. | 10.0 | 16 |
| 78 | Charge density of total organic carbon in Finnish lakes. Environmental Pollution, 1992, 77, 107-113. | 7. 5 | 10 |
| 79 | Finnish lake acidification survey: Survey design and random selection of lakes. Environmetrics, $1990, 1, 73-88$. | 1.4 | 31 |
| 80 | Statistical Lake Survey in Finland: Regional Estimates of Lake Acidification., 1990,, 759-780. | | 22 |
| 81 | Organic Acidity in Finnish Lakes. , 1990, , 849-863. | | 16 |
| 82 | The Importance of Organic Acidity in Finnish Lakes. , 1989, , 39-44. | | 0 |
| 83 | Finnish lake survey: the role of organic and anthropogenic acidity. Water, Air, and Soil Pollution, 1989, 46, 235-249. | 2.4 | 48 |
| 84 | Natural and anthropogenic acidity sources for Finnish Lakes. Water, Air, and Soil Pollution, 1988, 42, 341. | 2.4 | 27 |
| 85 | Acidity and humic matter in small forest lakes. Science of the Total Environment, 1987, 62, 343-344. | 8.0 | 0 |
| 86 | Nitrogen flows from European regional watersheds to coastal marine waters. , 0, , 271-297. | | 54 |