

Marina Botto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3093594/publications.pdf>

Version: 2024-02-01

88
papers

10,265
citations

53794

45
h-index

60623

81
g-index

93
all docs

93
docs citations

93
times ranked

10409
citing authors

#	ARTICLE	IF	CITATIONS
1	Immune gene expression and functional networks in distinct lupus nephritis classes. <i>Lupus Science and Medicine</i> , 2022, 9, e000615.	2.7	3
2	Microbial-driven preterm labour involves crosstalk between the innate and adaptive immune response. <i>Nature Communications</i> , 2022, 13, 975.	12.8	38
3	Reversible CD8 T cell–neuron cross-talk causes aging-dependent neuronal regenerative decline. <i>Science</i> , 2022, 376, eabd5926.	12.6	30
4	C3 Drives Inflammatory Skin Carcinogenesis Independently of C5. <i>Journal of Investigative Dermatology</i> , 2021, 141, 404-414.e6.	0.7	16
5	PD-1 blockade improves Kupffer cell bacterial clearance in acute liver injury. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	51
6	Type I interferons affect the metabolic fitness of CD8+ T cells from patients with systemic lupus erythematosus. <i>Nature Communications</i> , 2021, 12, 1980.	12.8	56
7	Longitudinal proteomic profiling of dialysis patients with COVID-19 reveals markers of severity and predictors of death. <i>ELife</i> , 2021, 10, .	6.0	58
8	Serum amyloid P component is an essential element of resistance against <i>Aspergillus fumigatus</i> . <i>Nature Communications</i> , 2021, 12, 3739.	12.8	18
9	Th1 responses in vivo require cell-specific provision of OX40L dictated by environmental cues. <i>Nature Communications</i> , 2020, 11, 3421.	12.8	13
10	Tumor Cells Hijack Macrophage-Produced Complement C1q to Promote Tumor Growth. <i>Cancer Immunology Research</i> , 2019, 7, 1091-1105.	3.4	153
11	AB1035â€¦MAFB-VARIANTS IN MULTICENTRIC CARPOTARSAL OSTEOLYSIS WITH NEPHROPATHY DO NOT SEEM TO AFFECT SERUM C1Q CONCENTRATION. , 2019, , .		0
12	C1q restrains autoimmunity and viral infection by regulating CD8 ⁺ T cell metabolism. <i>Science</i> , 2018, 360, 558-563.	12.6	133
13	252â€¦Examining the modulatory effects of anti-serine protease antibodies upon factor Xa, thrombin and complement interactions. <i>Rheumatology</i> , 2018, 57, .	1.9	0
14	Human Factor H Domains 6 and 7 Fused to IgG1 Fc Are Immunotherapeutic against <i>Neisseria gonorrhoeae</i> . <i>Journal of Immunology</i> , 2018, 201, 2700-2709.	0.8	18
15	Epithelial damage and tissue $\hat{3}$ T cells promote a unique tumor-protective IgE response. <i>Nature Immunology</i> , 2018, 19, 859-870.	14.5	92
16	Tissue-Restricted Adaptive Type 2 Immunity Is Orchestrated by Expression of the Costimulatory Molecule OX40L on Group 2 Innate Lymphoid Cells. <i>Immunity</i> , 2018, 48, 1195-1207.e6.	14.3	191
17	CD93 regulates central nervous system inflammation in two mouse models of autoimmune encephalomyelitis. <i>Immunology</i> , 2018, 155, 346-355.	4.4	29
18	Altered expression of signalling lymphocyte activation molecule receptors in T-cells from lupus nephritis patientsâ€”a potential biomarker of disease activity. <i>Rheumatology</i> , 2017, 56, 1206-1216.	1.9	12

#	ARTICLE	IF	CITATIONS
19	Effect of irradiation/bone marrow transplantation on alveolar epithelial type II cells is aggravated in surfactant protein D deficient mice. <i>Histochemistry and Cell Biology</i> , 2017, 147, 49-61.	1.7	5
20	Complement C3 Exacerbates Imiquimod-Induced Skin Inflammation and Psoriasisiform Dermatitis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 760-763.	0.7	16
21	B cell OX40L supports T follicular helper cell development and contributes to SLE pathogenesis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 2095-2103.	0.9	41
22	Hyposialylated IgG activates endothelial IgG receptor FcγRIIB to promote obesity-induced insulin resistance. <i>Journal of Clinical Investigation</i> , 2017, 128, 309-322.	8.2	82
23	Multi-functional mechanisms of immune evasion by the streptococcal complement inhibitor C5a peptidase. <i>PLoS Pathogens</i> , 2017, 13, e1006493.	4.7	55
24	The paradoxical roles of C1q and C3 in autoimmunity. <i>Immunobiology</i> , 2016, 221, 719-725.	1.9	37
25	C1q Modulates the Response to TLR7 Stimulation by Pristane-Primed Macrophages: Implications for Pristane-Induced Lupus. <i>Journal of Immunology</i> , 2016, 196, 1488-1494.	0.8	18
26	C1q acts in the tumour microenvironment as a cancer-promoting factor independently of complement activation. <i>Nature Communications</i> , 2016, 7, 10346.	12.8	224
27	Complement receptor 3 mediates renal protection in experimental C3 glomerulopathy. <i>Kidney International</i> , 2016, 89, 823-832.	5.2	7
28	Bacillus anthracis Spore Surface Protein BclA Mediates Complement Factor H Binding to Spores and Promotes Spore Persistence. <i>PLoS Pathogens</i> , 2016, 12, e1005678.	4.7	30
29	Intranasal peptide-induced tolerance and linked suppression: consequences of complement deficiency. <i>Immunology</i> , 2015, 144, 149-157.	4.4	5
30	Autophagy is activated in systemic lupus erythematosus and required for plasmablast development. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 912-920.	0.9	203
31	CD55 deposited on synovial collagen fibers protects from immune complex-mediated arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 6.	3.5	19
32	Complement C1q-induced activation of β-catenin signalling causes hypertensive arterial remodelling. <i>Nature Communications</i> , 2015, 6, 6241.	12.8	51
33	Triglyceride-Rich Lipoproteins Modulate the Distribution and Extravasation of Ly6C/Gr1low Monocytes. <i>Cell Reports</i> , 2015, 12, 1802-1815.	6.4	33
34	C1q as a unique player in angiogenesis with therapeutic implication in wound healing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4209-4214.	7.1	140
35	Mechanisms of complement activation by dextran-coated superparamagnetic iron oxide (SPIO) nanoworms in mouse versus human serum. <i>Particle and Fibre Toxicology</i> , 2014, 11, 64.	6.2	79
36	C3 opsonization regulates endocytic handling of apoptotic cells resulting in enhanced T-cell responses to cargo-derived antigens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 1503-1508.	7.1	65

#	ARTICLE	IF	CITATIONS
37	Integrin CD11b positively regulates TLR4-induced signalling pathways in dendritic cells but not in macrophages. <i>Nature Communications</i> , 2014, 5, 3039.	12.8	139
38	IL-10-producing regulatory B cells induced by IL-33 (BregIL-33) effectively attenuate mucosal inflammatory responses in the gut. <i>Journal of Autoimmunity</i> , 2014, 50, 107-122.	6.5	158
39	A1.69â€¦C1q is absolutely required for disease development in experimental arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A30.1-A30.	0.9	0
40	Phagocytosis Is the Main CR3-Mediated Function Affected by the Lupus-Associated Variant of CD11b in Human Myeloid Cells. <i>PLoS ONE</i> , 2013, 8, e57082.	2.5	58
41	C1q enhances cone photoreceptor survival in a mouse model of autosomal recessive retinitis pigmentosa. <i>European Journal of Human Genetics</i> , 2012, 20, 64-68.	2.8	13
42	Distinct roles for complement in glomerulonephritis and atherosclerosis revealed in mice with a combination of lupus and hyperlipidemia. <i>Arthritis and Rheumatism</i> , 2012, 64, 2707-2718.	6.7	21
43	The Inhibiting Fc Receptor for IgG, FcÎ³RIIB, Is a Modifier of Autoimmune Susceptibility. <i>Journal of Immunology</i> , 2011, 187, 1304-1313.	0.8	103
44	Mice lacking C1q or C3 show accelerated rejection of minor H disparate skin grafts and resistance to induction of tolerance. <i>European Journal of Immunology</i> , 2010, 40, 1758-1767.	2.9	32
45	Antibodies to human serum amyloid P component eliminate visceral amyloid deposits. <i>Nature</i> , 2010, 468, 93-97.	27.8	290
46	Identification and Characterization of a Lupus Suppressor 129 Locus on Chromosome 3. <i>Journal of Immunology</i> , 2010, 184, 6256-6265.	0.8	11
47	The Alternative Pathway Is Critical for Pathogenic Complement Activation in Endotoxin- and Diet-Induced Atherosclerosis in Low-Density Lipoprotein Receptor-Deficient Mice. <i>Circulation</i> , 2010, 122, 1948-1956.	1.6	54
48	SLE with C1q deficiency treated with fresh frozen plasma: a 10-year experience. <i>Rheumatology</i> , 2010, 49, 823-824.	1.9	53
49	Immunoglobulin M Is Required for Protection Against Atherosclerosis in Low-Density Lipoprotein Receptor-Deficient Mice. <i>Circulation</i> , 2009, 120, 417-426.	1.6	221
50	Decay-Accelerating Factor Suppresses Complement C3 Activation and Retards Atherosclerosis in Low-Density Lipoprotein Receptor-Deficient Mice. <i>American Journal of Pathology</i> , 2009, 175, 1757-1767.	3.8	41
51	C1q enhances IFN-Î³ production by antigen-specific T cells via the CD40 costimulatory pathway on dendritic cells. <i>Blood</i> , 2009, 113, 3485-3493.	1.4	57
52	C1q deficiency promotes the production of transgenic-derived IgM and IgG3 autoantibodies in anti-DNA knock-in transgenic mice. <i>Molecular Immunology</i> , 2008, 45, 787-795.	2.2	13
53	Accelerated Atherosclerosis in Low Density Lipoprotein Receptor Deficient Mice Lacking the Membrane Complement Regulator CD59. <i>FASEB Journal</i> , 2008, 22, 902.1.	0.5	0
54	Decay-Accelerating Factor plays a critical atheroprotective role in Low Density Lipoprotein deficient (ldlr ^{-/-}) mice. <i>FASEB Journal</i> , 2008, 22, 902.2.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Genetic Dissection of Spontaneous Autoimmunity Driven by 129-Derived Chromosome 1 Loci When Expressed on C57BL/6 Mice. <i>Journal of Immunology</i> , 2007, 178, 2352-2360.	0.8	58
56	Increased Positive Selection of B1 Cells and Reduced B Cell Tolerance to Intracellular Antigens in c1q-Deficient Mice. <i>Journal of Immunology</i> , 2007, 178, 2916-2922.	0.8	32
57	Serum Amyloid P Aids Complement-Mediated Immunity to <i>Streptococcus pneumoniae</i> . <i>PLoS Pathogens</i> , 2007, 3, e120.	4.7	87
58	Efficient clearance of opsonised apoptotic cells in the absence of PECAM-1. <i>Molecular Immunology</i> , 2007, 44, 1135-1140.	2.2	4
59	The Studies in Various Murine Strains with Defects in Activation of Complement Cascade (CC) Reveal Both Pivotal and Pleiotropic Role of CC in Mobilization of Hematopoietic Stem/Progenitor Cells.. <i>Blood</i> , 2007, 110, 774-774.	1.4	0
60	Genetic Manipulation. , 2006, , 563-589.		0
61	Predominant role of IgM-dependent activation of the classical pathway in the clearance of dying cells by murine bone marrow-derived macrophages in vitro. <i>European Journal of Immunology</i> , 2005, 35, 252-260.	2.9	155
62	Spontaneous Autoimmunity in 129 and C57BL/6 Mice—Implications for Autoimmunity Described in Gene-Targeted Mice. <i>PLoS Biology</i> , 2004, 2, e243.	5.6	170
63	Monocytosis and accelerated activation of lymphocytes in C1q-deficient autoimmune-prone mice. <i>Immunology</i> , 2004, 113, 80-88.	4.4	19
64	Complement C1q regulates LPS-induced cytokine production in bone marrow-derived dendritic cells. <i>European Journal of Immunology</i> , 2004, 34, 221-230.	2.9	69
65	Restoration of C1q levels by bone marrow transplantation attenuates autoimmune disease associated with C1q deficiency in mice. <i>European Journal of Immunology</i> , 2004, 34, 3713-3722.	2.9	44
66	The Role of Complement in the Development of Systemic Lupus Erythematosus. <i>Annual Review of Immunology</i> , 2004, 22, 431-456.	21.8	471
67	Phosphatidylserine receptor and apoptosis: consequences of a non-ingested meal. <i>Arthritis Research</i> , 2004, 6, 147.	2.0	2
68	Role of Surfactant Proteins A, D, and C1q in the Clearance of Apoptotic Cells In Vivo and In Vitro: Calreticulin and CD91 as a Common Collectin Receptor Complex. <i>Journal of Immunology</i> , 2002, 169, 3978-3986.	0.8	495
69	C1q Deficiency and Autoimmunity: The Effects of Genetic Background on Disease Expression. <i>Journal of Immunology</i> , 2002, 168, 2538-2543.	0.8	227
70	C1q, Autoimmunity and Apoptosis. <i>Immunobiology</i> , 2002, 205, 395-406.	1.9	250
71	Non-redundant role of the long pentraxin PTX3 in anti-fungal innate immune response. <i>Nature</i> , 2002, 420, 182-186.	27.8	636
72	Uncontrolled C3 activation causes membranoproliferative glomerulonephritis in mice deficient in complement factor H. <i>Nature Genetics</i> , 2002, 31, 424-428.	21.4	461

#	ARTICLE	IF	CITATIONS
73	Reconstitution of the Complement Function in C1q-Deficient (C1qa ^{-/-}) Mice with Wild-Type Bone Marrow Cells. <i>Journal of Immunology</i> , 2001, 167, 4033-4037.	0.8	101
74	Ultraviolet-Radiation-Induced Keratinocyte Apoptosis in C1q-Deficient Mice. <i>Journal of Investigative Dermatology</i> , 2001, 117, 52-58.	0.7	40
75	Intact B cell tolerance in the absence of the first component of the classical complement pathway. <i>European Journal of Immunology</i> , 2001, 31, 2087-2093.	2.9	28
76	Temporary depletion of complement component C3 or genetic deficiency of C1q significantly delays onset of scrapie. <i>Nature Medicine</i> , 2001, 7, 485-487.	30.7	206
77	Complement facilitates early prion pathogenesis. <i>Nature Medicine</i> , 2001, 7, 488-492.	30.7	301
78	Accelerated Nephrotoxic Nephritis Is Exacerbated in C1q-Deficient Mice. <i>Journal of Immunology</i> , 2001, 166, 6820-6828.	0.8	83
79	Continual Low-Level Activation of the Classical Complement Pathway. <i>Journal of Experimental Medicine</i> , 2001, 194, 747-756.	8.5	56
80	Altered major histocompatibility complex class II peptide loading in H2-O-deficient mice. <i>European Journal of Immunology</i> , 2000, 30, 2871-2880.	2.9	46
81	A Hierarchical Role for Classical Pathway Complement Proteins in the Clearance of Apoptotic Cells in Vivo. <i>Journal of Experimental Medicine</i> , 2000, 192, 359-366.	8.5	696
82	Cloning of the mouse homolog of the 126-kDa human C1q/MBL/SP-A receptor, C1qR p. <i>Mammalian Genome</i> , 1999, 10, 789-793.	2.2	20
83	Homozygous C1q deficiency causes glomerulonephritis associated with multiple apoptotic bodies. <i>Nature Genetics</i> , 1998, 19, 56-59.	21.4	1,361
84	C1q and Systemic Lupus Erythematosus. <i>Immunobiology</i> , 1998, 199, 265-285.	1.9	370
85	T Cell-dependent Immune Response in C1q-deficient Mice: Defective Interferon γ Production by Antigen-specific T Cells. <i>Journal of Experimental Medicine</i> , 1998, 187, 1789-1797.	8.5	92
86	A Targeted Disruption of the Murine Complement Factor B Gene Resulting in Loss of Expression of Three Genes in Close Proximity, Factor B, C2, and D17H6S45. <i>Journal of Biological Chemistry</i> , 1998, 273, 1699-1704.	3.4	60
87	C1q Knock-Out Mice for the Study of Complement Deficiency in Autoimmune Disease. <i>Experimental and Clinical Immunogenetics</i> , 1998, 15, 231-234.	1.2	95
88	Amyloid deposition is delayed in mice with targeted deletion of the serum amyloid P component gene. <i>Nature Medicine</i> , 1997, 3, 855-859.	30.7	239