

# Li Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3094076/publications.pdf>

Version: 2024-02-01

105  
papers

3,538  
citations

147801

31  
h-index

155660

55  
g-index

108  
all docs

108  
docs citations

108  
times ranked

4041  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental Disorders as Causal Systems. <i>Clinical Psychological Science</i> , 2015, 3, 836-849.	4.0	404
2	Psychometric properties of the 10-item Connor-Davidson Resilience Scale in Chinese earthquake victims. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 499-504.	1.8	272
3	The underlying dimensions of DSM-5 posttraumatic stress disorder symptoms in an epidemiological sample of Chinese earthquake survivors. <i>Journal of Anxiety Disorders</i> , 2014, 28, 345-351.	3.2	208
4	One year later: Mental health problems among survivors in hard-hit areas of the Wenchuan earthquake. <i>Public Health</i> , 2011, 125, 293-300.	2.9	134
5	Assessing the underlying dimensionality of DSM-5 PTSD symptoms in Chinese adolescents surviving the 2008 Wenchuan earthquake. <i>Journal of Anxiety Disorders</i> , 2015, 31, 90-97.	3.2	113
6	Mental Health Problems among Children One-Year after Sichuan Earthquake in China: A Follow-up Study. <i>PLoS ONE</i> , 2011, 6, e14706.	2.5	106
7	Symptoms of posttraumatic stress disorder among adult survivors three months after the Sichuan earthquake in China. <i>Journal of Traumatic Stress</i> , 2009, 22, 444-450.	1.8	101
8	Assessing a five factor model of PTSD: Is dysphoric arousal a unique PTSD construct showing differential relationships with anxiety and depression?. <i>Journal of Anxiety Disorders</i> , 2012, 26, 368-376.	3.2	83
9	A Survey on the Generalized Problematic Internet Use in Chinese College Students and its Relations to Stressful Life Events and Coping Style. <i>International Journal of Mental Health and Addiction</i> , 2009, 7, 333-346.	7.4	73
10	Diagnostic Utility of the PTSD Checklist in Detecting PTSD in Chinese Earthquake Victims. <i>Psychological Reports</i> , 2010, 107, 733-739.	1.7	72
11	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021, 26, 4315-4330.	7.9	69
12	Posttraumatic Stress Disorder Symptom Structure in Chinese Adolescents Exposed to a Deadly Earthquake. <i>Journal of Abnormal Child Psychology</i> , 2011, 39, 749-758.	3.5	64
13	Neurological Soft Signs and Their Relationships to Neurocognitive Functions: A Re-Visit with the Structural Equation Modeling Design. <i>PLoS ONE</i> , 2009, 4, e8469.	2.5	63
14	Response inhibition in adolescent earthquake survivors with and without posttraumatic stress disorder: A combined behavioral and ERP study. <i>Neuroscience Letters</i> , 2010, 486, 117-121.	2.1	63
15	Comparing alternative factor models of PTSD symptoms across earthquake victims and violent riot witnesses in China: Evidence for a five-factor model proposed by. <i>Journal of Anxiety Disorders</i> , 2011, 25, 771-776.	3.2	62
16	Mental Health Problems among the Survivors in the Hard-Hit Areas of the Yushu Earthquake. <i>PLoS ONE</i> , 2012, 7, e46449.	2.5	61
17	Anxiety, depression, and PTSD symptoms among high school students in china in response to the COVID-19 pandemic and lockdown. <i>Journal of Affective Disorders</i> , 2022, 296, 126-129.	4.1	60
18	Post-traumatic stress symptoms in COVID-19 survivors: a self-report and brain imaging follow-up study. <i>Molecular Psychiatry</i> , 2021, 26, 7475-7480.	7.9	56

#	ARTICLE	IF	CITATIONS
19	Sex differences in global and local connectivity of adolescent posttraumatic stress disorder symptoms. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 216-224.	5.2	54
20	PAC1 receptor (ADCYAP1R1) genotype is associated with PTSD's emotional numbing symptoms in Chinese earthquake survivors. <i>Journal of Affective Disorders</i> , 2013, 150, 156-159.	4.1	53
21	The association between disaster exposure and media use on post-traumatic stress disorder following Typhoon Hato in Macao, China. <i>HÅrre Utbildning</i> , 2019, 10, 1558709.	3.0	53
22	Obesity, altered oxidative stress, and clinical correlates in chronic schizophrenia patients. <i>Translational Psychiatry</i> , 2018, 8, 258.	4.8	52
23	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021, 26, 4331-4343.	7.9	52
24	Neuroticism, extraversion, emotion regulation, negative affect and positive affect: The mediating roles of reappraisal and suppression. <i>Social Behavior and Personality</i> , 2009, 37, 193-194.	0.6	51
25	Testing the dimensional structure of DSM-5 posttraumatic stress disorder symptoms in a nonclinical trauma-exposed adolescent sample. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016, 57, 204-212.	5.2	48
26	Posttraumatic Stress Disorder, Anxiety and Depression among the Elderly: A Survey of the Hard-hit Areas a Year after the Wenchuan Earthquake. <i>Stress and Health</i> , 2012, 28, 61-68.	2.6	45
27	Patterns of DSM-5 posttraumatic stress disorder and depression symptoms in an epidemiological sample of Chinese earthquake survivors: A latent profile analysis. <i>Journal of Affective Disorders</i> , 2015, 186, 58-65.	4.1	42
28	Testing the dimensionality of posttraumatic stress responses in young Chinese adult earthquake survivors: further evidence for œdysphoric arousal as a unique PTSD construct. <i>Depression and Anxiety</i> , 2011, 28, 1097-1104.	4.1	37
29	The underlying dimensions of DSM-5 PTSD symptoms and their relations with anxiety and depression in a sample of adolescents exposed to an explosion accident. <i>HÅrre Utbildning</i> , 2017, 8, 1272789.	3.0	37
30	Symptoms of Posttraumatic Stress Disorder among Adult Survivors Two Months after the Wenchuan Earthquake. <i>Psychological Reports</i> , 2009, 105, 879-885.	1.7	36
31	Characteristics of pro- and anti-inflammatory cytokines alteration in PTSD patients exposed to a deadly earthquake. <i>Journal of Affective Disorders</i> , 2019, 248, 52-58.	4.1	34
32	Glucose disturbances, cognitive deficits and white matter abnormalities in first-episode drug-naïve schizophrenia. <i>Molecular Psychiatry</i> , 2020, 25, 3220-3230.	7.9	34
33	Exploratory and Confirmatory Factor Analysis of a Short-Form of the EMBU among Chinese Adolescents. <i>Psychological Reports</i> , 2012, 110, 263-275.	1.7	33
34	Factor structure of DSM-5 PTSD symptoms in trauma-exposed adolescents: Examining stability across time. <i>Journal of Anxiety Disorders</i> , 2017, 52, 88-94.	3.2	33
35	DSM-5 Posttraumatic Stress Disorder Symptom Structure in Disaster-Exposed Adolescents: Stability across Gender and Relation to Behavioral Problems. <i>Journal of Abnormal Child Psychology</i> , 2017, 45, 803-814.	3.5	32
36	A psychometric study of the Test of Everyday Attention for Children in the Chinese setting. <i>Archives of Clinical Neuropsychology</i> , 2008, 23, 455-466.	0.5	31

#	ARTICLE	IF	CITATIONS
37	Confirmatory factor analysis of posttraumatic stress symptoms assessed by the Impact of Event Scale-Revised in Chinese earthquake victims: Examining factor structure and its stability across sex. <i>Journal of Anxiety Disorders</i> , 2011, 25, 369-375.	3.2	29
38	Patterns of Posttraumatic Stress Disorder Symptoms and Posttraumatic Growth in an Epidemiological Sample of Chinese Earthquake Survivors: A Latent Profile Analysis. <i>Frontiers in Psychology</i> , 2018, 9, 1549.	2.1	27
39	Symptoms of Posttraumatic Stress Disorder among Health Care Workers in Earthquake-Affected Areas in Southwest China. <i>Psychological Reports</i> , 2010, 106, 555-561.	1.7	26
40	Latent structure of posttraumatic stress disorder symptoms in an adolescent sample one month after an earthquake. <i>Journal of Adolescence</i> , 2013, 36, 717-725.	2.4	25
41	Altered resting-state functional connectivity of the amygdala in Chinese earthquake survivors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 208-214.	4.8	25
42	Posttraumatic stress or posttraumatic growth? Using network analysis to explore the relationships between coping styles and trauma outcomes. <i>Journal of Anxiety Disorders</i> , 2021, 78, 102359.	3.2	25
43	Factor structure of acute stress disorder symptoms in Chinese earthquake victims: A confirmatory factor analysis of the acute stress disorder scale. <i>Personality and Individual Differences</i> , 2010, 48, 798-802.	2.9	21
44	Support for the association between RORA gene polymorphisms and the DSM-5 posttraumatic stress disorder symptoms in male earthquake survivors in China. <i>Asian Journal of Psychiatry</i> , 2017, 25, 138-141.	2.0	21
45	A DRD2/ANKK1/COMT Interaction, Consisting of Functional Variants, Confers Risk of Post-traumatic Stress Disorder in Traumatized Chinese. <i>Frontiers in Psychiatry</i> , 2018, 9, 170.	2.6	20
46	The dimensionality of PTSD symptoms and their relationship to health-related quality of life in Chinese earthquake survivors. <i>Journal of Anxiety Disorders</i> , 2012, 26, 711-718.	3.2	18
47	Stathmin genotype is associated with reexperiencing symptoms of posttraumatic stress disorder in Chinese earthquake survivors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 296-300.	4.8	18
48	DSM-5 posttraumatic stress symptom dimensions and health-related quality of life among Chinese earthquake survivors. <i>HÅgre Utbildning</i> , 2018, 9, 1468710.	3.0	18
49	Assessing possible DSM-5 ASD subtypes in a sample of victims meeting caseness for DSM-5 ASD based on self-report following multiple forms of traumatic exposure. <i>Journal of Anxiety Disorders</i> , 2015, 31, 84-89.	3.2	17
50	An overview of posttraumatic stress disorder genetic studies by analyzing and integrating genetic data into genetic database PTSDgene. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 83, 647-656.	6.1	17
51	Assessing Relations between PTSD's Dysphoria and Reexperiencing Factors and Dimensions of Rumination. <i>PLoS ONE</i> , 2015, 10, e0118435.	2.5	16
52	Correlation between hypothalamic-pituitary-adrenal axis gene polymorphisms and posttraumatic stress disorder symptoms. <i>Hormones and Behavior</i> , 2020, 117, 104604.	2.1	16
53	The relationship between response inhibition and posttraumatic stress symptom clusters in adolescent earthquake survivors: An event-related potential study. <i>Scientific Reports</i> , 2015, 5, 8844.	3.3	15
54	The Mini-IPIP Scale: Psychometric Features and Relations with PTSD Symptoms of Chinese Earthquake Survivors. <i>Psychological Reports</i> , 2012, 111, 641-651.	1.7	14

#	ARTICLE	IF	CITATIONS
55	The Factor Structure of Posttraumatic Stress Disorder Symptoms in Patients With Traumatic Spinal Cord Injuries. <i>Archives of Psychiatric Nursing</i> , 2014, 28, 301-304.	1.4	14
56	Posttraumatic Stress Disorder and executive dysfunction among children and adolescents: A Latent Profile Analysis. <i>International Journal of Clinical and Health Psychology</i> , 2019, 19, 228-236.	5.1	14
57	Anger as an underlying dimension of posttraumatic stress disorder. <i>Psychiatry Research</i> , 2018, 267, 535-540.	3.3	13
58	Interactive effects of corticotropin-releasing hormone receptor 1 gene and work stress on burnout in medical professionals in a Chinese Han population. <i>Journal of Affective Disorders</i> , 2019, 252, 1-8.	4.1	13
59	Error consciousness predicts physiological response to an acute psychosocial stressor in men. <i>Psychoneuroendocrinology</i> , 2017, 83, 84-90.	2.7	12
60	Serotonin transporter 5-HTTLPR genotype is associated with intrusion and avoidance symptoms of DSM-5 posttraumatic stress disorder (PTSD) in Chinese earthquake survivors. <i>Anxiety, Stress and Coping</i> , 2018, 31, 318-327.	2.9	12
61	FKBP5 Genotype Linked to Combined PTSD-Depression Symptom in Chinese Earthquake Survivors. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 863-871.	1.9	12
62	The preliminary investigation of orexigenic hormone gene polymorphisms on posttraumatic stress disorder symptoms. <i>Psychoneuroendocrinology</i> , 2019, 100, 131-136.	2.7	12
63	Sex differences in the association between symptoms and superoxide dismutase in patients with never-treated first-episode schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 325-334.	2.6	12
64	Impact of COVID-19 on psychological wellbeing. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100252.	5.1	11
65	Neuropeptide Y Gene × Environment Interaction Predicts Resilience and Positive Future Focus. <i>Applied Psychology: Health and Well-Being</i> , 2019, 11, 438-458.	3.0	10
66	The interactive effect of genetic polymorphisms of IL-10 and COMT on cognitive function in schizophrenia. <i>Journal of Psychiatric Research</i> , 2021, 136, 501-507.	3.1	10
67	The structure of acute stress disorder among Chinese adults exposed to an earthquake: Is dysphoric arousal a unique construct of acute posttraumatic responses?. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 430-436.	1.5	9
68	Oxytocin is associated with PTSD's anxious arousal symptoms in Chinese male earthquake survivors. <i>HÅrre Utbildning</i> , 2014, 5, 26530.	3.0	9
69	Hair cortisone level is associated with PTSD's dysphoric arousal symptoms in highly traumatized Chinese females. <i>Journal of Affective Disorders</i> , 2015, 182, 18-22.	4.1	9
70	Altered Gray Matter Volume and Its Correlation With PTSD Severity in Chinese Earthquake Survivors. <i>Frontiers in Psychiatry</i> , 2018, 9, 629.	2.6	9
71	Association between the OXTR rs53576 genotype and latent profiles of post-traumatic stress disorder and depression symptoms in a representative sample of earthquake survivors. <i>Anxiety, Stress and Coping</i> , 2020, 33, 140-147.	2.9	9
72	Neural correlates of posttraumatic anhedonia symptoms: Decreased functional connectivity between ventral pallidum and default mode network regions. <i>Journal of Psychiatric Research</i> , 2021, 140, 30-34.	3.1	9

#	ARTICLE	IF	CITATIONS
73	Gender difference in motives of knowledge searching: Measurement invariance and factor mean comparison of the interest/deprivation epistemic curiosity. , 2010, , .		8
74	TPH2 genotype is associated with PTSD's avoidance symptoms in Chinese female earthquake survivors. <i>Psychiatric Genetics</i> , 2014, 24, 257-261.	1.1	8
75	The Relationship between Cortisol Activity during Cognitive Task and Posttraumatic Stress Symptom Clusters. <i>PLoS ONE</i> , 2015, 10, e0144315.	2.5	8
76	An epistasis between dopaminergic and oxytocinergic systems confers risk of post-traumatic stress disorder in a traumatized Chinese cohort. <i>Scientific Reports</i> , 2019, 9, 19252.	3.3	8
77	Post-traumatic stress symptoms of children and adolescents exposed to the 2008 Wenchuan Earthquake: A longitudinal study of 5-HTTLPR genotype main effects and gene-environment interactions. <i>International Journal of Psychology</i> , 2021, 56, 22-29.	2.8	8
78	Increased anticipatory contingent negative variation in posttraumatic stress disorder. <i>Biological Psychology</i> , 2016, 117, 80-88.	2.2	7
79	Depicting the associations between different forms of psychopathology in trauma-exposed adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 827-837.	4.7	7
80	A comparison of ICD-11 and DSM-5 criteria for PTSD among a representative sample of Chinese earthquake survivors. <i>HÅgre Utbildning</i> , 2020, 11, 1760481.	3.0	7
81	Association of negative symptoms with cognitive impairment in Chinese Han patients with chronic schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 292-298.	2.4	7
82	PTSD Latent Classes and Class Transitions Predicted by Distress and Fear Disorders in Disaster-Exposed Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2019, 48, 332-342.	3.4	6
83	The factor structure of major depressive symptoms in a sample of Chinese earthquake survivors. <i>BMC Psychiatry</i> , 2021, 21, 59.	2.6	6
84	Rasch Analysis of Work-Family Conflict Scale Among Chinese Prison Police. <i>Frontiers in Psychology</i> , 2021, 12, 537005.	2.1	6
85	The "weakest link" as an indicator of cognitive vulnerability differentially predicts symptom dimensions of anxiety in adolescents in China. <i>Journal of Anxiety Disorders</i> , 2017, 50, 69-75.	3.2	5
86	Test of the dynamic interplay between DSM-5 PTSD symptom clusters in children and adolescents. <i>Journal of Anxiety Disorders</i> , 2020, 76, 102319.	3.2	5
87	The ADCYAP1R1 Gene Is Correlated With Posttraumatic Stress Disorder Symptoms Through Diverse Epistases in a Traumatized Chinese Population. <i>Frontiers in Psychiatry</i> , 2021, 12, 665599.	2.6	5
88	Age-Related Change in Emotional Experience in a Sample of Chinese Adults: A Preliminary Study. <i>Psychological Reports</i> , 2009, 105, 37-42.	1.7	4
89	Psychophysiological correlates between emotional response inhibition and posttraumatic stress symptom clusters. <i>Scientific Reports</i> , 2018, 8, 16876.	3.3	4
90	Item response analysis of the Geriatric Anxiety Inventory among the elderly in China: dimensionality and differential item functioning test. <i>BMC Geriatrics</i> , 2019, 19, 313.	2.7	4

#	ARTICLE	IF	CITATIONS
91	An Item-Based Analysis of PTSD Emotional Numbing Symptoms in Disaster-Exposed Children and Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2020, 48, 1303-1311.	3.5	4
92	Factor Structure and Multi-Group Measurement Invariance of Posttraumatic Stress Disorder Symptoms Assessed by the PCL-5. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2020, 42, 364-376.	1.2	4
93	Latent profile analysis of PTSD and dissociation, and relations with anger. <i>Current Psychology</i> , 2022, 41, 1595-1602.	2.8	4
94	The COMT gene variant is associated with depression's decreased positive affect symptoms in Chinese adults. <i>PsyCh Journal</i> , 2014, 3, 264-272.	1.1	3
95	The relationship between negative expressivity, anger, and PTSD symptom clusters. <i>Psychiatry Research</i> , 2016, 243, 1-4.	3.3	3
96	An exploration of the DSM-5 posttraumatic stress disorder symptom latent variable network. <i>HÅrgre Utbildning</i> , 2020, 11, 1759279.	3.0	3
97	Psychometric properties and measurement invariance of the emotion regulation questionnaire in Chinese left-behind children. <i>Current Psychology</i> , 2023, 42, 8833-8843.	2.8	3
98	The relationship between cognitive impairment and superoxide dismutase activity in untreated first-episode patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 517-524.	2.6	3
99	Prevalence and Predictors of Posttraumatic Stress Disorder Among Chinese Youths After an Earthquake. <i>Social Behavior and Personality</i> , 2013, 41, 1613-1623.	0.6	2
100	Towards a dimensional model of depression: Evidence from Chinese samples. <i>PsyCh Journal</i> , 2014, 3, 231-233.	1.1	2
101	Oxytocin receptor variant rs53576 genotype is associated with dysphoric arousal symptoms of DSM-5 posttraumatic stress disorder in Chinese earthquake survivors. <i>Chinese Journal of Traumatology - English Edition</i> , 2021, 24, 209-213.	1.4	1
102	The mechanisms of histone modification in post-traumatic stress disorder. <i>Advances in Psychological Science</i> , 2022, 30, 98-114.	0.3	1
103	Internal Consistencies and Structural Analysis of the MMPI-2 PSY-5 Facet Subscales in Chinese Population. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 150-155.	1.2	0
104	How much personality is genetic-determined? The known evidence and future directions. <i>Chinese Science Bulletin</i> , 2016, 61, 952-957.	0.7	0
105	DSM-5 Posttraumatic Stress Disorder Symptoms in Nonclinical Samples of Chinese and Pakistani Trauma-Exposed Adults. <i>Journal of Nervous and Mental Disease</i> , 2022, 210, 439-445.	1.0	0