
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3096116/publications.pdf Version: 2024-02-01



Ιινις Ημλ Ζηλο

#	Article	IF	CITATIONS
1	Genome-wide association study identifies 48 common genetic variants associated with handedness. Nature Human Behaviour, 2021, 5, 59-70.	12.0	79
2	Actionable druggable genome-wide Mendelian randomization identifies repurposing opportunities for COVID-19. Nature Medicine, 2021, 27, 668-676.	30.7	120
3	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. Nature Communications, 2020, 11, 163.	12.8	466
4	Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. Molecular Psychiatry, 2019, 24, 1920-1932.	7.9	44
5	Disentangling the genetics of lean mass. American Journal of Clinical Nutrition, 2019, 109, 276-287.	4.7	38
6	Associations of autozygosity with a broad range of human phenotypes. Nature Communications, 2019, 10, 4957.	12.8	84
7	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. American Journal of Epidemiology, 2019, 188, 1033-1054.	3.4	85
8	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. Nature Communications, 2019, 10, 376.	12.8	64
9	Multi-ancestry genome-wide gene–smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. Nature Genetics, 2019, 51, 636-648.	21.4	112
10	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. Nature Genetics, 2019, 51, 481-493.	21.4	350
11	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. Nature Genetics, 2019, 51, 452-469.	21.4	89
12	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. American Journal of Human Genetics, 2018, 102, 375-400.	6.2	123
13	Multiancestry association study identifies new asthma risk loci that colocalize with immune-cell enhancer marks. Nature Genetics, 2018, 50, 42-53.	21.4	426
14	Life-Course Genome-wide Association Study Meta-analysis of Total Body BMD and Assessment of Age-Specific Effects. American Journal of Human Genetics, 2018, 102, 88-102.	6.2	252
15	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. American Journal of Human Genetics, 2018, 103, 691-706.	6.2	326
16	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. Nature Genetics, 2018, 50, 1112-1121.	21.4	1,835
17	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. PLoS ONE, 2018, 13, e0198166.	2.5	94
18	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41.	21.4	286

#	Article	IF	CITATIONS
19	Evidence for large-scale gene-by-smoking interaction effects on pulmonary function. International Journal of Epidemiology, 2017, 46, dyw318.	1.9	36
20	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	27.8	544
21	Genome-wide association analyses for lung function and chronic obstructive pulmonary disease identify new loci and potential druggable targets. Nature Genetics, 2017, 49, 416-425.	21.4	257
22	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. Nature Genetics, 2017, 49, 834-841.	21.4	426
23	Loss of Cardioprotective Effects at the <i>ADAMTS7</i> Locus as a Result of Gene-Smoking Interactions. Circulation, 2017, 135, 2336-2353.	1.6	51
24	Genome-wide association study meta-analysis for quantitative ultrasound parameters of bone identifies five novel loci for broadband ultrasound attenuation. Human Molecular Genetics, 2017, 26, 2791-2802.	2.9	32
25	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. Nature Communications, 2017, 8, 14977.	12.8	169
26	Genome-wide physical activity interactions in adiposity ― A meta-analysis of 200,452 adults. PLoS Genetics, 2017, 13, e1006528.	3.5	158
27	Genome-wide associations for birth weight and correlations with adult disease. Nature, 2016, 538, 248-252.	27.8	406
28	General Framework for Metaâ€Analysis of Haplotype Association Tests. Genetic Epidemiology, 2016, 40, 244-252.	1.3	0
29	<i>KLB</i> is associated with alcohol drinking, and its gene product β-Klotho is necessary for FGF21 regulation of alcohol preference. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 14372-14377.	7.1	208
30	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. Nature Communications, 2016, 7, 13357.	12.8	74
31	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184.	21.4	362
32	Meta-analysis of gene–environment-wide association scans accounting for education level identifies additional loci for refractive error. Nature Communications, 2016, 7, 11008.	12.8	104
33	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. Science Translational Medicine, 2016, 8, 341ra76.	12.4	100
34	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. Nature Genetics, 2016, 48, 1462-1472.	21.4	284
35	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. Diabetes, 2016, 65, 803-817.	0.6	131
36	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. Nature Communications, 2016, 7, 10495.	12.8	245

3

#	Article	IF	CITATIONS
37	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. Human Molecular Genetics, 2016, 25, 358-370.	2.9	73
38	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	3.5	331
39	Sixteen new lung function signals identified through 1000 Genomes Project reference panel imputation. Nature Communications, 2015, 6, 8658.	12.8	108
40	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
41	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. Nature Communications, 2015, 6, 5897.	12.8	173
42	Directional dominance on stature and cognition inÂdiverse human populations. Nature, 2015, 523, 459-462.	27.8	173
43	Molecular mechanisms underlying variations in lung function: a systems genetics analysis. Lancet Respiratory Medicine,the, 2015, 3, 782-795.	10.7	66
44	Integrative pathway genomics of lung function and airflow obstruction. Human Molecular Genetics, 2015, 24, 6836-6848.	2.9	28
45	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. Molecular Psychiatry, 2015, 20, 647-656.	7.9	235
46	Novel Approach Identifies SNPs in SLC2A10 and KCNK9 with Evidence for Parent-of-Origin Effect on Body Mass Index. PLoS Genetics, 2014, 10, e1004508.	3.5	80
47	Power Estimation for Gene-Longevity Association Analysis Using Concordant Twins. Genetics Research International, 2014, 2014, 1-8.	2.0	1
48	Genome-wide association analysis identifies six new loci associated with forced vital capacity. Nature Genetics, 2014, 46, 669-677.	21.4	131
49	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. American Journal of Human Genetics, 2014, 95, 24-38.	6.2	109
50	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. Nature, 2014, 514, 92-97.	27.8	548
51	Hierarchical linear modeling of longitudinal pedigree data for genetic association analysis. BMC Proceedings, 2014, 8, S82.	1.6	8
52	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	21.4	1,818
53	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. Nature Genetics, 2013, 45, 145-154.	21.4	675
54	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. Nature Genetics, 2013, 45, 501-512.	21.4	578

#	Article	IF	CITATIONS
55	Genome-wide meta-analysis of observational studies shows common genetic variants associated with macronutrient intake. American Journal of Clinical Nutrition, 2013, 97, 1395-1402.	4.7	210
56	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. PLoS Genetics, 2013, 9, e1003500.	3.5	371
57	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. Nature Genetics, 2013, 45, 76-82.	21.4	293
58	Genome-Wide Joint Meta-Analysis of SNP and SNP-by-Smoking Interaction Identifies Novel Loci for Pulmonary Function. PLoS Genetics, 2012, 8, e1003098.	3.5	130
59	Candidate genes for obesity-susceptibility show enriched association within a large genome-wide association study for BMI. Human Molecular Genetics, 2012, 21, 4537-4542.	2.9	36
60	Genome-Wide Association Studies Identify <i>CHRNA5/3</i> and <i>HTR4</i> in the Development of Airflow Obstruction. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 622-632.	5.6	164
61	Mixed Modeling with Whole Genome Data. Journal of Probability and Statistics, 2012, 2012, 1-16.	0.7	1
62	Seventy-five genetic loci influencing the human red blood cell. Nature, 2012, 492, 369-375.	27.8	320
63	Genome-wide meta-analysis of common variant differences between men and women. Human Molecular Genetics, 2012, 21, 4805-4815.	2.9	33
64	FTO genotype is associated with phenotypic variability of body mass index. Nature, 2012, 490, 267-272.	27.8	383
65	A Latent Variable Partial Least Squares Path Modeling Approach to Regional Association and Polygenic Effect with Applications to a Human Obesity Study. PLoS ONE, 2012, 7, e31927.	2.5	11
66	Variability in the Heritability of Body Mass Index: A Systematic Review and Meta-Regression. Frontiers in Endocrinology, 2012, 3, 29.	3.5	489
67	Genome-Wide Association Studies of Asthma in Population-Based Cohorts Confirm Known and Suggested Loci and Identify an Additional Association near HLA. PLoS ONE, 2012, 7, e44008.	2.5	111
68	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. Nature, 2011, 478, 103-109.	27.8	1,855
69	New gene functions in megakaryopoiesis and platelet formation. Nature, 2011, 480, 201-208.	27.8	401
70	Long-term maternal recall of obstetric complications in schizophrenia research. Psychiatry Research, 2011, 187, 335-340.	3.3	25
71	CUBN Is a Gene Locus for Albuminuria. Journal of the American Society of Nephrology: JASN, 2011, 22, 555-570.	6.1	208
72	Effect of Five Genetic Variants Associated with Lung Function on the Risk of Chronic Obstructive Lung Disease, and Their Joint Effects on Lung Function. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 786-795.	5.6	128

#	Article	IF	CITATIONS
73	Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. Nature Genetics, 2011, 43, 1005-1011.	21.4	403
74	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. Nature Genetics, 2011, 43, 1082-1090.	21.4	367
75	A Comprehensive Evaluation of Potential Lung Function Associated Genes in the SpiroMeta General Population Sample. PLoS ONE, 2011, 6, e19382.	2.5	56
76	On Genotype-Phenotype Association using SAS. , 2011, , .		0
77	Power assessment for genetic association study of human longevity using offspring of long-lived subjects. European Journal of Epidemiology, 2010, 25, 501-506.	5.7	13
78	Biological, clinical and population relevance of 95 loci for blood lipids. Nature, 2010, 466, 707-713.	27.8	3,249
79	Hundreds of variants clustered in genomic loci and biological pathways affect human height. Nature, 2010, 467, 832-838.	27.8	1,789
80	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. Nature Genetics, 2010, 42, 142-148.	21.4	591
81	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. Nature Genetics, 2010, 42, 436-440.	21.4	581
82	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. Nature Genetics, 2010, 42, 949-960.	21.4	836
83	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nature Genetics, 2010, 42, 937-948.	21.4	2,634
84	Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. Nature Genetics, 2010, 42, 1077-1085.	21.4	445
85	Genetic Variants Influencing Circulating Lipid Levels and Risk of Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 2264-2276.	2.4	369
86	Genetic Susceptibility to Obesity and Related Traits in Childhood and Adolescence. Diabetes, 2010, 59, 2980-2988.	0.6	120
87	Physical Activity Attenuates the Genetic Predisposition to Obesity in 20,000 Men and Women from EPIC-Norfolk Prospective Population Study. PLoS Medicine, 2010, 7, e1000332.	8.4	230
88	Mining gene networks with application to GAW15 Problem 1. BMC Proceedings, 2007, 1, S52.	1.6	1
89	Pedigree-drawing with R and graphviz. Bioinformatics, 2006, 22, 1013-1014.	4.1	18