

# Tara Gomes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3098299/publications.pdf>

Version: 2024-02-01

281  
papers

10,533  
citations

47006

47  
h-index

40979

93  
g-index

287  
all docs

287  
docs citations

287  
times ranked

12211  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Impact of changes in opioid funding and clinical policies on rapid tapering of opioids in Ontario, Canada. <i>Pain</i> , 2022, 163, e129-e136.   | 4.2 | 3         |
| 2  | Trends in Hospitalizations for Serious Infections Among People With Opioid Use Disorder in Ontario, Canada. <i>Journal of Addiction Medicine</i> , 2022, 16, 433-439.  | 2.6 | 16        |
| 3  | Receipt of Overactive Bladder Drugs and Incident Dementia: A Population-based Case-control Study. <i>European Urology Focus</i> , 2022, 8, 1433-1440.  | 3.1 | 5         |
| 4  | The effects of COVID-19 on the dispensing rates of antidepressants and benzodiazepines in Canada. <i>Depression and Anxiety</i> , 2022, 39, 156-162.   | 4.1 | 14        |
| 5  | Association Between Prescription Opioid Therapy for Noncancer Pain and Hepatitis C Virus Seroconversion. <i>JAMA Network Open</i> , 2022, 5, e2143050.   | 5.9 | 1         |
| 6  | OUP accepted manuscript. <i>Journal of Antimicrobial Chemotherapy</i> , 2022, , .  | 3.0 | 0         |
| 7  | Comparisons of Insulin Spending and Price Between Canada and the United States. <i>Mayo Clinic Proceedings</i> , 2022, 97, 573-578.  | 3.0 | 2         |
| 8  | Perioperative opioid-prescribing practices of resident trainees compared with staff surgeons. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 859-860.e2.  | 1.3 | 2         |
| 9  | Characterizing safer supply prescribing of immediate release hydromorphone for individuals with opioid use disorder across Ontario, Canada. <i>International Journal of Drug Policy</i> , 2022, 102, 103601.                       | 3.3 | 22        |
| 10 | Interprovincial variation in antibiotic use in Canada, 2019: a retrospective cross-sectional study. <i>CMAJ Open</i> , 2022, 10, E262-E268.  | 2.4 | 2         |
| 11 | Association Between Increased Dispensing of Opioid Agonist Therapy Take-Home Doses and Opioid Overdose and Treatment Interruption and Discontinuation. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 846. | 7.4 | 43        |
| 12 | Duration of use and outcomes among people with opioid use disorder initiating methadone and buprenorphine in Ontario: a population-based propensity-score matched cohort study. <i>Addiction</i> , 2022, 117, 1972-1981.           | 3.3 | 9         |
| 13 | Nationwide Trends in Dispensing of Sodium Glucose Cotransporter 2 Inhibitors. <i>Canadian Journal of Hospital Pharmacy</i> , 2022, 75, 104-107.  | 0.1 | 1         |
| 14 | Addressing the overdose crisis in North America with bold action. <i>Addiction</i> , 2022, 117, 1194-1196.   | 3.3 | 8         |
| 15 | Impact of the COVID-19 pandemic on the provision of take-home doses of opioid agonist therapy in Ontario, Canada: A population-based time-series analysis. <i>International Journal of Drug Policy</i> , 2022, 103, 103644.        | 3.3 | 17        |
| 16 | Evaluation of definitions for oral anticoagulant-associated major bleeding: A population-based cohort study. <i>Thrombosis Research</i> , 2022, 213, 57-64.  | 1.7 | 2         |
| 17 | Opioid prescribing practices in chronic kidney disease: a population-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 2408-2417.   | 0.7 | 1         |
| 18 | Regional differences in access to direct-acting antiviral treatments for hepatitis C across Ontario: A cross-sectional study. <i>Canada Communicable Disease Report</i> , 2022, 48, 170-178.                                       | 1.3 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Risk of Ventricular Dysrhythmia or Sudden Death in Patients Receiving Serotonin Reuptake Inhibitors With Methadone: A Population-Based Study. <i>Frontiers in Pharmacology</i> , 2022, 13, 861953.  | 3.5 | 1         |
| 20 | Uptake of biosimilar drugs in Canada: analysis of provincial policies and usage data. <i>Cmaj</i> , 2022, 194, E556-E560.   | 2.0 | 5         |
| 21 | Identifying the changing age distribution of opioid-related mortality with high-frequency data. <i>PLoS ONE</i> , 2022, 17, e0265509.   | 2.5 | 1         |
| 22 | Impact of acetaminophen product labelling changes in Canada on hospital admissions for accidental acetaminophen overdose: a population-based study. <i>Cmaj</i> , 2022, 194, E542-E548.   | 2.0 | 7         |
| 23 | Impact of the COVID-19 pandemic on the prevalence of opioid agonist therapy discontinuation in Ontario, Canada: a population-based time series analysis. <i>Drug and Alcohol Dependence</i> , 2022, 236, 109459.  | 3.2 | 6         |
| 24 | Evaluating interventions to facilitate opioid agonist treatment access among people who inject drugs in Toronto, Ontario during COVID-19 pandemic restrictions. <i>International Journal of Drug Policy</i> , 2022, 104, 103680.  | 3.3 | 6         |
| 25 | Evaluating the population-level effects of oxycodone restrictions on prescription opioid utilization in Ontario. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, , .  | 1.9 | 1         |
| 26 | International trends in prescription opioid sales among developed and developing economies, and the impact of the COVID-19 pandemic: A cross-sectional analysis of 66 countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 779-787.   | 1.9 | 5         |
| 27 | Risk of suicide death following electroconvulsive therapy treatment for depression: a propensity score-weighted, retrospective cohort study in Canada. <i>Lancet Psychiatry</i> , 2022, 9, 435-446.   | 7.4 | 16        |
| 28 | Impact of a publicly funded pharmacy-dispensed naloxone program on fatal opioid overdose rates: A population-based study. <i>Drug and Alcohol Dependence</i> , 2022, 236, 109473.   | 3.2 | 3         |
| 29 | Categorization of Opioid Use Among Pregnant People and Association With Overdose or Death. <i>JAMA Network Open</i> , 2022, 5, e2214688.  | 5.9 | 5         |
| 30 | Association of obstructive sleep apnea and opioids use on adverse health outcomes: A population study of health administrative data. <i>PLoS ONE</i> , 2022, 17, e0269112.  | 2.5 | 3         |
| 31 | Metronidazole-associated Neurologic Events: A Nested Case-control Study. <i>Clinical Infectious Diseases</i> , 2021, 72, 2095-2100.   | 5.8 | 21        |
| 32 | Trends in HIV pre-exposure prophylaxis uptake in Ontario, Canada, and impact of policy changes: a population-based analysis of projected pharmacy data (2015-2018). <i>Canadian Journal of Public Health</i> , 2021, 112, 89-96.  | 2.3 | 11        |
| 33 | Patient-level Characteristics and Inequitable Access to Inpatient Electroconvulsive Therapy for Depression: A Population-based Cross-sectional Study: Caractéristiques au niveau du patient et accès inéquitable à la thérapie électroconvulsive pour patients hospitalisés. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 147-158. | 1.9 | 13        |
| 34 | Impact of a Publicly Funded Herpes Zoster Immunization Program on the Burden of Disease in Ontario, Canada: A Population-based Study. <i>Clinical Infectious Diseases</i> , 2021, 72, 279-284.  | 5.8 | 8         |
| 35 | Impact of policy changes on the provision of naloxone by pharmacies in Ontario, Canada: a population-based time-series analysis. <i>Addiction</i> , 2021, 116, 1514-1520.   | 3.3 | 11        |
| 36 | Sodium-glucose cotransporter-2 inhibitors versus dipeptidyl peptidase-4 inhibitors and the risk of heart failure: A nationwide cohort study of older adults with diabetes mellitus. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 950-960.  | 4.4 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Initial opioid prescription patterns and the risk of ongoing use and adverse outcomes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 379-389.   | 1.9 | 12        |
| 38 | Potential Cost Implications of Mandatory Non-€Medical Switching Policies for Biologics for Rheumatic Conditions and Inflammatory Bowel Disease in Canada. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 109, 739-745.               | 4.7 | 16        |
| 39 | Medication use and its impact on high-cost health care users among older adults: protocol for the population-based matched cohort HiCOSTT study. <i>CMAJ Open</i> , 2021, 9, E44-E52.   | 2.4 | 2         |
| 40 | Prevalence of Prenatal Opioid Exposure in Ontario, Canada, 2014-2019. <i>JAMA Network Open</i> , 2021, 4, e2037388.   | 5.9 | 14        |
| 41 | Identifying Risk Factors for Diabetic Ketoacidosis Associated with SGLT2 Inhibitors: a Nationwide Cohort Study in the USA. <i>Journal of General Internal Medicine</i> , 2021, 36, 2601-2607.   | 2.6 | 9         |
| 42 | Comparison of public and private payments for direct-acting antivirals (DAAs) across Canada. <i>Canadian Liver Journal</i> , 2021, 4, 426-429.  | 0.9 | 4         |
| 43 | Rates of rebleeding, thrombosis and mortality associated with resumption of anticoagulant therapy after anticoagulant-related bleeding. <i>Cmaj</i> , 2021, 193, E304-E309.   | 2.0 | 13        |
| 44 | A qualitative study of a publicly funded pharmacy-dispensed naloxone program. <i>International Journal of Drug Policy</i> , 2021, 92, 103146.   | 3.3 | 16        |
| 45 | Choppy waters: The importance of accounting for shifting drug utilization during the COVID-19 pandemic in future observational drug-related studies. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 649-651.            | 2.5 | 4         |
| 46 | Prescribing trends in direct-acting antivirals for the treatment of hepatitis C in Ontario, Canada. <i>Canadian Liver Journal</i> , 2021, 4, 51-58.   | 0.9 | 5         |
| 47 | Cohort profile: development and characteristics of a retrospective cohort of individuals dispensed prescription opioids for non-cancer pain in British Columbia, Canada. <i>BMJ Open</i> , 2021, 11, e043586.                               | 1.9 | 5         |
| 48 | Effect of listing strategies on utilization of antitumor necrosis factor biologics infliximab and etanercept: a cross-sectional analysis from Ontario, Canada. <i>Journal of Managed Care &amp; Specialty Pharmacy</i> , 2021, 27, 444-452. | 0.9 | 2         |
| 49 | Prescription opioid characteristics at initiation for non-cancer pain and risk of treated opioid use disorder: A population-based study. <i>Drug and Alcohol Dependence</i> , 2021, 221, 108601.  | 3.2 | 5         |
| 50 | Impact of COVID-19 on Prescribing Trends of Direct-Acting Antivirals for the Treatment of Hepatitis C in Ontario, Canada. <i>American Journal of Gastroenterology</i> , 2021, 116, 1738-1740.   | 0.4 | 4         |
| 51 | Adverse event rates associated with oral anticoagulant treatment early versus later after hospital discharge in older adults: a retrospective population-based cohort study. <i>CMAJ Open</i> , 2021, 9, E364-E375.                         | 2.4 | 4         |
| 52 | Adherence at 2 years with distribution of essential medicines at no charge: The CLEAN Meds randomized clinical trial. <i>PLoS Medicine</i> , 2021, 18, e1003590.  | 8.4 | 9         |
| 53 | Association of Opioid Consumption Profiles After Hospitalization With Risk of Adverse Health Care Events. <i>JAMA Network Open</i> , 2021, 4, e218782.  | 5.9 | 20        |
| 54 | A practical overview and decision tool for analyzing recurrent events in mental illness: A review. <i>Journal of Psychiatric Research</i> , 2021, 137, 7-13.  | 3.1 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Measuring the Burden of Opioid-Related Mortality in Ontario, Canada, During the COVID-19 Pandemic. <i>JAMA Network Open</i> , 2021, 4, e2112865.  | 5.9 | 54        |
| 56 | Trends in Postpartum Opioid Prescribing: A Time Series Analysis. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 1004-1010.  | 4.7 | 3         |
| 57 | Dental Opioid Prescription Characteristics and the Risk of New, Persistent Use. <i>American Journal of Preventive Medicine</i> , 2021, 60, 831-839.   | 3.0 | 9         |
| 58 | Inequities in access to primary care among opioid recipients in Ontario, Canada: A population-based cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003631.  | 8.4 | 4         |
| 59 | Opioid Prescribing Practices for Women Undergoing Elective Gynecologic Surgery. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1325-1333.e3.   | 0.6 | 19        |
| 60 | Measuring the impacts of the <i>Using Antibiotics Wisely</i> campaign on Canadian community utilization of oral antibiotics for respiratory tract infections: a time-series analysis from 2015 to 2019. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2472-2478. | 3.0 | 7         |
| 61 | Comparative effectiveness and safety of sodium-glucose cotransporter-2 inhibitors versus metformin in patients with type 2 diabetes: An observational study using data from routine care. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2320-2328.                    | 4.4 | 12        |
| 62 | Risk of serious medical events in patients with depression treated with electroconvulsive therapy: a propensity score-matched, retrospective cohort study. <i>Lancet Psychiatry</i> , 2021, 8, 686-695.   | 7.4 | 36        |
| 63 | Impact of Clinical Practice Guidelines on Blood Glucose Test Strip Prescription Rates in Manitoba and Saskatchewan (Canada): An Interrupted Time-Series Analysis. <i>Canadian Journal of Diabetes</i> , 2021, 45, 557-565.e2.   | 0.8 | 1         |
| 64 | Trends and outcomes of serious complications associated with non-fatal opioid overdoses in Ontario, Canada. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108830.   | 3.2 | 9         |
| 65 | Greater than the Sum: Applying Daily-Dose Equivalents to Antipsychotic Prescription Claims to Study Real-World Effects. <i>Frontiers in Pharmacology</i> , 2021, 12, 709349.  | 3.5 | 1         |
| 66 | The association between prescription opioid dispensing and opioid-related morbidity and mortality in Ontario, Canada: an ecological study of public health units. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108989.   | 3.2 | 7         |
| 67 | Concordance between high antibiotic prescribing and high opioid prescribing among primary care physicians: a cross-sectional study. <i>CMAJ Open</i> , 2021, 9, E175-E180.  | 2.4 | 1         |
| 68 | Identification of Prenatal Opioid Exposure Within Health Administrative Databases. <i>Pediatrics</i> , 2021, 147, .   | 2.1 | 7         |
| 69 | Assessment of Stimulant Use and Cardiovascular Event Risks Among Older Adults. <i>JAMA Network Open</i> , 2021, 4, e2130795.  | 5.9 | 17        |
| 70 | Comparison of claims from high-drug cost beneficiaries in Ontario, Canada, and Australia: a cross-sectional analysis. <i>CMAJ Open</i> , 2021, 9, E1048-E1054.  | 2.4 | 0         |
| 71 | Language proficiency and warfarin-related adverse events in older immigrants and Canadian residents: a population-based cohort study. <i>Drugs and Therapy Perspectives</i> , 2021, 37, 590-598.  | 0.6 | 1         |
| 72 | New Opioid Use and Risk of Emergency Department Visits Related to Motor Vehicle Collisions in Ontario, Canada. <i>JAMA Network Open</i> , 2021, 4, e2134248.  | 5.9 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Prescription opioid treatment for non-cancer pain and initiation of injection drug use: large retrospective cohort study. <i>BMJ, The</i> , 2021, 375, e066965.   | 6.0 | 15        |
| 74 | Validation of self-reported opioid agonist treatment among people who inject drugs using prescription dispensation records. <i>Epidemiology</i> , 2021, Publish Ahead of Print, .   | 2.7 | 3         |
| 75 | The impact of proposed regulatory changes and rescheduling on low-dose codeine purchasing in Canada: a time-series analysis. <i>CMAJ Open</i> , 2021, 9, E1181-E1186.   | 2.4 | 1         |
| 76 | Projected impact of biosimilar substitution policies on drug use and costs in Ontario, Canada: a cross-sectional time series analysis. <i>CMAJ Open</i> , 2021, 9, E1055-E1062.   | 2.4 | 5         |
| 77 | Extent of a valsartan drug shortage and its effect on antihypertensive drug use in the Canadian population: a national cross-sectional study. <i>CMAJ Open</i> , 2021, 9, E1128-E1133.  | 2.4 | 10        |
| 78 | Effect of listing strategies on utilization of antitumor necrosis factor biologics infliximab and etanercept: a cross-sectional analysis from Ontario, Canada. <i>Journal of Managed Care &amp; Specialty Pharmacy</i> , 2021, 27, 444-452.   | 0.9 | 1         |
| 79 | Effect on Treatment Adherence of Distributing Essential Medicines at No Charge. <i>JAMA Internal Medicine</i> , 2020, 180, 27.  | 5.1 | 41        |
| 80 | Trends in opioid use before critical illness among elderly patients in Ontario. <i>Journal of Critical Care</i> , 2020, 55, 128-133.  | 2.2 | 1         |
| 81 | Comprehensive Drug-Class Review Framework for improved evidence-based drug policy and formulary modernization. <i>International Journal of Technology Assessment in Health Care</i> , 2020, 36, 12-19.  | 0.5 | 5         |
| 82 | Assessing the impact of an opioid prescribing guideline for dentists in Ontario, Canada. <i>Journal of the American Dental Association</i> , 2020, 151, 43-50.  | 1.5 | 6         |
| 83 | One-Year Mortality After Emergency Department Visit for Nonfatal Opioid Poisoning: A Population-Based Analysis. <i>Annals of Emergency Medicine</i> , 2020, 75, 20-28.  | 0.6 | 19        |
| 84 | Spending on Hepatitis C Antivirals in the United States and Canada, 2014 to 2018. <i>Value in Health</i> , 2020, 23, 1137-1141.   | 0.3 | 14        |
| 85 | Fall-Related Hospitalizations in Nursing Home Residents Co-Prescribed a Cholinesterase Inhibitor and Beta-Blocker. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2516-2524.   | 2.6 | 3         |
| 86 | Geographic variation in the provision of naloxone by pharmacies in Ontario, Canada: A population-based small area variation analysis. <i>Drug and Alcohol Dependence</i> , 2020, 216, 108238.   | 3.2 | 9         |
| 87 | New Opioid Use after Invasive Mechanical Ventilation and Hospital Discharge. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 568-575.  | 5.6 | 34        |
| 88 | Effect of Academic Detailing on Promoting Appropriate Prescribing of Antipsychotic Medication in Nursing Homes. <i>JAMA Network Open</i> , 2020, 3, e205724.  | 5.9 | 12        |
| 89 | The Role of the Medical School Training on Physician Opioid Prescribing Practices: Evidence from Ontario, Canada: Le rôle de la formation à la faculté de médecine à l'égard des pratiques de prescription d'opioïdes des médecins: données probantes d'Ontario, Canada. <i>Canadian Journal of Psychiatry</i> , 2020, 65, 710-720. | 1.9 | 2         |
| 90 | Opioid use and initiation of positive airway pressure treatment in adults referred for sleep disorder assessment: An explanatory population-based study. <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , 2020, 4, 194-204.  | 0.5 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Evaluation of opioid discontinuation after non-orthopaedic surgery among chronic opioid users: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2020, 124, 281-291.   | 3.4 | 14        |
| 92  | Oxycodone, Hydromorphone, and the Risk of Suicide: A Retrospective Population-Based Caseâ€“Control Study. <i>Drug Safety</i> , 2020, 43, 737-743.   | 3.2 | 3         |
| 93  | Characteristics of highâ€“drug-cost beneficiaries of public drug plans in 9 Canadian provinces: a cross-sectional analysis. <i>CMAJ Open</i> , 2020, 8, E297-E303.  | 2.4 | 3         |
| 94  | Evaluating the intended and unintended consequences of opioid-prescribing interventions on primary care in British Columbia, Canada: protocol for a retrospective population-based cohort study. <i>BMJ Open</i> , 2020, 10, e038724. | 1.9 | 3         |
| 95  | Analysis of Trends in Insulin Utilization and Spending Across Canada From 2010 to 2015. <i>Canadian Journal of Diabetes</i> , 2019, 43, 179-185.e1.   | 0.8 | 11        |
| 96  | Healthcare resource utilization and costs among patients with direct oral anticoagulant or warfarin-related major bleeding. <i>Thrombosis Research</i> , 2019, 182, 12-19.  | 1.7 | 10        |
| 97  | Association of Mirabegron With the Risk of Arrhythmia in Adult Patients 66 Years or Olderâ€“A Population-Based Cohort Study. <i>JAMA Internal Medicine</i> , 2019, 179, 1436.   | 5.1 | 6         |
| 98  | The uptake of the pharmacy-dispensed naloxone kit program in Ontario: A population-based study. <i>PLoS ONE</i> , 2019, 14, e0223589.   | 2.5 | 27        |
| 99  | Association Between Angiotensin-Converting Enzyme Inhibitors, Angiotensin Receptor Blockers, and Suicide. <i>JAMA Network Open</i> , 2019, 2, e1913304.   | 5.9 | 19        |
| 100 | Time trends in opioid prescribing among Ontario long-term care residents: a repeated cross-sectional study. <i>CMAJ Open</i> , 2019, 7, E582-E589.  | 2.4 | 14        |
| 101 | â€œLike being put on an ice floe and shoved awayâ€“ A qualitative study of the impacts of opioid-related policy changes on people who take opioids. <i>International Journal of Drug Policy</i> , 2019, 66, 15-22.                    | 3.3 | 63        |
| 102 | Tramadol and the risk of seizure: nested case-control study of US patients with employer-sponsored health benefits. <i>BMJ Open</i> , 2019, 9, e026705.   | 1.9 | 16        |
| 103 | Impact of delisting highâ€“strength opioid formulations from a public drug benefit formulary on opioid utilization in Ontario, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 726-733.                               | 1.9 | 14        |
| 104 | Evaluation of the fentanyl patch-for-patch program in Ontario, Canada. <i>International Journal of Drug Policy</i> , 2019, 66, 82-86.   | 3.3 | 8         |
| 105 | Antipsychotic initiation among adults with intellectual and developmental disabilities in Ontario: a population-based cohort study. <i>BMJ Open</i> , 2019, 9, e028125.   | 1.9 | 10        |
| 106 | Incremental healthcare utilisation and costs among new senior high-cost users in Ontario, Canada: a retrospective matched cohort study. <i>BMJ Open</i> , 2019, 9, e028637.   | 1.9 | 6         |
| 107 | Unplanned index hospital admissions among new older high-cost health care users in Ontario: a population-based matched cohort study. <i>CMAJ Open</i> , 2019, 7, E537-E545.   | 2.4 | 6         |
| 108 | Understanding the Implications of a Shifting Opioid Landscape in Ontario. <i>Healthcare Quarterly (Toronto, Ont)</i> , 2019, 22, 6-11.  | 0.5 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Rates of Infective Endocarditis in Substance Use Disorder and Associated Costs in Ontario. <i>Canadian Journal of Addiction</i> , 2019, 10, 36-43.  | 0.4 | 10        |
| 110 | Association of Patient, Prescriber, and Region With the Initiation of First Prescription of Biologic Disease-Modifying Antirheumatic Drug Among Older Patients With Rheumatoid Arthritis and Identical Health Insurance Coverage. <i>JAMA Network Open</i> , 2019, 2, e1917053. | 5.9 | 15        |
| 111 | Do Diagnostic and Procedure Codes Within Population-Based, Administrative Datasets Accurately Identify Patients with Rectal Cancer?. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 367-376.  | 1.7 | 0         |
| 112 | Impact of timing of methadone initiation on perinatal outcomes following delivery among pregnant women on methadone maintenance therapy in Ontario. <i>Addiction</i> , 2019, 114, 268-277.  | 3.3 | 5         |
| 113 | Quality of primary care among individuals receiving treatment for opioid use disorder. <i>Canadian Family Physician</i> , 2019, 65, 343-351.  | 0.4 | 18        |
| 114 | Trends in the use of older overactive bladder agents and uptake of fesoterodine and mirabegron in Canada. <i>Neurourology and Urodynamics</i> , 2018, 37, 1693-1700.  | 1.5 | 3         |
| 115 | Trends and uptake of new formulations of controlled-release oxycodone in Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 520-525.   | 1.9 | 6         |
| 116 | Catastrophic drug coverage: utilization insights from the Ontario Trillium Drug Program. <i>CMAJ Open</i> , 2018, 6, E132-E138.   | 2.4 | 4         |
| 117 | Effectiveness of Oral Bisphosphonates in Reducing Fracture Risk Among Oral Glucocorticoid Users: Three Matched Cohort Analyses. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 419-429.  | 2.8 | 45        |
| 118 | Antipsychotic Use With and Without Comorbid Psychiatric Diagnosis Among Adults with Intellectual and Developmental Disabilities. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 361-369.   | 1.9 | 56        |
| 119 | Opioid Use After ICU Admission Among Elderly Chronic Opioid Users in Ontario: A Population-Based Cohort Study. <i>Critical Care Medicine</i> , 2018, 46, 1934-1942.   | 0.9 | 13        |
| 120 | Measuring the Burden of Opioid-related Mortality in Ontario, Canada. <i>Journal of Addiction Medicine</i> , 2018, 12, 418-419.  | 2.6 | 43        |
| 121 | Regional variation in healthcare spending and mortality among senior high-cost healthcare users in Ontario, Canada: a retrospective matched cohort study. <i>BMC Geriatrics</i> , 2018, 18, 262.  | 2.7 | 14        |
| 122 | Interprovincial Variation of Psychotropic Prescriptions Dispensed to Older Canadian Adults. <i>Canadian Geriatrics Journal</i> , 2018, 21, 269-273.   | 1.2 | 13        |
| 123 | Comparative risk of harm associated with trazodone or atypical antipsychotic use in older adults with dementia: a retrospective cohort study. <i>Cmaj</i> , 2018, 190, E1376-E1383.   | 2.0 | 21        |
| 124 | Contributions of prescribed and non-prescribed opioids to opioid related deaths: population based cohort study in Ontario, Canada. <i>BMJ: British Medical Journal</i> , 2018, 362, k3207.  | 2.3 | 103       |
| 125 | Clinical indications associated with opioid initiation for pain management in Ontario, Canada: a population-based cohort study. <i>Pain</i> , 2018, 159, 1562-1568.   | 4.2 | 60        |
| 126 | Association between perioperative beta blocker use and cancer survival following surgical resection. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1164-1169.  | 1.0 | 31        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | The Burden of Opioid-Related Mortality in the United States. <i>JAMA Network Open</i> , 2018, 1, e180217.   | 5.9 | 484       |
| 128 | A population-based study of the risk of osteoporosis and fracture with dutasteride and finasteride. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 160.   | 1.9 | 4         |
| 129 | Publicly Funded Oral Chronic Hepatitis B Treatment Patterns in Ontario over 16 Years: An Ecologic Study. <i>Journal of Managed Care &amp; Specialty Pharmacy</i> , 2018, 24, 464-468.                                       | 0.9 | 2         |
| 130 | Comparing the contribution of prescribed opioids to opioid-related hospitalizations across Canada: A multi-jurisdictional cross-sectional study. <i>Drug and Alcohol Dependence</i> , 2018, 191, 86-90.                     | 3.2 | 24        |
| 131 | Second-generation anti-depressants and risk of new-onset seizures in the elderly. <i>Clinical Toxicology</i> , 2018, 56, 1179-1184.   | 1.9 | 7         |
| 132 | Opioid prescribing and adverse events in opioid-naïve patients treated by emergency physicians versus family physicians: a population-based cohort study. <i>CMAJ Open</i> , 2018, 6, E110-E117.                            | 2.4 | 14        |
| 133 | Trends in the utilisation of COPD therapeutic regimens before and after the introduction of LAMA/LABA combination products: A population-based study. <i>Respiratory Medicine</i> , 2018, 143, 1-7.                         | 2.9 | 5         |
| 134 | Pregabalin and the Risk for Opioid-Related Death: A Nested Case-â€“Control Study. <i>Annals of Internal Medicine</i> , 2018, 169, 732.  | 3.9 | 116       |
| 135 | Fixed-dose combination antihypertensive medications, adherence, and clinical outcomes: A population-based retrospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002584.  | 8.4 | 82        |
| 136 | Maternal and infant outcomes associated with lithium use in pregnancy: an international collaborative meta-analysis of six cohort studies. <i>Lancet Psychiatry</i> , 2018, 5, 644-652.                                     | 7.4 | 83        |
| 137 | Real-world health care utilization and effectiveness of omalizumab for the treatment of severe asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 120, 59-65.e2.   | 1.0 | 18        |
| 138 | Evaluation of Definitions for Oral Anticoagulant-â€“Associated Major Bleeding: A Population-Based Cohort Study. <i>Blood</i> , 2018, 132, 426-426.  | 1.4 | 3         |
| 139 | Evaluating the early impacts of delisting high-strength opioids on patterns of prescribing in Ontario. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2018, 38, 256-262. | 1.1 | 10        |
| 140 | Self-Monitoring of Blood Glucose: Impact of Quantity Limits in Public Drug Formularies on Provincial Costs Across Canada. <i>Canadian Journal of Diabetes</i> , 2017, 41, 138-142.  | 0.8 | 3         |
| 141 | Direct Oral Anticoagulant- or Warfarin-Related Major Bleeding. <i>Chest</i> , 2017, 152, 81-91.   | 0.8 | 68        |
| 142 | Association Between Serotonergic Antidepressant Use During Pregnancy and Autism Spectrum Disorder in Children. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1544.                                 | 7.4 | 114       |
| 143 | Lipophilic Î²-Blockers and Suicide in the Elderly. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 381-384.   | 1.4 | 4         |
| 144 | Macrolides, Digoxin Toxicity and the Risk of Sudden Death: A Population-Based Study. <i>Drug Safety</i> , 2017, 40, 835-840.  | 3.2 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Association between statin use and ischemic stroke or major hemorrhage in patients taking dabigatran for atrial fibrillation. <i>Cmaj</i> , 2017, 189, E4-E10.   | 2.0 | 41        |
| 146 | Protocol for a randomised controlled trial evaluating the effects of providing essential medicines at no charge: the Carefully selected and Easily Accessible at No Charge Medicines (CLEAN Meds) trial. <i>BMJ Open</i> , 2017, 7, e015686. | 1.9 | 7         |
| 147 | Pregabalin and heart failure: <scp>A</scp> population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1087-1092.  | 1.9 | 13        |
| 148 | More Rigorous Study Needed Before Claiming No Harm of Blood Glucose Test Strip Limits for Patients Using Insulin—Reply. <i>JAMA Internal Medicine</i> , 2017, 177, 890.  | 5.1 | 0         |
| 149 | Impact of Unrestricted Access to Pregabalin on the Use of Opioids and Other CNS-Active Medications: A Cross-Sectional Time Series Analysis. <i>Pain Medicine</i> , 2017, 18, 1019-1026.  | 1.9 | 28        |
| 150 | Patterns of physician prescribing for opioid maintenance treatment in Ontario, Canada in 2014. <i>Drug and Alcohol Dependence</i> , 2017, 177, 315-321.  | 3.2 | 18        |
| 151 | Prenatal Antidepressant Use and Autism Spectrum Disorder—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 665.  | 7.4 | 2         |
| 152 | Prevalence and characteristics of opioid-related deaths involving alcohol in Ontario, Canada. <i>Drug and Alcohol Dependence</i> , 2017, 179, 416-423.   | 3.2 | 18        |
| 153 | Association of a Blood Glucose Test Strip Quantity-Limit Policy With Patient Outcomes. <i>JAMA Internal Medicine</i> , 2017, 177, 61.  | 5.1 | 15        |
| 154 | The appropriateness and persistence of testosterone replacement therapy in Ontario. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 119-126.   | 1.9 | 7         |
| 155 | Changes in the dispensing of opioid medications in Canada following the introduction of a tamper-deterrent formulation of long-acting oxycodone: a time series analysis. <i>CMAJ Open</i> , 2017, 5, E800-E807.                              | 2.4 | 25        |
| 156 | Senior high-cost healthcare users—resource utilization and outcomes: a protocol of a retrospective matched cohort study in Canada. <i>BMJ Open</i> , 2017, 7, e018488.   | 1.9 | 6         |
| 157 | Availability of naloxone in Canadian pharmacies: a population-based survey. <i>CMAJ Open</i> , 2017, 5, E779-E784.   | 2.4 | 20        |
| 158 | Impact of a Graduated Approach on Opioid Initiation and Loss of Earnings Following Workplace Injury. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 1197-1201.  | 1.7 | 1         |
| 159 | Publicly funded overactive bladder drug treatment patterns in Ontario over 15 years: An ecological study. <i>Canadian Urological Association Journal</i> , 2017, 12, E142-5.   | 0.6 | 5         |
| 160 | Gabapentin, opioids, and the risk of opioid-related death: A population-based nested case—control study. <i>PLoS Medicine</i> , 2017, 14, e1002396.  | 8.4 | 362       |
| 161 | Prior Authorization and Canadian Public Utilization of Direct-Acting Oral Anticoagulants. <i>Healthcare Policy</i> , 2017, 13, 68-78.  | 0.6 | 2         |
| 162 | First-line medications for alcohol use disorders among public drug plan beneficiaries in Ontario. <i>Canadian Family Physician</i> , 2017, 63, e277-e283.  | 0.4 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Trends in the use and cost of antipsychotics among older adults from 2007 to 2013: a repeated cross-sectional study. <i>CMAJ Open</i> , 2016, 4, E292-E297.  | 2.4 | 7         |
| 164 | The Characteristics of Treated Pulmonary Arterial Hypertension Patients in Ontario. <i>Canadian Respiratory Journal</i> , 2016, 2016, 1-7.   | 1.6 | 4         |
| 165 | High-Dose Opioid Prescribing and Opioid-Related Hospitalization: A Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0167479.   | 2.5 | 43        |
| 166 | The Influence of Socioeconomic Status on Selection of Anticoagulation for Atrial Fibrillation. <i>PLoS ONE</i> , 2016, 11, e0149142.   | 2.5 | 29        |
| 167 | Off-label use of inhaled tobramycin in Ontario, Canada. <i>Thorax</i> , 2016, 71, 862-864.   | 5.6 | 1         |
| 168 | Opioid Use and Overdose: What Weâ€™ve Learned in Ontario. <i>Healthcare Quarterly</i> , 2016, 18, 8-11.  | 0.7 | 23        |
| 169 | Variations in costs and use of provincially-funded testosterone replacement therapy across Canada: a population-based study. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2016, 16, 803-807.  | 1.4 | 0         |
| 170 | Persistence of Antipsychotic Treatment in Elderly Dementia Patients: A Retrospective, Population-Based Cohort Study. <i>Drugs - Real World Outcomes</i> , 2016, 3, 175-182.  | 1.6 | 12        |
| 171 | Self-Monitoring of Blood Glucose Levels: Evaluating the Impact of a Policy of Quantity Limits on Test-Strip Use and Costs. <i>Canadian Journal of Diabetes</i> , 2016, 40, 431-435.  | 0.8 | 11        |
| 172 | Interprovincial Variation in Antipsychotic and Antidepressant Prescriptions Dispensed in the Canadian Pediatric Population. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 758-765.   | 1.9 | 20        |
| 173 | Sensitivity and specificity of administrative mortality data for identifying prescription opioid-related deaths. <i>Cmaj</i> , 2016, 188, E67-E72.   | 2.0 | 19        |
| 174 | Novel Oral Anticoagulants and the Risk of Major Hemorrhage in Elderly Patients With Chronic Kidney Disease: A Nested Case-Control Study. <i>Canadian Journal of Cardiology</i> , 2016, 32, 986.e17-986.e22.  | 1.7 | 21        |
| 175 | Antiepileptic use for epilepsy and nonepilepsy disorders. <i>Neurology</i> , 2016, 86, 939-946.  | 1.1 | 29        |
| 176 | Factors that may be influencing the rise in prescription testosterone replacement therapy in adult men: a qualitative study. <i>Aging Male</i> , 2016, 19, 90-95.  | 1.9 | 11        |
| 177 | Varenicline and Risk of Self-Harm: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0163681.  | 2.5 | 1         |
| 178 | Opioid prescribing is a surrogate for inadequate pain management resources. <i>Canadian Family Physician</i> , 2016, 62, 465-8.  | 0.4 | 27        |
| 179 | Evaluating the Effectiveness of First-Time Methadone Maintenance Therapy Across Northern, Rural, and Urban Regions of Ontario, Canada. <i>Journal of Addiction Medicine</i> , 2015, 9, 440-446.  | 2.6 | 42        |
| 180 | Appropriate prescribing in nursing homes demonstration project (APDP) study protocol: pragmatic, cluster-randomized trial and mixed methods process evaluation of an Ontario policy-maker initiative to improve appropriate prescribing of antipsychotics. <i>Implementation Science</i> , 2015, 11, 45. | 6.9 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | A population-based study of the drug interaction between clopidogrel and angiotensin converting enzyme inhibitors. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 662-669. | 2.4 | 11        |
| 182 | Triptans for Acute Migraine: Drug Class Review to Help Inform Policy Decisions. <i>Headache</i> , 2015, 55, 191-198.  | 3.9 | 4         |
| 183 | Trends in the coprescription of proton pump inhibitors with clopidogrel: an ecological analysis. <i>CMAJ Open</i> , 2015, 3, E428-E431.   | 2.4 | 9         |
| 184 | Triptans in the Acute Treatment of Migraine: A Systematic Review and Network Meta-Analysis. <i>Headache</i> , 2015, 55, 221-235.  | 3.9 | 197       |
| 185 | Public Drug Coverage and Its Impact on Triptan Use Across Canada: A Population-Based Study. <i>Headache</i> , 2015, 55, 212-220.  | 3.9 | 4         |
| 186 | Access to Triptans for Acute Episodic Migraine: A Qualitative Study. <i>Headache</i> , 2015, 55, 199-211.   | 3.9 | 8         |
| 187 | Retrospective analysis of trends in dispensing long-acting non-tamper-resistant oxycodone near the Canada-United States border. <i>CMAJ Open</i> , 2015, 3, E231-E235.                  | 2.4 | 4         |
| 188 | The impact of policies to reduce blood glucose test strip utilization and costs in Canada. <i>Canadian Journal of Public Health</i> , 2015, 106, e210-e216.                             | 2.3 | 5         |
| 189 | Rates of Ischemic Stroke During Warfarin Treatment for Atrial Fibrillation. <i>Stroke</i> , 2015, 46, 1120-1122.  | 2.0 | 9         |
| 190 | Neonatal opioid withdrawal and antenatal opioid prescribing. <i>CMAJ Open</i> , 2015, 3, E55-E61.   | 2.4 | 41        |
| 191 | Prescription Stimulant Use and Hospitalization for Psychosis or Mania. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 667-671.   | 1.4 | 20        |
| 192 | Rates of Anomalous Bupropion Prescriptions in Ontario, Canada. <i>Annals of Family Medicine</i> , 2015, 13, 343-346.  | 1.9 | 7         |
| 193 | Risk of adverse events among older adults following co-prescription of clarithromycin and statins not metabolized by cytochrome P450 3A4. <i>Cmaj</i> , 2015, 187, 174-180.             | 2.0 | 54        |
| 194 | Trimethoprim-sulfamethoxazole and risk of sudden death among patients taking spironolactone. <i>Cmaj</i> , 2015, 187, E138-E143.  | 2.0 | 50        |
| 195 | Safety of valproic acid in patients with chronic obstructive pulmonary disease: a population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 256-261.       | 1.9 | 2         |
| 196 | Antipsychotic drug use in pregnancy: high dimensional, propensity matched, population based cohort study. <i>BMJ</i> , The, 2015, 350, h2298-h2298.                                     | 6.0 | 115       |
| 197 | Proton pump inhibitors and the risk of acute kidney injury in older patients: a population-based cohort study. <i>CMAJ Open</i> , 2015, 3, E166-E171.                                   | 2.4 | 154       |
| 198 | Socioeconomic status and risk of hemorrhage during warfarin therapy for atrial fibrillation: A population-based study. <i>American Heart Journal</i> , 2015, 170, 133-140.e3.           | 2.7 | 28        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Predictors of Opioid-Related Death During Methadone Therapy. <i>Journal of Substance Abuse Treatment</i> , 2015, 57, 30-35.   | 2.8 | 52        |
| 200 | Sex Differences in Dose Escalation and Overdose Death during Chronic Opioid Therapy: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0134550.   | 2.5 | 124       |
| 201 | The Impact of Drug Reimbursement Policy on Rates of Testosterone Replacement Therapy among Older Men. <i>PLoS ONE</i> , 2014, 9, e98003.  | 2.5 | 28        |
| 202 | Co-trimoxazole and sudden death in patients receiving inhibitors of renin-angiotensin system: population based study. <i>BMJ, The</i> , 2014, 349, g6196-g6196.   | 6.0 | 84        |
| 203 | Reply to Strandberg and Tienari. <i>Clinical Infectious Diseases</i> , 2014, 58, 1043-1044.   | 5.8 | 1         |
| 204 | Proton Pump Inhibitors and Hospitalization with Hypomagnesemia: A Population-Based Case-Control Study. <i>PLoS Medicine</i> , 2014, 11, e1001736.   | 8.4 | 60        |
| 205 | Extended-release nifedipine and the risk of intestinal obstruction: a population-based study. <i>BMJ Open</i> , 2014, 4, e005377-e005377.   | 1.9 | 4         |
| 206 | The Ontario Drug Policy Research Network: Bridging the gap between Research and Drug Policy. <i>Health Policy</i> , 2014, 117, 392-398.   | 3.0 | 15        |
| 207 | Impact of legislation and a prescription monitoring program on the prevalence of potentially inappropriate prescriptions for monitored drugs in Ontario: a time series analysis. <i>CMAJ Open</i> , 2014, 2, E256-E261.             | 2.4 | 62        |
| 208 | Impact of the JUPITER Trial on Statin Prescribing for Primary Prevention. <i>Pharmacotherapy</i> , 2014, 34, 9-18.  | 2.6 | 5         |
| 209 | Upper Gastrointestinal Bleeding in Elderly Adults with Dementia Receiving Cholinesterase Inhibitors: A Population-Based Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 382-384.                        | 2.6 | 10        |
| 210 | The burden of premature opioid-related mortality. <i>Addiction</i> , 2014, 109, 1482-1488.  | 3.3 | 125       |
| 211 | Risk of overdose and death following codeine prescription among immigrants. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 1057-1063.  | 3.7 | 7         |
| 212 | Statins and the Risk of Herpes Zoster: A Population-Based Cohort Study. <i>Clinical Infectious Diseases</i> , 2014, 58, 350-356.  | 5.8 | 45        |
| 213 | Higher anti-depressant dose and major adverse outcomes in moderate chronic kidney disease: a retrospective population-based study. <i>BMC Nephrology</i> , 2014, 15, 79.  | 1.8 | 13        |
| 214 | Altered mental status in older adults with histamine2-receptor antagonists: A population-based study. <i>European Journal of Internal Medicine</i> , 2014, 25, 701-709.   | 2.2 | 17        |
| 215 | Risk of Osteoporotic Fractures With Angiotensin II Receptor Blockers Versus Angiotensin-Converting Enzyme Inhibitors in Hypertensive Community-Dwelling Elderly. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2483-2488. | 2.8 | 20        |
| 216 | Temporal Trend of Carpal Tunnel Release Surgery: A Population-Based Time Series Analysis. <i>PLoS ONE</i> , 2014, 9, e97499.  | 2.5 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Adverse Cardiac Events in Older Patients Receiving Venlafaxine. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e552-e558.  | 2.2 | 23        |
| 218 | Trends in high-dose opioid prescribing in Canada. <i>Canadian Family Physician</i> , 2014, 60, 826-32.  | 0.4 | 85        |
| 219 | Statin Toxicity From Macrolide Antibiotic Coprescription. <i>Annals of Internal Medicine</i> , 2013, 158, 869.  | 3.9 | 132       |
| 220 | Hospitalization for Hemorrhage Among Warfarin Recipients Prescribed Amiodarone. <i>American Journal of Cardiology</i> , 2013, 112, 420-423.   | 1.6 | 23        |
| 221 | Risk of Acute Kidney Injury From Oral Acyclovir: A Population-Based Study. <i>American Journal of Kidney Diseases</i> , 2013, 61, 723-729.  | 1.9 | 42        |
| 222 | No Increase in Adverse Events During Aliskiren Use Among Ontario Patients Receiving Angiotensin-Converting Enzyme Inhibitors or Angiotensin-Receptor Blockers. <i>Canadian Journal of Cardiology</i> , 2013, 29, 586-591. | 1.7 | 14        |
| 223 | Progression through diabetes therapies among new elderly users of metformin: a population-based study. <i>Diabetic Medicine</i> , 2013, 30, e51-e55.  | 2.3 | 5         |
| 224 | Risk of incident diabetes among patients treated with statins: population based study. <i>BMJ, The</i> , 2013, 346, f2610-f2610.  | 6.0 | 338       |
| 225 | Comparative effectiveness of angiotensin-receptor blockers for preventing macrovascular disease in patients with diabetes: a population-based cohort study. <i>Cmaj</i> , 2013, 185, 1035-1041.                           | 2.0 | 18        |
| 226 | Comparing two types of macrolide antibiotics for the purpose of assessing population-based drug interactions. <i>BMJ Open</i> , 2013, 3, e002857.   | 1.9 | 20        |
| 227 | Rates of hemorrhage during warfarin therapy for atrial fibrillation. <i>Cmaj</i> , 2013, 185, E121-E127.  | 2.0 | 159       |
| 228 | Trends in selection and timing of first-line pharmacotherapy in older patients with Type 2 diabetes diagnosed between 1994 and 2006. <i>Diabetic Medicine</i> , 2013, 30, 1209-1213.                                      | 2.3 | 15        |
| 229 | Opioid Dose and Risk of Road Trauma in Canada. <i>JAMA Internal Medicine</i> , 2013, 173, 196.  | 5.1 | 127       |
| 230 | Chlorthalidone Versus Hydrochlorothiazide for the Treatment of Hypertension in Older Adults. <i>Annals of Internal Medicine</i> , 2013, 158, 447.   | 3.9 | 88        |
| 231 | Postpartum maternal codeine therapy and the risk of adverse neonatal outcomes: A retrospective cohort study. <i>Clinical Toxicology</i> , 2012, 50, 390-395.  | 1.9 | 30        |
| 232 | The Risk of Hip Fracture After Initiating Antihypertensive Drugs in the Elderly. <i>Archives of Internal Medicine</i> , 2012, 172, 1739.  | 3.8 | 159       |
| 233 | Persistence With Therapy Among Patients Treated With Warfarin for Atrial Fibrillation. <i>Archives of Internal Medicine</i> , 2012, 172, 1687.  | 3.8 | 69        |
| 234 | Oral bisphosphonate use in the elderly is not associated with acute kidney injury. <i>Kidney International</i> , 2012, 82, 903-908.   | 5.2 | 46        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Beta-blockers and cardiovascular outcomes in dialysis patients: a cohort study in Ontario, Canada. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1591-1598.   | 0.7 | 23        |
| 236 | Long-term Analgesic Use: Sometimes Less Is Not More—Reply. <i>Archives of Internal Medicine</i> , 2012, 172, 1189.   | 3.8 | 3         |
| 237 | Antidepressants, metoprolol and the risk of bradycardia. <i>Therapeutic Advances in Psychopharmacology</i> , 2012, 2, 43-49.   | 2.7 | 12        |
| 238 | Effects of Funding Policy Changes and Health Warnings on the Use of Erythropoiesis-Stimulating Agents. <i>Journal of Oncology Practice</i> , 2012, 8, 179-183.   | 2.5 | 10        |
| 239 | Long-term Analgesic Use After Low-Risk Surgery. <i>Archives of Internal Medicine</i> , 2012, 172, 425.   | 3.8 | 669       |
| 240 | Inviting Patients to Read Doctors' Notes. <i>Annals of Internal Medicine</i> , 2012, 156, 608.   | 3.9 | 50        |
| 241 | Use of Angiotensin-Converting Enzyme Inhibitors or Angiotensin Receptor Blockers and Cardiovascular Outcomes in Chronic Dialysis Patients: A Population-Based Cohort Study. <i>Archives of Internal Medicine</i> , 2012, 172, 591-3. | 3.8 | 15        |
| 242 | Selective Serotonin Reuptake Inhibitors and Pulmonary Arterial Hypertension. <i>Chest</i> , 2012, 141, 348-353.  | 0.8 | 16        |
| 243 | A Population-Based Assessment of the Drug Interaction Between Levothyroxine and Warfarin. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 92, 766-770.   | 4.7 | 17        |
| 244 | Adverse cardiovascular events during treatment with glyburide (glibenclamide) or gliclazide in a high-risk population. <i>Diabetic Medicine</i> , 2012, 29, 1524-1528.   | 2.3 | 22        |
| 245 | Antidepressant use, serotonin transporter affinity, and reinfarction among patients receiving clopidogrel: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 1328-1333.                              | 1.9 | 1         |
| 246 | The impact of federal warnings on publically funded desmopressin utilization among children in Ontario. <i>Journal of Pediatric Urology</i> , 2012, 8, 249-253.  | 1.1 | 8         |
| 247 | Comparative adherence to oxybutynin or tolterodine among older patients. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1121-1121.   | 1.9 | 13        |
| 248 | Use of other opioids during methadone therapy: a population-based study. <i>Addiction</i> , 2012, 107, 776-780.  | 3.3 | 23        |
| 249 | Comparative adherence to oxybutynin or tolterodine among older patients. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 97-99.   | 1.9 | 28        |
| 250 | Reformulation of controlled-release oxycodone and pharmacy dispensing patterns near the US-Canada border. <i>Open Medicine</i> , 2012, 6, e141-5.  | 1.5 | 4         |
| 251 | Relationship of asthma management, socioeconomic status, and medication insurance characteristics to exacerbation frequency in children with asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2011, 106, 17-23.             | 1.0 | 68        |
| 252 | Risk of Serious Falls Associated With Oxybutynin and Tolterodine: A Population Based Study. <i>Journal of Urology</i> , 2011, 186, 1340-1344.  | 0.4 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Geographical Variation in Opioid Prescribing and Opioid-Related Mortality in Ontario. <i>Healthcare Quarterly</i> , 2011, 14, 22-24.  | 0.7 | 62        |
| 254 | Orlistat and Acute Kidney Injury: An Analysis of 953 Patients. <i>Archives of Internal Medicine</i> , 2011, 171, 702.   | 3.8 | 60        |
| 255 | Trimethoprim/sulfamethoxazole-induced phenytoin toxicity in the elderly: a population-based study. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 544-549.   | 2.4 | 26        |
| 256 | Sevelamer Prescriptions After Reporting of the Dialysis Clinical Outcomes Revisited (DCOR) Trial Findings: An Analysis of 5,495 Patients Receiving Maintenance Dialysis in Ontario, Canada. <i>American Journal of Kidney Diseases</i> , 2011, 57, 357-359. | 1.9 | 3         |
| 257 | Hospital Admissions for Hyperkalemia With Trimethoprim-Sulfamethoxazole: A Cohort Study Using Health Care Database Codes for 393,039 Older Women With Urinary Tract Infections. <i>American Journal of Kidney Diseases</i> , 2011, 57, 521-523.             | 1.9 | 12        |
| 258 | Ciprofloxacin-induced theophylline toxicity: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 521-526.  | 1.9 | 30        |
| 259 | Trimethoprim-sulfamethoxazole induced hyperkalaemia in elderly patients receiving spironolactone: nested case-control study. <i>BMJ: British Medical Journal</i> , 2011, 343, d5228-d5228.  | 2.3 | 61        |
| 260 | Preventing Pressure Ulcers in Long-term Care. <i>Archives of Internal Medicine</i> , 2011, 171, 1839.   | 3.8 | 56        |
| 261 | Opioid Dose and Drug-Related Mortality in Patients With Nonmalignant Pain. <i>Archives of Internal Medicine</i> , 2011, 171, 686-91.  | 3.8 | 531       |
| 262 | Opioids and Dose-Related Deaths—Association or Causation?—Reply. <i>Archives of Internal Medicine</i> , 2011, 171, 1687.  | 3.8 | 1         |
| 263 | The Safety of Proton Pump Inhibitors and Clopidogrel in Patients After Stroke. <i>Stroke</i> , 2011, 42, 128-132.   | 2.0 | 27        |
| 264 | Impaired renal function modifies the risk of severe hypoglycaemia among users of insulin but not glyburide: a population-based nested case-control study. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1888-1894.                                 | 0.7 | 29        |
| 265 | The risk of hypotension following co-prescription of macrolide antibiotics and calcium-channel blockers. <i>Cmaj</i> , 2011, 183, 303-307.  | 2.0 | 69        |
| 266 | Clustering of opioid prescribing and opioid-related mortality among family physicians in Ontario. <i>Canadian Family Physician</i> , 2011, 57, e92-6.   | 0.4 | 79        |
| 267 | Trends in opioid use and dosing among socio-economically disadvantaged patients. <i>Open Medicine</i> , 2011, 5, e13-22.  | 1.5 | 67        |
| 268 | Health status utilities and the impact of pressure ulcers in long-term care residents in Ontario. <i>Quality of Life Research</i> , 2010, 19, 81-89.  | 3.1 | 37        |
| 269 | Trimethoprim-Sulfamethoxazole-Induced Hyperkalemia in Patients Receiving Inhibitors of the Renin-Angiotensin System. <i>Archives of Internal Medicine</i> , 2010, 170, 1045.  | 3.8 | 102       |
| 270 | Selective serotonin reuptake inhibitors and breast cancer mortality in women receiving tamoxifen: a population based cohort study. <i>BMJ: British Medical Journal</i> , 2010, 340, c693-c693.  | 2.3 | 358       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Blood glucose test strips: options to reduce usage. Cmaj, 2010, 182, 35-38.   | 2.0 | 33        |
| 272 | Cost Minimal Effectiveness of SMBG. Canadian Journal of Diabetes, 2010, 34, 180.  | 0.8 | 0         |
| 273 | Beta-Blockers, Trimethoprim-Sulfamethoxazole, and the Risk of Hyperkalemia Requiring Hospitalization in the Elderly. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1544-1551. | 4.5 | 25        |
| 274 | A population-based study of the drug interaction between proton pump inhibitors and clopidogrel. Cmaj, 2009, 180, 713-718.  | 2.0 | 622       |
| 275 | Adverse cardiovascular events during treatment with pioglitazone and rosiglitazone: population based cohort study. BMJ: British Medical Journal, 2009, 339, b2942-b2942.                                | 2.3 | 150       |
| 276 | Clinical and demographic characteristics of patients receiving different oral hypoglycemic agents. Pharmacoepidemiology and Drug Safety, 2009, 18, 756-760.   | 1.9 | 2         |
| 277 | Macrolide-Induced Digoxin Toxicity: A Population-Based Study. Clinical Pharmacology and Therapeutics, 2009, 86, 383-386.  | 4.7 | 41        |
| 278 | Toxic Megacolon in Children With Inflammatory Bowel Disease: Clinical and Radiographic Characteristics. American Journal of Gastroenterology, 2008, 103, 1524-1531.                                     | 0.4 | 44        |
| 279 | Antipsychotic Therapy and Short-term Serious Events in Older Adults With Dementia. Archives of Internal Medicine, 2008, 168, 1090.  | 3.8 | 208       |
| 280 | Thiazolidinediones and Cardiovascular Outcomes in Older Patients With Diabetes. JAMA - Journal of the American Medical Association, 2007, 298, 2634.  | 7.4 | 303       |
| 281 | Variation in Nursing Home Antipsychotic Prescribing Rates. Archives of Internal Medicine, 2007, 167, 676.   | 3.8 | 155       |