List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3099743/publications.pdf Version: 2024-02-01



FAISAL SLAM

#	Article	IF	CITATIONS
1	Potential impact of the herbicide 2,4-dichlorophenoxyacetic acid on human and ecosystems. Environment International, 2018, 111, 332-351.	10.0	268
2	Influence of Pseudomonas aeruginosa as PGPR on oxidative stress tolerance in wheat under Zn stress. Ecotoxicology and Environmental Safety, 2014, 104, 285-293.	6.0	223
3	Arsenic toxicity in plants: Cellular and molecular mechanisms of its transport and metabolism. Environmental and Experimental Botany, 2016, 132, 42-52.	4.2	213
4	Plant growth promoting bacteria confer salt tolerance in Vigna radiata by up-regulating antioxidant defense and biological soil fertility. Plant Growth Regulation, 2016, 80, 23-36.	3.4	202
5	Combined ability of chromium (Cr) tolerant plant growth promoting bacteria (PGPB) and salicylic acid (SA) in attenuation of chromium stress in maize plants. Plant Physiology and Biochemistry, 2016, 108, 456-467.	5.8	158
6	Methyl Jasmonate Regulates Antioxidant Defense and Suppresses Arsenic Uptake in Brassica napus L Frontiers in Plant Science, 2016, 7, 468.	3.6	156
7	Differential subcellular distribution and chemical forms of cadmium and copper in Brassica napus. Ecotoxicology and Environmental Safety, 2016, 134, 239-249.	6.0	104
8	Physiological and molecular analyses of black and yellow seeded Brassica napus regulated by 5-aminolivulinic acid under chromium stress. Plant Physiology and Biochemistry, 2015, 94, 130-143.	5.8	92
9	Proteus mirabilis alleviates zinc toxicity by preventing oxidative stress in maize (Zea mays) plants. Ecotoxicology and Environmental Safety, 2014, 110, 143-152.	6.0	84
10	Copper-resistant bacteria reduces oxidative stress and uptake of copper in lentil plants: potential for bacterial bioremediation. Environmental Science and Pollution Research, 2016, 23, 220-233.	5.3	83
11	Priming-induced antioxidative responses in two wheat cultivars under saline stress. Acta Physiologiae Plantarum, 2015, 37, 1.	2.1	75
12	Subcellular distribution, modulation of antioxidant and stress-related genes response to arsenic in Brassica napus L. Ecotoxicology, 2016, 25, 350-366.	2.4	74
13	Salicylic acid mediates antioxidant defense system and ABA pathway related gene expression in Oryza sativa against quinclorac toxicity. Ecotoxicology and Environmental Safety, 2016, 133, 146-156.	6.0	73
14	Comparative transcriptome profiling of two Brassica napus cultivars under chromium toxicity and its alleviation by reduced glutathione. BMC Genomics, 2016, 17, 885.	2.8	69
15	Methyl jasmonate alleviates arsenic-induced oxidative damage and modulates the ascorbate–glutathione cycle in oilseed rape roots. Plant Growth Regulation, 2018, 84, 135-148.	3.4	68
16	Optimizing the phosphorus use in cotton by using CSM-CROPGRO-cotton model for semi-arid climate of Vehari-Punjab, Pakistan. Environmental Science and Pollution Research, 2017, 24, 5811-5823.	5.3	67
17	Toxicological effects of bisphenol A on growth and antioxidant defense system in Oryza sativa as revealed by ultrastructure analysis. Ecotoxicology and Environmental Safety, 2016, 124, 277-284.	6.0	62
18	2,4-D attenuates salinity-induced toxicity by mediating anatomical changes, antioxidant capacity and cation transporters in the roots of rice cultivars. Scientific Reports, 2017, 7, 10443.	3.3	57

#	Article	IF	CITATIONS
19	Regional climate assessment of precipitation and temperature in Southern Punjab (Pakistan) using SimCLIM climate model for different temporal scales. Theoretical and Applied Climatology, 2018, 131, 121-131.	2.8	57
20	Weed research status, challenges, and opportunities in China. Crop Protection, 2020, 134, 104449.	2.1	55
21	Combined herbicide and saline stress differentially modulates hormonal regulation and antioxidant defense system in Oryza sativa cultivars. Plant Physiology and Biochemistry, 2016, 107, 82-95.	5.8	54
22	Mitigation effects of exogenous melatonin-selenium nanoparticles on arsenic-induced stress in Brassica napus. Environmental Pollution, 2022, 292, 118473.	7.5	48
23	OsPEX11, a Peroxisomal Biogenesis Factor 11, Contributes to Salt Stress Tolerance in Oryza sativa. Frontiers in Plant Science, 2016, 7, 1357.	3.6	44
24	Silicon and water-deficit stress differentially modulate physiology and ultrastructure in wheat (Triticum aestivum L.). 3 Biotech, 2017, 7, 273.	2.2	43
25	Reduced Glutathione Mediates Pheno-Ultrastructure, Kinome and Transportome in Chromium-Induced Brassica napus L Frontiers in Plant Science, 2017, 8, 2037.	3.6	42
26	Complementary RNA-Sequencing Based Transcriptomics and iTRAQ Proteomics Reveal the Mechanism of the Alleviation of Quinclorac Stress by Salicylic Acid in Oryza sativa ssp. japonica. International Journal of Molecular Sciences, 2017, 18, 1975.	4.1	41
27	Ecotoxicological and Interactive Effects of Copper and Chromium on Physiochemical, Ultrastructural, and Molecular Profiling in <i> Brassica napus</i> L BioMed Research International, 2018, 2018, 1-17.	1.9	40
28	Biochemical responses and ultrastructural changes in ethylene insensitive mutants of Arabidopsis thialiana subjected to bisphenol A exposure. Ecotoxicology and Environmental Safety, 2017, 144, 62-71.	6.0	39
29	Sesame. , 2016, , 135-147.		36
30	Synergism of herbicide toxicity by 5-aminolevulinic acid is related to physiological and ultra-structural disorders in crickweed (Malachium aquaticum L.). Pesticide Biochemistry and Physiology, 2015, 125, 53-61.	3.6	33
31	iTRAQâ€based proteomics of sunflower cultivars differing in resistance to parasitic weed <i>Orobanche cumana</i> . Proteomics, 2017, 17, 1700009.	2.2	30
32	Seed treatment with salicylic acid invokes defence mechanism of <i>Helianthus annuus</i> against <i>Orobanche cumana</i> . Annals of Applied Biology, 2016, 169, 408-422.	2.5	28
33	Comprehensive proteomic analysis of arsenic induced toxicity reveals the mechanism of multilevel coordination of efficient defense and energy metabolism in two Brassica napus cultivars. Ecotoxicology and Environmental Safety, 2021, 208, 111744.	6.0	27
34	Physiological and iTRAQâ€Based Quantitative Proteomics Analysis of Methyl Jasmonate–Induced Tolerance in <i>Brassica napus</i> Under Arsenic Stress. Proteomics, 2018, 18, e1700290.	2.2	26
35	Salinity reduces 2,4-D efficacy in Echinochloa crusgalli by affecting redox balance, nutrient acquisition, and hormonal regulation. Protoplasma, 2018, 255, 785-802.	2.1	26
36	Drought tolerance in <scp><i>Brassica napus</i></scp> is accompanied withÂenhanced antioxidative protection, photosynthetic andÂhormonal regulation at seedling stage. Physiologia Plantarum, 2021, 172, 1133-1148.	5.2	25

#	Article	IF	CITATIONS
37	Synergistic effects of chromium and copper on photosynthetic inhibition, subcellular distribution, and related gene expression in Brassica napus cultivars. Environmental Science and Pollution Research, 2019, 26, 11827-11845.	5.3	24
38	Differential cobalt-induced effects on plant growth, ultrastructural modifications, and antioxidative response among four Brassica napus (L.) cultivars. International Journal of Environmental Science and Technology, 2018, 15, 2685-2700.	3.5	22
39	Organic and inorganic amendments for the remediation of nickel contaminated soil and its improvement on Brassica napus growth and oxidative defense. Journal of Hazardous Materials, 2021, 416, 125921.	12.4	22
40	Biologically treated wastewater fertigation induced growth and yield enhancement effects in Vigna radiata L Agricultural Water Management, 2014, 146, 124-130.	5.6	21
41	Ursolic Acid Limits Salt-Induced Oxidative Damage by Interfering With Nitric Oxide Production and Oxidative Defense Machinery in Rice. Frontiers in Plant Science, 2020, 11, 697.	3.6	20
42	Interactive effects of biochar and mussel shell activated concoctions on immobilization of nickel and their amelioration on the growth of rapeseed in contaminated aged soil. Chemosphere, 2021, 282, 130897.	8.2	20
43	Evaluation of quinclorac toxicity and alleviation by salicylic acid in rice seedlings using ground-based visible/near-infrared hyperspectral imaging. Plant Methods, 2020, 16, 30.	4.3	19
44	Butachlorâ€Induced Alterations in Ultrastructure, Antioxidant, and Stressâ€Responsive Gene Regulations in Rice Cultivars. Clean - Soil, Air, Water, 2017, 45, 1500851.	1.1	18
45	Comparative Transcriptomic Analysis of Biological Process and Key Pathway in Three Cotton (Gossypium spp.) Species Under Drought Stress. International Journal of Molecular Sciences, 2019, 20, 2076.	4.1	18
46	Rice Responses and Tolerance to Salt Stress. , 2019, , 791-819.		17
47	Beryllium Stress-Induced Modifications in Antioxidant Machinery and Plant Ultrastructure in the Seedlings of Black and Yellow Seeded Oilseed Rape. BioMed Research International, 2018, 2018, 1-14.	1.9	16
48	The Effect of Virulence and Resistance Mechanisms on the Interactions between Parasitic Plants and Their Hosts. International Journal of Molecular Sciences, 2020, 21, 9013.	4.1	16
49	Genome-wide characterization of WRKY gene family in Helianthus annuus L. and their expression profiles under biotic and abiotic stresses. PLoS ONE, 2020, 15, e0241965.	2.5	15
50	5-Aminolevulinic acid alleviates herbicide-induced physiological and ultrastructural changes in Brassica napus. Journal of Integrative Agriculture, 2018, 17, 579-592.	3.5	13
51	The potential of nanomaterials for sustainable modern agriculture: present findings and future perspectives. Environmental Science: Nano, 2022, 9, 1926-1951.	4.3	13
52	Endogenous nitric oxide contributes to chloride and sulphate salinity tolerance by modulation of ion transporter expression and reestablishment of redox balance in Brassica napus cultivars. Environmental and Experimental Botany, 2022, 194, 104734.	4.2	12
53	The Interplay between Hydrogen Sulfide and Phytohormone Signaling Pathways under Challenging Environments. International Journal of Molecular Sciences, 2022, 23, 4272.	4.1	11
54	Transcriptional profiling of underground interaction of two contrasting sunflower cultivars with the root parasitic weed Orobanche cumana. Plant and Soil, 2020, 450, 303-321.	3.7	10

#	Article	IF	CITATIONS
55	Breeding Oil Crops for Sustainable Production: Heavy Metal Tolerance. , 2016, , 19-31.		7
56	5-Aminolevulinic acid could enhance the salinity tolerance by alleviating oxidative damages in Salvia miltiorrhiza. Food Science and Technology, 0, 42, .	1.7	4
57	Use of Phytohormones in Improving Abiotic Stress Tolerance in Rice. , 2019, , 651-675.		3
58	Safety of Oilseed Rape Straw Mulch of Different Lengths to Rice and Its Suppressive Effects on Weeds. Agronomy, 2020, 10, 201.	3.0	3
59	Title is missing!. , 2020, 15, e0241965.		0
60	Title is missing!. , 2020, 15, e0241965.		0
61	Title is missing!. , 2020, 15, e0241965.		0
62	Title is missing!. , 2020, 15, e0241965.		0