
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3100987/publications.pdf Version: 2024-02-01



SIN-HO LUNC

#	Article	IF	CITATIONS
1	Molecular analysis of gastric cancer identifies subtypes associated with distinct clinical outcomes. Nature Medicine, 2015, 21, 449-456.	30.7	1,592
2	A prognostic index for natural killer cell lymphoma after non-anthracycline-based treatment: a multicentre, retrospective analysis. Lancet Oncology, The, 2016, 17, 389-400.	10.7	285
3	Multinational Randomized Phase III Trial With or Without Consolidation Chemotherapy Using Docetaxel and Cisplatin After Concurrent Chemoradiation in Inoperable Stage III Non–Small-Cell Lung Cancer: KCSG-LU05-04. Journal of Clinical Oncology, 2015, 33, 2660-2666.	1.6	215
4	Endobronchial Ultrasound versus Mediastinoscopy for Mediastinal Nodal Staging of Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2015, 10, 331-337.	1.1	163
5	Randomized Trial of Lenalidomide Alone Versus Lenalidomide Plus Rituximab in Patients With Recurrent Follicular Lymphoma: CALGB 50401 (Alliance). Journal of Clinical Oncology, 2015, 33, 3635-3640.	1.6	163
6	Admissible two-stage designs for phase II cancer clinical trials. Statistics in Medicine, 2004, 23, 561-569.	1.6	134
7	Longitudinal monitoring of EGFR mutations in plasma predicts outcomes of NSCLC patients treated with EGFR TKIs: Korean Lung Cancer Consortium (KLCC-12-02). Oncotarget, 2016, 7, 6984-6993.	1.8	134
8	Sample size for FDR-control in microarray data analysis. Bioinformatics, 2005, 21, 3097-3104.	4.1	111
9	Sample size calculation for multiple testing in microarray data analysis. Biostatistics, 2005, 6, 157-169.	1.5	90
10	Risk stratification on the basis of Deauville score on PET-CT and the presence of Epstein-Barr virus DNA after completion of primary treatment for extranodal natural killer/T-cell lymphoma, nasal type: a multicentre, retrospective analysis. Lancet Haematology,the, 2015, 2, e66-e74.	4.6	85
11	On the estimation of the binomial probability in multistage clinical trials. Statistics in Medicine, 2004, 23, 881-896.	1.6	84
12	Sample size estimation for GEE method for comparing slopes in repeated measurements data. Statistics in Medicine, 2003, 22, 1305-1315.	1.6	78
13	Stratified Fisher's exact test and its sample size calculation. Biometrical Journal, 2014, 56, 129-140.	1.0	75
14	FGFR2 in gastric cancer: protein overexpression predicts gene amplification and high H-index predicts poor survival. Modern Pathology, 2016, 29, 1095-1103.	5.5	70
15	Pemetrexed Plus Cisplatin Versus Gemcitabine Plus Cisplatin According to Thymidylate Synthase Expression in Nonsquamous Non–Small-Cell Lung Cancer: A Biomarker-Stratified Randomized Phase II Trial. Journal of Clinical Oncology, 2015, 33, 2450-2456.	1.6	61
16	Graphical Search for Two-Stage Designs for Phase II Clinical Trials. Contemporary Clinical Trials, 2001, 22, 367-372.	1.9	56
17	Randomized phase II trials with a prospective control. Statistics in Medicine, 2008, 27, 568-583.	1.6	53
18	Coronary Microvascular Dysfunction asÂa Mechanism of Angina in Severe AS. Journal of the American College of Cardiology, 2016, 67, 1412-1422.	2.8	52

#	Article	IF	CITATIONS
19	The recommended treatment algorithms of the <scp>BCLC</scp> and <scp>HKLC</scp> staging systems: does following these always improve survival rates for <scp>HCC</scp> patients?. Liver International, 2016, 36, 1490-1497.	3.9	51
20	Risk score model for the development of hepatocellular carcinoma in treatment-naÃ <sup>-</sup> ve patients receiving oral antiviral treatment for chronic hepatitis B. Clinical and Molecular Hepatology, 2017, 23, 170-178.	8.9	49
21	Sample size calculations for clustered binary data. Statistics in Medicine, 2001, 20, 1971-1982.	1.6	48
22	CALGB 150905 (Alliance): Rituximab Broadens the Antilymphoma Response by Activating Unlicensed NK Cells. Cancer Immunology Research, 2014, 2, 878-889.	3.4	48
23	A phase 2 trial of extended induction epratuzumab and rituximab for previously untreated follicular lymphoma: CALGB 50701. Cancer, 2013, 119, 3797-3804.	4.1	47
24	Early gastric cancer with a mixed-type Lauren classification is more aggressive and exhibits greater lymph node metastasis. Journal of Gastroenterology, 2017, 52, 594-601.	5.1	47
25	Ideal number of biopsy tumor fragments for predicting HER2 status in gastric carcinoma resection specimens. Oncotarget, 2015, 6, 38372-38380.	1.8	47
26	Comparison of weekly versus triweekly cisplatin delivered concurrently with radiation therapy in patients with locally advanced nasopharyngeal cancer: A multicenter randomized phase II trial (KCSG-HN10-02). Radiotherapy and Oncology, 2016, 118, 244-250.	0.6	43
27	Nomogram to predict lymph node metastasis in patients with early gastric cancer: a useful clinical tool to reduce gastrectomy after endoscopic resection. Endoscopy, 2020, 52, 435-443.	1.8	41
28	Development and external validation of nomograms predictive of response to radiation therapy and overall survival in nasopharyngeal cancer patients. European Journal of Cancer, 2015, 51, 1303-1311.	2.8	40
29	Therapy with bortezomib plus lenalidomide for relapsed/refractory mantle cell lymphoma: final results of a phase II trial (CALGB 50501). Leukemia and Lymphoma, 2015, 56, 958-964.	1.3	36
30	Sample Size Computation for Two-Sample Noninferiority Log-Rank Test. Journal of Biopharmaceutical Statistics, 2005, 15, 969-979.	0.8	35
31	Clinical relevance of procalcitonin and C-reactive protein as infection markers in renal impairment: a cross-sectional study. Critical Care, 2014, 18, 640.	5.8	35
32	Clinical outcome and predictors of treatment response in foam sodium tetradecyl sulfate sclerotherapy of venous malformations. European Radiology, 2016, 26, 1301-1310.	4.5	35
33	Phase II trial of capecitabine and everolimus (RAD001) combination in refractory gastric cancer patients. Investigational New Drugs, 2013, 31, 1580-1586.	2.6	33
34	Phase II clinical trials with timeâ€ŧoâ€event endpoints: optimal twoâ€stage designs with oneâ€sample logâ€rank test. Statistics in Medicine, 2014, 33, 2004-2016.	1.6	33
35	Sample Size Considerations of Predictionâ€Validation Methods in Highâ€Dimensional Data for Survival Outcomes. Genetic Epidemiology, 2013, 37, 276-282.	1.3	29
36	A prediction model for advanced colorectal neoplasia in an asymptomatic screening population. PLoS ONE, 2017, 12, e0181040.	2.5	29

#	Article	IF	CITATIONS
37	Rank tests for clustered survival data. Lifetime Data Analysis, 2003, 9, 21-33.	0.9	28
38	Statistical Considerations for Analysis of Microarray Experiments. Clinical and Translational Science, 2011, 4, 466-477.	3.1	28
39	Unexpected and Serious Toxicity Observed with Combined Idelalisib, Lenalidomide and Rituximab in Relapsed/Refractory B Cell Lymphomas: Alliance A051201 and A051202. Blood, 2014, 124, 3091-3091.	1.4	28
40	A randomized trial of diet in men with early stage prostate cancer on active surveillance: Rationale and design of the Men's Eating and Living (MEAL) Study (CALGB 70807 [Alliance]). Contemporary Clinical Trials, 2014, 38, 198-203.	1.8	27
41	Lymphoepithelioma-like carcinoma: A distinct type of gastric cancer. Journal of Surgical Research, 2015, 194, 458-463.	1.6	27
42	Power and Sample Size Calculation for Microarray Studies. Journal of Biopharmaceutical Statistics, 2012, 22, 30-42.	0.8	26
43	Randomised, double-blind, placebo-controlled trial of Probiotics To Eliminate COVID-19 Transmission in Exposed Household Contacts (PROTECT-EHC): a clinical trial protocol. BMJ Open, 2021, 11, e047069.	1.9	26
44	How accurately can we control the FDR in analyzing microarray data?. Bioinformatics, 2006, 22, 1730-1736.	4.1	25
45	A multiple testing procedure to associate gene expression levels with survival. Statistics in Medicine, 2005, 24, 3077-3088.	1.6	24
46	Effect of oral antiviral treatment on long-term outcomes of radiofrequency ablation therapy for hepatitis B virus-related hepatocellular carcinoma. Oncotarget, 2016, 7, 47794-47807.	1.8	24
47	Magnetic resonance imaging with gadoxetic acid for local tumour progression after radiofrequency ablation in patients with hepatocellular carcinoma. European Radiology, 2016, 26, 3437-3446.	4.5	24
48	Diagnostic Performance of an Artificial Intelligence System in Breast Ultrasound. Journal of Ultrasound in Medicine, 2022, 41, 97-105.	1.7	23
49	T2-Weighted Liver MRI Using the MultiVane Technique at 3T: Comparison with Conventional T2-Weighted MRI. Korean Journal of Radiology, 2015, 16, 1038.	3.4	21
50	Clinicopathological Features and Prognosis of Mixed-Type T1a Gastric Cancer Based on Lauren's Classification. Annals of Surgical Oncology, 2016, 23, 784-791.	1.5	20
51	Imaging genotyping of functional signaling pathways in lung squamous cell carcinoma using a radiomics approach. Scientific Reports, 2018, 8, 3284.	3.3	20
52	Evaluation of the risk factors associated with rectal neuroendocrine tumors: a big data analytic study from a health screening center. Journal of Gastroenterology, 2016, 51, 1112-1121.	5.1	19
53	p-Value Calculation for Multistage Phase II Cancer Clinical Trials. Journal of Biopharmaceutical Statistics, 2006, 16, 765-775.	0.8	18
54	Sample Size Calculation for Simulation-Based Multiple-Testing Procedures. Journal of Biopharmaceutical Statistics, 2005, 15, 957-967.	0.8	17

SIN-HO JUNG

#	Article	IF	CITATIONS
55	A Note on Sample Size Calculation Based on Propensity Analysis in Nonrandomized Trials. Journal of Biopharmaceutical Statistics, 2007, 17, 35-41.	0.8	17
56	A sevenâ€gene signature can predict distant recurrence in patients with tripleâ€negative breast cancers who receive adjuvant chemotherapy following surgery. International Journal of Cancer, 2015, 136, 1976-1984.	5.1	17
57	Quality of life (QoL) in metastatic breast cancer patients with maintenance paclitaxel plus gemcitabine (PG) chemotherapy: results from phase III, multicenter, randomized trial of maintenance chemotherapy versus observation (KCSG-BR07-02). Breast Cancer Research and Treatment, 2015, 152, 77-85.	2.5	17
58	Obesity-related parameters and colorectal adenoma development. Journal of Gastroenterology, 2017, 52, 1221-1229.	5.1	16
59	Preservation of the endometrial enhancement after magnetic resonance imaging-guided high-intensity focused ultrasound ablation of submucosal uterine fibroids. European Radiology, 2017, 27, 3956-3965.	4.5	16
60	CALGB 50401:ÂÂA randomized trial of lenalidomide alone versus lenalidomide plus rituximab in patients with recurrent follicular lymphoma Journal of Clinical Oncology, 2012, 30, 8000-8000.	1.6	16
61	Dynamic prognostication using conditional survival analysis for patients with operable lung adenocarcinoma. Oncotarget, 2017, 8, 32201-32211.	1.8	16
62	On Sample Size Calculation for Comparing Survival Curves Under General Hypothesis Testing. Journal of Biopharmaceutical Statistics, 2012, 22, 485-495.	0.8	15
63	Diabetic biomarkers and the risk of proximal or distal gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 1705-1710.	2.8	15
64	Prospective phase II trial of pazopanib plus CapeOX (capecitabine and oxaliplatin) in previously untreated patients with advanced gastric cancer. Oncotarget, 2016, 7, 24088-24096.	1.8	15
65	Designing phase II studies in cancer with time-to-event endpoints. Clinical Trials, 2008, 5, 209-221.	1.6	14
66	The Value of MRI in Distinguishing Subtypes of Lipomatous Extremity Tumors Needs Reassessment in the Era of MDM2 and CDK4 Testing. Sarcoma, 2018, 2018, 1-7.	1.3	14
67	Higher BMI, But Not Sarcopenia, Is Associated With Pembrolizumab-related Toxicity in Patients With Advanced Melanoma. Anticancer Research, 2020, 40, 5245-5254.	1.1	14
68	Prediction of the Risk of Hepatocellular Carcinoma in Chronic Hepatitis C Patients after Sustained Virological Response by Aspartate Aminotransferase to Platelet Ratio Index. Gut and Liver, 2016, 10, 796-802.	2.9	14
69	Sample size calculation for rank tests comparing K survival distributions. Lifetime Data Analysis, 2002, 8, 361-373.	0.9	13
70	Rank tests for clustered survival data when dependent subunits are randomized. Statistics in Medicine, 2006, 25, 361-373.	1.6	13
71	Phase II Cancer Clinical Trials with Heterogeneous Patient Populations. Journal of Biopharmaceutical Statistics, 2012, 22, 312-328.	0.8	13
72	A nCounter CNV Assay to Detect HER2 Amplification: A Correlation Study with Immunohistochemistry and In Situ Hybridization in Advanced Gastric Cancer. Molecular Diagnosis and Therapy, 2016, 20, 375-383.	3.8	13

#	Article	IF	CITATIONS
73	Safety of Percutaneous Biopsy for Hepatic Angiosarcoma: Results of a Multicenter Korean Survey. Journal of Vascular and Interventional Radiology, 2016, 27, 846-851.	0.5	13
74	Sample size calculation for the weighted rank statistics with paired survival data. Statistics in Medicine, 2008, 27, 3350-3365.	1.6	12
75	Hepatocellular Carcinoma Risk of Compensated Cirrhosis Patients with Elevated HBV DNA Levels according to Serum Aminotransferase Levels. Journal of Korean Medical Science, 2015, 30, 1618.	2.5	12
76	The impact of slow graft function on graft outcome is comparable to delayed graft function in deceased donor kidney transplantation. International Urology and Nephrology, 2016, 48, 431-439.	1.4	12
77	CALGB 50803 (Alliance): A phase II trial of lenalidomide plus rituximab in patients with previously untreated follicular lymphoma Journal of Clinical Oncology, 2014, 32, 8521-8521.	1.6	12
78	Randomized trial of subfascial infusion of ropivacaine for early recovery in laparoscopic colorectal cancer surgery. Korean Journal of Anesthesiology, 2016, 69, 604.	2.5	12
79	Between-Arm Comparisons in Randomized Phase II Trials. Journal of Biopharmaceutical Statistics, 2009, 19, 456-468.	0.8	11
80	Randomized Phase II Clinical Trials. Journal of Biopharmaceutical Statistics, 2014, 24, 802-816.	0.8	11
81	Statistical issues for design and analysis of single-arm multi-stage phase II cancer clinical trials. Contemporary Clinical Trials, 2015, 42, 9-17.	1.8	10
82	A Risk Prediction Model Based on Lymph-Node Metastasis in Poorly Differentiated–Type Intramucosal Gastric Cancer. PLoS ONE, 2016, 11, e0156207.	2.5	10
83	Randomized trial of ofatumumab and bendamustine versus ofatumumab, bendamustine, and bortezomib in previously untreated patients with highâ€risk follicular lymphoma: CALGB 50904 (Alliance). Cancer, 2019, 125, 3378-3389.	4.1	10
84	Comparison of operational characteristics for binary tests with clustered data. Statistics in Medicine, 2015, 34, 2325-2333.	1.6	9
85	Relevance of Bone Marrow Biopsies for Response Assessment in US National Cancer Institute National Clinical Trials Network Follicular Lymphoma Clinical Trials. Journal of Clinical Oncology, 2023, 41, 336-342.	1.6	9
86	Sample Size Calculation for Weighted Rank Tests Comparing Survival Distributions Under Cluster Randomization: A Simulation Method. Journal of Biopharmaceutical Statistics, 2007, 17, 839-849.	0.8	8
87	Initial Clinical Outcome With Bilateral, Dual-Target Deep Brain Stimulation Trial in Parkinson Disease Using Summit RC + S. Neurosurgery, 2022, 91, 132-138.	1.1	8
88	Appropriate Design of Prospective Studies. Journal of Clinical Oncology, 2013, 31, 510-511.	1.6	7
89	The effects of cytotoxic therapy in progressive IgA nephropathy. Annals of Medicine, 2016, 48, 171-181.	3.8	7
90	Chlorhexidine Gluconate Bathing Reduces the Incidence of Bloodstream Infections in Adults Undergoing Inpatient Hematopoietic Cell Transplantation. Transplantation and Cellular Therapy, 2021, 27, 262.e1-262.e11.	1.2	7

#	Article	IF	CITATIONS
91	Serious Pulmonary Toxicity with SGN-30 and Gemcitabine, Vinorelbine, and Liposomal Doxorubicin in Patients with Relapsed/Refractory Hodgkin Lymphoma (HL): Cancer and Leukemia Group B (CALGB) 50502. Blood, 2008, 112, 232-232.	1.4	7
92	Serum protein profiling using an aptamer array predicts clinical outcomes of stage IIA colon cancer: A leave-one-out crossvalidation. Oncotarget, 2016, 7, 16338-16348.	1.8	7
93	Statistical Issues in the Design and Analysis of nCounter Projects. Cancer Informatics, 2014, 13s7, CIN.S16343.	1.9	6
94	Uterine fibroids: Influence of "T2-Rim sign―on immediate therapeutic responses to magnetic resonance imaging-guided high-intensity focused ultrasound ablation. European Journal of Radiology, 2017, 97, 21-30.	2.6	6
95	Sample size calculation for the log-rank tests for multi-arm trials with a control. Journal of the Korean Statistical Society, 2008, 37, 11-22.	0.4	5
96	Practical approach to determine sample size for building logistic prediction models using high-throughput data. Journal of Biomedical Informatics, 2015, 53, 355-362.	4.3	5
97	Design of phase II non-inferiority trials. Contemporary Clinical Trials Communications, 2017, 7, 23-27.	1.1	5
98	Frequency and impact of grade three or four toxicities of novel agents on outcomes of older patients with chronic lymphocytic leukemia and non-Hodgkin lymphoma (alliance A151611). Journal of Geriatric Oncology, 2018, 9, 321-328.	1.0	5
99	Sample size calculation for cluster randomization trials with a timeâ€ŧoâ€event endpoint. Statistics in Medicine, 2020, 39, 3608-3623.	1.6	5
100	Designs for randomized phase II clinical trials with two treatment arms. Statistics in Medicine, 2013, 32, 4367-4379.	1.6	4
101	Type I Error Control for Tree Classification. Cancer Informatics, 2014, 13s7, CIN.S16342.	1.9	4
102	Gadoxetic acid-enhanced magnetic resonance imaging characteristics of hepatocellular carcinoma occurring in liver transplants. European Radiology, 2017, 27, 3117-3127.	4.5	4
103	Pre-transplant hepatic steatosis (fatty liver) is associated with chronic graft-vs-host disease but not mortality. PLoS ONE, 2020, 15, e0238824.	2.5	4
104	Iodized Oil Transarterial Chemoembolization and Radiofrequency Ablation for Small Periportal Hepatocellular Carcinoma: Comparison with Nonperiportal Hepatocellular Carcinoma. CardioVascular and Interventional Radiology, 2018, 41, 120-129.	2.0	3
105	Interim FDG PET Imaging in CALGB 50203 Trial of Stage I/II Non-Bulky Hodgkin Lymphoma: Would Using Combined PET and CT Criteria Better Predict Response Than Each Test Alone?,. Blood, 2011, 118, 3644-3644.	1.4	3
106	Outcomes of adjunctive therapies post hedgehog inhibitors in the management of locally advanced basal cell carcinoma: A systematic review and pooled analysis. Dermatologic Therapy, 2021, 34, e15172.	1.7	3
107	Home-Based Hematopoietic Cell Transplantation in the United States. Transplantation and Cellular Therapy, 2022, 28, 207.e1-207.e8.	1.2	3
108	A 10-year trend in income disparity of cardiovascular health among older adults in South Korea. SSM - Population Health, 2020, 12, 100682.	2.7	2

SIN-HO JUNG

#	Article	IF	CITATIONS
109	Design and Analysis of Cancer Clinical Trials for Personalized Medicine. Journal of Personalized Medicine, 2021, 11, 376.	2.5	2
110	Decreased Mortality after the First Year of Allogeneic Hematopoietic Stem Cell Transplant in Recipients of Umbilical Cord Blood Vs. Matched Related or Matched Unrelated Donors. Blood, 2019, 134, 4613-4613.	1.4	2
111	Minimal Residual Disease (MRD) Status Following Induction Chemo-Immunotherapy Predicts Progression-Free Survival In Mantle Cell Lymphoma (MCL): CALGB 50403 (Alliance). Blood, 2013, 122, 3002-3002.	1.4	2
112	Influence of vitamin D (Vit D) on mammographic density (MD) and insulin like growth factor 1 (IGF1): Results of CALGB (Alliance) 70806 Journal of Clinical Oncology, 2018, 36, 1549-1549.	1.6	2
113	Survival and tumor characteristics of patients presenting with single primary versus second primary melanoma lesions. Journal of the American Academy of Dermatology, 2023, 88, 1033-1039.	1.2	2
114	Sample size calculation for microarray experiments with blocked one-way design. BMC Bioinformatics, 2009, 10, 164.	2.6	1
115	Reply to K. Shimada et al. Journal of Clinical Oncology, 2010, 28, e230-e230.	1.6	1
116	<i>K</i> ample comparisons using propensity analysis. Biometrical Journal, 2019, 61, 698-713.	1.0	1
117	A randomized, open label, phase II study comparing pemetrexed plus cisplatin followed by pemetrexed versus pemetrexed alone in EGFR mutant NSCLC patients who have failed first-line EGFR TKI: KCSG-LU12-13 Journal of Clinical Oncology, 2016, 34, 9043-9043.	1.6	1
118	CALGB/ECOG 100104 (Alliance) study: Lenalidomide (LEN) vs placebo (PBO) maintenance (maint) after stem cell transplant (SCT) for patients (pts) with multiple myeloma—Overall survival (OS) and progression-free survival (PFS) adjusted for treatment (tx) crossover (XO) Journal of Clinical Oncology, 2017, 35, 8037-8037.	1.6	1
119	Phase II Trials for Heterogeneous Patient Populations with a Time-to-Event Endpoint. Medical Research Archives, 2017, 5, .	0.2	1
120	Ironclad: A randomized phase III study of ibrutinib (Ibr) or no consolidation following autologous hematopoietic stem cell transplantation (AutoHCT) for relapsed/refractory activated-B-cell (ABC) subtype diffuse large B-cell lymphoma (DLBCL) Journal of Clinical Oncology, 2017, 35, TPS7566-TPS7566.	1.6	1
121	Relevance of bone marrow biopsies for response assessment in NCTN follicular lymphoma clinical trials Journal of Clinical Oncology, 2020, 38, 8038-8038.	1.6	1
122	Investigating readmission rates for patients undergoing oncologic resection and endoprosthetic reconstruction for primary sarcomas and tumors involving bone. Journal of Surgical Oncology, 2022, , .	1.7	1
123	Optimal Estimation for Regression Models on Ï"-Year Survival Probability. Journal of Biopharmaceutical Statistics, 2015, 25, 539-547.	0.8	0
124	Optimal two-stage log-rank test for randomized phase II clinical trials. Journal of Biopharmaceutical Statistics, 2017, 27, 639-658.	0.8	0
125	156. Clinical Characteristics and Acute-phase Cytokine Response of Solid-Organ Transplant Recipients with Bloodstream Infections Differs According to Bacterial Type and Transplant Status. Open Forum Infectious Diseases, 2019, 6, S104-S104.	0.9	0
126	The Contribution of Material, Behavioral, Psychological, and Social-Relational Factors to Income-Related Disparities in Cardiovascular Risk Among Older Adults. Journal of Cardiovascular Nursing, 2021, Publish Ahead of Print, .	1.1	0

#	Article	IF	CITATIONS
127	Group sequential testing for cluster randomized trials with timeâ€ŧoâ€event endpoint. Biometrics, 2022, 78, 1353-1364.	1.4	0
128	Validation of the International Harmonization Project (IHP) Guidelines in Early Stage Hodgkin Lymphoma (HL) Treated with Adriamycin, Vinblastine and Gemcitabine (AVG) (CALGB 50203): Early Results Blood, 2008, 112, 1460-1460.	1.4	0
129	Nomogram for lymph node metastasis prediction with early gastric cancer patients: To decide additional gastrectomy after endoscopic dissection Journal of Clinical Oncology, 2017, 35, 4045-4045.	1.6	0
130	Daily Chlorhexidine Gluconate Bathing Reduces the Rate of Bloodstream Infections in Adults Undergoing Inpatient Hematopoietic Stem Cell Transplantation. Blood, 2019, 134, 2210-2210.	1.4	0
131	Pre-Transplant Hepatic Steatosis (fatty liver) Predicts Chronic Graft-Vs-Host Disease but Does Not Affect Mortality. Blood, 2019, 134, 5731-5731.	1.4	0
132	Sinonasal Squamous Cell Carcinoma Outcomes: Does Treatment at a High-Volume Center Confer Survival Benefit?. , 2020, 81, .		0
133	Association of CEP72 rs924607 with vincristine-induced peripheral neuropathy (PN) in patients with diffuse large B-cell lymphoma on CALGB 50303 (Alliance) Journal of Clinical Oncology, 2020, 38, e13535-e13535.	1.6	0
134	Sample size calculation for clustered survival data under subunit randomization. Lifetime Data Analysis, 2021, , 1.	0.9	0
135	Financial incentives to increase stool collection rates for microbiome studies in adult bone marrow transplant patients. PLoS ONE, 2022, 17, e0267974.	2.5	Ο