

# Sin-Ho Jung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3100987/publications.pdf>

Version: 2024-02-01

135  
papers

5,200  
citations

147801

31  
h-index

95266

68  
g-index

136  
all docs

136  
docs citations

136  
times ranked

8835  
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival and tumor characteristics of patients presenting with single primary versus second primary melanoma lesions. <i>Journal of the American Academy of Dermatology</i> , 2023, 88, 1033-1039.	1.2	2
2	Relevance of Bone Marrow Biopsies for Response Assessment in US National Cancer Institute National Clinical Trials Network Follicular Lymphoma Clinical Trials. <i>Journal of Clinical Oncology</i> , 2023, 41, 336-342.	1.6	9
3	Diagnostic Performance of an Artificial Intelligence System in Breast Ultrasound. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 97-105.	1.7	23
4	Group sequential testing for cluster randomized trials with time-to-event endpoint. <i>Biometrics</i> , 2022, 78, 1353-1364.	1.4	0
5	Home-Based Hematopoietic Cell Transplantation in the United States. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 207.e1-207.e8.	1.2	3
6	Initial Clinical Outcome With Bilateral, Dual-Target Deep Brain Stimulation Trial in Parkinson Disease Using Summit RC + S. <i>Neurosurgery</i> , 2022, 91, 132-138.	1.1	8
7	Investigating readmission rates for patients undergoing oncologic resection and endoprosthetic reconstruction for primary sarcomas and tumors involving bone. <i>Journal of Surgical Oncology</i> , 2022, , .	1.7	1
8	Financial incentives to increase stool collection rates for microbiome studies in adult bone marrow transplant patients. <i>PLoS ONE</i> , 2022, 17, e0267974.	2.5	0
9	The Contribution of Material, Behavioral, Psychological, and Social-Relational Factors to Income-Related Disparities in Cardiovascular Risk Among Older Adults. <i>Journal of Cardiovascular Nursing</i> , 2021, Publish Ahead of Print, .	1.1	0
10	Chlorhexidine Gluconate Bathing Reduces the Incidence of Bloodstream Infections in Adults Undergoing Inpatient Hematopoietic Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 262.e1-262.e11.	1.2	7
11	Randomised, double-blind, placebo-controlled trial of Probiotics To Eliminate COVID-19 Transmission in Exposed Household Contacts (PROTECT-EHC): a clinical trial protocol. <i>BMJ Open</i> , 2021, 11, e047069.	1.9	26
12	Design and Analysis of Cancer Clinical Trials for Personalized Medicine. <i>Journal of Personalized Medicine</i> , 2021, 11, 376.	2.5	2
13	Outcomes of adjunctive therapies post hedgehog inhibitors in the management of locally advanced basal cell carcinoma: A systematic review and pooled analysis. <i>Dermatologic Therapy</i> , 2021, 34, e15172.	1.7	3
14	Sample size calculation for clustered survival data under subunit randomization. <i>Lifetime Data Analysis</i> , 2021, , 1.	0.9	0
15	Sample size calculation for cluster randomization trials with a time-to-event endpoint. <i>Statistics in Medicine</i> , 2020, 39, 3608-3623.	1.6	5
16	Higher BMI, But Not Sarcopenia, Is Associated With Pembrolizumab-related Toxicity in Patients With Advanced Melanoma. <i>Anticancer Research</i> , 2020, 40, 5245-5254.	1.1	14
17	Pre-transplant hepatic steatosis (fatty liver) is associated with chronic graft-vs-host disease but not mortality. <i>PLoS ONE</i> , 2020, 15, e0238824.	2.5	4
18	A 10-year trend in income disparity of cardiovascular health among older adults in South Korea. <i>SSM - Population Health</i> , 2020, 12, 100682.	2.7	2

#	ARTICLE	IF	CITATIONS
19	Nomogram to predict lymph node metastasis in patients with early gastric cancer: a useful clinical tool to reduce gastrectomy after endoscopic resection. <i>Endoscopy</i> , 2020, 52, 435-443.	1.8	41
20	Sinonasal Squamous Cell Carcinoma Outcomes: Does Treatment at a High-Volume Center Confer Survival Benefit?. , 2020, 81, .		0
21	Association of CEP72 rs924607 with vincristine-induced peripheral neuropathy (PN) in patients with diffuse large B-cell lymphoma on CALGB 50303 (Alliance).. <i>Journal of Clinical Oncology</i> , 2020, 38, e13535-e13535.	1.6	0
22	Relevance of bone marrow biopsies for response assessment in NCTN follicular lymphoma clinical trials.. <i>Journal of Clinical Oncology</i> , 2020, 38, 8038-8038.	1.6	1
23	Randomized trial of ofatumumab and bendamustine versus ofatumumab, bendamustine, and bortezomib in previously untreated patients with high-risk follicular lymphoma: CALGB 50904 (Alliance). <i>Cancer</i> , 2019, 125, 3378-3389.	4.1	10
24	156. Clinical Characteristics and Acute-phase Cytokine Response of Solid-Organ Transplant Recipients with Bloodstream Infections Differs According to Bacterial Type and Transplant Status. <i>Open Forum Infectious Diseases</i> , 2019, 6, S104-S104.	0.9	0
25	Sample comparisons using propensity analysis. <i>Biometrical Journal</i> , 2019, 61, 698-713.	1.0	1
26	Decreased Mortality after the First Year of Allogeneic Hematopoietic Stem Cell Transplant in Recipients of Umbilical Cord Blood Vs. Matched Related or Matched Unrelated Donors. <i>Blood</i> , 2019, 134, 4613-4613.	1.4	2
27	Daily Chlorhexidine Gluconate Bathing Reduces the Rate of Bloodstream Infections in Adults Undergoing Inpatient Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2019, 134, 2210-2210.	1.4	0
28	Pre-Transplant Hepatic Steatosis (fatty liver) Predicts Chronic Graft-Vs-Host Disease but Does Not Affect Mortality. <i>Blood</i> , 2019, 134, 5731-5731.	1.4	0
29	Imaging genotyping of functional signaling pathways in lung squamous cell carcinoma using a radiomics approach. <i>Scientific Reports</i> , 2018, 8, 3284.	3.3	20
30	Frequency and impact of grade three or four toxicities of novel agents on outcomes of older patients with chronic lymphocytic leukemia and non-Hodgkin lymphoma (alliance A151611). <i>Journal of Geriatric Oncology</i> , 2018, 9, 321-328.	1.0	5
31	Iodized Oil Transarterial Chemoembolization and Radiofrequency Ablation for Small Periportal Hepatocellular Carcinoma: Comparison with Nonperiportal Hepatocellular Carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 120-129.	2.0	3
32	The Value of MRI in Distinguishing Subtypes of Lipomatous Extremity Tumors Needs Reassessment in the Era of MDM2 and CDK4 Testing. <i>Sarcoma</i> , 2018, 2018, 1-7.	1.3	14
33	Influence of vitamin D (Vit D) on mammographic density (MD) and insulin like growth factor 1 (IGF1): Results of CALGB (Alliance) 70806.. <i>Journal of Clinical Oncology</i> , 2018, 36, 1549-1549.	1.6	2
34	Optimal two-stage log-rank test for randomized phase II clinical trials. <i>Journal of Biopharmaceutical Statistics</i> , 2017, 27, 639-658.	0.8	0
35	Obesity-related parameters and colorectal adenoma development. <i>Journal of Gastroenterology</i> , 2017, 52, 1221-1229.	5.1	16
36	Preservation of the endometrial enhancement after magnetic resonance imaging-guided high-intensity focused ultrasound ablation of submucosal uterine fibroids. <i>European Radiology</i> , 2017, 27, 3956-3965.	4.5	16

#	ARTICLE	IF	CITATIONS
37	Gadoxetic acid-enhanced magnetic resonance imaging characteristics of hepatocellular carcinoma occurring in liver transplants. <i>European Radiology</i> , 2017, 27, 3117-3127.	4.5	4
38	Uterine fibroids: Influence of T2-Rim sign on immediate therapeutic responses to magnetic resonance imaging-guided high-intensity focused ultrasound ablation. <i>European Journal of Radiology</i> , 2017, 97, 21-30.	2.6	6
39	Design of phase II non-inferiority trials. <i>Contemporary Clinical Trials Communications</i> , 2017, 7, 23-27.	1.1	5
40	Early gastric cancer with a mixed-type Lauren classification is more aggressive and exhibits greater lymph node metastasis. <i>Journal of Gastroenterology</i> , 2017, 52, 594-601.	5.1	47
41	A prediction model for advanced colorectal neoplasia in an asymptomatic screening population. <i>PLoS ONE</i> , 2017, 12, e0181040.	2.5	29
42	CALGB/ECOG 100104 (Alliance) study: Lenalidomide (LEN) vs placebo (PBO) maintenance (maint) after stem cell transplant (SCT) for patients (pts) with multiple myeloma—Overall survival (OS) and progression-free survival (PFS) adjusted for treatment (tx) crossover (XO).. <i>Journal of Clinical Oncology</i> , 2017, 35, 8037-8037.	1.6	1
43	Dynamic prognostication using conditional survival analysis for patients with operable lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 32201-32211.	1.8	16
44	Risk score model for the development of hepatocellular carcinoma in treatment-naïve patients receiving oral antiviral treatment for chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 170-178.	8.9	49
45	Phase II Trials for Heterogeneous Patient Populations with a Time-to-Event Endpoint. <i>Medical Research Archives</i> , 2017, 5, .	0.2	1
46	Ironclad: A randomized phase III study of ibrutinib (Ibr) or no consolidation following autologous hematopoietic stem cell transplantation (AutoHCT) for relapsed/refractory activated-B-cell (ABC) subtype diffuse large B-cell lymphoma (DLBCL).. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS7566-TPS7566.	1.6	1
47	Nomogram for lymph node metastasis prediction with early gastric cancer patients: To decide additional gastrectomy after endoscopic dissection.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4045-4045.	1.6	0
48	Longitudinal monitoring of EGFR mutations in plasma predicts outcomes of NSCLC patients treated with EGFR TKIs: Korean Lung Cancer Consortium (KLCC-12-02). <i>Oncotarget</i> , 2016, 7, 6984-6993.	1.8	134
49	Effect of oral antiviral treatment on long-term outcomes of radiofrequency ablation therapy for hepatitis B virus-related hepatocellular carcinoma. <i>Oncotarget</i> , 2016, 7, 47794-47807.	1.8	24
50	A Risk Prediction Model Based on Lymph-Node Metastasis in Poorly Differentiated Type Intramucosal Gastric Cancer. <i>PLoS ONE</i> , 2016, 11, e0156207.	2.5	10
51	Diabetic biomarkers and the risk of proximal or distal gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1705-1710.	2.8	15
52	FGFR2 in gastric cancer: protein overexpression predicts gene amplification and high H-index predicts poor survival. <i>Modern Pathology</i> , 2016, 29, 1095-1103.	5.5	70
53	A nCounter CNV Assay to Detect HER2 Amplification: A Correlation Study with Immunohistochemistry and In Situ Hybridization in Advanced Gastric Cancer. <i>Molecular Diagnosis and Therapy</i> , 2016, 20, 375-383.	3.8	13
54	Evaluation of the risk factors associated with rectal neuroendocrine tumors: a big data analytic study from a health screening center. <i>Journal of Gastroenterology</i> , 2016, 51, 1112-1121.	5.1	19

#	ARTICLE	IF	CITATIONS
55	Clinicopathological Features and Prognosis of Mixed-Type T1a Gastric Cancer Based on Lauren's Classification. <i>Annals of Surgical Oncology</i> , 2016, 23, 784-791.	1.5	20
56	The recommended treatment algorithms of the BCLC and HKLC staging systems: does following these always improve survival rates for HCC patients?. <i>Liver International</i> , 2016, 36, 1490-1497.	3.9	51
57	Safety of Percutaneous Biopsy for Hepatic Angiosarcoma: Results of a Multicenter Korean Survey. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 846-851.	0.5	13
58	Magnetic resonance imaging with gadoxetic acid for local tumour progression after radiofrequency ablation in patients with hepatocellular carcinoma. <i>European Radiology</i> , 2016, 26, 3437-3446.	4.5	24
59	Coronary Microvascular Dysfunction as a Mechanism of Angina in Severe AS. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1412-1422.	2.8	52
60	The effects of cytotoxic therapy in progressive IgA nephropathy. <i>Annals of Medicine</i> , 2016, 48, 171-181.	3.8	7
61	The impact of slow graft function on graft outcome is comparable to delayed graft function in deceased donor kidney transplantation. <i>International Urology and Nephrology</i> , 2016, 48, 431-439.	1.4	12
62	A prognostic index for natural killer cell lymphoma after non-anthracycline-based treatment: a multicentre, retrospective analysis. <i>Lancet Oncology</i> , The, 2016, 17, 389-400.	10.7	285
63	Comparison of weekly versus triweekly cisplatin delivered concurrently with radiation therapy in patients with locally advanced nasopharyngeal cancer: A multicenter randomized phase II trial (KCSG-HN10-02). <i>Radiotherapy and Oncology</i> , 2016, 118, 244-250.	0.6	43
64	Clinical outcome and predictors of treatment response in foam sodium tetradecyl sulfate sclerotherapy of venous malformations. <i>European Radiology</i> , 2016, 26, 1301-1310.	4.5	35
65	A randomized, open label, phase II study comparing pemetrexed plus cisplatin followed by pemetrexed versus pemetrexed alone in EGFR mutant NSCLC patients who have failed first-line EGFR TKI: KCSG-LU12-13. <i>Journal of Clinical Oncology</i> , 2016, 34, 9043-9043.	1.6	1
66	Serum protein profiling using an aptamer array predicts clinical outcomes of stage IIA colon cancer: A leave-one-out crossvalidation. <i>Oncotarget</i> , 2016, 7, 16338-16348.	1.8	7
67	Prospective phase II trial of pazopanib plus CapeOX (capecitabine and oxaliplatin) in previously untreated patients with advanced gastric cancer. <i>Oncotarget</i> , 2016, 7, 24088-24096.	1.8	15
68	Randomized trial of subfascial infusion of ropivacaine for early recovery in laparoscopic colorectal cancer surgery. <i>Korean Journal of Anesthesiology</i> , 2016, 69, 604.	2.5	12
69	Prediction of the Risk of Hepatocellular Carcinoma in Chronic Hepatitis C Patients after Sustained Virological Response by Aspartate Aminotransferase to Platelet Ratio Index. <i>Gut and Liver</i> , 2016, 10, 796-802.	2.9	14
70	Comparison of operational characteristics for binary tests with clustered data. <i>Statistics in Medicine</i> , 2015, 34, 2325-2333.	1.6	9
71	T2-Weighted Liver MRI Using the MultiVane Technique at 3T: Comparison with Conventional T2-Weighted MRI. <i>Korean Journal of Radiology</i> , 2015, 16, 1038.	3.4	21
72	Hepatocellular Carcinoma Risk of Compensated Cirrhosis Patients with Elevated HBV DNA Levels according to Serum Aminotransferase Levels. <i>Journal of Korean Medical Science</i> , 2015, 30, 1618.	2.5	12

#	ARTICLE	IF	CITATIONS
73	A seven-gene signature can predict distant recurrence in patients with triple-negative breast cancers who receive adjuvant chemotherapy following surgery. <i>International Journal of Cancer</i> , 2015, 136, 1976-1984.	5.1	17
74	Risk stratification on the basis of Deauville score on PET-CT and the presence of Epstein-Barr virus DNA after completion of primary treatment for extranodal natural killer/T-cell lymphoma, nasal type: a multicentre, retrospective analysis. <i>Lancet Haematology</i> , 2015, 2, e66-e74.	4.6	85
75	Lymphoepithelioma-like carcinoma: A distinct type of gastric cancer. <i>Journal of Surgical Research</i> , 2015, 194, 458-463.	1.6	27
76	Optimal Estimation for Regression Models on $\bar{t}_n$ -Year Survival Probability. <i>Journal of Biopharmaceutical Statistics</i> , 2015, 25, 539-547.	0.8	0
77	Development and external validation of nomograms predictive of response to radiation therapy and overall survival in nasopharyngeal cancer patients. <i>European Journal of Cancer</i> , 2015, 51, 1303-1311.	2.8	40
78	Pemetrexed Plus Cisplatin Versus Gemcitabine Plus Cisplatin According to Thymidylate Synthase Expression in Nonsquamous Non-Small-Cell Lung Cancer: A Biomarker-Stratified Randomized Phase II Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 2450-2456.	1.6	61
79	Statistical issues for design and analysis of single-arm multi-stage phase II cancer clinical trials. <i>Contemporary Clinical Trials</i> , 2015, 42, 9-17.	1.8	10
80	Practical approach to determine sample size for building logistic prediction models using high-throughput data. <i>Journal of Biomedical Informatics</i> , 2015, 53, 355-362.	4.3	5
81	Molecular analysis of gastric cancer identifies subtypes associated with distinct clinical outcomes. <i>Nature Medicine</i> , 2015, 21, 449-456.	30.7	1,592
82	Endobronchial Ultrasound versus Mediastinoscopy for Mediastinal Nodal Staging of Non-Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2015, 10, 331-337.	1.1	163
83	Quality of life (QoL) in metastatic breast cancer patients with maintenance paclitaxel plus gemcitabine (PG) chemotherapy: results from phase III, multicenter, randomized trial of maintenance chemotherapy versus observation (KCSG-BR07-02). <i>Breast Cancer Research and Treatment</i> , 2015, 152, 77-85.	2.5	17
84	Randomized Trial of Lenalidomide Alone Versus Lenalidomide Plus Rituximab in Patients With Recurrent Follicular Lymphoma: CALGB 50401 (Alliance). <i>Journal of Clinical Oncology</i> , 2015, 33, 3635-3640.	1.6	163
85	Multinational Randomized Phase III Trial With or Without Consolidation Chemotherapy Using Docetaxel and Cisplatin After Concurrent Chemoradiation in Inoperable Stage III Non-Small-Cell Lung Cancer: KCSG-LU05-04. <i>Journal of Clinical Oncology</i> , 2015, 33, 2660-2666.	1.6	215
86	Therapy with bortezomib plus lenalidomide for relapsed/refractory mantle cell lymphoma: final results of a phase II trial (CALGB 50501). <i>Leukemia and Lymphoma</i> , 2015, 56, 958-964.	1.3	36
87	Ideal number of biopsy tumor fragments for predicting HER2 status in gastric carcinoma resection specimens. <i>Oncotarget</i> , 2015, 6, 38372-38380.	1.8	47
88	Type I Error Control for Tree Classification. <i>Cancer Informatics</i> , 2014, 13s7, CIN.S16342.	1.9	4
89	Statistical Issues in the Design and Analysis of nCounter Projects. <i>Cancer Informatics</i> , 2014, 13s7, CIN.S16343.	1.9	6
90	Randomized Phase II Clinical Trials. <i>Journal of Biopharmaceutical Statistics</i> , 2014, 24, 802-816.	0.8	11

#	ARTICLE	IF	CITATIONS
91	Clinical relevance of procalcitonin and C-reactive protein as infection markers in renal impairment: a cross-sectional study. <i>Critical Care</i> , 2014, 18, 640.	5.8	35
92	Stratified Fisher's exact test and its sample size calculation. <i>Biometrical Journal</i> , 2014, 56, 129-140.	1.0	75
93	Phase II clinical trials with time-to-event endpoints: optimal two-stage designs with one-sample log-rank test. <i>Statistics in Medicine</i> , 2014, 33, 2004-2016.	1.6	33
94	CALGB 150905 (Alliance): Rituximab Broadens the Antilymphoma Response by Activating Unlicensed NK Cells. <i>Cancer Immunology Research</i> , 2014, 2, 878-889.	3.4	48
95	A randomized trial of diet in men with early stage prostate cancer on active surveillance: Rationale and design of the Men's Eating and Living (MEAL) Study (CALGB 70807 [Alliance]). <i>Contemporary Clinical Trials</i> , 2014, 38, 198-203.	1.8	27
96	Unexpected and Serious Toxicity Observed with Combined Idelalisib, Lenalidomide and Rituximab in Relapsed/Refractory B Cell Lymphomas: Alliance A051201 and A051202. <i>Blood</i> , 2014, 124, 3091-3091.	1.4	28
97	CALGB 50803 (Alliance): A phase II trial of lenalidomide plus rituximab in patients with previously untreated follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2014, 32, 8521-8521.	1.6	12
98	Phase II trial of capecitabine and everolimus (RAD001) combination in refractory gastric cancer patients. <i>Investigational New Drugs</i> , 2013, 31, 1580-1586.	2.6	33
99	Appropriate Design of Prospective Studies. <i>Journal of Clinical Oncology</i> , 2013, 31, 510-511.	1.6	7
100	Sample Size Considerations of Prediction-Validation Methods in High-Dimensional Data for Survival Outcomes. <i>Genetic Epidemiology</i> , 2013, 37, 276-282.	1.3	29
101	A phase 2 trial of extended induction epratuzumab and rituximab for previously untreated follicular lymphoma: CALGB 50701. <i>Cancer</i> , 2013, 119, 3797-3804.	4.1	47
102	Designs for randomized phase II clinical trials with two treatment arms. <i>Statistics in Medicine</i> , 2013, 32, 4367-4379.	1.6	4
103	Minimal Residual Disease (MRD) Status Following Induction Chemo-Immunotherapy Predicts Progression-Free Survival In Mantle Cell Lymphoma (MCL): CALGB 50403 (Alliance). <i>Blood</i> , 2013, 122, 3002-3002.	1.4	2
104	Power and Sample Size Calculation for Microarray Studies. <i>Journal of Biopharmaceutical Statistics</i> , 2012, 22, 30-42.	0.8	26
105	On Sample Size Calculation for Comparing Survival Curves Under General Hypothesis Testing. <i>Journal of Biopharmaceutical Statistics</i> , 2012, 22, 485-495.	0.8	15
106	Phase II Cancer Clinical Trials with Heterogeneous Patient Populations. <i>Journal of Biopharmaceutical Statistics</i> , 2012, 22, 312-328.	0.8	13
107	CALGB 50401: A randomized trial of lenalidomide alone versus lenalidomide plus rituximab in patients with recurrent follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 8000-8000.	1.6	16
108	Statistical Considerations for Analysis of Microarray Experiments. <i>Clinical and Translational Science</i> , 2011, 4, 466-477.	3.1	28

#	ARTICLE	IF	CITATIONS
109	Interim FDG PET Imaging in CALGB 50203 Trial of Stage I/II Non-Bulky Hodgkin Lymphoma: Would Using Combined PET and CT Criteria Better Predict Response Than Each Test Alone?. <i>Blood</i> , 2011, 118, 3644-3644.	1.4	3
110	Reply to K. Shimada et al. <i>Journal of Clinical Oncology</i> , 2010, 28, e230-e230.	1.6	1
111	Between-Arm Comparisons in Randomized Phase II Trials. <i>Journal of Biopharmaceutical Statistics</i> , 2009, 19, 456-468.	0.8	11
112	Sample size calculation for microarray experiments with blocked one-way design. <i>BMC Bioinformatics</i> , 2009, 10, 164.	2.6	1
113	Randomized phase II trials with a prospective control. <i>Statistics in Medicine</i> , 2008, 27, 568-583.	1.6	53
114	Sample size calculation for the weighted rank statistics with paired survival data. <i>Statistics in Medicine</i> , 2008, 27, 3350-3365.	1.6	12
115	Sample size calculation for the log-rank tests for multi-arm trials with a control. <i>Journal of the Korean Statistical Society</i> , 2008, 37, 11-22.	0.4	5
116	Designing phase II studies in cancer with time-to-event endpoints. <i>Clinical Trials</i> , 2008, 5, 209-221.	1.6	14
117	Serious Pulmonary Toxicity with SGN-30 and Gemcitabine, Vinorelbine, and Liposomal Doxorubicin in Patients with Relapsed/Refractory Hodgkin Lymphoma (HL): Cancer and Leukemia Group B (CALGB) 50502. <i>Blood</i> , 2008, 112, 232-232.	1.4	7
118	Validation of the International Harmonization Project (IHP) Guidelines in Early Stage Hodgkin Lymphoma (HL) Treated with Adriamycin, Vinblastine and Gemcitabine (AVG) (CALGB 50203): Early Results.. <i>Blood</i> , 2008, 112, 1460-1460.	1.4	0
119	Sample Size Calculation for Weighted Rank Tests Comparing Survival Distributions Under Cluster Randomization: A Simulation Method. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 839-849.	0.8	8
120	A Note on Sample Size Calculation Based on Propensity Analysis in Nonrandomized Trials. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 35-41.	0.8	17
121	Rank tests for clustered survival data when dependent subunits are randomized. <i>Statistics in Medicine</i> , 2006, 25, 361-373.	1.6	13
122	How accurately can we control the FDR in analyzing microarray data?. <i>Bioinformatics</i> , 2006, 22, 1730-1736.	4.1	25
123	p-Value Calculation for Multistage Phase II Cancer Clinical Trials. <i>Journal of Biopharmaceutical Statistics</i> , 2006, 16, 765-775.	0.8	18
124	A multiple testing procedure to associate gene expression levels with survival. <i>Statistics in Medicine</i> , 2005, 24, 3077-3088.	1.6	24
125	Sample size calculation for multiple testing in microarray data analysis. <i>Biostatistics</i> , 2005, 6, 157-169.	1.5	90
126	Sample Size Computation for Two-Sample Noninferiority Log-Rank Test. <i>Journal of Biopharmaceutical Statistics</i> , 2005, 15, 969-979.	0.8	35



#	ARTICLE	IF	CITATIONS
127	Sample size for FDR-control in microarray data analysis. <i>Bioinformatics</i> , 2005, 21, 3097-3104.	4.1	111
128	Sample Size Calculation for Simulation-Based Multiple-Testing Procedures. <i>Journal of Biopharmaceutical Statistics</i> , 2005, 15, 957-967.	0.8	17
129	Admissible two-stage designs for phase II cancer clinical trials. <i>Statistics in Medicine</i> , 2004, 23, 561-569.	1.6	134
130	On the estimation of the binomial probability in multistage clinical trials. <i>Statistics in Medicine</i> , 2004, 23, 881-896.	1.6	84
131	Rank tests for clustered survival data. <i>Lifetime Data Analysis</i> , 2003, 9, 21-33.	0.9	28
132	Sample size estimation for GEE method for comparing slopes in repeated measurements data. <i>Statistics in Medicine</i> , 2003, 22, 1305-1315.	1.6	78
133	Sample size calculation for rank tests comparing K survival distributions. <i>Lifetime Data Analysis</i> , 2002, 8, 361-373.	0.9	13
134	Sample size calculations for clustered binary data. <i>Statistics in Medicine</i> , 2001, 20, 1971-1982.	1.6	48
135	Graphical Search for Two-Stage Designs for Phase II Clinical Trials. <i>Contemporary Clinical Trials</i> , 2001, 22, 367-372.	1.9	56