Hong-Lei Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3105684/publications.pdf

Version: 2024-02-01

430874 477307 42 990 18 29 citations h-index g-index papers 47 47 47 1157 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparative study of sex pheromone composition and biosynthesis in Helicoverpa armigera, H. assulta and their hybrid. Insect Biochemistry and Molecular Biology, 2005, 35, 575-583.	2.7	71
2	Selection on male sex pheromone composition contributes to butterfly reproductive isolation. Proceedings of the Royal Society B: Biological Sciences, 2015, 282, 20142734.	2.6	68
3	Neofunctionalization in an ancestral insect desaturase lineage led to rare î"6 pheromone signals in the Chinese tussah silkworm. Insect Biochemistry and Molecular Biology, 2010, 40, 742-751.	2.7	67
4	A plant factory for moth pheromone production. Nature Communications, 2014, 5, 3353.	12.8	67
5	Composition of physiologically important fatty acids in great tits differs between urban and rural populations on a seasonal basis. Frontiers in Ecology and Evolution, 2015, 3, .	2.2	55
6	A moth pheromone brewery: production of (Z)-11-hexadecenol by heterologous co-expression of two biosynthetic genes from a noctuid moth in a yeast cell factory. Microbial Cell Factories, 2013, 12, 125.	4.0	42
7	Receptor for detection of a Type II sex pheromone in the winter moth Operophtera brumata. Scientific Reports, 2016, 6, 18576.	3.3	41
8	Sex pheromone biosynthetic pathways are conserved between moths and the butterfly Bicyclus anynana. Nature Communications, 2014, 5, 3957.	12.8	40
9	Species-Dependent Effects of the Urban Environment on Fatty Acid Composition and Oxidative Stress in Birds. Frontiers in Ecology and Evolution, 2017, 5, .	2.2	39
10	Production of moth sex pheromones for pest control by yeast fermentation. Metabolic Engineering, 2020, 62, 312-321.	7.0	39
11	Elucidation of the sex-pheromone biosynthesis producing 5,7-dodecadienes in Dendrolimus punctatus (Lepidoptera: Lasiocampidae) reveals \hat{l} 11- and \hat{l} 9-desaturases with unusual catalytic properties. Insect Biochemistry and Molecular Biology, 2010, 40, 440-452.	2.7	37
12	Fatty acid profiles of great tit (Parus major) eggs differ between urban and rural habitats, but not between coniferous and deciduous forests. Die Naturwissenschaften, 2016, 103, 55.	1.6	37
13	Multi-Omics Analysis of Fatty Alcohol Production in Engineered Yeasts Saccharomyces cerevisiae and Yarrowia lipolytica. Frontiers in Genetics, 2019, 10, 747.	2.3	32
14	Terminal fatty-acyl-CoA desaturase involved in sex pheromone biosynthesis in the winter moth (Operophtera brumata). Insect Biochemistry and Molecular Biology, 2011, 41, 715-722.	2.7	27
15	Multi-Functional Desaturases in Two Spodoptera Moths with $\hat{a}^{\dagger}11$ and $\hat{a}^{\dagger}12$ Desaturation Activities. Journal of Chemical Ecology, 2019, 45, 378-387.	1.8	27
16	Biosynthesis of Unusual Moth Pheromone Components Involves Two Different Pathways in the Navel Orangeworm, Amyelois transitella. Journal of Chemical Ecology, 2010, 36, 535-547.	1.8	24
17	Migratory refueling affects non-enzymatic antioxidant capacity, but does not increase lipid peroxidation. Physiology and Behavior, 2016, 158, 26-32.	2.1	22
18	Production of moth sex pheromone precursors inÂNicotianaÂspp.: a worthwhile new approach to pest control. Journal of Pest Science, 2020, 93, 1333-1346.	3.7	22

#	Article	IF	Citations
19	Identification, Synthesis, and Behavioral Activity of 5,11-Dimethylpentacosane, A Novel Sex Pheromone Component of the Greater Wax Moth, Galleria Mellonella (L.). Journal of Chemical Ecology, 2014, 40, 387-395.	1.8	18
20	Identification and Biosynthesis of Novel Male Specific Esters in the Wings of the Tropical Butterfly, Bicyclus martius sanaos. Journal of Chemical Ecology, 2014, 40, 549-559.	1.8	17
21	Ionotropic receptors in the turnip moth Agrotis segetum respond to repellent medium-chain fatty acids. BMC Biology, 2022, 20, 34.	3.8	17
22	Challenges of pheromone-based mating disruption of Cydia strobilella and Dioryctria abietella in spruce seed orchards. Journal of Pest Science, 2018, 91, 639-650.	3.7	16
23	Identification of the Sex Pheromone of the Spruce Seed Moth, Cydia strobilella L Journal of Chemical Ecology, 2010, 36, 305-313.	1.8	14
24	Assessment of genetic and pheromonal diversity of the <i>Cydia strobilella</i> species complex (Lepidoptera: Tortricidae). Systematic Entomology, 2013, 38, 305-315.	3.9	12
25	Green Chemistry Production of Codlemone, the Sex Pheromone of the Codling Moth (Cydia) Tj ETQq1 1 0.78431 Chemical Ecology, 2021, 47, 950-967.	4 rgBT /O 1.8	verlock 10 T 12
26	Genetic basis of sex pheromone blend difference between Helicoverpa armigera (Hübner) and Helicoverpa assulta (Guenée) (Lepidoptera: Noctuidae). Journal of Insect Physiology, 2008, 54, 813-817.	2.0	11
27	Genetic divergence and evidence for sympatric host-races in the highly polyphagous brown tail moth, Euproctis chrysorrhoea (Lepidoptera: Erebidae). Evolutionary Ecology, 2014, 28, 829-848.	1.2	11
28	Stereoisomeric Analysis of 6,10,14-Trimethylpentadecan-2-ol and the Corresponding Ketone in Wing Extracts from African Bicyclus Butterfly Species. Journal of Chemical Ecology, 2015, 41, 44-51.	1.8	11
29	Identification of the Female-Produced Sex Pheromone of the Leafminer Holocacista capensis Infesting Grapevine in South Africa. Journal of Chemical Ecology, 2015, 41, 724-731.	1.8	10
30	Characterization of volatile components extracted from <i>Vangueria infausta</i> (African medlar) by using GC–MS. Journal of Essential Oil Research, 2015, 27, 76-81.	2.7	10
31	Differentiation in putative male sex pheromone components across and within populations of the African butterfly Bicyclus anynana as a potential driver of reproductive isolation. Ecology and Evolution, 2016, 6, 6064-6084.	1.9	10
32	Lubrication characteristics of wax esters from oils produced by a genetically-enhanced oilseed crop. Tribology International, 2020, 146, 106234.	5.9	10
33	Biosynthesis of the Sex Pheromone Component (E,Z)-7,9-Dodecadienyl Acetate in the European Grapevine Moth, Lobesia botrana, Involving \hat{a} 11 Desaturation and an Elusive \hat{a} 7 Desaturase. Journal of Chemical Ecology, 2021, 47, 248-264.	1.8	8
34	Release of moth pheromone compounds from Nicotiana benthamiana upon transient expression of heterologous biosynthetic genes. BMC Biology, 2022, 20, 80.	3.8	8
35	Chemical composition of anal droplets of the eusocial gall-inducing thrips Kladothrips intermedius. Chemoecology, 2014, 24, 85-94.	1.1	7
36	Biosynthesis and PBAN-Regulated Transport of Pheromone Polyenes in the Winter Moth, Operophtera brumata. Journal of Chemical Ecology, 2013, 39, 790-796.	1.8	6

#	Article	lF	CITATIONS
37	Identification, isolation and characterization of the antifeedant constituent of <i>Clausena anisata</i> against <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae). Insect Science, 2009, 16, 247-253.	3.0	5
38	Bioproduction of $(\langle i \rangle Z \langle i \rangle, \langle i \rangle E \langle i \rangle)$ $\hat{a} \in 9,12\hat{a} \in 4$ tetradecadienyl acetate ($\langle scp \rangle ZETA \langle scp \rangle$), the major pheromone component of $\langle i \rangle Plodia \langle i \rangle$, $\langle i \rangle Ephestia \langle i \rangle$, and $\langle i \rangle Spodoptera \langle i \rangle$ species in yeast. Pest Management Science, 2022, 78, 1048-1059.	3.4	4
39	Sex Pheromones of Two Leafminer Species, Antispila oinophylla and Holocacista rivillei (Lepidoptera:) Tj ETQq1 1	0.784314	l rgBT /Overl
40	Can differential fatty acid composition help migrating birds to limit oxidative lipid damage?. Physiology and Behavior, 2022, 249, 113768.	2.1	3
41	Sex pheromone of the cloaked pug moth, E upithecia abietaria (L epidoptera: G eometridae), a pest of spruce cones. Journal of Applied Entomology, 2015, 139, 352-360.	1.8	2
42	Manufacturing specialized wax esters in plants. Metabolic Engineering, 2022, 72, 391-402.	7.0	1