

# Eric P Moll Van Charante

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3108548/publications.pdf>

Version: 2024-02-01

116  
papers

4,046  
citations

136950

32  
h-index

144013

57  
g-index

131  
all docs

131  
docs citations

131  
times ranked

5677  
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between gender-related characteristics and type 2 diabetes risk in a multi-ethnic population: The HELIUS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 142-150.	2.6	5
2	Sex Differences in the Relation Between Subjective Memory Complaints, Impairments in Instrumental Activities of Daily Living, and Risk of Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 283-294.	2.6	3
3	Differences in SARS-CoV-2 infections during the first and second wave of SARS-CoV-2 between six ethnic groups in Amsterdam, the Netherlands: A population-based longitudinal serological study. <i>Lancet Regional Health - Europe</i> , The, 2022, 13, 100284.	5.6	27
4	SARS-CoV-2 antibody prevalence and correlates of six ethnic groups living in Amsterdam, the Netherlands: a population-based cross-sectional study, June–October 2020. <i>BMJ Open</i> , 2022, 12, e052752.	1.9	14
5	The association between socioeconomic status and prevalence, awareness, treatment and control of hypertension in different ethnic groups: the Healthy Life in an Urban Setting study. <i>Journal of Hypertension</i> , 2022, 40, 897-907.	0.5	5
6	Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality. <i>JAMA Internal Medicine</i> , 2022, 182, 142.	5.1	45
7	Attitudes and views on healthy lifestyle interventions for the prevention of dementia and cardiovascular disease among older people with low socioeconomic status: a qualitative study in the Netherlands. <i>BMJ Open</i> , 2022, 12, e055984.	1.9	5
8	Diagnostic Accuracy of the Telephone Interview for Cognitive Status for the Detection of Dementia in Primary Care. <i>Annals of Family Medicine</i> , 2022, 20, 130-136.	1.9	3
9	Factors Predicting Engagement of Older Adults With a Coach-Supported eHealth Intervention Promoting Lifestyle Change and Associations Between Engagement and Changes in Cardiovascular and Dementia Risk: Secondary Analysis of an 18-Month Multinational Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2022, 24, e32006.	4.3	22
10	Severe Fatigue in the First Year Following SARS-CoV-2 Infection: A Prospective Cohort Study. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofac127.	0.9	3
11	Association of Angiotensin II–Stimulating Antihypertensive Use and Dementia Risk. <i>Neurology</i> , 2021, 96, e67-e80.	1.1	25
12	Performance of Risk Assessment Models for Prevalent or Undiagnosed Type 2 Diabetes Mellitus in a Multi-Ethnic Population—The Helius Study. <i>Global Heart</i> , 2021, 16, 13.	2.3	2
13	Determinants of suboptimal blood pressure control in a multi-ethnic population: The Healthy Life in an Urban Setting (HELIUS) study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1068-1076.	2.0	4
14	Prevention of dementia using mobile phone applications (PRODEMOS): protocol for an international randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e049762.	1.9	18
15	Targeting Vascular Risk Factors to Reduce Dementia Incidence in Old Age. <i>JAMA Neurology</i> , 2021, 78, 1527.	9.0	16
16	Longitudinal relation between blood pressure, antihypertensive use and cerebral blood flow, using arterial spin labelling MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 1756-1766.	4.3	16
17	Estimating the lifetime risk of dementia using nationwide individually linked cause-of-death and health register data. <i>International Journal of Epidemiology</i> , 2021, 50, 809-816.	1.9	9
18	Design and Development of a Mobile Health (mHealth) Platform for Dementia Prevention in the Prevention of Dementia by Mobile Phone Applications (PRODEMOS) Project. <i>Frontiers in Neurology</i> , 2021, 12, 733878.	2.4	5

#	ARTICLE	IF	CITATIONS
19	Association of Benzodiazepine and Anticholinergic Drug Usage With Incident Dementia: A Prospective Cohort Study of Community-Dwelling Older Adults. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 188-193.e3.	2.5	21
20	Association Between Blood Pressure Variability and Cerebral Small-Vessel Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2020, 9, e013841.	3.7	75
21	Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , 2020, 21, e12989.	6.5	62
22	Dementia risk scores as surrogate outcomes for lifestyle-based multidomain prevention trials—rationale, preliminary evidence and challenges. <i>Alzheimer's and Dementia</i> , 2020, 16, 1674-1685.	0.8	18
23	Suitability of dementia risk scores as surrogate outcomes for lifestyle-based multidomain prevention trials. <i>Alzheimer's and Dementia</i> , 2020, 16, e042798.	0.8	0
24	Adverse lipid profiles in older people are associated with lower dementia risk. <i>Alzheimer's and Dementia</i> , 2020, 16, e044052.	0.8	0
25	Antihypertensive medication classes and the risk of dementia: A systematic review and network meta-analysis. <i>Alzheimer's and Dementia</i> , 2020, 16, e039014.	0.8	1
26	Pooling individual participant data from randomized controlled trials: Exploring potential loss of information. <i>PLoS ONE</i> , 2020, 15, e0232970.	2.5	2
27	Investigation of antihypertensive class, dementia, and cognitive decline. <i>Neurology</i> , 2020, 94, e267-e281.	1.1	78
28	Prevention of dementia using mobile phone applications (PRODEMOS): A randomized controlled trial in progress. <i>Alzheimer's and Dementia</i> , 2020, 16, e043039.	0.8	0
29	Attitudes of at-risk older adults about prevention of cardiovascular disease and dementia using eHealth: a qualitative study in a European context. <i>BMJ Open</i> , 2020, 10, e037050.	1.9	4
30	A cardiovascular risk prediction model for older people: Development and validation in a primary care population. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1145-1152.	2.0	17
31	Associations of Subjective Memory Complaints and Simple Memory Task Scores With Future Dementia in the Primary Care Setting. <i>Annals of Family Medicine</i> , 2019, 17, 412-418.	1.9	9
32	A Population Perspective on Prevention of Dementia. <i>Journal of Clinical Medicine</i> , 2019, 8, 834.	2.4	23
33	Visit-to-Visit Blood Pressure Variability and Progression of White Matter Hyperintensities Among Older People With Hypertension. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1175-1177.e1.	2.5	16
34	Discontinuation of Antihypertensive Medication, Cognitive Complaints, and Incident Dementia. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1091-1097.e3.	2.5	9
35	A network approach on the relation between apathy and depression symptoms with dementia and functional disability. <i>International Psychogeriatrics</i> , 2019, 31, 1655-1663.	1.0	21
36	Hypertension management: experiences, wishes and concerns among older people—a qualitative study. <i>BMJ Open</i> , 2019, 9, e030742.	1.9	12

#	ARTICLE	IF	CITATIONS
37	Integrating nurses' experiences with supporting behaviour change for cardiovascular prevention into a self-management internet platform in Finland and the Netherlands: a qualitative study. <i>BMJ Open</i> , 2019, 9, e023480.	1.9	10
38	Healthy ageing through internet counselling in the elderly (HATICE): a multinational, randomised controlled trial. <i>The Lancet Digital Health</i> , 2019, 1, e424-e434.	12.3	83
39	Older Adults' Reasons for Participating in an eHealth Prevention Trial: A Cross-Country, Mixed-Methods Comparison. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 843-849.e5.	2.5	28
40	Visit-To-Visit Blood Pressure Variability and the Risk of Dementia in Older People. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 727-735.	2.6	34
41	Prescribing and deprescribing antihypertensive medication in older people by Dutch general practitioners: a qualitative study. <i>BMJ Open</i> , 2018, 8, e020871.	1.9	34
42	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 110-119.	5.0	26
43	Engaging older people in an internet platform for cardiovascular risk self-management: a qualitative study among Dutch HATICE participants. <i>BMJ Open</i> , 2018, 8, e019683.	1.9	35
44	Apathy is associated with incident dementia in community-dwelling older people. <i>Neurology</i> , 2018, 90, e82-e89.	1.1	35
45	Deprescribing preventive medication in older patients. <i>British Journal of General Practice</i> , 2018, 68, 456-457.	1.4	9
46	Antihypertensive Drugs, Incident Dementia, and the Competing Risk of Death. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 1026-1027.	2.5	3
47	Blood pressure-lowering interventions to prevent dementia. <i>Journal of Hypertension</i> , 2018, 36, 1780-1787.	0.5	33
48	Improving Prediction of Dementia in Primary Care. <i>Annals of Family Medicine</i> , 2018, 16, 206-210.	1.9	12
49	Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. <i>Clinical Epidemiology</i> , 2018, Volume 10, 363-379.	3.0	49
50	Association of Apathy With Risk of Incident Dementia. <i>JAMA Psychiatry</i> , 2018, 75, 1012.	11.0	88
51	Modifiable dementia risk score to study heterogeneity in treatment effect of a dementia prevention trial: a post hoc analysis in the preDIVA trial using the LIBRA index. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 62.	6.2	15
52	Effects of Primary Cardiovascular Prevention on Vascular Risk in Older Adults. <i>American Journal of Preventive Medicine</i> , 2018, 55, 368-375.	3.0	10
53	Determinants of Dropout and Nonadherence in a Dementia Prevention Randomized Controlled Trial: The Prevention of Dementia by Intensive Vascular Care Trial. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1505-1513.	2.6	20
54	Lower dementia risk with different classes of antihypertensive medication in older patients. <i>Journal of Hypertension</i> , 2017, 35, 2095-2101.	0.5	44

#	ARTICLE	IF	CITATIONS
55	Effect of Long-Term Vascular Care on Progression of Cerebrovascular Lesions. <i>Stroke</i> , 2017, 48, 1842-1848.	2.0	32
56	[P1â€™013]: LOWER DEMENTIA RISK WITH DIFFERENT CLASSES OF ANTIHYPERTENSIVE MEDICATION IN OLDER PATIENTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P237.	0.8	0
57	Development and Validation of an Interactive Internet Platform for Older People: The Healthy Ageing Through Internet Counselling in the Elderly Study. <i>Telemedicine Journal and E-Health</i> , 2017, 23, 96-104.	2.8	36
58	[P2â€™586]: VISITâ€™TOâ€™VISIT BLOOD PRESSURE VARIABILITY AND THE RISK OF DEMENTIA IN OLDER PEOPLE. <i>Alzheimer's and Dementia</i> , 2017, 13, P872.	0.8	0
59	[P3â€™573]: HEALTHY AGEING THROUGH INTERNET COUNSELLING IN THE ELDERLY (HATICE): AN ONGOING RANDOMISED CONTROLLED TRIAL. <i>Alzheimer's and Dementia</i> , 2017, 13, P1198.	0.8	1
60	[P1â€™618]: LOWER DEMENTIA RISK WITH DIFFERENT CLASSES OF ANTIHYPERTENSIVE MEDICATION IN OLDER PATIENTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P533.	0.8	0
61	Cost-effectiveness of nurse-led multifactorial care to prevent or postpone new disabilities in community-living older people: Results of a cluster randomized trial. <i>PLoS ONE</i> , 2017, 12, e0175272.	2.5	9
62	Improving data sharing in research with context-free encoded missing data. <i>PLoS ONE</i> , 2017, 12, e0182362.	2.5	3
63	Dementia incidence trend over 1992-2014 in the Netherlands: Analysis of primary care data. <i>PLoS Medicine</i> , 2017, 14, e1002235.	8.4	45
64	How to choose the most appropriate cognitive test to evaluate cognitive complaints in primary care. <i>BMC Family Practice</i> , 2017, 18, 101.	2.9	22
65	Cost-effectiveness of different strategies for diagnosis of uncomplicated urinary tract infections in women presenting in primary care. <i>PLoS ONE</i> , 2017, 12, e0188818.	2.5	4
66	Effects of Nurse-Led Multifactorial Care to Prevent Disability in Community-Living Older People: Cluster Randomized Trial. <i>PLoS ONE</i> , 2016, 11, e0158714.	2.5	29
67	Healthy Ageing Through Internet Counselling in the Elderly: the HATICE randomised controlled trial for the prevention of cardiovascular disease and cognitive impairment. <i>BMJ Open</i> , 2016, 6, e010806.	1.9	75
68	Impact evaluation of a community-based intervention for prevention of cardiovascular diseases in the slums of Nairobi: the SCALE-UP study. <i>Global Health Action</i> , 2016, 9, 30922.	1.9	22
69	O4â€™05â€™01: Prevention of Dementia by Intensive Vascular Care (Prediva): A Clusterâ€™Randomized Trial. <i>Alzheimer's and Dementia</i> , 2016, 12, P342.	0.8	0
70	P4â€™392: Healthy Ageing Through Internet Counselling in the Elderly (HATICE): an Ongoing Randomised Controlled Trial. <i>Alzheimer's and Dementia</i> , 2016, 12, P1187.	0.8	3
71	Comprehensive geriatric assessment: recognition of identified geriatric conditions by community-dwelling older persons. <i>Age and Ageing</i> , 2016, 45, 894-899.	1.6	14
72	Effectiveness of a 6-year multidomain vascular care intervention to prevent dementia (preDIVA): a cluster-randomised controlled trial. <i>Lancet</i> , The, 2016, 388, 797-805.	13.7	429

#	ARTICLE	IF	CITATIONS
73	Diagnosing dementia in Dutch general practice: a qualitative study of GPs'™ practices and views. <i>British Journal of General Practice</i> , 2016, 66, e416-e422.	1.4	18
74	The mediating role of cardiovascular risk factors in the relationship between symptoms of apathy and incident cardiovascular disease in community-dwelling older individuals. <i>International Psychogeriatrics</i> , 2016, 28, 669-679.	1.0	14
75	Changes in the in-hospital mortality and 30-day post-discharge mortality in acutely admitted older patients: retrospective observational study. <i>Age and Ageing</i> , 2016, 45, 41-47.	1.6	10
76	Comprehensive Geriatric Assessment and Transitional Care in Acutely Hospitalized Patients. <i>JAMA Internal Medicine</i> , 2016, 176, 302.	5.1	69
77	Case Finding of Mild Cognitive Impairment and Dementia and Subsequent Care; Results of a Cluster RCT in Primary Care. <i>PLoS ONE</i> , 2016, 11, e0156958.	2.5	16
78	Web-Based Interventions Targeting Cardiovascular Risk Factors in Middle-Aged and Older People: A Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2016, 18, e55.	4.3	116
79	Perspectives of older people engaging in nurse-led cardiovascular prevention programmes: a qualitative study in primary care in the Netherlands. <i>British Journal of General Practice</i> , 2015, 65, e41-e48.	1.4	25
80	Factors associated with recognition and prioritization for falling, and the effect on fall incidence in community dwelling older adults. <i>BMC Geriatrics</i> , 2015, 15, 169.	2.7	13
81	Advance care planning in primary care, only for severely ill patients? A structured review. <i>Family Practice</i> , 2015, 32, 16-26.	1.9	76
82	Cardiovascular prevention model from Kenyan slums to migrants in the Netherlands. <i>Globalization and Health</i> , 2015, 11, 11.	4.9	6
83	Apathy in Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , 2015, 30, 759-769.	3.9	268
84	Low-grade inflammation differentiates between symptoms of apathy and depression in community-dwelling older individuals. <i>International Psychogeriatrics</i> , 2015, 27, 639-647.	1.0	29
85	HIV indicator condition-guided testing to reduce the number of undiagnosed patients and prevent late presentation in a high-prevalence area: a case-control study in primary care. <i>Sexually Transmitted Infections</i> , 2015, 91, 467-472.	1.9	50
86	Dutch family physicians'™ awareness of cognitive impairment among the elderly. <i>BMC Geriatrics</i> , 2015, 15, 105.	2.7	9
87	Community-Dwelling Patients With Dementia and Their Informal Caregivers With and Without Case Management: 2-Year Outcomes of a Pragmatic Trial. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 800.e1-800.e8.	2.5	25
88	Culturally Adapted Hypertension Education (CAHE) to Improve Blood Pressure Control and Treatment Adherence in Patients of African Origin with Uncontrolled Hypertension: Cluster-Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e90103.	2.5	56
89	Apathy is an independent risk factor for incident cardiovascular disease in the older individual: a population-based cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 454-463.	2.7	32
90	Preferences regarding disclosure of a diagnosis of dementia: a systematic review. <i>International Psychogeriatrics</i> , 2014, 26, 1603-1618.	1.0	76

#	ARTICLE	IF	CITATIONS
91	A simple validated questionnaire predicted functional decline in community-dwelling older persons: prospective cohort studies. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1121-1130.	5.0	34
92	Self-Report of Healthcare Utilization among Community-Dwelling Older Persons: A Prospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e93372.	2.5	26
93	Women with symptoms of uncomplicated urinary tract infection are often willing to delay antibiotic treatment: a prospective cohort study. <i>BMC Family Practice</i> , 2013, 14, 71.	2.9	72
94	A community-based intervention for primary prevention of cardiovascular diseases in the slums of Nairobi: the SCALE UP study protocol for a prospective quasi-experimental community-based trial. <i>Trials</i> , 2013, 14, 409.	1.6	20
95	Poststroke Apathy. <i>Stroke</i> , 2013, 44, 851-860.	2.0	120
96	Toward A Simple Diagnostic Index for Acute Uncomplicated Urinary Tract Infections. <i>Annals of Family Medicine</i> , 2013, 11, 442-451.	1.9	35
97	The accuracy of family physicians' dementia diagnoses at different stages of dementia: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 342-354.	2.7	79
98	Cardiovascular risk management in community-dwelling elderly: opportunities for prevention. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1365-1372.	1.8	16
99	Symptoms of Apathy Are Associated with Progression from Mild Cognitive Impairment to Alzheimer's Disease in Non-Depressed Subjects. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 33, 204-209.	1.5	97
100	Association of Vascular Factors With Apathy in Community-Dwelling Elderly Individuals. <i>Archives of General Psychiatry</i> , 2012, 69, 636-42.	12.3	69
101	Comparative effectiveness of antibiotics for uncomplicated urinary tract infections: Network meta-analysis of randomized trials. <i>Family Practice</i> , 2012, 29, 659-670.	1.9	25
102	Case-finding of dementia in general practice and effects of subsequent collaborative care; design of a cluster RCT. <i>BMC Public Health</i> , 2012, 12, 609.	2.9	8
103	Comparing Dutch Case management care models for people with dementia and their caregivers: The design of the COMPAS study. <i>BMC Health Services Research</i> , 2012, 12, 132.	2.2	28
104	Comprehensive geriatric assessment, multifactorial interventions and nurse-led care coordination to prevent functional decline in community-dwelling older persons: protocol of a cluster randomized trial. <i>BMC Health Services Research</i> , 2012, 12, 85.	2.2	32
105	Methodological challenges in designing dementia prevention trials – The European Dementia Prevention Initiative (EDPI). <i>Journal of the Neurological Sciences</i> , 2012, 322, 64-70.	0.6	96
106	Vascular Risk Factors as Treatment Target to Prevent Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2012, 32, 733-740.	2.6	22
107	Methodological issues in a cluster-randomized trial to prevent dementia by intensive vascular care. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 315-317.	3.3	8
108	Treatment of cardiovascular risk factors to prevent cognitive decline and dementia: a systematic review. <i>Vascular Health and Risk Management</i> , 2010, 6, 775.	2.3	81

#	ARTICLE	IF	CITATIONS
109	A cluster-randomized controlled trial evaluating the effect of culturally-appropriate hypertension education among Afro-Surinamese and Ghanaian patients in Dutch general practice: study protocol. <i>BMC Health Services Research</i> , 2009, 9, 193.	2.2	10
110	Prevention of Dementia by Intensive Vascular Care (PreDIVA). <i>Alzheimer Disease and Associated Disorders</i> , 2009, 23, 198-204.	1.3	122
111	Optimizing the diagnostic work-up of acute uncomplicated urinary tract infections. <i>BMC Family Practice</i> , 2008, 9, 64.	2.9	12
112	Self-referrals to the A&E department during out-of-hours: Patients' motives and characteristics. <i>Patient Education and Counseling</i> , 2008, 70, 256-265.	2.2	64
113	Patients evaluate accessibility and nurse telephone consultations in out-of-hours GP care: Determinants of a negative evaluation. <i>Patient Education and Counseling</i> , 2007, 65, 131-136.	2.2	36
114	Out-of-hours demand for GP care and emergency services: patients' choices and referrals by general practitioners and ambulance services. <i>BMC Family Practice</i> , 2007, 8, 46.	2.9	67
115	Patient satisfaction with large-scale out-of-hours primary health care in The Netherlands: development of a postal questionnaire. <i>Family Practice</i> , 2006, 23, 437-443.	1.9	39
116	The first general practitioner hospital in The Netherlands: towards a new form of integrated care?. <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 38-43.	1.5	8