

# Silvia Biondi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3110086/publications.pdf>

Version: 2024-02-01

455  
papers

18,482  
citations

17440  
63  
h-index

28297  
105  
g-index

471  
all docs

471  
docs citations

471  
times ranked

9465  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunA2. European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
6	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
7	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \pi^{\pm} \nu \bar{\nu}$ events in RunA2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
8	The ATLAS inner detector trigger performance in pp collisions at $13 \text{ TeV}$ during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
10	Measurement of the energy asymmetry in $t\bar{t}$ production at $13 \text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13 \text{ TeV}$ . European Physical Journal C, 2022, 82, 1.	3.9	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
13	Charge identification of fragments with the emulsion spectrometer of the FOOT experiment. Open Physics, 2021, 19, 383-394.	1.7	6
14	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
15	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
16	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
17	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
18	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17

#	ARTICLE	IF	CITATIONS
19	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
20	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
21	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
22	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
23	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
24	Optimisation of large-radius jet reconstruction for the ATLAS detector in $13 \text{ TeV}$ proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
25	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-u\bar{u}$ final states using $139 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
26	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
27	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^-bb$ and $e^+e^-WW$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
28	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
29	Charge identification of nuclear fragments with the FOOT Time-Of-Flight system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2021, 1001, 165206.	1.6	4
30	Measurements of $W+W^+$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
31	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
32	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
33	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}_\mu$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
34	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
35	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
36	Measurements of differential cross-sections in four-lepton events in $13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
37	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
38	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
39	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
40	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
41	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
42	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
43	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
44	The FragmentatiOn Of Target Experiment (FOOT) and its DAQ system. <i>IEEE Transactions on Nuclear Science</i> , 2021, , 1-1.	2.0	0
45	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
46	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
47	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
48	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
49	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
50	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
51	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
52	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
53	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
54	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7

#	ARTICLE	IF	CITATIONS
55	Measurement of b-quark fragmentation properties in jets using the decay $B \pm \bar{B} \rightarrow J/\psi K \pm$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
56	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
57	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
58	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	32
59	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
60	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
61	Measurement of differential cross sections for single diffractive dissociation in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
62	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
63	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
64	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
65	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
66	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
67	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
68	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
69	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
70	Measurement of the $Z \rightarrow e^+ e^-$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
71	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
72	Transverse momentum and process dependent azimuthal anisotropies in p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
73	Measurement of $J/\psi$ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
74	Search for new resonances in mass distributions of jet pairs using 139 $\text{fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
75	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
76	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
77	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
78	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
79	Search for top squarks in events with a Higgs or Z boson using 139 $\text{fb}^{-1}$ of pp collision data at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
80	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
81	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
82	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
83	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
84	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
85	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
86	Constraints on mediator-based dark matter and scalar dark energy models using 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	49
87	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
88	Search for Higgs boson pair production in the $WW^*(*)WW^(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
89	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
90	Measurement of $WZ$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41

#	ARTICLE	IF	CITATIONS
91	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
92	Search for scalar resonances decaying into $\tilde{l}_1 + \tilde{l}_2$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
93	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
94	Ion charge separation with new generation of nuclear emulsion films. <i>Open Physics</i> , 2019, 17, 233-240.	1.7	9
95	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
96	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\text{TeV}$ . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
97	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
98	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
99	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
100	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
101	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13\text{TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
102	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
103	Search for top-quark decays $t \rightarrow b\bar{b}$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19
104	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
105	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ s = 5.02 $\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
106	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
107	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
108	Search for long-lived particles produced in pp collisions at $s=13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019, 99, .	4.7	35

#	ARTICLE	IF	CITATIONS
109	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
110	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
111	Search for heavy Majorana or Dirac neutrinos and right-handed $W$ gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
112	In situ calibration of large-radius jet energy and mass in $13\text{TeV}$ proton–proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
113	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
114	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
115	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$ final state. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
116	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
117	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
118	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
119	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
120	Measurement of $ZZ$ production in the $^{1/2}\bar{l}^{1/2}\bar{l}^{1/2}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
121	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
122	Measurement of the inclusive cross-section for the production of jets in association with a $Z$ boson in proton–proton collisions at $8\text{TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
123	Search for heavy neutral leptons in decays of $W$ bosons produced in $13\text{TeV}$ pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	50
124	Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
125	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
126	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36

#	ARTICLE	IF	CITATIONS
127	Measurements of top-quark pair differential and double-differential cross-sections in the $\ell\ell jj$ channel with $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
128	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1. Search for light resonances decaying to boosted quark pairs $s \bar{s}$ , produced in association with a photon or a jet in proton+proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 838, 335	4.7	14
129	Development and characterization of a $\pi^+$ -TOF detector prototype for the FOOT experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 916, 116-124.	1.6	8
130	Measurement of the inclusive isolated-photon cross section in $pp$ collisions at $\sqrt{s} = 13$ TeV using $36 \text{ fb}^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
132	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1. Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $pp$ collisions with the ATLAS detector. Physical Review C, 2018, 97, 2.9	3.9	4
133	Search for High-Mass Resonances Decaying to $e^+e^-$ in $pp$ collisions with the ATLAS detector. Physical Review C, 2018, 97, 46		
134	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	7.8	50
135	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\rightarrow q\bar{q}bb$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	4.7	51
136	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in $36 \text{ fb}^{-1}$ of $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
138	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in $pp$ collisions at $\sqrt{s} = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
139	Measurement of the $W$ -boson mass in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
140	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 225-237		
141	Measurement of $t\bar{t}$ production in proton+proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 13-21		
142	Search for diboson resonances with boson-tagged jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 91-113.		
143	Search for new phenomena in high-mass final states with a photon and a jet from $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 102.	3.9	13
144	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52

#	ARTICLE	IF	CITATIONS
145	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and $5.0 \text{ TeV}$ . European Physical Journal C, 2018, 78, 142.	3.9	59
146	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
147	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
148	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \gamma\gamma$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
149	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
150	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
151	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow e^+e^- \rightarrow \gamma\gamma$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
152	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
153	Search for WW/WZ resonance production in $\gamma\gamma$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
154	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
155	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\gamma\gamma \rightarrow \gamma\gamma + \text{miss. energy}$ . Physical Review D, 2018, 97, 112001.	4.7	31
156	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
157	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 75-76.	4.1	19
158	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 77-88.	4.1	19
159	Measurement of the production cross section of a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 218-229.	4.1	19
160	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
161	Measurement of the $Z\gamma\gamma \rightarrow \gamma\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
162	Prompt and non-prompt J/psi elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19

#	ARTICLE	IF	CITATIONS
163	Search for Higgs boson pair production in the $\gamma\gamma WW^{\star}$ channel using $pp$ collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
164	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
165	Study of the associated production of the Higgs boson with a top quark pair in a boosted regime in the ATLAS experiment. European Physical Journal Plus, 2018, 133, 1.	2.6	1
166	Search for resonant $WZ$ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 787, 68-88.	4.7	1
167	Angular analysis of $B_0 \rightarrow K^- \pi^+ \pi^- \pi^+$ decays in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
168	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36$ fb $^{-1}$ of $pp$ collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
169	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
170	Measurements of differential cross sections of top quark pair production in association with jets in $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
171	Search for Higgs boson pair production in the $\gamma\gamma\gamma\gamma$ final state with $13$ TeV $pp$ collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
172	Search for new phenomena in events with same-charge leptons and b-jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
173	Measurement of the azimuthal anisotropy of charged particles produced in $\text{NNN}$ $\text{Pb+Pb}$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
174	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
175	Measurement of dijet azimuthal decorrelations in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and determination of the strong coupling. Physical Review D, 2018, 98, .	4.7	8
176	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\langle E_{beam} \rangle = 4$ TeV. Journal of Instrumentation, 2018, 13, P12006-P12006.	1.2	2
177	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
178	Search for pair production of Higgsinos in final states with at least three tagged jets in $pp$ collisions at $\sqrt{s} = 13$ TeV. Physical Review D, 2018, 98, .	4.7	20
179	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
180	Measurements of Higgs boson properties in the diphoton decay channel with $\gamma\gamma$ of $pp$ collisions at $\sqrt{s} = 13$ TeV. Physical Review D, 2018, 98, .	4.7	115

#	ARTICLE	IF	CITATIONS
181	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	3.9	25
182	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
183	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
184	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
185	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
186	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
187	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
188	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	15
189	Search for charged Higgs bosons decaying via $H^\pm \rightarrow l^\pm \nu_l$ , in the $l^\pm + \text{jets}$ and $l^\pm + \text{lepton}$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
190	Prompt and non-prompt $J/\psi$ suppression at high transverse momentum in $5.02\text{-}5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
191	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	20
192	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
193	Measurement of the Higgs boson mass in the $H\rightarrow Z\gamma\gamma$ and $H\rightarrow\tau^+\tau^-$ channels with proton-proton collisions at $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	4.7	15
194	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\bar{\nu}\nu$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
195	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
196	Search for flavour-changing neutral current top-quark decays $t\rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
197	Search for squarks and gluinos in final states with jets and missing transverse momentum using proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	18
198	Measurement of the inclusive and fiducial $t\bar{t}\bar{\tau}\tau$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	3.9	10

#	ARTICLE	IF	CITATIONS
199	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p <p> collisions at &lt;math&gt;\sqrt{s} = 13 \text{ TeV}&lt;/math&gt; using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2018, 782, 750-767.</p>	4.7	136
200	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in <math>\sqrt{s} = 13 \text{ TeV}</math> proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2018, 782, 758-767.	7.8	41
201	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at <math>\sqrt{s} = 13 \text{ TeV}</math> with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
202	Search for top squarks decaying to tau sleptons in <math>\sqrt{s} = 13 \text{ TeV}</math> pp collisions with ATLAS. Physical Review Letters, 2018, 121, 081801.	4.7	9
203	Collisions at <math>\sqrt{s} = 13 \text{ TeV}</math> with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	7.8	33
204	Search for supersymmetry in events with four or more leptons in <math>\sqrt{s} = 13 \text{ TeV}</math> pp collisions with ATLAS. Physical Review D, 2018, 98, 092001.	4.7	21
205	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in <math>\sqrt{s} = 13 \text{ TeV}</math> pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
206	<math>\sqrt{s} = 13 \text{ TeV}</math> cross-section measurements and search for anomalies. Physical Review D, 2018, 97, 092001.	4.7	26
207	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at <math>\sqrt{s} = 13 \text{ TeV}</math> with the ATLAS detector. Physical Review D, 2018, 97, 092001.	4.7	64
208	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
209	Search for R-parity-violating top squarks in <math>\sqrt{s} = 13 \text{ TeV}</math> pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, 092001.	4.7	12
210	Search for the standard model Higgs boson produced in association with top quarks and decaying into a <math>b\bar{b}</math> pair in <math>\sqrt{s} = 13 \text{ TeV}</math> collisions at <math>\sqrt{s} = 13 \text{ TeV}</math>. Physical Review D, 2018, 97, 092001.	4.7	49
211	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	4.7	39
212	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
213	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the <math>\gamma\gamma\gamma\gamma</math> final state in pp collisions at <math>\sqrt{s} = 13 \text{ TeV}</math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2018, 782, 750-767.	4.7	136
214	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at <math>\sqrt{s} = 13 \text{ TeV}</math> with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
215	Search for dark matter produced in association with bottom or top quarks in <math>\sqrt{s} = 13 \text{ TeV}</math> pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
216	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at <math>\sqrt{s} = 13 \text{ TeV}</math>. European Physical Journal C, 2018, 78, 199.	3.9	132

#	ARTICLE	IF	CITATIONS
217	Measurement of $\text{au} \rightarrow \bar{\text{t}}$ , polarisation in $Z/\gamma \rightarrow \text{t}\bar{\text{t}}$ . European Physical Journal C, 2018, 78, 163.	3.9	7
218	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}/\text{qq}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
219	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
220	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $bb$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 783, 392-414.		
221	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. Nuclear Physics A, 2018, 978, 65-106.	1.5	21
222	Search for $W \rightarrow tb$ decays in the hadronic final state using pp collisions at $s=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	4.1	20
223	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, Measurments of differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 2018, 1.	4.1	169
224	Measurement of differential cross sections and $W^+/\bar{W}$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
225	Combination of inclusive and differential charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
226	Search for ttH production in high-pT regimes with the ATLAS detector. , 2018, .	0	
227	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.		
228	Measurement of W boson angular distributions in events with high transverse momentum jets at using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.		
229	Measurement of the $t\bar{t} \rightarrow Z$ and $t\bar{t} \rightarrow W$ production cross sections in multilepton final states using 3.2 fb $-1$ of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
230	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
231	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
232	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-30.		

#	ARTICLE	IF	CITATIONS
235	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
236	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
237	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
238	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
239	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
240	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.		
241	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
242	Search for triboson $W^{\pm}W^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
243	Measurement of the $W+W^+$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 8$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and		
244	Search for new phenomena in high-mass diphoton final states using 37 fb $^{-1}$ of proton-proton collisions collected at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125.		
245	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
246	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
247	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
248	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for $W$ production in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 47.	2.9	47
249	Measurement of the integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 28.		
250	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
251	Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 15.		
252	Measurement of $W^{\pm}W^{\pm}$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. Physical Review D, 2017, 96, 23.	4.7	23

#	ARTICLE	IF	CITATIONS
253	Measurement of the $t\bar{t}$ production cross section in the $\ell,\nu$ jets final state in pp collisions at $s=8$ TeV using the ATLAS detector. Physical Review D, 2017, 95, .	4.7	1
254	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $s=8$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.		
255	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
256	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, .	2.9	24
257	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
258	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\nu\bar{\nu}$ . Using $\tau^+\tau^-$ and $\mu^+\mu^-$ final states. Physical Review Letters, 2017, 119, 181804.	7.8	49
259	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
260	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^*$ decay channel in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
261	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-226.		
262	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
263	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
264	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
265	Measurement of jet pT correlations in Pb+Pb and pp collisions at $s=2.76$ TeV. Overlaid 10% 237 T-L (stretchy="false"). ATLAS Collaboration. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.	4.1	24
266	ATLAS Collaboration. Nuclear Physics A, 2017, 967, 942-964.	1.5	1
268	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
269	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $s=13$ TeV p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
270	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $\rightarrow \ell^+\ell^-\ell^+\ell^-$ and ZZ $\rightarrow \ell^+\ell^-\ell^+\ell^- + \ell^+\ell^- \ell^+\ell^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		

#	ARTICLE	IF	CITATIONS
271	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
272	Measurements of $\tilde{\chi}(2S)$ and $X(3872) \rightarrow J/\psi + \tilde{\chi}^0$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
273	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
274	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
275	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
276	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
277	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
278	Precision measurement and interpretation of inclusive $W^+ + W^-$ production. <i>European Physical Journal C</i> , 2017, 77, 367.	3.9	145
279	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
280	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
281	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
282	Search for direct top squark pair production in final states with two leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
283	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
284	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
285	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
286	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
287	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 11.	4.7	157
288	Search for dark matter in association with a Higgs boson decaying to two photons at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 11.	4.7	15

#	ARTICLE	IF	CITATIONS
289	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
290	Femtoscopics with identified charged pions in proton-lead collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS. <i>Physical Review C</i> , 2017, 96, .		
291	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
292	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
293	Measurement of $WW/WZ \rightarrow \ell\ell u\bar{q} q^{\prime} \rightarrow W W / W Z \rightarrow l^{\pm} l^{\mp} q \bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
294	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
295	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
296	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
297	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
298	Search for new phenomena in dijet events using $\chi^2$ minimization of $\chi^2 = \sum_{i=1}^{N_{\text{events}}} \frac{(p_{\text{obs}} - p_{\text{sim}})^2}{\sigma_i^2}$ of collision data collected at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS. <i>Physical Review D</i> , 2017, 96, .	4.7	114
299	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow l^+l^-$ , in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
300	Study of $WW\gamma$ and $WZ\gamma$ production in $s = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
301	Measurements of top quark spin observables in $t\bar{t} \rightarrow l^+l^- \nu\bar{\nu}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
302	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
303	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow l^+l^- \nu\bar{\nu}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
304	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
305	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
306	Search for supersymmetry in final states with two same-sign or three leptons and jets using $36 \text{ fb}^{-1}$ of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
307	Study of ordered hadron chains with the ATLAS detector. Physical Review D, 2017, 96, .	4.7	2
308	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
309	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
310	Measurement of the k t splitting scales in $Z \rightarrow l^+ l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
311	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
312	Evidence for the $H \rightarrow b \bar{b} \rightarrow b \bar{b} \rightarrow b \bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
313	Search for new high-mass phenomena in the dilepton final state using $36 \text{ fb}^{-1}$ of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
314	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 872.	3.9	32
315	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96, .	4.7	23
316	Experience with using unfolding procedures in ATLAS. EPJ Web of Conferences, 2017, 137, 11002.	0.3	4
317	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
318	The FOOT (Fragmentation Of Target) Experiment., 2017, .		3
319	Picturing diversity in the ATLAS Experiment., 2017, .		0
320	A measurement of material in the ATLAS tracker using secondary hadronic interactions in $7 \text{ TeV}$ collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
321	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
322	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
323	Measurement of event-shape observables in $Z \rightarrow l^+ l^-$ events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
324	Charged-particle distributions in pp interactions at $s = 8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30

#	ARTICLE		IF	CITATIONS
325	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61	
326	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37	
327	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z'$ boson in the $t\bar{t}, t\bar{b}$ , final state produced in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51	
328	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73	
329	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12	
330	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21	
331	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23	
332	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24	
333	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453	
334	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48	
335	Measurement of total and differential $W + W^\pm$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. Journal of High Energy Physics, 2016, 2016, .	4.7	47	
336	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31	
337	Measurement of $W+W^\pm$ production in association with one jet in proton-proton collisions at $s=8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	4	
338	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	29	
339	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $p + Pb$ collisions measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	29	
340	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, .	4.7	137	
341	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44	
342	Dijet production in $\sqrt{s}=13 \text{ TeV}$ pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.1	29	

#	ARTICLE	IF	CITATIONS
343	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
344	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow l^+l^-$ decay channel at $s=8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 753, 69-85.	4.1	31
345	Search for flavour-changing neutral current top-quark decays to $qZ$ in $p\bar{p}$ collision data collected with the ATLAS detector at $s=8\text{TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
346	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=8\text{TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
347	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
348	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
349	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb $^{-1}$ of proton-proton collision data at $\sqrt{s} = 8\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 647-665.		
350	Measurement of $W\pm$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 759, 601-621.		
351	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 520-537.		
352	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 538-550.		
353	Search for new physics in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 762, 334-352.		
354	Study of the rare decays of $B_s \rightarrow B_s \ell \nu$ and $B_s \rightarrow B_s \tau \bar{\nu}_\tau$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513.	3.9	46
355	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
356	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	70
357	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 119-130.		
358	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 131-138.		
359	Measurement of the $W\pm Z$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 762, 1-22.		
360	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016, 94, 075001.	4.7	43

#	ARTICLE	IF	CITATIONS
361	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
362	Measurement of the top quark mass in the $t\bar{t}$ channel from the ATLAS experiment. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.	4.1	52
363	ATLAS Collaboration. Nuclear Physics A, 2016, 956, 922-944.	1.5	1
364	Search for charged Higgs bosons produced in association with a top quark and decaying via $H \rightarrow t\bar{t} \nu \bar{\nu}$ using pp collision data recorded at the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.	4.1	53
365	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
366	Search for scalar leptoquarks in $pp \rightarrow q\bar{q}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. New Journal of Physics, 2016, 18, 093016.	2.9	56
367	Search for Higgs and $Z$ boson decays to $t\bar{t}$ with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
368	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $pp \rightarrow t\bar{t}$ collisions using the ATLAS detector. Physical Review D, 2016, 93, 092001.	4.7	34
369	Measurement of jet charge in dijet events from $t\bar{t}$ collisions with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	4.7	53
370	Search for magnetic monopoles and stable particles with high electric charges in $8 \text{ TeV}$ $t\bar{t}$ collisions with the ATLAS detector. Physical Review D, 2016, 93, 092001.	4.7	29
371	Search for magnetic monopoles and stable particles with high electric charges in $8 \text{ TeV}$ $t\bar{t}$ collisions with the ATLAS detector. Physical Review D, 2016, 93, 092001.	4.7	11
372	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, 092001.	4.7	43
373	Measurements of cross sections in $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in association with a vector boson and decaying into a tau pair in the ATLAS experiment. Physical Review D, 2016, 93, 092001.	4.7	16
374	Measurements of cross sections in $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in association with a vector boson and decaying into a tau pair in the ATLAS experiment. Physical Review D, 2016, 93, 092001.	4.7	53
375	Measurements of cross sections in $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in association with a vector boson and decaying into a tau pair in the ATLAS experiment. Physical Review D, 2016, 93, 092001.	4.7	5
376	Measurements of cross sections in $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in association with a vector boson and decaying into a tau pair in the ATLAS experiment. Physical Review D, 2016, 93, 092001.	4.7	39
377	Measurements of cross sections in $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in association with a vector boson and decaying into a tau pair in the ATLAS experiment. Physical Review D, 2016, 93, 092001.	4.7	39
378	Measurement of the production cross section for $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ in the ATLAS experiment. Physical Review D, 2016, 93, 092001.	7.8	31



#	ARTICLE or pair production of gluinos decaying via stop and sbottom in events with $\langle\text{mml:math}$ $\text{xmns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ -jets and large missing transverse momentum in $\langle\text{mml:math}$ $\text{xmls:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\rangle\langle\text{mml:math}$ collisions at $\langle\text{mml:math}$ $\text{xmls:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ collisions at $\langle\text{mml:math}$ $\text{accent}=\text{"true"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ collisions at $\langle\text{mml:math}$ $\text{stretchy}=\text{"false"}$ $\rangle\hat{\mathbf{A}}\langle/\text{mml:math}\rangle\langle\text{mml:math}$ collisions at $\langle\text{mml:math}$ $\text{accent}=\text{"true"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ collisions at $\langle\text{mml:math}$ $\text{stretchy}=\text{"false"}$ $\rangle\hat{\mathbf{A}}\langle/\text{mml:math}\rangle\langle\text{mml:math}$ final state using proton-proton collisions	IF	CITATIONS
397	Search for pair production of Higgs bosons in the $\langle\text{mml:math}$ $\text{xmls:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\rangle\langle\text{mml:math}$ collisions at $\langle\text{mml:math}$ $\text{xmls:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ collisions at $\langle\text{mml:math}$ $\text{accent}=\text{"true"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ collisions at $\langle\text{mml:math}$ $\text{stretchy}=\text{"false"}$ $\rangle\hat{\mathbf{A}}\langle/\text{mml:math}\rangle\langle\text{mml:math}$ collisions at $\langle\text{mml:math}$ $\text{accent}=\text{"true"}$ $\rangle\langle\text{mml:mi}\mathbf{b}\langle/\text{mml:mi}\mathbf{\rangle\langle/\text{mml:math}}$ collisions at $\langle\text{mml:math}$ $\text{stretchy}=\text{"false"}$ $\rangle\hat{\mathbf{A}}\langle/\text{mml:math}\rangle\langle\text{mml:math}$ final state using proton-proton collisions	4.7	30
398	Measurement of exclusive $\hat{\mathbf{W}}^+\hat{\mathbf{W}}^-$ production and search for exclusive Higgs boson production in pp collisions at $s=8\text{ TeV}$ using the ATLAS detector. Physical Review D, 2016, 94, .	4.7	38
399	Measurement of the differential cross-sections of prompt and non-prompt production of $\mathbf{J}/\psi$ and $\psi(2\text{S})$ in pp collisions at $\sqrt{s}=7$ and $8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
400	Luminosity determination in pp collisions at $\sqrt{s}=8\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
401	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
402	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
403	Searches for heavy diboson resonances in pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
404	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s=8\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
405	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
406	Measurement of the CP-violating phase $\delta_s$ and the $B_s^0\rightarrow\pi^+\pi^-$ meson decay width difference with $B_s^0\rightarrow\pi^+\pi^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
407	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
408	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
409	A search for prompt lepton-jets in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
410	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
411	Measurement of the production cross-section of a single top quark in association with a W boson at $8\text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
412	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
413	Search for strong gravity in multijet final states produced in pp collisions at $s=13\text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
415	Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 52-71.		
416	Measurement of the charge asymmetry in highly boosted top-quark pair production in pp collision data collected by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 52-71.		
417	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 8\text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 2.76-2.76.	4.1	10
418	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 8\text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 13-13.	4.1	21
419	Search for single production of a vector-like quark via a heavy gluon in the t-channel with the ATLAS detector in pp collisions at $\sqrt{s} = 8\text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 334-335.	4.1	16
420	Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 751, 302-303.		
421	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 751, 302-303.		
422	Charged-particle distributions in pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 752, 67-68.		
423	Combination of searches for $W \rightarrow l\nu$ , $W \rightarrow \tau\nu$ and $Z \rightarrow \nu\nu$ resonances in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.		
424	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8\text{ TeV}$ . European Physical Journal C, 2016, 76, 154.	3.9	62
425	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
426	Probing lepton flavour violation via neutrinoless $\vartheta_{\text{WB}}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
427	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
428	Search for supersymmetry at $\sqrt{s} = 13\text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
429	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
430	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
431	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
432	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54

#	ARTICLE	IF	CITATIONS
433	Search for an additional, heavy Higgs boson in the $\overline{Z}Z \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in $p p$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
434	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
435	$Z \rightarrow b\bar{b}$ boson production in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 44.	2.9	19
436	Search for photonic signatures of gauge-mediated supersymmetry in $8 \text{ TeV}$ $p p$ collisions with the ATLAS detector. Physical Review D, 2015, 92, 19.	4.7	19
437	Search for Higgs boson pair production in the $\overline{Z}Z \rightarrow H H$ channel. European Physical Journal C, 2015, 75, 101.	4.7	101
438	Search for production of a new heavy quark that decays into a $b$ quark and a light quark in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 102.	4.7	48
439	Quark Fragmentation Fractions. Physical Review Letters, 2015, 115, 262001.	7.8	23
440	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
441	Search for lepton-flavour-violating $H \rightarrow l^+ l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
442	Measurement of four-jet differential cross sections in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
443	Measurement of colour flow with the jet-pull angle in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector and determination of the strong coupling constant. Journal of High Energy Physics, 2015, 2015, 1-23.	4.1	23
444	Measurement of colour flow with the jet-pull angle in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-18.	4.1	18
445	Production of proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 242-261.	4.1	43
446	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
447	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8 \text{ TeV}$ $p p$ collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
448	Measurement of the $t \bar{t} \rightarrow W \bar{W}$ and $t \bar{t} \rightarrow Z \bar{Z}$ production cross sections in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
449	Search for flavour-changing neutral current top quark decays $t \rightarrow b H$ in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
450			

#	ARTICLE	IF	CITATIONS
451	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
452	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
453	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
454	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
455	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider., 2015, 75, 1.	3	