

Nic J G M Veeger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3110140/publications.pdf>

Version: 2024-02-01

173
papers

7,652
citations

36303

51
h-index

58581

82
g-index

173
all docs

173
docs citations

173
times ranked

8978
citing authors

#	ARTICLE	IF	CITATIONS
1	Fixed Versus Variable Dosing of Prothrombin Complex Concentrate for Bleeding Complications of Vitamin K Antagonistsâ€”The PROPER3 Randomized Clinical Trial. <i>Annals of Emergency Medicine</i> , 2022, 79, 20-30.	0.6	9
2	Long-term Effect of Bariatric Surgery on the Use of Levothyroxine and Thyroid Levels. <i>Obesity Surgery</i> , 2022, 32, 742-748.	2.1	2
3	Optical imaging compared to clinical examination in 484 rheumatoid arthritis patients: the Leeuwarden Handscan Registry. <i>Rheumatology International</i> , 2022, , .	3.0	1
4	Impact of minor bleeds on confidence in anticoagulation therapy, adherence to treatment and quality of life in patients using a non-vitamin K antagonist oral anticoagulant for atrial fibrillation. <i>Current Medical Research and Opinion</i> , 2022, 38, 1485-1488.	1.9	2
5	Bleeding complications of thromboprophylaxis with dabigatran, nadroparin or rivaroxaban for 6 weeks after total knee arthroplasty surgery: a randomised pilot study. <i>BMJ Open</i> , 2021, 11, e040336.	1.9	11
6	Comorbidities and malignancies negatively affect survival in myelodysplastic syndromes: a population-based study. <i>Blood Advances</i> , 2021, 5, 1344-1351.	5.2	11
7	Dumping Syndrome and Postbariatric Hypoglycemia: Supporting Evidence for a Common Etiology. <i>Surgery for Obesity and Related Diseases</i> , 2021, 17, 1912-1918.	1.2	7
8	Patterns of transfusion burden in an unselected population of patients with myelodysplastic syndromes: A populationâ€”based study. <i>Transfusion</i> , 2021, 61, 2877-2884.	1.6	5
9	Monitoring of Plasma Ferritin Levels after Blood Transfusions in Patients with Myelodysplastic Syndromes. <i>Blood</i> , 2021, 138, 1986-1986.	1.4	0
10	Intramuscular shortâ€”chain acylcarnitines in elderly people are decreased in (preâ€”)frail females, but not in males. <i>FASEB Journal</i> , 2020, 34, 11658-11671.	0.5	16
11	Effect of switching from acenocoumarol to phenprocoumon on time in therapeutic range and INR variability: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0235639.	2.5	4
12	Is the time in therapeutic range on coumarins predicted by previous time in therapeutic range?. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 604-609.	2.3	3
13	Impact of Treatment Delay on Outcome in the International Subarachnoid Aneurysm Trial. <i>Stroke</i> , 2020, 51, 1600-1603.	2.0	11
14	Minor bleeding in patients with atrial fibrillation using a non-vitamin-K antagonist oral anticoagulant. <i>Current Medical Research and Opinion</i> , 2020, 36, 1571-1576.	1.9	4
15	Reasons for discontinuation of novel oral anticoagulant therapy in patients with atrial fibrillation. <i>Current Medical Research and Opinion</i> , 2020, 36, 547-553.	1.9	6
16	Quality of life after switching from well-controlled vitamin K antagonist to direct oral anticoagulant: Little to GAIN. <i>Thrombosis Research</i> , 2020, 190, 69-75.	1.7	7
17	An easy-to-use tool to flag patients at risk of poor INR control: A streak of subtherapeutic INRs. <i>Thrombosis Research</i> , 2019, 181, 46-51.	1.7	1
18	Prediction of Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2019, 50, 837-844.	2.0	86

#	ARTICLE	IF	CITATIONS
19	Choosing between continuing vitamin K antagonists (<scp>VKA</scp>) or switching to a direct oral anticoagulant in currently well-controlled patients on <scp>VKA</scp> for atrial fibrillation: a randomised controlled trial (<scp>GAI</scp>nN). <i>British Journal of Haematology</i> , 2019, 186, e21-e23.	2.5	8
20	Role of Disease Modifying Treatment in the Risk of Alloimmunization in Transfused Patients with Myelodysplastic Syndromes: A Population-Based Study. <i>Blood</i> , 2019, 134, 4253-4253.	1.4	0
21	Non-invasive bladder volume measurement for the prevention of postoperative urinary retention: validation of two ultrasound devices in a clinical setting. <i>Journal of Clinical Monitoring and Computing</i> , 2018, 32, 1117-1126.	1.6	19
22	Randomised controlled trial protocol to evaluate a fixed dose prothrombin complex concentrate against the variable dose in vitamin K antagonist related bleeding (PROPER3). <i>BMJ Open</i> , 2018, 8, e020764.	1.9	12
23	A Delphi Consensus of the Crucial Steps in Gastric Bypass and Sleeve Gastrectomy Procedures in the Netherlands. <i>Obesity Surgery</i> , 2018, 28, 2634-2643.	2.1	21
24	Incidence of pheochromocytoma and sympathetic paraganglioma in the Netherlands: A nationwide study and systematic review. <i>European Journal of Internal Medicine</i> , 2018, 51, 68-73.	2.2	160
25	Comparison of Cartilage-Scoring and Cartilage-Sparing Otoplasty: A Retrospective Analysis of Complications and Aesthetic Outcome of 1060 Ears. <i>Plastic and Reconstructive Surgery</i> , 2018, 141, 500e-506e.	1.4	20
26	The impact of the introduction of bortezomib on dialysis independence in multiple myeloma patients with renal impairment: a nationwide Dutch population-based study. <i>Haematologica</i> , 2018, 103, e311-e314.	3.5	3
27	Multidisciplinary Training on Spiritual Care for Patients in Palliative Care Trajectories Improves the Attitudes and Competencies of Hospital Medical Staff: Results of a Quasi-Experimental Study. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 218-228.	1.4	32
28	Effective excision of cutaneous squamous cell carcinoma of the face using analysis of intraoperative frozen sections from the whole specimen. <i>Journal of Surgical Oncology</i> , 2018, 117, 473-478.	1.7	6
29	Case Series about the Changed Antiplatelet Protocol for Carotid Endarterectomy in a Teaching Hospital: More Patients with Complications?. <i>The Surgery Journal</i> , 2018, 04, e220-e225.	0.7	2
30	Efficacy of a Standardized Oral Vitamin D Dosing Regimen in Nursing Home Residents. <i>Drugs and Aging</i> , 2018, 35, 1079-1087.	2.7	4
31	Satiety and gastrointestinal hormones during a Mixed Meal Tolerance Test after gastric bypass surgery: association with plasma amino acid concentrations. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 1106-1117.	1.2	11
32	Clinical usefulness of the SAME-TT2R2 score: A systematic review and simulation meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0194208.	2.5	12
33	Prediction of outcome after subarachnoid hemorrhage: timing of clinical assessment. <i>Journal of Neurosurgery</i> , 2017, 126, 52-59.	1.6	50
34	Restoration of renal function in patients with newly diagnosed multiple myeloma is not associated with improved survival: a population-based study. <i>Leukemia and Lymphoma</i> , 2017, 58, 2101-2109.	1.3	9
35	No outcome disparities in patients with diffuse large B-cell lymphoma and a low socioeconomic status. <i>Cancer Epidemiology</i> , 2017, 48, 110-116.	1.9	8
36	Reduction in Spinal Radiographic Progression in Ankylosing Spondylitis Patients Receiving Prolonged Treatment With Tumor Necrosis Factor Inhibitors. <i>Arthritis Care and Research</i> , 2017, 69, 1011-1019.	3.4	77

#	ARTICLE	IF	CITATIONS
37	Long-term Course of Alzheimer Disease in Patients Treated According to the Dutch Dementia Guideline at a Memory Clinic. <i>Alzheimer Disease and Associated Disorders</i> , 2016, 30, 53-59.	1.3	3
38	Dynamics of nasopharyngeal pneumococcal carriage during the course of viral bronchiolitis. <i>Pediatric Pulmonology</i> , 2016, 51, 863-867.	2.0	1
39	Risk of Bleeding and Thrombosis in Patients 70 Years or Older Using Vitamin K Antagonists. <i>JAMA Internal Medicine</i> , 2016, 176, 1176.	5.1	36
40	Progression of a solitary plasmacytoma to multiple myeloma. A population-based registry of the northern Netherlands. <i>British Journal of Haematology</i> , 2016, 175, 661-667.	2.5	53
41	The Pareto Analysis for Establishing Content Criteria in Surgical Training. <i>Journal of Surgical Education</i> , 2016, 73, 892-901.	2.5	12
42	Clinical profile and recurrence rate in women with venous thromboembolism during combined hormonal contraceptive use: a prospective cohort study. <i>British Journal of Haematology</i> , 2016, 172, 636-638.	2.5	3
43	Influence of dietary protein and its amino acid composition on postoperative outcomes after gastric bypass surgery: a systematic review. <i>Nutrition Reviews</i> , 2016, 74, 749-773.	5.8	5
44	The predictive value of aptitude assessment in laparoscopic surgery: a meta-analysis. <i>Medical Education</i> , 2016, 50, 409-427.	2.1	27
45	Impact of Vitamin K Antagonists on Quality of Life in a Prospective Cohort of 807 Atrial Fibrillation Patients. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 388-394.	2.2	11
46	Validity, reliability and support for implementation of independence-scaled procedural assessment in laparoscopic surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 2288-2300.	2.4	13
47	Interaction of Hereditary Thrombophilia and Traditional Cardiovascular Risk Factors on the Risk of Arterial Thromboembolism. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 79-85.	5.1	20
48	Effectiveness and safety of dabigatran versus acenocoumarol in "real-world" patients with atrial fibrillation. <i>Europace</i> , 2016, 18, 1319-1327.	1.7	32
49	Initial cognitive response to cholinesterase inhibitors and subsequent long-term course in patients with mild Alzheimer's disease. <i>International Psychogeriatrics</i> , 2015, 27, 1323-1333.	1.0	12
50	Effect of nadroparin on anti-Xa activity during nocturnal hemodialysis. <i>BBA Clinical</i> , 2015, 3, 276-279.	4.1	5
51	The predictive value of C-reactive protein and erythrocyte sedimentation rate for 18F-FDG PET/CT outcome in patients with fever and inflammation of unknown origin. <i>Nuclear Medicine Communications</i> , 2015, 36, 604-609.	1.1	29
52	Long-term quality of VKA treatment and clinical outcome after extreme overanticoagulation in 14,777 AF and VTE patients. <i>Thrombosis and Haemostasis</i> , 2015, 113, 881-890.	3.4	11
53	Spinal Radiographic Progression in Patients with Ankylosing Spondylitis Treated with TNF- β Blocking Therapy: A Prospective Longitudinal Observational Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0122693.	2.5	46
54	Vitamin D reduces eosinophilic airway inflammation in nonatopic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 670-675.e3.	2.9	74

#	ARTICLE	IF	CITATIONS
55	Computerized Assessment of Wheezing in Children With Respiratory Syncytial Virus Bronchiolitis Before and After Hypertonic Saline Nebulization. <i>Respiratory Care</i> , 2015, 60, 1252-1256.	1.6	10
56	Predictive Factors for Rebleeding After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2015, 46, 2100-2106.	2.0	111
57	The relationship of weight change trajectory with medial temporal lobe atrophy in patients with mild Alzheimer's disease: results from a cohort study. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 18.	6.2	10
58	Prognosis after spinal cord and cauda compression in spontaneous spinal epidural hematomas. <i>Neurology</i> , 2015, 84, 1894-1903.	1.1	68
59	Validity and Reliability of Global Operative Assessment of Laparoscopic Skills (GOALS) in Novice Trainees Performing a Laparoscopic Cholecystectomy. <i>Journal of Surgical Education</i> , 2015, 72, 351-358.	2.5	50
60	ISAT: end of the debate on coiling versus clipping?. <i>Lancet, The</i> , 2015, 385, 2251.	13.7	6
61	A systematic review of prothrombin complex concentrate dosing strategies to reverse vitamin K antagonist therapy. <i>Thrombosis Research</i> , 2015, 135, 9-19.	1.7	52
62	The Bleeding Risk of Vitamin K Antagonists Hardly Increases after the Age of 80 Years: Data from a Large Real-Life Cohort Study. <i>Blood</i> , 2015, 126, 891-891.	1.4	6
63	Higher Bone Turnover Is Related to Spinal Radiographic Damage and Low Bone Mineral Density in Ankylosing Spondylitis Patients with Active Disease: A Cross-Sectional Analysis. <i>PLoS ONE</i> , 2014, 9, e99685.	2.5	25
64	Attenuated salivary cortisol response after exercise test in children with asthma. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014, 28, 359-65.	0.9	2
65	Comorbidity is an independent prognostic factor in patients with advanced-stage diffuse large B-cell lymphoma treated with R-CHOP: a population-based cohort study. <i>British Journal of Haematology</i> , 2014, 165, 489-496.	2.5	65
66	Treatment with rituximab, cyclophosphamide, doxorubicin, vincristine and prednisolone is beneficial but toxic in very elderly patients with diffuse large B-cell lymphoma: a population-based cohort study on treatment, toxicity and outcome. <i>Leukemia and Lymphoma</i> , 2014, 55, 526-532.	1.3	42
67	Diagnostic Utility of 18F-FDG PET/CT in Inflammation of Unknown Origin. <i>Clinical Nuclear Medicine</i> , 2014, 39, 419-425.	1.3	30
68	Nutritional interventions in community-dwelling Alzheimer patients with (risk of) undernutrition: a systematic review. <i>International Psychogeriatrics</i> , 2014, 26, 1445-1453.	1.0	13
69	Children with asthma have significantly lower long-term cortisol levels in their scalp hair than healthy children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 957-961.	1.5	30
70	An Innovative Childhood Asthma Score Predicts the Need for Bronchodilator Nebulization in Children With Acute Asthma Independent of Auscultative Findings. <i>Respiratory Care</i> , 2014, 59, 1710-1715.	1.6	6
71	Overall Survival Patterns in Patients with Multiple Myeloma in the Era of Novel Agents and the Role of Initial Clinical Presentation and Comorbidities: A Population-Based Study. <i>Blood</i> , 2014, 124, 2136-2136.	1.4	0
72	Azacitidine might be beneficial in a subgroup of older AML patients compared to intensive chemotherapy: a single centre retrospective study of 227 consecutive patients. <i>Journal of Hematology and Oncology</i> , 2013, 6, 29.	17.0	49

#	ARTICLE	IF	CITATIONS
73	Direct treatment comparison of DAbigatran and Rivaroxaban versus Nadroparin in the prevention of venous thromboembolism after total knee arthroplasty surgery: design of a randomised pilot study (DARINA): Table A1. <i>BMJ Open</i> , 2013, 3, e002218.	1.9	6
74	A low fixed dose of prothrombin complex concentrate is cost effective in emergency reversal of vitamin K antagonists. <i>Haematologica</i> , 2013, 98, e65-e67.	3.5	14
75	A Systematic Review On Different Prothrombin Complex Concentrate Strategies To Reverse Vitamin K Antagonist Therapy. <i>Blood</i> , 2013, 122, 3639-3639.	1.4	0
76	Association of Mild to Moderate Chronic Kidney Disease With Venous Thromboembolism. <i>Circulation</i> , 2012, 126, 1964-1971.	1.6	109
77	An observational, prospective, two-cohort comparison of a fixed versus variable dosing strategy of prothrombin complex concentrate to counteract vitamin K antagonists in 240 bleeding emergencies. <i>Haematologica</i> , 2012, 97, 1501-1506.	3.5	64
78	Catheter-directed thrombolysis for acute deep vein thrombosis. <i>Lancet</i> , The, 2012, 379, 1785-1786.	13.7	1
79	Increased risk of arterial thromboembolism after a prior episode of venous thromboembolism: results from the Prevention of Renal and Vascular End stage Disease (PREVEND) Study. <i>British Journal of Haematology</i> , 2012, 159, 216-222.	2.5	11
80	The risk of postpartum hemorrhage in women using high dose of low-molecular-weight heparins during pregnancy. <i>Thrombosis Research</i> , 2012, 130, 334-338.	1.7	48
81	Lipid levels do not influence the risk of venous thromboembolism. <i>Thrombosis and Haemostasis</i> , 2012, 108, 923-929.	3.4	32
82	Elevated albuminuria associated with increased risk of recurrent venous thromboembolism: results of a population-based cohort study. <i>British Journal of Haematology</i> , 2012, 156, 667-671.	2.5	16
83	Screening tool does not select for bleeding disorders in women with menorrhagia. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, e17.	1.3	4
84	Evaluation of 1025 fetal deaths: proposed diagnostic workup. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 53.e1-53.e12.	1.3	92
85	Insulin resistance and risk of venous thromboembolism: results of a population-based cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1012-1018.	3.8	23
86	Prognostic Importance of Comorbidity in a Population-Based Analysis of Patients with Advanced-Stage Diffuse Large B-Cell Lymphoma (DLBCL) Treated with R-CHOP. <i>Blood</i> , 2012, 120, 3656-3656.	1.4	0
87	A Significant Better Two Year Survival in the Very Elderly Patients with a Diffuse Large B-Cell Lymphoma (DLBCL) Who Did Complete Standard Therapy: A Population-Based Cohort Study On Treatment, Toxicity and Outcome.. <i>Blood</i> , 2012, 120, 2642-2642.	1.4	0
88	Statin use in patients with nephrotic syndrome is associated with a lower risk of venous thromboembolism. <i>Thrombosis Research</i> , 2011, 127, 395-399.	1.7	28
89	Thrombotic risk during oral contraceptive use and pregnancy in women with factor V Leiden or prothrombin mutation: a rational approach to contraception. <i>Blood</i> , 2011, 118, 2055-2061.	1.4	75
90	Minor bleeds alert for subsequent major bleeding in patients using vitamin K antagonists. <i>British Journal of Haematology</i> , 2011, 153, 508-514.	2.5	11

#	ARTICLE	IF	CITATIONS
91	Platelet doubling after the first azacitidine cycle is a promising predictor for response in myelodysplastic syndromes (MDS), chronic myelomonocytic leukaemia (CMML) and acute myeloid leukaemia (AML) patients in the Dutch azacitidine compassionate named patient programme. <i>British Journal of Haematology</i> , 2011, 155, 599-606.	2.5	100
92	Platelet Doubling After the First Azacitidine Cycle Is a Promising Predictor for Response in MDS, CMML and AML Patients in the Dutch Azacitidine Compassionate Patient Named Program,. <i>Blood</i> , 2011, 118, 3841-3841.	1.4	0
93	In Normal Controls, Both Age and Gender Affect Coagulability as Measured by Thrombelastography. <i>Anesthesia and Analgesia</i> , 2010, 110, 987-994.	2.2	86
94	Fourteen-Year Follow-Up From CABADAS: Vitamin K Antagonists or Dipyridamole Not Superior to Aspirin. <i>Annals of Thoracic Surgery</i> , 2010, 90, 1515-1521.	1.3	5
95	A prospective cohort study on the absolute risks of venous thromboembolism and predictive value of screening asymptomatic relatives of patients with hereditary deficiencies of protein S, protein C or antithrombin. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1193-1200.	3.8	105
96	High VEGFC expression is associated with unique gene expression profiles and predicts adverse prognosis in pediatric and adult acute myeloid leukemia. <i>Blood</i> , 2010, 116, 1747-1754.	1.4	84
97	Prevalence of Parental Thrombophilic Defects After Fetal Death and Relation to Cause. <i>Obstetrics and Gynecology</i> , 2010, 116, 355-364.	2.4	13
98	Different risk of deep vein thrombosis and pulmonary embolism in carriers with factor V Leiden compared with non-carriers, but not in other thrombophilic defects. Results from a large retrospective family cohort study. <i>Haematologica</i> , 2010, 95, 1030-1033.	3.5	20
99	Compliance with non-pharmacological recommendations and outcome in heart failure patients. <i>European Heart Journal</i> , 2010, 31, 1486-1493.	2.2	175
100	Associations between high factor VIII and low free protein S levels with traditional arterial thrombotic risk factors and their risk on arterial thrombosis: Results from a retrospective family cohort study. <i>Thrombosis Research</i> , 2010, 126, e249-e254.	1.7	10
101	Risk of Recurrent Venous Thrombosis in Homozygous Carriers and Double Heterozygous Carriers of Factor V Leiden and Prothrombin G20210A. <i>Circulation</i> , 2010, 121, 1706-1712.	1.6	115
102	Microalbuminuria and Risk of Venous Thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 1790.	7.4	159
103	Thrombin activatable fibrinolysis inhibitor (TAFI) is not associated with fetal loss, a retrospective study. <i>Thrombosis Research</i> , 2009, 123, 511-514.	1.7	8
104	Diverse Placental Pathologies as the Main Causes of Fetal Death. <i>Obstetrics and Gynecology</i> , 2009, 114, 809-817.	2.4	93
105	Clinical relevance of decreased free protein S levels: results from a retrospective family cohort study involving 1143 relatives. <i>Blood</i> , 2009, 113, 1225-1230.	1.4	53
106	Selective testing for thrombophilia in patients with first venous thrombosis: results from a retrospective family cohort study on absolute thrombotic risk for currently known thrombophilic defects in 2479 relatives. <i>Blood</i> , 2009, 113, 5314-5322.	1.4	206
107	AML at older age: age-related gene expression profiles reveal a paradoxical down-regulation of p16INK4A mRNA with prognostic significance. <i>Blood</i> , 2009, 114, 2869-2877.	1.4	41
108	A lower risk of recurrent venous thrombosis in women compared with men is explained by sex-specific risk factors at time of first venous thrombosis in thrombophilic families. <i>Blood</i> , 2009, 114, 2031-2036.	1.4	54

#	ARTICLE	IF	CITATIONS
109	High long-term absolute risk of recurrent venous thromboembolism in patients with hereditary deficiencies of protein S, protein C or antithrombin. <i>Thrombosis and Haemostasis</i> , 2009, 101, 93-99.	3.4	116
110	Low absolute risk of venous and arterial thrombosis in hyperhomocysteinaemia – A prospective family cohort study in asymptomatic subjects. <i>Thrombosis and Haemostasis</i> , 2009, 101, 209-212.	3.4	3
111	Excellent Long-Term Clinical Outcome After Coronary Artery Bypass Surgery Using Three Pedicled Arterial Grafts in Patients With Three-Vessel Disease. <i>Annals of Thoracic Surgery</i> , 2008, 85, 508-512.	1.3	13
112	Hyperhomocysteinemia is not a risk factor for venous and arterial thrombosis, and is associated with elevated factor VIII levels. <i>Thrombosis Research</i> , 2008, 123, 244-250.	1.7	11
113	Cytogenetic Analysis After Evaluation of 750 Fetal Deaths. <i>Obstetrics and Gynecology</i> , 2008, 111, 865-874.	2.4	93
114	Right atrial preventive and antitachycardia pacing for prevention of paroxysmal atrial fibrillation in patients without bradycardia: a randomized study. <i>Europace</i> , 2008, 10, 306-313.	1.7	15
115	Hereditary Deficiency of Protein C or Protein S Confers Increased Risk of Arterial Thromboembolic Events at a Young Age. <i>Circulation</i> , 2008, 118, 1659-1667.	1.6	112
116	High Absolute Risks and Predictors of Venous and Arterial Thromboembolic Events in Patients With Nephrotic Syndrome. <i>Circulation</i> , 2008, 117, 224-230.	1.6	301
117	Absolute risk of venous and arterial thromboembolism in thrombophilic families is not increased by high thrombin-activatable fibrinolysis inhibitor (TAFI) levels. <i>Thrombosis and Haemostasis</i> , 2008, 100, 38-44.	3.4	25
118	Possible contribution of cytomegalovirus infection to the high risk of (recurrent) venous thrombosis after renal transplantation. <i>Thrombosis and Haemostasis</i> , 2008, 99, 127-130.	3.4	18
119	Hereditary Deficiencies of Protein C or Protein S Confer Increased Risk of Arterial Thromboembolic Events at Young Age. Results from a Large Family Cohort Study. <i>Blood</i> , 2008, 112, 422-422.	1.4	1
120	Microalbuminuria Is Associated with An Increased Risk of Venous Thromboembolism. A Novel Risk Marker for Venous Thromboembolism. <i>Blood</i> , 2008, 112, 523-523.	1.4	2
121	Caregiver burden in partners of Heart Failure patients; limited influence of disease severity. <i>European Journal of Heart Failure</i> , 2007, 9, 695-701.	7.1	83
122	Sirolimus-Eluting versus Bare-Metal Low-Profile Stent for Renal Artery Treatment (GREAT Trial): Angiographic Follow-up after 6 Months and Clinical Outcome up to 2 Years. <i>Journal of Endovascular Therapy</i> , 2007, 14, 460-468.	1.5	74
123	Epstein-Barr Virus DNA Load Monitoring Late After Lung Transplantation: A Surrogate Marker of the Degree of Immunosuppression and a Safe Guide to Reduce Immunosuppression. <i>Transplantation</i> , 2007, 83, 433-438.	1.0	87
124	Contribution of multiple thrombophilic and transient risk factors in the development of cerebral venous thrombosis. <i>Thrombosis Research</i> , 2007, 121, 301-307.	1.7	18
125	The risk of venous and arterial thrombosis in hyperhomocysteinaemia is low and mainly depends on concomitant thrombophilic defects. <i>Thrombosis and Haemostasis</i> , 2007, 98, 457-463.	3.4	35
126	The risk of venous and arterial thrombosis in hyperhomocysteinemic subjects may be a result of elevated factor VIII levels. <i>Haematologica</i> , 2007, 92, 1703-1706.	3.5	18

#	ARTICLE	IF	CITATIONS
127	Reduction of high fetal loss rate by anticoagulant treatment during pregnancy in antithrombin, protein C or protein S deficient women. <i>British Journal of Haematology</i> , 2007, 136, 656-661.	2.5	56
128	High risk of pregnancy-related venous thromboembolism in women with multiple thrombophilic defects. <i>British Journal of Haematology</i> , 2007, 138, 110-116.	2.5	42
129	Oral Contraceptives and the Absolute Risk of Venous Thromboembolism in Women With Single or Multiple Thrombophilic Defects. <i>Archives of Internal Medicine</i> , 2007, 167, 282.	3.8	72
130	Absolute annual incidences of first events of venous thromboembolism and arterial vascular events in individuals with elevated FVIII:c. <i>Thrombosis and Haemostasis</i> , 2007, 98, 1040-1044.	3.4	22
131	Sirolimus-Eluting Versus Bare-Metal Low-Profile Stent for Renal Artery Treatment (GREAT Trial): Angiographic Follow-up After 6 Months and Clinical Outcome up to 2 years. <i>Journal of Endovascular Therapy</i> , 2007, 14, 460-468.	1.5	35
132	No Difference in Risk of Recurrent Venous Thrombosis between Men and Women. Results from a Family Cohort Study in 3356 Subjects.. <i>Blood</i> , 2007, 110, 130-130.	1.4	0
133	The risk of venous and arterial thrombosis in hyperhomocysteinaemia is low and mainly depends on concomitant thrombophilic defects. <i>Thrombosis and Haemostasis</i> , 2007, 98, 457-63.	3.4	9
134	Effects of Early Treatment With Statins on Short-term Clinical Outcomes in Acute Coronary Syndromes. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 2046.	7.4	146
135	Diurnal variation of ventricular repolarization in a large family with LQT3-Brugada syndrome characterized by nocturnal sudden death. <i>Heart Rhythm</i> , 2006, 3, 290-295.	0.7	22
136	Verapamil Versus Digoxin and Acute Versus Routine Serial Cardioversion for the Improvement of Rhythm Control for Persistent Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1001-1009.	2.8	32
137	RAte Control Efficacy in permanent atrial fibrillation: a comparison between lenient versus strict rate control in patients with and without heart failure. Background, aims, and design of RACE II. <i>American Heart Journal</i> , 2006, 152, 420-426.	2.7	76
138	Marital status, quality of life, and clinical outcome in patients with heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2006, 35, 3-8.	1.6	75
139	The Effect of Infliximab, a Monoclonal Antibody Against TNF- α , on Disc Herniation Resorption. <i>Spine</i> , 2006, 31, 2641-2645.	2.0	25
140	The Treatment of Disc Herniation-Induced Sciatica With Infliximab. <i>Spine</i> , 2006, 31, 2759-2766.	2.0	161
141	The Pathogenesis of Venous Thromboembolism: Evidence for Multiple Interrelated Causes. <i>Annals of Internal Medicine</i> , 2006, 145, 807.	3.9	68
142	Mending the rhythm does not improve prognosis in patients with persistent atrial fibrillation: a subanalysis of the RACE study. <i>European Heart Journal</i> , 2006, 27, 357-364.	2.2	43
143	Compliance in heart failure patients: the importance of knowledge and beliefs. <i>European Heart Journal</i> , 2006, 27, 434-440.	2.2	433
144	Randomized Controlled Trial of Adjuvant Oral Dexamethasone Pulse Therapy in Pemphigus Vulgaris. <i>Archives of Dermatology</i> , 2006, 142, 570-6.	1.4	59

#	ARTICLE	IF	CITATIONS
145	Protein S type III deficiency is no risk factor for venous and arterial thromboembolism in 168 thrombophilic families: a retrospective study. <i>Blood Coagulation and Fibrinolysis</i> , 2005, 16, 135-140.	1.0	12
146	HLA Matching and Posttransplant Lymphoproliferative Disease after Lung Transplantation. <i>Transplantation</i> , 2005, 80, 1134-1135.	1.0	0
147	HLA Antigens and Post Renal Transplant Lymphoproliferative Disease: HLA-B Matching Is Critical. <i>Transplantation</i> , 2005, 80, 595-599.	1.0	43
148	The Treatment of Disc Herniation-Induced Sciatica With Infliximab. <i>Spine</i> , 2005, 30, 2724-2728.	2.0	113
149	Early onset post-transplant lymphoproliferative disease is associated with allograft localization. <i>Clinical Transplantation</i> , 2005, 19, 327-334.	1.6	90
150	Individual time within target range in patients treated with vitamin K antagonists: main determinant of quality of anticoagulation and predictor of clinical outcome. a retrospective study of 2300 consecutive patients with venous thromboembolism. <i>British Journal of Haematology</i> , 2005, 128, 513-519.	2.5	187
151	Difference in absolute risk of venous and arterial thrombosis between familial protein S deficiency type I and type III. Results from a family cohort study to assess the clinical impact of a laboratory test-based classification. <i>British Journal of Haematology</i> , 2005, 128, 703-710.	2.5	40
152	For Better and For Worse: Quality of Life Impaired in HF Patients as well as in Their Partners. <i>European Journal of Cardiovascular Nursing</i> , 2005, 4, 11-14.	0.9	67
153	Does flecainide regain its antiarrhythmic activity after electrical cardioversion of persistent atrial fibrillation?. <i>Heart Rhythm</i> , 2005, 2, 223-230.	0.7	32
154	Effect of rate and rhythm control on left ventricular function and cardiac dimensions in patients with persistent atrial fibrillation: Results from the RAte Control versus Electrical Cardioversion for Persistent Atrial Fibrillation (RACE) study. <i>Heart Rhythm</i> , 2005, 2, 19-24.	0.7	104
155	Determination of vessel size: a putative framework to assess clinical outcome. <i>International Journal of Cardiology</i> , 2005, 103, 135-139.	1.7	4
156	Rate control versus rhythm control for patients with persistent atrial fibrillation with mild to moderate heart failure: Results from the RAte Control versus Electrical cardioversion (RACE) study. <i>American Heart Journal</i> , 2005, 149, 1106-1111.	2.7	177
157	Gender-Related Differences in Rhythm Control Treatment in Persistent Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1298-1306.	2.8	206
158	Low-profile Stent System for Treatment of Atherosclerotic Renal Artery Stenosis: The GREAT Trial. <i>Journal of Vascular and Interventional Radiology</i> , 2005, 16, 1195-1202.	0.5	57
159	Isolated high-grade lesion of the proximal LAD: a stent or off-pump LIMA?. <i>European Journal of Cardio-thoracic Surgery</i> , 2004, 25, 567-571.	1.4	36
160	Design and methodology of the COACH study: a multicenter randomised Coordinating study evaluating Outcomes of Advising and Counselling in Heart failure. <i>European Journal of Heart Failure</i> , 2004, 6, 227-233.	7.1	147
161	Assessing the prognostic value of coronary endothelial function in patients referred for a first coronary angiogram. <i>American Journal of Cardiology</i> , 2004, 94, 1063-1067.	1.6	9
162	Comparison of late (four years) functional health status between percutaneous transluminal angioplasty intervention and off-pump left internal mammary artery bypass grafting for isolated high-grade narrowing of the proximal left anterior descending coronary artery. <i>American Journal of Cardiology</i> , 2004, 94, 1414-1417.	1.6	25

#	ARTICLE	IF	CITATIONS
163	Clinical characteristics of persistent lone atrial fibrillation in the RACE study. <i>American Journal of Cardiology</i> , 2004, 94, 1486-1490.	1.6	24
164	The contribution of inherited and acquired thrombophilic defects, alone or combined with antiphospholipid antibodies, to venous and arterial thromboembolism in patients with systemic lupus erythematosus. <i>Blood</i> , 2004, 104, 143-148.	1.4	126
165	Coronary vasomotor response is related to the angiographic extent of coronary sclerosis in patients with stable angina pectoris. <i>Clinical Science</i> , 2004, 106, 115-120.	4.3	8
166	Correlates of endothelial function and their relationship with inflammation in patients with familial hypercholesterolaemia. <i>Clinical Science</i> , 2003, 104, 627-632.	4.3	37
167	Exercise-Induced Ischemia after Successful Percutaneous Coronary Intervention Is Related to Distal Coronary Endothelial Dysfunction. <i>Journal of Investigative Medicine</i> , 2003, 51, 221.	1.6	4
168	Minimally Invasive Bypass Surgery. <i>New England Journal of Medicine</i> , 2002, 347, 2165-2168.	27.0	2
169	A prospective randomized trial comparing stenting with off-pump coronary surgery for high-grade stenosis in the proximal left anterior descending coronary artery. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1955-1960.	2.8	67
170	Endothelial Dysfunction in Patients with Coronary Artery Disease: A Comparison of Three Frequently Reported Tests. <i>Journal of Investigative Medicine</i> , 2002, 50, 19-24.	1.6	37
171	Minimally invasive coronary artery bypass grafting versus percutaneous transluminal coronary angioplasty with stenting in isolated high-grade stenosis of the proximal left anterior descending coronary artery: Six months' angiographic and clinical follow-up of a prospective randomized study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002, 124, 130-135.	0.8	53
172	VERDICT: The Verapamil versus Digoxin Cardioversion Trial: A Randomized Study on the Role of Calcium Lowering for Maintenance of Sinus Rhythm after Cardioversion of Persistent Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 766-769.	1.7	73
173	Increased prescription rate of anti-infective agents after diagnosis of myelodysplastic syndromes. <i>EJHaem</i> , 0, , .	1.0	2