

# Giorgio Bedogni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3111653/publications.pdf>

Version: 2024-02-01

250  
papers

13,841  
citations

28274

55  
h-index

24258

110  
g-index

269  
all docs

269  
docs citations

269  
times ranked

17853  
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating Mir-140 and leptin improve the accuracy of the differential diagnosis between psoriatic arthritis and rheumatoid arthritis: a case-control study. <i>Translational Research</i> , 2022, 239, 18-34.	5.0	13
2	Prepuberal insulin secretory indices are long term predictors of short adult stature in cystic fibrosis. <i>Endocrine Connections</i> , 2022, , .	1.9	2
3	Predictive factors of responsiveness to a body weight reduction program in Prader-Willi patients at 6 years of follow-up. <i>Scientific Reports</i> , 2022, 12, 5182.	3.3	0
4	Three-dimensional CAD/CAM reconstruction of the iliac bone following DCIA composite flap harvest. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021, 50, 32-37.	1.5	1
5	Rice flour fermented with <i>Lactobacillus paracasei</i> CBA L74 in the treatment of atopic dermatitis in infants: A randomized, double-blind, placebo-controlled trial. <i>Pharmacological Research</i> , 2021, 163, 105284.	7.1	19
6	Safety of boneless reconstruction of the mandible with a CAD/CAM designed titanium device: The replica cohort study. <i>Oral Oncology</i> , 2021, 112, 105073.	1.5	9
7	Reply to "Efficacy and safety of hydrolyzed formulas for cow's milk allergy management: A systematic review of randomized controlled trials". <i>Clinical and Experimental Allergy</i> , 2021, 51, 155-157.	2.9	0
8	External Validation of Surrogate Indices of Fatty Liver in the General Population: The Bagnacavallo Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 520.	2.4	15
9	Predictive fat mass equations for spinal muscular atrophy type I children: Development and internal validation. <i>Clinical Nutrition</i> , 2021, 40, 1578-1587.	5.0	3
10	Development and Internal Validation of Fatty Liver Prediction Models in Obese Children and Adolescents. <i>Journal of Clinical Medicine</i> , 2021, 10, 1470.	2.4	5
11	The Impact of Formula Choice for the Management of Pediatric Cow's Milk Allergy on the Occurrence of Other Allergic Manifestations: The Atopic March Cohort Study. <i>Journal of Pediatrics</i> , 2021, 232, 183-191.e3.	1.8	28
12	Efficacy of ginger as antiemetic in children with acute gastroenteritis: a randomised controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 24-31.	3.7	14
13	Predictive Fat Mass Equations for Children With Inflammatory Bowel Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 73, e98-e104.	1.8	0
14	Association of Serum Bilirubin Level with Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: A Cross-Sectional Study of 1672 Obese Children. <i>Journal of Clinical Medicine</i> , 2021, 10, 2812.	2.4	9
15	Letter: ginger as antiemetic for acute gastroenteritis in children: interpreting evidence gingerly. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 860-861.	3.7	0
16	Growth patterns in children with spinal muscular atrophy. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 375.	2.7	19
17	OC-14 Fatty liver Index (FLI) 15 years later: a SANRA (Scale for the quality Assessment of Narrative) Tj ETQq1 1 0.784314 rgBT_0/Overlook	0.9	0
18	Nutrient intake in aging infants and toddlers: 3-year follow-up of the Nutrintake study. <i>International Journal of Food Sciences and Nutrition</i> , 2020, 71, 464-472.	2.8	4

#	ARTICLE	IF	CITATIONS
19	Fatty liver, cardiometabolic disease and mortality. <i>Current Opinion in Lipidology</i> , 2020, 31, 27-31.	2.7	14
20	Spleen Stiffness Probability Index (SSPI): A simple and accurate method to detect esophageal varices in patients with compensated liver cirrhosis. <i>Annals of Hepatology</i> , 2020, 19, 53-61.	1.5	31
21	Changes of Body Weight and Body Composition in Obese Patients with Prader-Willi Syndrome at 3 and 6 Years of Follow-Up: A Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3596.	2.4	7
22	Spleen stiffness can be employed to assess the efficacy of spontaneous portosystemic shunts in relieving portal hypertension. <i>Annals of Hepatology</i> , 2020, 19, 691-693.	1.5	10
23	External Validation of Equations to Estimate Resting Energy Expenditure in 2037 Children and Adolescents with and 389 without Obesity: A Cross-Sectional Study. <i>Nutrients</i> , 2020, 12, 1421.	4.1	6
24	Predictive energy equations for spinal muscular atrophy type I children. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 983-996.	4.7	8
25	Modeling the time-related fluctuations of AFP and PIVKA-II serum levels in patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. <i>Cancer Biomarkers</i> , 2020, 29, 189-196.	1.7	17
26	Could Inflammatory Indices and Metabolic Syndrome Predict the Risk of Cancer Development? Analysis from the Bagnacavallo Population Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1177.	2.4	15
27	Is there an association between commonly employed biomarkers of liver fibrosis and liver stiffness in the general population?. <i>Annals of Hepatology</i> , 2020, 19, 380-387.	1.5	19
28	Dietary Treatment with Extensively Hydrolyzed Casein Formula Containing the Probiotic <i>Lactobacillus rhamnosus</i> GG Prevents the Occurrence of Functional Gastrointestinal Disorders in Children with Cow's Milk Allergy. <i>Journal of Pediatrics</i> , 2019, 213, 137-142.e2.	1.8	29
29	P.04.6 MODELING THE TIME-RELATED FLUCTUATIONS OF AFP AND PIVKA-II SERUM LEVELS IN PATIENTS WITH CIRRHOSIS UNDERGOING SURVEILLANCE FOR HEPATOCELLULAR CARCINOMA. <i>Digestive and Liver Disease</i> , 2019, 51, e173-e174.	0.9	1
30	Serum miRNA Are Promising Biomarkers for the Detection of Early Hepatocellular Carcinoma after Treatment with Direct-Acting Antivirals. <i>Cancers</i> , 2019, 11, 1773.	3.7	31
31	Taste perception and oral microbiota are associated with obesity in children and adolescents. <i>PLoS ONE</i> , 2019, 14, e0221656.	2.5	46
32	Growth Pattern, Resting Energy Expenditure, and Nutrient Intake of Children with Food Allergies. <i>Nutrients</i> , 2019, 11, 212.	4.1	13
33	Assessment of fat-free mass from bioelectrical impedance analysis in men and women with Prader-Willi syndrome: cross-sectional study. <i>International Journal of Food Sciences and Nutrition</i> , 2019, 70, 645-649.	2.8	8
34	Analysis of Retinal Perfusion in Children, Adolescents, and Young Adults with Type 1 Diabetes Using Optical Coherence Tomography Angiography. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-8.	2.3	23
35	Association of Bright Liver with the PNPLA3 I148M Gene Variant in 1-year-old Toddlers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2163-2170.	3.6	6
36	Is vitamin D deficiency a risk factor for osteonecrosis of the jaw in patients with cancer? A matched case-control study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1203-1208.	1.7	16

#	ARTICLE	IF	CITATIONS
37	Randomized controlled trial on the influence of dietary intervention on epigenetic mechanisms in children with cow's milk allergy: the EPICMA study. <i>Scientific Reports</i> , 2019, 9, 2828.	3.3	30
38	Associations Among Taste Perception, Food Neophobia and Preferences in Type 1 Diabetes Children and Adolescents: A Cross-Sectional Study. <i>Nutrients</i> , 2019, 11, 3052.	4.1	10
39	Sex- and Age-Related Differences in the Contribution of Ultrasound-Measured Visceral and Subcutaneous Abdominal Fat to Fatty Liver Index in Overweight and Obese Caucasian Adults. <i>Nutrients</i> , 2019, 11, 3008.	4.1	8
40	External validation of equations to estimate resting energy expenditure in 14952 adults with overweight and obesity and 1948 adults with normal weight from Italy. <i>Clinical Nutrition</i> , 2019, 38, 457-464.	5.0	22
41	Association of serum lipids with $\beta$ -cell function in obese children and adolescents. <i>Endocrine Connections</i> , 2019, 8, 1318-1323.	1.9	2
42	Resting energy expenditure in children with cerebral palsy: Accuracy of available prediction formulae and development of a population-specific formula. <i>Clinical Nutrition ESPEN</i> , 2018, 25, 44-49.	1.2	9
43	Clinical significance of time related fluctuations of AFP and PIVKA-II serum levels in patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2018, 50, 14-15.	0.9	1
44	Claimed effects, outcome variables and methods of measurement for health claims on foods related to the gastrointestinal tract proposed under regulation (EC) 1924/2006. <i>International Journal of Food Sciences and Nutrition</i> , 2018, 69, 771-804.	2.8	6
45	Global epidemiology of non-alcoholic fatty liver disease/non-alcoholic steatohepatitis: What we need in the future. <i>Liver International</i> , 2018, 38, 47-51.	3.9	297
46	Two drinks per day does not take your fatty liver away. <i>Hepatology</i> , 2018, 67, 2072-2073.	7.3	2
47	Claimed effects, outcome variables and methods of measurement for health claims proposed under Regulation (EC) 1924/2006 in the framework of bone health. <i>PharmaNutrition</i> , 2018, 6, 17-36.	1.7	4
48	Association of Binge Eating Behavior with Total and Abdominal Adipose Tissue in a Large Sample of Participants Starting a Weight Loss or Maintenance Program. <i>Journal of the American College of Nutrition</i> , 2018, 37, 701-707.	1.8	1
49	Claimed effects, outcome variables and methods of measurement for health claims on foods proposed under Regulation (EC) 1924/2006 in the area of oral health. <i>NFS Journal</i> , 2018, 10, 10-25.	4.3	7
50	Combined use of a wristband and a smartphone to reduce body weight in obese children: randomized controlled trial. <i>Pediatric Obesity</i> , 2018, 13, 81-87.	2.8	45
51	Claimed effects, outcome variables and methods of measurement for health claims on foods proposed under European Community Regulation 1924/2006 in the area of appetite ratings and weight management. <i>International Journal of Food Sciences and Nutrition</i> , 2018, 69, 389-409.	2.8	13
52	Alpha-Lipoic Acid Shows Promise to Improve Migraine in Patients with Insulin Resistance: A 6-Month Exploratory Study. <i>Journal of Medicinal Food</i> , 2018, 21, 269-273.	1.5	21
53	P102 Dietary treatment with extensively hydrolyzed casein formula with the probiotic <i>L. rhamnosus</i> CG prevents the occurrence of functional gastrointestinal disorders in children with cow's milk allergy. <i>Digestive and Liver Disease</i> , 2018, 50, e394-e395.	0.9	0
54	GP/EFSA/NUTRI/2014/01 Scientific substantiation of health claims made on food: collection, collation and critical analysis of information in relation to claimed effects, outcome variables and methods of measurement. <i>EFSA Supporting Publications</i> , 2018, 15, 1272E.	0.7	1

#	ARTICLE	IF	CITATIONS
55	P152 Therapeutic efficacy of ginger on vomiting in children with acute gastroenteritis. Digestive and Liver Disease, 2018, 50, e411.	0.9	0
56	Prevalence of and risk factors for fatty liver in the general population of Northern Italy: the Bagnacavallo Study. BMC Gastroenterology, 2018, 18, 177.	2.0	23
57	Methylsulfonylmethane and mobilee prevent negative effect of IL-1 <sup>β</sup> in human chondrocyte cultures via NF- $\kappa$ B signaling pathway. International Immunopharmacology, 2018, 65, 129-139.	3.8	25
58	Claimed Effects, Outcome Variables and Methods of Measurement for Health Claims Proposed Under European Community Regulation 1924/2006 in the Framework of Maintenance of Skin Function. Nutrients, 2018, 10, 7.	4.1	18
59	Claimed Effects, Outcome Variables and Methods of Measurement for Health Claims on Foods Related to Vision Proposed Under Regulation (EC) 1924/2006. Nutrients, 2018, 10, 211.	4.1	0
60	Claimed effects, outcome variables and methods of measurement for health claims proposed under European Community Regulation 1924/2006 in the area of blood glucose and insulin concentrations. Acta Diabetologica, 2018, 55, 391-404.	2.5	2
61	Diagnostic Performance Analysis of the Point-of-Care Bilistick System in Identifying Severe Neonatal Hyperbilirubinemia by a Multi-Country Approach. EClinicalMedicine, 2018, 1, 14-20.	7.1	20
62	Clinical significance of time related fluctuations of AFP and PIVKA-II serum levels in single patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. Journal of Hepatology, 2018, 68, S436.	3.7	0
63	Claimed effects, outcome variables and methods of measurement for health claims proposed under regulation (EC) 1924/2006 and related to cognitive function in adults. Archives Italiennes De Biologie, 2018, 156, 64-86.	0.4	3
64	Infant Feeding Practices in the First Year of Life in a Metropolitan Italian Cohort. Journal of Food and Nutrition Research (Newark, Del ), 2018, 6, 82-88.	0.3	1
65	Claimed effects, outcome variables and methods of measurement for health claims proposed under European Community Regulation 1924/2006 in the framework of protection against oxidative damage and cardiovascular health. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 473-503.	2.6	28
66	Comparison between Bilistick System and transcutaneous bilirubin in assessing total bilirubin serum concentration in jaundiced newborns. Journal of Perinatology, 2017, 37, 1028-1031.	2.0	26
67	Time to onset of bisphosphonate-related osteonecrosis of the jaws: a multicentre retrospective cohort study. Oral Diseases, 2017, 23, 477-483.	3.0	78
68	Extensively hydrolyzed casein formula containing Lactobacillus rhamnosus GG reduces the occurrence of other allergic manifestations in children with cow's milk allergy: 3-year randomized controlled trial. Journal of Allergy and Clinical Immunology, 2017, 139, 1906-1913.e4.	2.9	178
69	Outcome variables and methods of measurement for health claims proposed under European community regulation 1924/2006 in the framework of prevention of dyslipidaemia and cardiovascular diseases. Atherosclerosis, 2017, 263, e203.	0.8	0
70	Changes in routine laboratory tests and survival in amyotrophic lateral sclerosis. Neurological Sciences, 2017, 38, 2177-2182.	1.9	24
71	How Accurate Is a Single Cutpoint to Identify High Blood Pressure in Adolescents?. American Journal of Epidemiology, 2017, 185, 295-303.	3.4	4
72	Inside out the Ragbag of Glucose Intolerance in Obese Adolescents. Hormone Research in Paediatrics, 2017, 87, 287-294.	1.8	5

#	ARTICLE	IF	CITATIONS
73	Nutritional status, metabolic state and nutrient intake in children with bronchiolitis. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 378-383.	2.8	12
74	Preventive Effect of Cow's Milk Fermented with <i>Lactobacillus paracasei</i> CBA L74 on Common Infectious Diseases in Children: A Multicenter Randomized Controlled Trial. <i>Nutrients</i> , 2017, 9, 669.	4.1	52
75	Association of Body Shape Index (ABSI) with cardio-metabolic risk factors: A cross-sectional study of 6081 Caucasian adults. <i>PLoS ONE</i> , 2017, 12, e0185013.	2.5	80
76	Nutrition in Pediatric Inflammatory Bowel Disease: From Etiology to Treatment. A Systematic Review. <i>Nutrients</i> , 2016, 8, 334.	4.1	34
77	Accuracy of Prediction Formulae for the Assessment of Resting Energy Expenditure in Hospitalized Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016, 63, 708-712.	1.8	19
78	Contribution of binge eating behaviour to cardiometabolic risk factors in subjects starting a weight loss or maintenance programme. <i>British Journal of Nutrition</i> , 2016, 116, 1984-1992.	2.3	9
79	Predictors of blood pressure at 7-13 years: The 'new millennium baby' study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 706-712.	2.6	11
80	Prevalence of and risk factors for binge eating behaviour in 6930 adults starting a weight loss or maintenance programme. <i>Public Health Nutrition</i> , 2016, 19, 71-77.	2.2	34
81	Extensively hydrolyzed casein formula containing <i>Lactobacillus rhamnosus</i> GG prevents the occurrence of other allergic manifestations in subjects with cow's milk allergy: 3-year randomized controlled trial. <i>Digestive and Liver Disease</i> , 2016, 48, e279.	0.9	0
82	Effect of fermented milk with <i>Lactobacillus paracasei</i> CBA L74 on gastrointestinal and respiratory infections in children: Multicenter randomized controlled trial. <i>Digestive and Liver Disease</i> , 2016, 48, e280-e281.	0.9	3
83	Nonalcoholic Fatty Liver Is Not Associated with the Relationship between Insulin Secretion and Insulin Sensitivity in Obese Children: Matched Case-Control Study. <i>Childhood Obesity</i> , 2016, 12, 426-431.	1.5	4
84	Does oral alpha lipoic acid prevent oxaliplatin-induced peripheral neuropathy? A randomized, double-blind, parallel-arm, placebo-controlled trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 10117-10117.	1.6	0
85	Adherence to the Mediterranean diet is inversely associated with visceral abdominal tissue in Caucasian subjects. <i>Clinical Nutrition</i> , 2015, 34, 1266-1272.	5.0	54
86	Age- and Sex-Dependent Distribution of OGTT-Related Variables in a Population of Cystic Fibrosis Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2963-2971.	3.6	15
87	Inadequate seroconversion rates in celiac disease after 3 doses of hepatitis B vaccine, administered at 3, 5 and 11 months of life. <i>Journal of Pediatric Infectious Diseases</i> , 2015, 06, 173-176.	0.2	0
88	Metabolic correlates of subcutaneous and visceral abdominal fat measured by ultrasonography: a comparison with waist circumference. <i>Nutrition Journal</i> , 2015, 15, 2.	3.4	31
89	EXPOsure: Milan, May 1st- October 31st 2015. <i>Italian Journal of Pediatrics</i> , 2015, 41, .	2.6	0
90	Pidotimod for the prevention of acute respiratory infections in healthy children entering into daycare: A double blind randomized placebo-controlled study. <i>Pharmacological Research</i> , 2015, 97, 79-83.	7.1	19

#	ARTICLE	IF	CITATIONS
91	Relationship between thyroid hormones, resting energy expenditure and cardiometabolic risk factors in euthyroid subjects. <i>Clinical Nutrition</i> , 2015, 34, 674-678.	5.0	26
92	PDX-1 mRNA expression in endoscopic ultrasound-guided fine needle cytoaspirate: Perspectives in the diagnosis of pancreatic cancer. <i>Digestive and Liver Disease</i> , 2015, 47, 138-143.	0.9	8
93	Assessment of fat-free mass from bioelectrical impedance analysis in obese women with Prader-Willi syndrome. <i>Annals of Human Biology</i> , 2015, 42, 538-542.	1.0	14
94	Silencing efficacy prediction: a retrospective study on target mRNA features. <i>Bioscience Reports</i> , 2015, 35, .	2.4	13
95	Does segmental body composition differ in women with Prader-Willi syndrome compared to women with essential obesity?. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 957-961.	3.3	11
96	A longitudinal study of streptococcus pneumoniae carriage in healthy children in the 13-valent pneumococcal conjugate vaccine era. <i>Human Vaccines and Immunotherapeutics</i> , 2015, 11, 811-817.	3.3	14
97	Up to a quarter of patients with osteonecrosis of the jaw associated with antiresorptive agents remain undiagnosed. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2015, 53, 13-17.	0.8	90
98	Nutritional Status in Agammaglobulinemia: An Italian Multicenter Study. <i>Journal of Clinical Immunology</i> , 2015, 35, 595-597.	3.8	1
99	Long-term Renal Effects of Tenofovir-Disoproxil-Fumarate in Vertically HIV-Infected Children, Adolescents, and Young Adults: A 132-Month Follow-Up Study. <i>Clinical Drug Investigation</i> , 2015, 35, 419-426.	2.2	12
100	Early retesting by GHRH-Arginine test shows normal GH response in most children with idiopathic GH deficiency. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 429-436.	3.3	10
101	Is Non-Alcoholic Fatty Liver Disease Less Frequent among Women with Prader-Willi Syndrome?. <i>Obesity Facts</i> , 2014, 7, 71-76.	3.4	21
102	Nutrient Intake in Italian Infants and Toddlers from North and South Italy: The Nutrintake 636 Study. <i>Nutrients</i> , 2014, 6, 3169-3186.	4.1	24
103	Plasma high mobility group box 1 protein reflects fibrosis in pediatric nonalcoholic fatty liver disease. <i>Expert Review of Molecular Diagnostics</i> , 2014, 14, 763-771.	3.1	22
104	Randomised clinical trial: the beneficial effects of VSL#3 in obese children with non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 1276-1285.	3.7	363
105	Ten-Year Longitudinal Study of Thyroid Function in Children with Down's Syndrome. <i>Hormone Research in Paediatrics</i> , 2014, 82, 113-121.	1.8	41
106	Nutritional assessment and risk of malnutrition in hospitalised children in northern Italy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, e416-7.	1.5	6
107	Origin of Cardiovascular Risk in Overweight Preschool Children. <i>JAMA Pediatrics</i> , 2014, 168, 917.	6.2	61
108	Safety and immunogenicity of a quadrivalent human papillomavirus vaccine in HIV-infected and HIV-negative adolescents and young adults. <i>Vaccine</i> , 2014, 32, 5657-5661.	3.8	54

#	ARTICLE	IF	CITATIONS
109	Association between nocturnal blood pressure dipping and insulin resistance in children affected by NAFLD. <i>European Journal of Pediatrics</i> , 2014, 173, 1511-1518.	2.7	10
110	Serotype distribution and antimicrobial susceptibilities of nasopharyngeal isolates of <i>Streptococcus pneumoniae</i> from healthy children in the 13-valent pneumococcal conjugate vaccine era. <i>Vaccine</i> , 2014, 32, 527-534.	3.8	59
111	Influence of dietary pattern, physical activity, and I148M PNPLA3 on steatosis severity in at-risk adolescents. <i>Genes and Nutrition</i> , 2014, 9, 392.	2.5	56
112	Relationship between glucose metabolism and non-alcoholic fatty liver disease severity in morbidly obese women. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 739-744.	3.3	11
113	Vitamin D levels and liver histological alterations in children with nonalcoholic fatty liver disease. <i>European Journal of Endocrinology</i> , 2014, 170, 547-553.	3.7	92
114	Staging of osteonecrosis of the jaw requires computed tomography for accurate definition of the extent of bony disease. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014, 52, 603-608.	0.8	101
115	Epidemiology of fatty liver: an update. <i>World Journal of Gastroenterology</i> , 2014, 20, 9050-4.	3.3	71
116	Long-term body composition and metabolic changes in HIV-infected children switched from stavudine to tenofovir and from protease inhibitors to efavirenz. <i>European Journal of Pediatrics</i> , 2013, 172, 1089-1096.	2.7	10
117	Metabolic syndrome in adult patients with Prader-Willi syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 1134-1140.	2.6	43
118	Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in morbidly obese women. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 1129-1132.	2.9	20
119	Docosahexaenoic acid for the treatment of fatty liver: Randomised controlled trial in children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 1066-1070.	2.6	123
120	Changes of body mass index in celiac children on a gluten-free diet. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 177-182.	2.6	59
121	Liver stiffness is influenced by a standardized meal in patients with chronic hepatitis C virus at different stages of fibrotic evolution. <i>Hepatology</i> , 2013, 58, 65-72.	7.3	159
122	Waist circumference-to-height ratio predicts adiposity better than body mass index in children and adolescents. <i>International Journal of Obesity</i> , 2013, 37, 943-946.	3.4	178
123	Paediatric Non-Alcoholic Fatty Liver Disease: Impact on Patients and Mothers' Quality of Life. <i>Hepatitis Monthly</i> , 2013, 13, e7871.	0.2	19
124	The I148M Variant of PNPLA3 Reduces the Response to Docosahexaenoic Acid in Children with Non-Alcoholic Fatty Liver Disease. <i>Journal of Medicinal Food</i> , 2013, 16, 957-960.	1.5	60
125	Cholecalciferol Supplementation in HIV-Infected Youth with Vitamin D Insufficiency: Effects on Vitamin D Status and T-Cell Phenotype: A Randomized Controlled Trial. <i>HIV Clinical Trials</i> , 2013, 14, 51-60.	2.0	47
126	Levels of Serum Ceruloplasmin Associate With Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 56, 370-375.	1.8	45

#	ARTICLE	IF	CITATIONS
127	Association between Serum Atypical Fibroblast Growth Factors 21 and 19 and Pediatric Nonalcoholic Fatty Liver Disease. PLoS ONE, 2013, 8, e67160.	2.5	89
128	Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. , 2013, , 497-506.		1
129	Osteomalacia: The Missing Link in the Pathogenesis of Bisphosphonate-Related Osteonecrosis of the Jaws?. Oncologist, 2012, 17, 1114-1119.	3.7	34
130	Use of the Screening Suggested by the National Institute on Alcohol Abuse and Alcoholism and of a Newly Derived Tool for the Detection of Unhealthy Alcohol Drinkers Among Surgical Patients. Journal of Studies on Alcohol and Drugs, 2012, 73, 126-133.	1.0	8
131	Relationship between fatty liver and glucose metabolism: A cross-sectional study in 571 obese children. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 120-126.	2.6	47
132	Effect of intrauterine growth retardation on liver and long-term metabolic risk. International Journal of Obesity, 2012, 36, 1270-1277.	3.4	43
133	Serum insulin-like growth factor-I (IGF-I) reference ranges for chemiluminescence assay in childhood and adolescence. Data from a population of in- and out-patients. Growth Hormone and IGF Research, 2012, 22, 134-138.	1.1	31
134	The potential role of fatty liver in paediatric metabolic syndrome: a distinct phenotype with high metabolic risk?. Pediatric Obesity, 2012, 7, e75-80.	2.8	26
135	Early retinol-binding protein levels are associated with growth changes in infants born to diabetic mothers. Pediatric Obesity, 2012, 7, e86-9.	2.8	0
136	Human Adipose-Derived Mesenchymal Stem Cells Systemically Injected Promote Peripheral Nerve Regeneration in the Mouse Model of Sciatic Crush. Tissue Engineering - Part A, 2012, 18, 1264-1272.	3.1	167
137	NUTRITIONAL MANAGEMENT OF STAGE 5 CHRONIC KIDNEY DISEASE. Journal of Renal Care, 2012, 38, 50-58.	1.2	11
138	Impact of percent body fat on oral glucose tolerance testing: a cross-sectional study in 1512 obese children. Journal of Endocrinological Investigation, 2012, 35, 893-6.	3.3	3
139	A Combination of the Pediatric NAFLD Fibrosis Index and Enhanced Liver Fibrosis Test Identifies Children With Fibrosis. Clinical Gastroenterology and Hepatology, 2011, 9, 150-155.e1.	4.4	90
140	Relationship between portal chronic inflammation and disease severity in paediatric non-alcoholic fatty liver disease. Digestive and Liver Disease, 2011, 43, 143-146.	0.9	12
141	Long-Term Renal Safety of Tenofovir Disoproxil Fumarate in Vertically HIV-Infected Children, Adolescents and Young Adults. Clinical Drug Investigation, 2011, 31, 407-415.	2.2	24
142	Docosahexaenoic acid supplementation decreases liver fat content in children with non-alcoholic fatty liver disease: double-blind randomised controlled clinical trial. Archives of Disease in Childhood, 2011, 96, 350-353.	1.9	225
143	Epigenetic mechanisms elicited by nutrition in early life. Nutrition Research Reviews, 2011, 24, 198-205.	4.1	192
144	Design of Observational Studies. Journal of the Royal Statistical Society Series A: Statistics in Society, 2011, 174, 244-245.	1.1	0

#	ARTICLE	IF	CITATIONS
145	Applying Quantitative Bias Analysis to Epidemiologic Data. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2011, 174, 511-512.	1.1	0
146	Long-term outcomes of surgical resection of the jaws in cancer patients with bisphosphonate-related osteonecrosis. <i>Oral Oncology</i> , 2011, 47, 420-424.	1.5	109
147	ASH and NASH. <i>Digestive Diseases</i> , 2011, 29, 202-210.	1.9	72
148	Dose-Response Effect of Baclofen in Reducing Daily Alcohol Intake in Alcohol Dependence: Secondary Analysis of a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Alcohol and Alcoholism</i> , 2011, 46, 312-317.	1.6	173
149	Long-Term Immunogenicity after One and Two Doses of a Monovalent MF59-Adjuvanted A/H1N1 Influenza Virus Vaccine Coadministered with the Seasonal 2009-2010 Nonadjuvanted Influenza Virus Vaccine in HIV-Infected Children, Adolescents, and Young Adults in a Randomized Controlled Trial. <i>Vaccine Journal</i> , 2011, 18, 1503-1509.	3.1	12
150	1452 Seroconversion Rates in Celiac Disease After Hbv Vaccination. <i>Pediatric Research</i> , 2010, 68, 717-717.	2.3	0
151	Occurrence of Bisphosphonate-Related Osteonecrosis of the Jaw After Surgical Tooth Extraction. <i>Journal of Oral and Maxillofacial Surgery</i> , 2010, 68, 797-804.	1.2	126
152	Natural approach against lipotoxic traffic in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 52, 399-399.	7.3	1
153	A simple index of lipid overaccumulation is a good marker of liver steatosis. <i>BMC Gastroenterology</i> , 2010, 10, 98.	2.0	188
154	"Mi voglio bene": a pediatrician-based randomized controlled trial for the prevention of obesity in Italian preschool children. <i>Italian Journal of Pediatrics</i> , 2010, 36, 55.	2.6	13
155	Relationship Between Basal Metabolic Rate, Gender, Age, and Body Composition in 8,780 White Obese Subjects. <i>Obesity</i> , 2010, 18, 71-78.	3.0	135
156	Modern Regression Methods. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2010, 173, 275-275.	1.1	0
157	A Beginner's Guide to R. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2010, 173, 697-698.	1.1	0
158	Estimation of percentage body fat in 6- to 13-year-old children by skinfold thickness, body mass index and waist circumference. <i>British Journal of Nutrition</i> , 2010, 104, 1565-1572.	2.3	36
159	HCV, HBV and Alcohol – the Dionysos Study. <i>Digestive Diseases</i> , 2010, 28, 799-801.	1.9	12
160	Both HIV-Infection and Long-Term Antiretroviral Therapy are Associated with Increased Common Carotid Intima-Media Thickness in HIV-Infected Adolescents and Young Adults. <i>Current HIV Research</i> , 2010, 8, 411-417.	0.5	23
161	Epidemiology of Non-Alcoholic Fatty Liver Disease. <i>Digestive Diseases</i> , 2010, 28, 155-161.	1.9	772
162	Hyaluronic acid predicts hepatic fibrosis in children with nonalcoholic fatty liver disease. <i>Translational Research</i> , 2010, 156, 229-234.	5.0	66

#	ARTICLE	IF	CITATIONS
163	Metabolic syndrome in children with Prader-Willi syndrome: the effect of obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 21, 269-76.	2.6	46
164	Intima-media thickness and liver histology in obese children and adolescents with non-alcoholic fatty liver disease. <i>Atherosclerosis</i> , 2010, 209, 463-468.	0.8	57
165	A protective effect of breastfeeding on the progression of non-alcoholic fatty liver disease. <i>Archives of Disease in Childhood</i> , 2009, 94, 801-805.	1.9	79
166	The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. <i>BMC Medicine</i> , 2009, 7, 21.	5.5	132
167	Reply:. <i>Hepatology</i> , 2009, 50, 989-990.	7.3	0
168	Systematic review and meta-analysis on the adverse events of rimonabant treatment: Considerations for its potential use in hepatology. <i>BMC Gastroenterology</i> , 2009, 9, 75.	2.0	19
169	Cross-validation of bioelectrical impedance analysis for the assessment of body composition in a representative sample of 6- to 13-year-old children. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 619-626.	2.9	73
170	Clinical Prediction Models—a Practical Approach to Development, Validation and Updating. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2009, 172, 944-944.	1.1	9
171	Long-Term Evaluation of Glucose Homeostasis in a Cohort of HAART-Treated HIV-Infected Children. <i>Clinical Drug Investigation</i> , 2009, 29, 101-109.	2.2	16
172	Evaluation of air-displacement plethysmography and bioelectrical impedance analysis vs dual-energy X-ray absorptiometry for the assessment of fat-free mass in elderly subjects. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1282-1286.	2.9	14
173	Poor agreement between a portable armband and indirect calorimetry in the assessment of resting energy expenditure. <i>Clinical Nutrition</i> , 2008, 27, 307-310.	5.0	27
174	Liver and heart: A new link?. <i>Journal of Hepatology</i> , 2008, 49, 300-302.	3.7	33
175	Bisphosphonate-associated jawbone osteonecrosis: a correlation between imaging techniques and histopathology. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, 358-364.	1.4	170
176	Puberty in modernizing Kazakhstan: A comparison of rural and urban children. <i>Annals of Human Biology</i> , 2008, 35, 50-64.	1.0	14
177	Thirty-year persistence of obesity after presentation to a pediatric obesity clinic. <i>Annals of Human Biology</i> , 2008, 35, 439-448.	1.0	12
178	Natural Course of Chronic HCV and HBV Infection and Role of Alcohol in the General Population: The Dionysos Study. <i>American Journal of Gastroenterology</i> , 2008, 103, 2248-2253.	0.4	75
179	Waist circumference correlates with liver fibrosis in children with non-alcoholic steatohepatitis. <i>Gut</i> , 2008, 57, 1283-1287.	12.1	123
180	Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in severely obese Caucasian children and adolescents. <i>British Journal of Nutrition</i> , 2008, 100, 918-924.	2.3	81

#	ARTICLE	IF	CITATIONS
181	Clinical update on non-alcoholic fatty liver disease and steatohepatitis. <i>Annals of Hepatology</i> , 2008, 7, 157-60.	1.5	4
182	Development and Validation of a Food Frequency Questionnaire for the Assessment of Dietary Total Antioxidant Capacity ,2. <i>Journal of Nutrition</i> , 2007, 137, 93-98.	2.9	88
183	[700] INCIDENCE, REMISSION AND MORTALITY RATE OF FATTY LIVER IN THE DIONYSOS COHORT. <i>Journal of Hepatology</i> , 2007, 46, S264.	3.7	1
184	Spirometric reference values for children and adolescents from Kazakhstan. <i>Annals of Human Biology</i> , 2007, 34, 519-534.	1.0	9
185	Subcellular Localization of APE1/Ref-1 in Human Hepatocellular Carcinoma: Possible Prognostic Significance. <i>Molecular Medicine</i> , 2007, 13, 89-96.	4.4	93
186	Prevalence of overweight and cardiovascular risk factors in rural and urban children from Central Asia: The Kazakhstan health and nutrition examination survey. <i>American Journal of Human Biology</i> , 2007, 19, 809-820.	1.6	18
187	Incidence and natural course of fatty liver in the general population: The Dionysos study. <i>Hepatology</i> , 2007, 46, 1387-1391.	7.3	192
188	Predictors of non-alcoholic fatty liver disease in obese children. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 877-883.	2.9	165
189	676 The fatty liver index: A simple and accurate predictor of hepatic steatosis. <i>Journal of Hepatology</i> , 2006, 44, S249-S250.	3.7	2
190	The Fatty Liver Index: a simple and accurate predictor of hepatic steatosis in the general population. <i>BMC Gastroenterology</i> , 2006, 6, 33.	2.0	1,817
191	Blood Pressure, Blood Insulin, and Anthropometry in Obese Children: A Preliminary Report. <i>Annals of the New York Academy of Sciences</i> , 2006, 904, 416-417.	3.8	0
192	Prolonged n-3 polyunsaturated fatty acid supplementation ameliorates hepatic steatosis in patients with non-alcoholic fatty liver disease: a pilot study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 1143-1151.	3.7	368
193	Crossvalidation of anthropometry against magnetic resonance imaging for the assessment of visceral and subcutaneous adipose tissue in children. <i>International Journal of Obesity</i> , 2006, 30, 23-30.	3.4	384
194	Body water distribution in severe obesity and its assessment from eight-polar bioelectrical impedance analysis. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 155-160.	2.9	137
195	Accuracy of eight-polar bioelectrical impedance analysis for the assessment of total and appendicular body composition in peritoneal dialysis patients. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 932-937.	2.9	54
196	Prevalence of and risk factors for nonalcoholic fatty liver disease: The Dionysos nutrition and liver study. <i>Hepatology</i> , 2005, 42, 44-52.	7.3	1,118
197	Fatty liver: How frequent is it and why?. <i>Annals of Hepatology</i> , 2004, 3, 63-65.	1.5	70
198	Nutritional status of 8-year-old rural and urban Italian children: a study in Pistoia, Tuscany. <i>International Journal of Food Sciences and Nutrition</i> , 2004, 55, 381-387.	2.8	16

#	ARTICLE	IF	CITATIONS
199	Relationship between body mass index and insulin measured during oral glucose tolerance testing in severely obese children and adolescents. <i>Annals of Human Biology</i> , 2004, 31, 196-201.	1.0	3
200	Accuracy of body mass index in detecting an elevated alanine aminotransferase level in adolescents. <i>Annals of Human Biology</i> , 2004, 31, 570-577.	1.0	12
201	84 Prevalence of and risk factors for non-alcoholic fatty liver (NAFL) in the general population of Northern Italy. <i>Journal of Hepatology</i> , 2004, 40, 29.	3.7	0
202	221 Natural history of chronic liver disease (CLD) in the dionysos cohort by ten years of follow-up. <i>Journal of Hepatology</i> , 2004, 40, 71.	3.7	0
203	The epidemiology of fatty liver. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 1087-1093.	1.6	116
204	Fatty liver: how frequent is it and why?. <i>Annals of Hepatology</i> , 2004, 3, 63-5.	1.5	34
205	Body water distribution and disease. <i>Acta Diabetologica</i> , 2003, 40, s200-s202.	2.5	7
206	Comparison of bioelectrical impedance analysis and dual-energy X-ray absorptiometry for the assessment of appendicular body composition in anorexic women. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1068-1072.	2.9	31
207	Body mass index is a good predictor of an elevated alanine transaminase level in the general population: hints from the Dionysos study. <i>Digestive and Liver Disease</i> , 2003, 35, 648-652.	0.9	9
208	Cross-calibration of eight-polar bioelectrical impedance analysis versus dual-energy X-ray absorptiometry for the assessment of total and appendicular body composition in healthy subjects aged 21-82 years. <i>Annals of Human Biology</i> , 2003, 30, 380-391.	1.0	284
209	Sensitivity and specificity of body mass index and skinfold thicknesses in detecting excess adiposity in children aged 8-12 years. <i>Annals of Human Biology</i> , 2003, 30, 132-139.	1.0	81
210	What is the Utility of Selected Clinical and Endoscopic Parameters in Predicting the Risk of Death after Caustic Ingestion?. <i>Endoscopy</i> , 2002, 34, 304-310.	1.8	61
211	Relationship between body composition and bone mineral content in young and elderly women. <i>Annals of Human Biology</i> , 2002, 29, 559-565.	1.0	24
212	Thyroid function is more strongly associated with body impedance than anthropometry in healthy subjects. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 620-623.	3.3	7
213	Accuracy of an eight-point tactile-electrode impedance method in the assessment of total body water. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1143-1148.	2.9	204
214	Some applications of indirect calorimetry to sports medicine. <i>Acta Diabetologica</i> , 2001, 38, 23-26.	2.5	8
215	Is Body Mass Index a Measure of Adiposity in Elderly Women?. <i>Obesity</i> , 2001, 9, 17-20.	4.0	48
216	Ammonia and Endogenous Benzodiazepine-like Compounds in the Pathogenesis of Hepatic Encephalopathy. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 423-425.	1.5	18

#	ARTICLE	IF	CITATIONS
217	Relationships between blood pressure, anthropometric characteristics and blood lipids in high- and low-altitude populations from Central Asia. <i>Annals of Human Biology</i> , 2000, 27, 19-28.	1.0	40
218	Is fasting insulin associated with blood pressure in obese children?. <i>Annals of Human Biology</i> , 2000, 27, 499-506.	1.0	9
219	Influence of Body Composition on Bone Mineral Content in Elderly Women: A Preliminary Report. <i>Annals of the New York Academy of Sciences</i> , 2000, 904, 489-490.	3.8	2
220	Folate status in Italian blood donors: relation to gender and smoking. <i>Haematologica</i> , 2000, 85, 694-8.	3.5	28
221	Changes of bioelectrical impedance after a body weight reduction program in highly obese subjects. <i>Diabetes, Nutrition &amp; Metabolism</i> , 2000, 13, 186-91.	0.7	6
222	Comparison of food composition tables and direct chemical analysis for the assessment of macronutrient intake in a military community. <i>International Journal of Food Sciences and Nutrition</i> , 1999, 50, 73-79.	2.8	15
223	Anthropometry fails in classifying bonemineral status in postmenopausal women. <i>Annals of Human Biology</i> , 1999, 26, 561-568.	1.0	15
224	Dysplastic changes in gastric fundic gland polyps of patients with familial adenomatous polyposis. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1999, 31, 192-7.	0.5	51
225	Use of bioelectric impedance analysis (BIA) in children with alterations of body water distribution. <i>Applied Radiation and Isotopes</i> , 1998, 49, 619-620.	1.5	4
226	Effects of home-based food preparation practices on the micronutrient content of foods. <i>European Journal of Cancer Prevention</i> , 1998, 7, 331-335.	1.3	20
227	Endoscopic Snare Papillectomy in Patients with Familial Adenomatous Polyposis and Ampullary Adenoma. <i>Endoscopy</i> , 1997, 29, 685-688.	1.8	48
228	Effects of cooking and storage methods on the micronutrient content of foods. <i>European Journal of Cancer Prevention</i> , 1997, 6, S21-S24.	1.3	39
229	The prediction of total body water from bioelectrical impedance in patients with anorexia nervosa. <i>British Journal of Nutrition</i> , 1997, 78, 357-365.	2.3	24
230	Assessment of body hydration in subjects with schistosomiasis. <i>Annals of Human Biology</i> , 1997, 24, 315-321.	1.0	3
231	Body water distribution in highlanders versus lowlanders. <i>Annals of Human Biology</i> , 1997, 24, 533-538.	1.0	5
232	The prediction of total body water and extracellular water from bioelectric impedance in obese children. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 129-133.	2.9	23
233	Multifrequency bioelectric impedance measurements for predicting body water compartments in duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 1996, 6, 55-60.	0.6	20
234	A simple latex protector hood for safe endoscopic removal of sharp-pointed gastroesophageal foreign bodies. <i>Gastrointestinal Endoscopy</i> , 1996, 44, 458-461.	1.0	60

#	ARTICLE	IF	CITATIONS
235	High prevalence of adenomas and microadenomas of the duodenal papilla and periampullary region in patients with familial adenomatous polyposis. <i>European Journal of Gastroenterology and Hepatology</i> , 1996, 8, 1201-1206.	1.6	47
236	Multi-frequency bioelectric impedance measurements for predicting body water compartments in patients with non-ascitic liver cirrhosis. <i>British Journal of Nutrition</i> , 1996, 76, 325-332.	2.3	19
237	Altered body water distribution in subjects with juvenile rheumatoid arthritis and its effects on the measurement of water compartments from bioelectric impedance. <i>European Journal of Clinical Nutrition</i> , 1996, 50, 335-9.	2.9	17
238	The prediction of extracellular and total body water from bioelectric impedance in a non-Caucasian population from Central Asia. <i>Annals of Human Biology</i> , 1995, 22, 315-320.	1.0	16
239	Relative expansion of extracellular water in elite male athletes compared to recreational sportsmen. <i>Annals of Human Biology</i> , 1994, 21, 609-612.	1.0	18
240	Antioxidant vitamins or lactulose for the prevention of the recurrence of colorectal adenomas. <i>Diseases of the Colon and Rectum</i> , 1993, 36, 227-234.	1.3	141
241	In vivo total body water assessment by total body electrical conductivity in rats suffering perturbations of water compartment equilibrium. <i>British Journal of Nutrition</i> , 1993, 70, 433-438.	2.3	10
242	Food intake in university students and its impact on nutritional status. <i>Nutrition Research</i> , 1992, 12, 223-233.	2.9	16
243	Endoscopic protector hood for safe removal of sharp-pointed gastroesophageal foreign bodies. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 1992, 6, 255-258.	2.4	24
244	Endoscopic dilation of anastomotic colonic stenosis by different techniques: an alternative to surgery?. <i>Gastrointestinal Endoscopy</i> , 1987, 33, 21-24.	1.0	54
245	Colonoscopic excision of large and giant colorectal polyps. <i>Diseases of the Colon and Rectum</i> , 1986, 29, 831-835.	1.3	63
246	Pyloroduodenal obstruction due to a biliary stone (Bouveret's syndrome) managed by endoscopic extraction. <i>Gastrointestinal Endoscopy</i> , 1985, 31, 36-38.	1.0	55
247	Endoscopic sphincterotomy in patients with Billroth II partial gastrectomy: comparison of three different techniques. <i>Gastrointestinal Endoscopy</i> , 1984, 30, 300-304.	1.0	22
248	On the operational definition of fatty liver. <i>Qeios</i> , 0, , .	0.0	0
249	Exposure to antiresorptive therapy with bisphosphonates does not induce histological changes in human alveolar jawbone. <i>Qeios</i> , 0, , .	0.0	0
250	The Fatty liver Index (FLI) 15 years later: a reappraisal. , 0, , .		7