

Giorgio Bedogni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3111653/publications.pdf>

Version: 2024-02-01

250
papers

13,841
citations

32410

55
h-index

27587

110
g-index

269
all docs

269
docs citations

269
times ranked

18929
citing authors

#	ARTICLE	IF	CITATIONS
1	The Fatty Liver Index: a simple and accurate predictor of hepatic steatosis in the general population. <i>BMC Gastroenterology</i> , 2006, 6, 33.	0.8	1,817
2	Prevalence of and risk factors for nonalcoholic fatty liver disease: The Dionysos nutrition and liver study. <i>Hepatology</i> , 2005, 42, 44-52.	3.6	1,118
3	Epidemiology of Non-Alcoholic Fatty Liver Disease. <i>Digestive Diseases</i> , 2010, 28, 155-161.	0.8	772
4	Crossvalidation of anthropometry against magnetic resonance imaging for the assessment of visceral and subcutaneous adipose tissue in children. <i>International Journal of Obesity</i> , 2006, 30, 23-30.	1.6	384
5	Prolonged n-3 polyunsaturated fatty acid supplementation ameliorates hepatic steatosis in patients with non-alcoholic fatty liver disease: a pilot study. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 1143-1151.	1.9	368
6	Randomised clinical trial: the beneficial effects of VSL#3 in obese children with non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 1276-1285.	1.9	363
7	Global epidemiology of non-alcoholic fatty liver disease/non-alcoholic steatohepatitis: What we need in the future. <i>Liver International</i> , 2018, 38, 47-51.	1.9	297
8	Cross-calibration of eight-polar bioelectrical impedance analysis versus dual-energy X-ray absorptiometry for the assessment of total and appendicular body composition in healthy subjects aged 21-82 years. <i>Annals of Human Biology</i> , 2003, 30, 380-391.	0.4	284
9	Docosahexaenoic acid supplementation decreases liver fat content in children with non-alcoholic fatty liver disease: double-blind randomised controlled clinical trial. <i>Archives of Disease in Childhood</i> , 2011, 96, 350-353.	1.0	225
10	Accuracy of an eight-point tactile-electrode impedance method in the assessment of total body water. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1143-1148.	1.3	204
11	Incidence and natural course of fatty liver in the general population: The Dionysos study. <i>Hepatology</i> , 2007, 46, 1387-1391.	3.6	192
12	Epigenetic mechanisms elicited by nutrition in early life. <i>Nutrition Research Reviews</i> , 2011, 24, 198-205.	2.1	192
13	A simple index of lipid overaccumulation is a good marker of liver steatosis. <i>BMC Gastroenterology</i> , 2010, 10, 98.	0.8	188
14	Waist circumference-to-height ratio predicts adiposity better than body mass index in children and adolescents. <i>International Journal of Obesity</i> , 2013, 37, 943-946.	1.6	178
15	Extensively hydrolyzed casein formula containing <i>Lactobacillus rhamnosus</i> GG reduces the occurrence of other allergic manifestations in children with cow's milk allergy: 3-year randomized controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1906-1913.e4.	1.5	178
16	Dose-Response Effect of Baclofen in Reducing Daily Alcohol Intake in Alcohol Dependence: Secondary Analysis of a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Alcohol and Alcoholism</i> , 2011, 46, 312-317.	0.9	173
17	Bisphosphonate-associated jawbone osteonecrosis: a correlation between imaging techniques and histopathology. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, 358-364.	1.6	170
18	Human Adipose-Derived Mesenchymal Stem Cells Systemically Injected Promote Peripheral Nerve Regeneration in the Mouse Model of Sciatic Crush. <i>Tissue Engineering - Part A</i> , 2012, 18, 1264-1272.	1.6	167

#	ARTICLE	IF	CITATIONS
19	Predictors of non-alcoholic fatty liver disease in obese children. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 877-883.	1.3	165
20	Liver stiffness is influenced by a standardized meal in patients with chronic hepatitis C virus at different stages of fibrotic evolution. <i>Hepatology</i> , 2013, 58, 65-72.	3.6	159
21	Antioxidant vitamins or lactulose for the prevention of the recurrence of colorectal adenomas. <i>Diseases of the Colon and Rectum</i> , 1993, 36, 227-234.	0.7	141
22	Body water distribution in severe obesity and its assessment from eight-polar bioelectrical impedance analysis. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 155-160.	1.3	137
23	Relationship Between Basal Metabolic Rate, Gender, Age, and Body Composition in 8,780 White Obese Subjects. <i>Obesity</i> , 2010, 18, 71-78.	1.5	135
24	The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. <i>BMC Medicine</i> , 2009, 7, 21.	2.3	132
25	Occurrence of Bisphosphonate-Related Osteonecrosis of the Jaw After Surgical Tooth Extraction. <i>Journal of Oral and Maxillofacial Surgery</i> , 2010, 68, 797-804.	0.5	126
26	Waist circumference correlates with liver fibrosis in children with non-alcoholic steatohepatitis. <i>Gut</i> , 2008, 57, 1283-1287.	6.1	123
27	Docosahexaenoic acid for the treatment of fatty liver: Randomised controlled trial in children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 1066-1070.	1.1	123
28	The epidemiology of fatty liver. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 1087-1093.	0.8	116
29	Long-term outcomes of surgical resection of the jaws in cancer patients with bisphosphonate-related osteonecrosis. <i>Oral Oncology</i> , 2011, 47, 420-424.	0.8	109
30	Staging of osteonecrosis of the jaw requires computed tomography for accurate definition of the extent of bony disease. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014, 52, 603-608.	0.4	101
31	Subcellular Localization of APE1/Ref-1 in Human Hepatocellular Carcinoma: Possible Prognostic Significance. <i>Molecular Medicine</i> , 2007, 13, 89-96.	1.9	93
32	Vitamin D levels and liver histological alterations in children with nonalcoholic fatty liver disease. <i>European Journal of Endocrinology</i> , 2014, 170, 547-553.	1.9	92
33	A Combination of the Pediatric NAFLD Fibrosis Index and Enhanced Liver Fibrosis Test Identifies Children With Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 150-155.e1.	2.4	90
34	Up to a quarter of patients with osteonecrosis of the jaw associated with antiresorptive agents remain undiagnosed. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2015, 53, 13-17.	0.4	90
35	Association between Serum Atypical Fibroblast Growth Factors 21 and 19 and Pediatric Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2013, 8, e67160.	1.1	89
36	Development and Validation of a Food Frequency Questionnaire for the Assessment of Dietary Total Antioxidant Capacity. <i>Journal of Nutrition</i> , 2007, 137, 93-98.	1.3	88

#	ARTICLE	IF	CITATIONS
37	Sensitivity and specificity of body mass index and skinfold thicknesses in detecting excess adiposity in children aged 8-12 years. <i>Annals of Human Biology</i> , 2003, 30, 132-139.	0.4	81
38	Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in severely obese Caucasian children and adolescents. <i>British Journal of Nutrition</i> , 2008, 100, 918-924.	1.2	81
39	Association of Body Shape Index (ABSI) with cardio-metabolic risk factors: A cross-sectional study of 6081 Caucasian adults. <i>PLoS ONE</i> , 2017, 12, e0185013.	1.1	80
40	A protective effect of breastfeeding on the progression of non-alcoholic fatty liver disease. <i>Archives of Disease in Childhood</i> , 2009, 94, 801-805.	1.0	79
41	Time to onset of bisphosphonate-related osteonecrosis of the jaws: a multicentre retrospective cohort study. <i>Oral Diseases</i> , 2017, 23, 477-483.	1.5	78
42	Natural Course of Chronic HCV and HBV Infection and Role of Alcohol in the General Population: The Dionysos Study. <i>American Journal of Gastroenterology</i> , 2008, 103, 2248-2253.	0.2	75
43	Cross-validation of bioelectrical impedance analysis for the assessment of body composition in a representative sample of 6- to 13-year-old children. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 619-626.	1.3	73
44	ASH and NASH. <i>Digestive Diseases</i> , 2011, 29, 202-210.	0.8	72
45	Epidemiology of fatty liver: an update. <i>World Journal of Gastroenterology</i> , 2014, 20, 9050-4.	1.4	71
46	Fatty liver: How frequent is it and why?. <i>Annals of Hepatology</i> , 2004, 3, 63-65.	0.6	70
47	Hyaluronic acid predicts hepatic fibrosis in children with nonalcoholic fatty liver disease. <i>Translational Research</i> , 2010, 156, 229-234.	2.2	66
48	Colonoscopic excision of large and giant colorectal polyps. <i>Diseases of the Colon and Rectum</i> , 1986, 29, 831-835.	0.7	63
49	What is the Utility of Selected Clinical and Endoscopic Parameters in Predicting the Risk of Death after Caustic Ingestion?. <i>Endoscopy</i> , 2002, 34, 304-310.	1.0	61
50	Origin of Cardiovascular Risk in Overweight Preschool Children. <i>JAMA Pediatrics</i> , 2014, 168, 917.	3.3	61
51	A simple latex protector hood for safe endoscopic removal of sharp-pointed gastroesophageal foreign bodies. <i>Gastrointestinal Endoscopy</i> , 1996, 44, 458-461.	0.5	60
52	The I148M Variant of PNPLA3 Reduces the Response to Docosahexaenoic Acid in Children with Non-Alcoholic Fatty Liver Disease. <i>Journal of Medicinal Food</i> , 2013, 16, 957-960.	0.8	60
53	Changes of body mass index in celiac children on a gluten-free diet. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 177-182.	1.1	59
54	Serotype distribution and antimicrobial susceptibilities of nasopharyngeal isolates of <i>Streptococcus pneumoniae</i> from healthy children in the 13-valent pneumococcal conjugate vaccine era. <i>Vaccine</i> , 2014, 32, 527-534.	1.7	59

#	ARTICLE	IF	CITATIONS
55	Intima-media thickness and liver histology in obese children and adolescents with non-alcoholic fatty liver disease. <i>Atherosclerosis</i> , 2010, 209, 463-468.	0.4	57
56	Influence of dietary pattern, physical activity, and I148M PNPLA3 on steatosis severity in at-risk adolescents. <i>Genes and Nutrition</i> , 2014, 9, 392.	1.2	56
57	Pyloroduodenal obstruction due to a biliary stone (Bouveret's syndrome) managed by endoscopic extraction. <i>Gastrointestinal Endoscopy</i> , 1985, 31, 36-38.	0.5	55
58	Endoscopic dilation of anastomotic colonic stenosis by different techniques: an alternative to surgery?. <i>Gastrointestinal Endoscopy</i> , 1987, 33, 21-24.	0.5	54
59	Accuracy of eight-polar bioelectrical impedance analysis for the assessment of total and appendicular body composition in peritoneal dialysis patients. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 932-937.	1.3	54
60	Safety and immunogenicity of a quadrivalent human papillomavirus vaccine in HIV-infected and HIV-negative adolescents and young adults. <i>Vaccine</i> , 2014, 32, 5657-5661.	1.7	54
61	Adherence to the Mediterranean diet is inversely associated with visceral abdominal tissue in Caucasian subjects. <i>Clinical Nutrition</i> , 2015, 34, 1266-1272.	2.3	54
62	Preventive Effect of Cow's Milk Fermented with <i>Lactobacillus paracasei</i> CBA L74 on Common Infectious Diseases in Children: A Multicenter Randomized Controlled Trial. <i>Nutrients</i> , 2017, 9, 669.	1.7	52
63	Dysplastic changes in gastric fundic gland polyps of patients with familial adenomatous polyposis. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1999, 31, 192-7.	0.5	51
64	Endoscopic Snare Papillectomy in Patients with Familial Adenomatous Polyposis and Ampullary Adenoma. <i>Endoscopy</i> , 1997, 29, 685-688.	1.0	48
65	Is Body Mass Index a Measure of Adiposity in Elderly Women?. <i>Obesity</i> , 2001, 9, 17-20.	4.0	48
66	High prevalence of adenomas and microadenomas of the duodenal papilla and periampullary region in patients with familial adenomatous polyposis. <i>European Journal of Gastroenterology and Hepatology</i> , 1996, 8, 1201-1206.	0.8	47
67	Relationship between fatty liver and glucose metabolism: A cross-sectional study in 571 obese children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 120-126.	1.1	47
68	Cholecalciferol Supplementation in HIV-Infected Youth with Vitamin D Insufficiency: Effects on Vitamin D Status and T-Cell Phenotype: A Randomized Controlled Trial. <i>HIV Clinical Trials</i> , 2013, 14, 51-60.	2.0	47
69	Metabolic syndrome in children with Prader-Willi syndrome: the effect of obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 21, 269-76.	1.1	46
70	Taste perception and oral microbiota are associated with obesity in children and adolescents. <i>PLoS ONE</i> , 2019, 14, e0221656.	1.1	46
71	Levels of Serum Ceruloplasmin Associate With Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 56, 370-375.	0.9	45
72	Combined use of a wristband and a smartphone to reduce body weight in obese children: randomized controlled trial. <i>Pediatric Obesity</i> , 2018, 13, 81-87.	1.4	45

#	ARTICLE	IF	CITATIONS
73	Effect of intrauterine growth retardation on liver and long-term metabolic risk. <i>International Journal of Obesity</i> , 2012, 36, 1270-1277.	1.6	43
74	Metabolic syndrome in adult patients with Prader-Willi syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 1134-1140.	1.1	43
75	Ten-Year Longitudinal Study of Thyroid Function in Children with Down's Syndrome. <i>Hormone Research in Paediatrics</i> , 2014, 82, 113-121.	0.8	41
76	Relationships between blood pressure, anthropometric characteristics and blood lipids in high- and low-altitude populations from Central Asia. <i>Annals of Human Biology</i> , 2000, 27, 19-28.	0.4	40
77	Effects of cooking and storage methods on the micronutrient content of foods. <i>European Journal of Cancer Prevention</i> , 1997, 6, S21-S24.	0.6	39
78	Estimation of percentage body fat in 6- to 13-year-old children by skinfold thickness, body mass index and waist circumference. <i>British Journal of Nutrition</i> , 2010, 104, 1565-1572.	1.2	36
79	Osteomalacia: The Missing Link in the Pathogenesis of Bisphosphonate-Related Osteonecrosis of the Jaws?. <i>Oncologist</i> , 2012, 17, 1114-1119.	1.9	34
80	Nutrition in Pediatric Inflammatory Bowel Disease: From Etiology to Treatment. A Systematic Review. <i>Nutrients</i> , 2016, 8, 334.	1.7	34
81	Prevalence of and risk factors for binge eating behaviour in 6930 adults starting a weight loss or maintenance programme. <i>Public Health Nutrition</i> , 2016, 19, 71-77.	1.1	34
82	Fatty liver: how frequent is it and why?. <i>Annals of Hepatology</i> , 2004, 3, 63-5.	0.6	34
83	Liver and heart: A new link?. <i>Journal of Hepatology</i> , 2008, 49, 300-302.	1.8	33
84	Comparison of bioelectrical impedance analysis and dual-energy X-ray absorptiometry for the assessment of appendicular body composition in anorexic women. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1068-1072.	1.3	31
85	Serum insulin-like growth factor-I (IGF-I) reference ranges for chemiluminescence assay in childhood and adolescence. Data from a population of in- and out-patients. <i>Growth Hormone and IGF Research</i> , 2012, 22, 134-138.	0.5	31
86	Metabolic correlates of subcutaneous and visceral abdominal fat measured by ultrasonography: a comparison with waist circumference. <i>Nutrition Journal</i> , 2015, 15, 2.	1.5	31
87	Serum miRNA Are Promising Biomarkers for the Detection of Early Hepatocellular Carcinoma after Treatment with Direct-Acting Antivirals. <i>Cancers</i> , 2019, 11, 1773.	1.7	31
88	Spleen Stiffness Probability Index (SSPI): A simple and accurate method to detect esophageal varices in patients with compensated liver cirrhosis. <i>Annals of Hepatology</i> , 2020, 19, 53-61.	0.6	31
89	Randomized controlled trial on the influence of dietary intervention on epigenetic mechanisms in children with cow's milk allergy: the EPICMA study. <i>Scientific Reports</i> , 2019, 9, 2828.	1.6	30
90	Dietary Treatment with Extensively Hydrolyzed Casein Formula Containing the Probiotic <i>Lactobacillus rhamnosus</i> GG Prevents the Occurrence of Functional Gastrointestinal Disorders in Children with Cow's Milk Allergy. <i>Journal of Pediatrics</i> , 2019, 213, 137-142.e2.	0.9	29

#	ARTICLE	IF	CITATIONS
91	Claimed effects, outcome variables and methods of measurement for health claims proposed under European Community Regulation 1924/2006 in the framework of protection against oxidative damage and cardiovascular health. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 473-503.	1.1	28
92	The Impact of Formula Choice for the Management of Pediatric Cowâ€™s Milk Allergy on the Occurrence of Other Allergic Manifestations: The Atopic March Cohort Study. <i>Journal of Pediatrics</i> , 2021, 232, 183-191.e3.	0.9	28
93	Folate status in Italian blood donors: relation to gender and smoking. <i>Haematologica</i> , 2000, 85, 694-8.	1.7	28
94	Poor agreement between a portable armband and indirect calorimetry in the assessment of resting energy expenditure. <i>Clinical Nutrition</i> , 2008, 27, 307-310.	2.3	27
95	The potential role of fatty liver in paediatric metabolic syndrome: a distinct phenotype with high metabolic risk?. <i>Pediatric Obesity</i> , 2012, 7, e75-80.	1.4	26
96	Relationship between thyroid hormones, resting energy expenditure and cardiometabolic risk factors in euthyroid subjects. <i>Clinical Nutrition</i> , 2015, 34, 674-678.	2.3	26
97	Comparison between Bilistick System and transcutaneous bilirubin in assessing total bilirubin serum concentration in jaundiced newborns. <i>Journal of Perinatology</i> , 2017, 37, 1028-1031.	0.9	26
98	Methylsulfonylmethane and mobilee prevent negative effect of IL-1Î² in human chondrocyte cultures via NF-ÎºB signaling pathway. <i>International Immunopharmacology</i> , 2018, 65, 129-139.	1.7	25
99	Endoscopic protector hood for safe removal of sharp-pointed gastroesophageal foreign bodies. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 1992, 6, 255-258.	1.3	24
100	The prediction of total body water from bioelectrical impedance in patients with anorexia nervosa. <i>British Journal of Nutrition</i> , 1997, 78, 357-365.	1.2	24
101	Relationship between body composition and bone mineral content in young and elderly women. <i>Annals of Human Biology</i> , 2002, 29, 559-565.	0.4	24
102	Long-Term Renal Safety of Tenofovir Disoproxil Fumarate in Vertically HIV-Infected Children, Adolescents and Young Adults. <i>Clinical Drug Investigation</i> , 2011, 31, 407-415.	1.1	24
103	Nutrient Intake in Italian Infants and Toddlers from North and South Italy: The Nutrintake 636 Study. <i>Nutrients</i> , 2014, 6, 3169-3186.	1.7	24
104	Changes in routine laboratory tests and survival in amyotrophic lateral sclerosis. <i>Neurological Sciences</i> , 2017, 38, 2177-2182.	0.9	24
105	The prediction of total body water and extracellular water from bioelectric impedance in obese children. <i>European Journal of Clinical Nutrition</i> , 1997, 51, 129-133.	1.3	23
106	Both HIV-Infection and Long-Term Antiretroviral Therapy are Associated with Increased Common Carotid Intima-Media Thickness in HIV-Infected Adolescents and Young Adults. <i>Current HIV Research</i> , 2010, 8, 411-417.	0.2	23
107	Prevalence of and risk factors for fatty liver in the general population of Northern Italy: the Bagnacavallo Study. <i>BMC Gastroenterology</i> , 2018, 18, 177.	0.8	23
108	Analysis of Retinal Perfusion in Children, Adolescents, and Young Adults with Type 1 Diabetes Using Optical Coherence Tomography Angiography. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-8.	1.0	23

#	ARTICLE	IF	CITATIONS
109	Endoscopic sphincterotomy in patients with Billroth II partial gastrectomy: comparison of three different techniques. <i>Gastrointestinal Endoscopy</i> , 1984, 30, 300-304.	0.5	22
110	Plasma high mobility group box 1 protein reflects fibrosis in pediatric nonalcoholic fatty liver disease. <i>Expert Review of Molecular Diagnostics</i> , 2014, 14, 763-771.	1.5	22
111	External validation of equations to estimate resting energy expenditure in 14952 adults with overweight and obesity and 1948 adults with normal weight from Italy. <i>Clinical Nutrition</i> , 2019, 38, 457-464.	2.3	22
112	Is Non-Alcoholic Fatty Liver Disease Less Frequent among Women with Prader-Willi Syndrome?. <i>Obesity Facts</i> , 2014, 7, 71-76.	1.6	21
113	Alpha-Lipoic Acid Shows Promise to Improve Migraine in Patients with Insulin Resistance: A 6-Month Exploratory Study. <i>Journal of Medicinal Food</i> , 2018, 21, 269-273.	0.8	21
114	Multifrequency bioelectric impedance measurements for predicting body water compartments in duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 1996, 6, 55-60.	0.3	20
115	Effects of home-based food preparation practices on the micronutrient content of foods. <i>European Journal of Cancer Prevention</i> , 1998, 7, 331-335.	0.6	20
116	Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in morbidly obese women. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 1129-1132.	1.3	20
117	Diagnostic Performance Analysis of the Point-of-Care Bilistick System in Identifying Severe Neonatal Hyperbilirubinemia by a Multi-Country Approach. <i>EClinicalMedicine</i> , 2018, 1, 14-20.	3.2	20
118	Multi-frequency bioelectric impedance measurements for predicting body water compartments in patients with non-ascitic liver cirrhosis. <i>British Journal of Nutrition</i> , 1996, 76, 325-332.	1.2	19
119	Systematic review and meta-analysis on the adverse events of rimonabant treatment: Considerations for its potential use in hepatology. <i>BMC Gastroenterology</i> , 2009, 9, 75.	0.8	19
120	Paediatric Non-Alcoholic Fatty Liver Disease: Impact on Patients and Mothers' Quality of Life. <i>Hepatitis Monthly</i> , 2013, 13, e7871.	0.1	19
121	Pidotimod for the prevention of acute respiratory infections in healthy children entering into daycare: A double blind randomized placebo-controlled study. <i>Pharmacological Research</i> , 2015, 97, 79-83.	3.1	19
122	Accuracy of Prediction Formulae for the Assessment of Resting Energy Expenditure in Hospitalized Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016, 63, 708-712.	0.9	19
123	Rice flour fermented with <i>Lactobacillus paracasei</i> CBA L74 in the treatment of atopic dermatitis in infants: A randomized, double-blind, placebo-controlled trial. <i>Pharmacological Research</i> , 2021, 163, 105284.	3.1	19
124	Growth patterns in children with spinal muscular atrophy. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 375.	1.2	19
125	Is there an association between commonly employed biomarkers of liver fibrosis and liver stiffness in the general population?. <i>Annals of Hepatology</i> , 2020, 19, 380-387.	0.6	19
126	Relative expansion of extracellular water in elite male athletes compared to recreational sportsmen. <i>Annals of Human Biology</i> , 1994, 21, 609-612.	0.4	18

#	ARTICLE	IF	CITATIONS
127	Ammonia and Endogenous Benzodiazepine-like Compounds in the Pathogenesis of Hepatic Encephalopathy. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 423-425.	0.6	18
128	Prevalence of overweight and cardiovascular risk factors in rural and urban children from Central Asia: The Kazakhstan health and nutrition examination survey. <i>American Journal of Human Biology</i> , 2007, 19, 809-820.	0.8	18
129	Claimed Effects, Outcome Variables and Methods of Measurement for Health Claims Proposed Under European Community Regulation 1924/2006 in the Framework of Maintenance of Skin Function. <i>Nutrients</i> , 2018, 10, 7.	1.7	18
130	Modeling the time-related fluctuations of AFP and PIVKA-II serum levels in patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. <i>Cancer Biomarkers</i> , 2020, 29, 189-196.	0.8	17
131	Altered body water distribution in subjects with juvenile rheumatoid arthritis and its effects on the measurement of water compartments from bioelectric impedance. <i>European Journal of Clinical Nutrition</i> , 1996, 50, 335-9.	1.3	17
132	Food intake in university students and its impact on nutritional status. <i>Nutrition Research</i> , 1992, 12, 223-233.	1.3	16
133	The prediction of extracellular and total body water from bioelectric impedance in a non-Caucasian population from Central Asia. <i>Annals of Human Biology</i> , 1995, 22, 315-320.	0.4	16
134	Nutritional status of 8-year-old rural and urban Italian children: a study in Pistoia, Tuscany. <i>International Journal of Food Sciences and Nutrition</i> , 2004, 55, 381-387.	1.3	16
135	Long-Term Evaluation of Glucose Homeostasis in a Cohort of HAART-Treated HIV-Infected Children. <i>Clinical Drug Investigation</i> , 2009, 29, 101-109.	1.1	16
136	Is vitamin D deficiency a risk factor for osteonecrosis of the jaw in patients with cancer? A matched caseâ€“control study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1203-1208.	0.7	16
137	Comparison of food composition tables and direct chemical analysis for the assessment of macronutrient intake in a military community. <i>International Journal of Food Sciences and Nutrition</i> , 1999, 50, 73-79.	1.3	15
138	Anthropometry fails in classifying bonemineral status in postmenopausal women. <i>Annals of Human Biology</i> , 1999, 26, 561-568.	0.4	15
139	Age- and Sex-Dependent Distribution of OGTT-Related Variables in a Population of Cystic Fibrosis Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2963-2971.	1.8	15
140	Could Inflammatory Indices and Metabolic Syndrome Predict the Risk of Cancer Development? Analysis from the Bagnacavallo Population Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1177.	1.0	15
141	External Validation of Surrogate Indices of Fatty Liver in the General Population: The Bagnacavallo Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 520.	1.0	15
142	Evaluation of air-displacement plethysmography and bioelectrical impedance analysis vs dual-energy X-ray absorptiometry for the assessment of fat-free mass in elderly subjects. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 1282-1286.	1.3	14
143	Puberty in modernizing Kazakhstan: A comparison of rural and urban children. <i>Annals of Human Biology</i> , 2008, 35, 50-64.	0.4	14
144	Assessment of fat-free mass from bioelectrical impedance analysis in obese women with Prader-Willi syndrome. <i>Annals of Human Biology</i> , 2015, 42, 538-542.	0.4	14

#	ARTICLE	IF	CITATIONS
145	A longitudinal study of streptococcus pneumoniae carriage in healthy children in the 13-valent pneumococcal conjugate vaccine era. <i>Human Vaccines and Immunotherapeutics</i> , 2015, 11, 811-817.	1.4	14
146	Fatty liver, cardiometabolic disease and mortality. <i>Current Opinion in Lipidology</i> , 2020, 31, 27-31.	1.2	14
147	Efficacy of ginger as antiemetic in children with acute gastroenteritis: a randomised controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 24-31.	1.9	14
148	"Mi voglio bene": a pediatrician-based randomized controlled trial for the prevention of obesity in Italian preschool children. <i>Italian Journal of Pediatrics</i> , 2010, 36, 55.	1.0	13
149	Silencing efficacy prediction: a retrospective study on target mRNA features. <i>Bioscience Reports</i> , 2015, 35, .	1.1	13
150	Claimed effects, outcome variables and methods of measurement for health claims on foods proposed under European Community Regulation 1924/2006 in the area of appetite ratings and weight management. <i>International Journal of Food Sciences and Nutrition</i> , 2018, 69, 389-409.	1.3	13
151	Growth Pattern, Resting Energy Expenditure, and Nutrient Intake of Children with Food Allergies. <i>Nutrients</i> , 2019, 11, 212.	1.7	13
152	Circulating Mir-140 and leptin improve the accuracy of the differential diagnosis between psoriatic arthritis and rheumatoid arthritis: a case-control study. <i>Translational Research</i> , 2022, 239, 18-34.	2.2	13
153	Accuracy of body mass index in detecting an elevated alanine aminotransferase level in adolescents. <i>Annals of Human Biology</i> , 2004, 31, 570-577.	0.4	12
154	Thirty-year persistence of obesity after presentation to a pediatric obesity clinic. <i>Annals of Human Biology</i> , 2008, 35, 439-448.	0.4	12
155	HCV, HBV and Alcohol – the Dionysos Study. <i>Digestive Diseases</i> , 2010, 28, 799-801.	0.8	12
156	Relationship between portal chronic inflammation and disease severity in paediatric non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2011, 43, 143-146.	0.4	12
157	Long-Term Immunogenicity after One and Two Doses of a Monovalent MF59-Adjuvanted A/H1N1 Influenza Virus Vaccine Coadministered with the Seasonal 2009-2010 Nonadjuvanted Influenza Virus Vaccine in HIV-Infected Children, Adolescents, and Young Adults in a Randomized Controlled Trial. <i>Vaccine Journal</i> . 2011. 18. 1503-1509.	3.2	12
158	Long-term Renal Effects of Tenofovir-Disoproxil-Fumarate in Vertically HIV-Infected Children, Adolescents, and Young Adults: A 132-Month Follow-Up Study. <i>Clinical Drug Investigation</i> , 2015, 35, 419-426.	1.1	12
159	Nutritional status, metabolic state and nutrient intake in children with bronchiolitis. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 378-383.	1.3	12
160	NUTRITIONAL MANAGEMENT OF STAGE 5 CHRONIC KIDNEY DISEASE. <i>Journal of Renal Care</i> , 2012, 38, 50-58.	0.6	11
161	Relationship between glucose metabolism and non-alcoholic fatty liver disease severity in morbidly obese women. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 739-744.	1.8	11
162	Does segmental body composition differ in women with Prader-Willi syndrome compared to women with essential obesity?. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 957-961.	1.8	11

#	ARTICLE	IF	CITATIONS
163	Predictors of blood pressure at 7â€“13 years: The â€œnew millennium babyâ€•study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 706-712.	1.1	11
164	In vivo total body water assessment by total body electrical conductivity in rats suffering perturbations of water compartment equilibrium. <i>British Journal of Nutrition</i> , 1993, 70, 433-438.	1.2	10
165	Long-term body composition and metabolic changes in HIV-infected children switched from stavudine to tenofovir and from protease inhibitors to efavirenz. <i>European Journal of Pediatrics</i> , 2013, 172, 1089-1096.	1.3	10
166	Association between nocturnal blood pressure dipping and insulin resistance in children affected by NAFLD. <i>European Journal of Pediatrics</i> , 2014, 173, 1511-1518.	1.3	10
167	Early retesting by GHRH+ÂˆArginine test shows normal GH response in most children with idiopathic GH deficiency. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 429-436.	1.8	10
168	Associations Among Taste Perception, Food Neophobia and Preferences in Type 1 Diabetes Children and Adolescents: A Cross-Sectional Study. <i>Nutrients</i> , 2019, 11, 3052.	1.7	10
169	Spleen stiffness can be employed to assess the efficacy of spontaneous portosystemic shunts in relieving portal hypertension. <i>Annals of Hepatology</i> , 2020, 19, 691-693.	0.6	10
170	Is fasting insulin associated with blood pressure in obese children?. <i>Annals of Human Biology</i> , 2000, 27, 499-506.	0.4	9
171	Body mass index is a good predictor of an elevated alanine transaminase level in the general population: hints from the Dionysos study. <i>Digestive and Liver Disease</i> , 2003, 35, 648-652.	0.4	9
172	Spirometric reference values for children and adolescents from Kazakhstan. <i>Annals of Human Biology</i> , 2007, 34, 519-534.	0.4	9
173	Clinical Prediction Modelsâ€•a Practical Approach to Development, Validation and Updating. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2009, 172, 944-944.	0.6	9
174	Contribution of binge eating behaviour to cardiometabolic risk factors in subjects starting a weight loss or maintenance programme. <i>British Journal of Nutrition</i> , 2016, 116, 1984-1992.	1.2	9
175	Resting energy expenditure in children with cerebral palsy: AccuracyÂˆof available prediction formulae and development of aÂˆpopulation-specific formula. <i>Clinical Nutrition ESPEN</i> , 2018, 25, 44-49.	0.5	9
176	Safety of boneless reconstruction of the mandible with a CAD/CAM designed titanium device: The replica cohort study. <i>Oral Oncology</i> , 2021, 112, 105073.	0.8	9
177	Association of Serum Bilirubin Level with Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: A Cross-Sectional Study of 1672 Obese Children. <i>Journal of Clinical Medicine</i> , 2021, 10, 2812.	1.0	9
178	Some applications of indirect calorimetry to sports medicine. <i>Acta Diabetologica</i> , 2001, 38, 23-26.	1.2	8
179	Use of the Screening Suggested by the National Institute on Alcohol Abuse and Alcoholism and of a Newly Derived Tool for the Detection of Unhealthy Alcohol Drinkers Among Surgical Patients. <i>Journal of Studies on Alcohol and Drugs</i> , 2012, 73, 126-133.	0.6	8
180	PDX-1 mRNA expression in endoscopic ultrasound-guided fine needle cytoaspirate: Perspectives in the diagnosis of pancreatic cancer. <i>Digestive and Liver Disease</i> , 2015, 47, 138-143.	0.4	8

#	ARTICLE	IF	CITATIONS
181	Assessment of fat-free mass from bioelectrical impedance analysis in men and women with Prader-Willi syndrome: cross-sectional study. <i>International Journal of Food Sciences and Nutrition</i> , 2019, 70, 645-649.	1.3	8
182	Sex- and Age-Related Differences in the Contribution of Ultrasound-Measured Visceral and Subcutaneous Abdominal Fat to Fatty Liver Index in Overweight and Obese Caucasian Adults. <i>Nutrients</i> , 2019, 11, 3008.	1.7	8
183	Predictive energy equations for spinal muscular atrophy type I children. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 983-996.	2.2	8
184	Thyroid function is more strongly associated with body impedance than anthropometry in healthy subjects. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 620-623.	1.8	7
185	Body water distribution and disease. <i>Acta Diabetologica</i> , 2003, 40, s200-s202.	1.2	7
186	Claimed effects, outcome variables and methods of measurement for health claims on foods proposed under Regulation (EC) 1924/2006 in the area of oral health. <i>NFS Journal</i> , 2018, 10, 10-25.	1.9	7
187	Changes of Body Weight and Body Composition in Obese Patients with Prader-Willi Syndrome at 3 and 6 Years of Follow-Up: A Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3596.	1.0	7
188	The Fatty liver Index (FLI) 15 years later: a reappraisal. , 0, , .		7
189	Nutritional assessment and risk of malnutrition in hospitalised children in northern Italy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, e416-7.	0.7	6
190	Claimed effects, outcome variables and methods of measurement for health claims on foods related to the gastrointestinal tract proposed under regulation (EC) 1924/2006. <i>International Journal of Food Sciences and Nutrition</i> , 2018, 69, 771-804.	1.3	6
191	Association of Bright Liver with the PNPLA3 I148M Gene Variant in 1-year-old Toddlers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2163-2170.	1.8	6
192	External Validation of Equations to Estimate Resting Energy Expenditure in 2037 Children and Adolescents with and 389 without Obesity: A Cross-Sectional Study. <i>Nutrients</i> , 2020, 12, 1421.	1.7	6
193	Changes of bioelectrical impedance after a body weight reduction program in highly obese subjects. <i>Diabetes, Nutrition & Metabolism</i> , 2000, 13, 186-91.	0.4	6
194	Body water distribution in highlanders versus lowlanders. <i>Annals of Human Biology</i> , 1997, 24, 533-538.	0.4	5
195	Inside out the Ragbag of Glucose Intolerance in Obese Adolescents. <i>Hormone Research in Paediatrics</i> , 2017, 87, 287-294.	0.8	5
196	Development and Internal Validation of Fatty Liver Prediction Models in Obese Children and Adolescents. <i>Journal of Clinical Medicine</i> , 2021, 10, 1470.	1.0	5
197	Use of bioelectric impedance analysis (BIA) in children with alterations of body water distribution. <i>Applied Radiation and Isotopes</i> , 1998, 49, 619-620.	0.7	4
198	Nonalcoholic Fatty Liver Is Not Associated with the Relationship between Insulin Secretion and Insulin Sensitivity in Obese Children: Matched Case-Control Study. <i>Childhood Obesity</i> , 2016, 12, 426-431.	0.8	4

#	ARTICLE	IF	CITATIONS
199	How Accurate Is a Single Cutpoint to Identify High Blood Pressure in Adolescents?. American Journal of Epidemiology, 2017, 185, 295-303.	1.6	4
200	Claimed effects, outcome variables and methods of measurement for health claims proposed under Regulation (EC) 1924/2006 in the framework of bone health. PharmaNutrition, 2018, 6, 17-36.	0.8	4
201	Nutrient intake in aging infants and toddlers: 3-year follow-up of the Nutrintake study. International Journal of Food Sciences and Nutrition, 2020, 71, 464-472.	1.3	4
202	Clinical update on non-alcoholic fatty liver disease and steatohepatitis. Annals of Hepatology, 2008, 7, 157-60.	0.6	4
203	Assessment of body hydration in subjects with schistosomiasis. Annals of Human Biology, 1997, 24, 315-321.	0.4	3
204	Relationship between body mass index and insulin measured during oral glucose tolerance testing in severely obese children and adolescents. Annals of Human Biology, 2004, 31, 196-201.	0.4	3
205	Effect of fermented milk with Lactobacillus paracasei CBA L74 on gastrointestinal and respiratory infections in children: Multicenter randomized controlled trial. Digestive and Liver Disease, 2016, 48, e280-e281.	0.4	3
206	Predictive fat mass equations for spinal muscular atrophy type I children: Development and internal validation. Clinical Nutrition, 2021, 40, 1578-1587.	2.3	3
207	Claimed effects, outcome variables and methods of measurement for health claims proposed under regulation (EC) 1924/2006 and related to cognitive function in adults. Archives Italiennes De Biologie, 2018, 156, 64-86.	0.1	3
208	Impact of percent body fat on oral glucose tolerance testing: a cross-sectional study in 1512 obese children. Journal of Endocrinological Investigation, 2012, 35, 893-6.	1.8	3
209	676 The fatty liver index: A simple and accurate predictor of hepatic steatosis. Journal of Hepatology, 2006, 44, S249-S250.	1.8	2
210	Influence of Body Composition on Bone Mineral Content in Elderly Women: A Preliminary Report. Annals of the New York Academy of Sciences, 2000, 904, 489-490.	1.8	2
211	Two drinks per day does not take your fatty liver away. Hepatology, 2018, 67, 2072-2073.	3.6	2
212	Claimed effects, outcome variables and methods of measurement for health claims proposed under European Community Regulation 1924/2006 in the area of blood glucose and insulin concentrations. Acta Diabetologica, 2018, 55, 391-404.	1.2	2
213	Association of serum lipids with β -cell function in obese children and adolescents. Endocrine Connections, 2019, 8, 1318-1323.	0.8	2
214	Prepuberal insulin secretory indices are long term predictors of short adult stature in cystic fibrosis. Endocrine Connections, 2022, , .	0.8	2
215	[700] INCIDENCE, REMISSION AND MORTALITY RATE OF FATTY LIVER IN THE DIONYSOS COHORT. Journal of Hepatology, 2007, 46, S264.	1.8	1
216	Natural approach against lipotoxic traffic in nonalcoholic fatty liver disease. Hepatology, 2010, 52, 399-399.	3.6	1

#	ARTICLE	IF	CITATIONS
217	Nutritional Status in Agammaglobulinemia: An Italian Multicenter Study. <i>Journal of Clinical Immunology</i> , 2015, 35, 595-597.	2.0	1
218	Clinical significance of time related fluctuations of AFP and PIVKA-II serum levels in patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2018, 50, 14-15.	0.4	1
219	Association of Binge Eating Behavior with Total and Abdominal Adipose Tissue in a Large Sample of Participants Starting a Weight Loss or Maintenance Program. <i>Journal of the American College of Nutrition</i> , 2018, 37, 701-707.	1.1	1
220	GP/EFSA/NUTRI/2014/01 Scientific substantiation of health claims made on food: collection, collation and critical analysis of information in relation to claimed effects, outcome variables and methods of measurement. <i>EFSA Supporting Publications</i> , 2018, 15, 1272E.	0.3	1
221	P.04.6 MODELING THE TIME-RELATED FLUCTUATIONS OF AFP AND PIVKA-II SERUM LEVELS IN PATIENTS WITH CIRRHOSIS UNDERGOING SURVEILLANCE FOR HEPATOCELLULAR CARCINOMA. <i>Digestive and Liver Disease</i> , 2019, 51, e173-e174.	0.4	1
222	Three-dimensional CAD/CAM reconstruction of the iliac bone following DCIA composite flap harvest. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021, 50, 32-37.	0.7	1
223	Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. , 2013, , 497-506.		1
224	Infant Feeding Practices in the First Year of Life in a Metropolitan Italian Cohort. <i>Journal of Food and Nutrition Research (Newark, Del)</i> , 2018, 6, 82-88.	0.1	1
225	84 Prevalence of and risk factors for non-alcoholic fatty liver (NAFL) in the general population of Northern Italy. <i>Journal of Hepatology</i> , 2004, 40, 29.	1.8	0
226	221 Natural history of chronic liver disease (CLD) in the dionysos cohort by ten years of follow-up. <i>Journal of Hepatology</i> , 2004, 40, 71.	1.8	0
227	Blood Pressure, Blood Insulin, and Anthropometry in Obese Children: A Preliminary Report. <i>Annals of the New York Academy of Sciences</i> , 2006, 904, 416-417.	1.8	0
228	Reply:. <i>Hepatology</i> , 2009, 50, 989-990.	3.6	0
229	1452 Seroconversion Rates in Celiac Disease After Hbv Vaccination. <i>Pediatric Research</i> , 2010, 68, 717-717.	1.1	0
230	Modern Regression Methods. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2010, 173, 275-275.	0.6	0
231	A Beginner's Guide to R. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2010, 173, 697-698.	0.6	0
232	Design of Observational Studies. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2011, 174, 244-245.	0.6	0
233	Applying Quantitative Bias Analysis to Epidemiologic Data. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2011, 174, 511-512.	0.6	0
234	Early retinol-binding protein levels are associated with growth changes in infants born to diabetic mothers. <i>Pediatric Obesity</i> , 2012, 7, e86-9.	1.4	0

#	ARTICLE	IF	CITATIONS
235	Inadequate seroconversion rates in celiac disease after 3 doses of hepatitis B vaccine, administered at 3, 5 and 11 months of life. <i>Journal of Pediatric Infectious Diseases</i> , 2015, 06, 173-176.	0.1	0
236	EXPOSure: Milan, May 1st- October 31st 2015. <i>Italian Journal of Pediatrics</i> , 2015, 41, .	1.0	0
237	Extensively hydrolyzed casein formula containing <i>Lactobacillus rhamnosus</i> GG prevents the occurrence of other allergic manifestations in subjects with cow's milk allergy: 3-year randomized controlled trial. <i>Digestive and Liver Disease</i> , 2016, 48, e279.	0.4	0
238	Outcome variables and methods of measurement for health claims proposed under European community regulation 1924/2006 in the framework of prevention of dyslipidaemia and cardiovascular diseases. <i>Atherosclerosis</i> , 2017, 263, e203.	0.4	0
239	P102 Dietary treatment with extensively hydrolyzed casein formula with the probiotic <i>L. rhamnosus</i> GG prevents the occurrence of functional gastrointestinal disorders in children with cow's milk allergy. <i>Digestive and Liver Disease</i> , 2018, 50, e394-e395.	0.4	0
240	P152 Therapeutic efficacy of ginger on vomiting in children with acute gastroenteritis. <i>Digestive and Liver Disease</i> , 2018, 50, e411.	0.4	0
241	Claimed Effects, Outcome Variables and Methods of Measurement for Health Claims on Foods Related to Vision Proposed Under Regulation (EC) 1924/2006. <i>Nutrients</i> , 2018, 10, 211.	1.7	0
242	Clinical significance of time related fluctuations of AFP and PIVKA-II serum levels in single patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2018, 68, S436.	1.8	0
243	Reply to "Efficacy and safety of hydrolyzed formulas for cow's milk allergy management: A systematic review of randomized controlled trials". <i>Clinical and Experimental Allergy</i> , 2021, 51, 155-157.	1.4	0
244	Predictive Fat Mass Equations for Children With Inflammatory Bowel Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 73, e98-e104.	0.9	0
245	Letter: ginger as antiemetic for acute gastroenteritis in children: interpreting evidence gingerly. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 860-861.	1.9	0
246	OC-14 Fatty liver Index (FLI) 15 years later: a SANRA (Scale for the quality Assessment of Narrative) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.4	0
247	Does oral alpha lipoic acid prevent oxaliplatin-induced peripheral neuropathy? A randomized, double-blind, parallel-arm, placebo-controlled trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 10117-10117.	0.8	0
248	On the operational definition of fatty liver. <i>Qeios</i> , 0, , .	0.0	0
249	Exposure to antiresorptive therapy with bisphosphonates does not induce histological changes in human alveolar jawbone. <i>Qeios</i> , 0, , .	0.0	0
250	Predictive factors of responsiveness to a body weight reduction program in Prader-Willi patients at 6 years of follow-up. <i>Scientific Reports</i> , 2022, 12, 5182.	1.6	0