Giorgio Bedogni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3111653/publications.pdf

Version: 2024-02-01

250 papers 13,841 citations

55 h-index 27587 110 g-index

269 all docs

269 docs citations

times ranked

269

18929 citing authors

| # | Article | IF | CITATIONS |
|----|--|------------------|----------------------------|
| 1 | Circulating Mir-140 and leptin improve the accuracy of the differential diagnosis between psoriatic arthritis and rheumatoid arthritis: a case-control study. Translational Research, 2022, 239, 18-34. | 2.2 | 13 |
| 2 | Prepuberal insulin secretory indices are long term predictors of short adult stature in cystic fibrosis. Endocrine Connections, 2022 , , . | 0.8 | 2 |
| 3 | Predictive factors of responsiveness to a body weight reduction program in Prader–Willi patients at 6Âyears of follow-up. Scientific Reports, 2022, 12, 5182. | 1.6 | O |
| 4 | Three-dimensional CAD/CAM reconstruction of the iliac bone following DCIA composite flap harvest. International Journal of Oral and Maxillofacial Surgery, 2021, 50, 32-37. | 0.7 | 1 |
| 5 | Rice flour fermented with Lactobacillus paracasei CBA L74 in the treatment of atopic dermatitis in infants: A randomized, double- blind, placebo- controlled trial. Pharmacological Research, 2021, 163, 105284. | 3.1 | 19 |
| 6 | Safety of boneless reconstruction of the mandible with a CAD/CAM designed titanium device: The replica cohort study. Oral Oncology, 2021, 112, 105073. | 0.8 | 9 |
| 7 | Reply to "Efficacy and safety of hydrolyzed formulas for cow's milk allergy management: A systematic review of randomized controlled trials― Clinical and Experimental Allergy, 2021, 51, 155-157. | 1.4 | O |
| 8 | External Validation of Surrogate Indices of Fatty Liver in the General Population: The Bagnacavallo Study. Journal of Clinical Medicine, 2021, 10, 520. | 1.0 | 15 |
| 9 | Predictive fat mass equations for spinal muscular atrophy type I children: Development and internal validation. Clinical Nutrition, 2021, 40, 1578-1587. | 2.3 | 3 |
| 10 | Development and Internal Validation of Fatty Liver Prediction Models in Obese Children and Adolescents. Journal of Clinical Medicine, 2021, 10, 1470. | 1.0 | 5 |
| 11 | The Impact of Formula Choice for the Management of Pediatric Cow's Milk Allergy on the Occurrence of Other Allergic Manifestations: The Atopic March Cohort Study. Journal of Pediatrics, 2021, 232, 183-191.e3. | 0.9 | 28 |
| 12 | Efficacy of ginger as antiemetic in children with acute gastroenteritis: a randomised controlled trial. Alimentary Pharmacology and Therapeutics, 2021, 54, 24-31. | 1.9 | 14 |
| 13 | Predictive Fat Mass Equations for Children With Inflammatory Bowel Disease. Journal of Pediatric Gastroenterology and Nutrition, 2021, 73, e98-e104. | 0.9 | O |
| 14 | Association of Serum Bilirubin Level with Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: A Cross-Sectional Study of 1672 Obese Children. Journal of Clinical Medicine, 2021, 10, 2812. | 1.0 | 9 |
| 15 | Letter: ginger as antiâ€emetic for acute gastroenteritis in children: interpreting evidence gingerly. Authors' reply. Alimentary Pharmacology and Therapeutics, 2021, 54, 860-861. | 1.9 | O |
| 16 | Growth patterns in children with spinal muscular atrophy. Orphanet Journal of Rare Diseases, 2021, 16, 375. | 1,2 | 19 |
| 17 | OC-14Fatty liver Index (FLI) 15 years later: a SANRA (Scale for the quality Assessment of Narrative) Tj ETQq1 10 | .784314 r 0.4 | gBT _O /Overlock |
| 18 | Nutrient intake in aging infants and toddlers: 3-year follow-up of the Nutrintake study. International Journal of Food Sciences and Nutrition, 2020, 71, 464-472. | 1.3 | 4 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Fatty liver, cardiometabolic disease and mortality. Current Opinion in Lipidology, 2020, 31, 27-31. | 1.2 | 14 |
| 20 | Spleen Stiffness Probability Index (SSPI): A simple and accurate method to detect esophageal varices in patients with compensated liver cirrhosis. Annals of Hepatology, 2020, 19, 53-61. | 0.6 | 31 |
| 21 | Changes of Body Weight and Body Composition in Obese Patients with Prader–Willi Syndrome at 3 and 6 Years of Follow-Up: A Retrospective Cohort Study. Journal of Clinical Medicine, 2020, 9, 3596. | 1.0 | 7 |
| 22 | Spleen stiffness can be employed to assess the efficacy of spontaneous portosystemic shunts in relieving portal hypertension. Annals of Hepatology, 2020, 19, 691-693. | 0.6 | 10 |
| 23 | External Validation of Equations to Estimate Resting Energy Expenditure in 2037 Children and Adolescents with and 389 without Obesity: A Cross-Sectional Study. Nutrients, 2020, 12, 1421. | 1.7 | 6 |
| 24 | Predictive energy equations for spinal muscular atrophy type I children. American Journal of Clinical Nutrition, 2020, 111, 983-996. | 2.2 | 8 |
| 25 | Modeling the time-related fluctuations of AFP and PIVKA-II serum levels in patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. Cancer Biomarkers, 2020, 29, 189-196. | 0.8 | 17 |
| 26 | Could Inflammatory Indices and Metabolic Syndrome Predict the Risk of Cancer Development? Analysis from the Bagnacavallo Population Study. Journal of Clinical Medicine, 2020, 9, 1177. | 1.0 | 15 |
| 27 | Is there an association between commonly employed biomarkers of liver fibrosis and liver stiffness in the general population?. Annals of Hepatology, 2020, 19, 380-387. | 0.6 | 19 |
| 28 | Dietary Treatment with Extensively Hydrolyzed Casein Formula Containing the Probiotic Lactobacillus rhamnosus GG Prevents the Occurrence of Functional Gastrointestinal Disorders in Children with Cow's Milk Allergy. Journal of Pediatrics, 2019, 213, 137-142.e2. | 0.9 | 29 |
| 29 | P.04.6 MODELING THE TIME-RELATED FLUCTUATIONS OF AFP AND PIVKA-II SERUM LEVELS IN PATIENTS WITH CIRRHOSIS UNDERGOING SURVEILLANCE FOR HEPATOCELLULAR CARCINOMA. Digestive and Liver Disease, 2019, 51, e173-e174. | 0.4 | 1 |
| 30 | Serum miRNA Are Promising Biomarkers for the Detection of Early Hepatocellular Carcinoma after Treatment with Direct-Acting Antivirals. Cancers, 2019 , 11 , 1773 . | 1.7 | 31 |
| 31 | Taste perception and oral microbiota are associated with obesity in children and adolescents. PLoS ONE, 2019, 14, e0221656. | 1.1 | 46 |
| 32 | Growth Pattern, Resting Energy Expenditure, and Nutrient Intake of Children with Food Allergies. Nutrients, 2019, 11, 212. | 1.7 | 13 |
| 33 | Assessment of fat-free mass from bioelectrical impedance analysis in men and women with Prader-Willi syndrome: cross-sectional study. International Journal of Food Sciences and Nutrition, 2019, 70, 645-649. | 1.3 | 8 |
| 34 | Analysis of Retinal Perfusion in Children, Adolescents, and Young Adults with Type 1 Diabetes Using Optical Coherence Tomography Angiography. Journal of Diabetes Research, 2019, 2019, 1-8. | 1.0 | 23 |
| 35 | Association of Bright Liver with the PNPLA3 I148M Gene Variant in 1-year-old Toddlers. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 2163-2170. | 1.8 | 6 |
| 36 | Is vitamin D deficiency a risk factor for osteonecrosis of the jaw in patients with cancer? A matched case–control study. Journal of Cranio-Maxillo-Facial Surgery, 2019, 47, 1203-1208. | 0.7 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Randomized controlled trial on the influence of dietary intervention on epigenetic mechanisms in children with cow's milk allergy: the EPICMA study. Scientific Reports, 2019, 9, 2828. | 1.6 | 30 |
| 38 | Associations Among Taste Perception, Food Neophobia and Preferences in Type 1 Diabetes Children and Adolescents: A Cross-Sectional Study. Nutrients, 2019, 11, 3052. | 1.7 | 10 |
| 39 | Sex- and Age-Related Differences in the Contribution of Ultrasound-Measured Visceral and Subcutaneous Abdominal Fat to Fatty Liver Index in Overweight and Obese Caucasian Adults. Nutrients, 2019, 11, 3008. | 1.7 | 8 |
| 40 | External validation of equations to estimate resting energy expenditure in 14952 adults with overweight and obesity and 1948 adults with normal weight from Italy. Clinical Nutrition, 2019, 38, 457-464. | 2.3 | 22 |
| 41 | Association of serum lipids with \hat{l}^2 -cell function in obese children and adolescents. Endocrine Connections, 2019, 8, 1318-1323. | 0.8 | 2 |
| 42 | Resting energy expenditure in children with cerebral palsy: AccuracyÂof available prediction formulae and development of aÂpopulation-specific formula. Clinical Nutrition ESPEN, 2018, 25, 44-49. | 0.5 | 9 |
| 43 | Clinical significance of time related fluctuations of AFP and PIVKA-II serum levels in patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. Digestive and Liver Disease, 2018, 50, 14-15. | 0.4 | 1 |
| 44 | Claimed effects, outcome variables and methods of measurement for health claims on foods related to the gastrointestinal tract proposed under regulation (EC) 1924/2006. International Journal of Food Sciences and Nutrition, 2018, 69, 771-804. | 1.3 | 6 |
| 45 | Global epidemiology of nonâ€alcoholic fatty liver disease/nonâ€alcoholic steatohepatitis: What we need in the future. Liver International, 2018, 38, 47-51. | 1.9 | 297 |
| 46 | Two drinks per day does not take your fatty liver away. Hepatology, 2018, 67, 2072-2073. | 3.6 | 2 |
| 47 | Claimed effects, outcome variables and methods of measurement for health claims proposed under Regulation (EC) 1924/2006 in the framework of bone health. PharmaNutrition, 2018, 6, 17-36. | 0.8 | 4 |
| 48 | Association of Binge Eating Behavior with Total and Abdominal Adipose Tissue in a Large Sample of Participants Starting a Weight Loss or Maintenance Program. Journal of the American College of Nutrition, 2018, 37, 701-707. | 1.1 | 1 |
| 49 | Claimed effects, outcome variables and methods of measurement for health claims on foods proposed under Regulation (EC) 1924/2006 in the area of oral health. NFS Journal, 2018, 10, 10-25. | 1.9 | 7 |
| 50 | Combined use of a wristband and a smartphone to reduce body weight in obese children: randomized controlled trial. Pediatric Obesity, 2018, 13, 81-87. | 1.4 | 45 |
| 51 | Claimed effects, outcome variables and methods of measurement for health claims on foods proposed under European Community Regulation 1924/2006 in the area of appetite ratings and weight management. International Journal of Food Sciences and Nutrition, 2018, 69, 389-409. | 1.3 | 13 |
| 52 | Alpha-Lipoic Acid Shows Promise to Improve Migraine in Patients with Insulin Resistance: A 6-Month Exploratory Study. Journal of Medicinal Food, 2018, 21, 269-273. | 0.8 | 21 |
| 53 | P102 Dietary treatment with extensively hydrolyzed casein formula with the probiotic L. rhamnosus GG prevents the occurrence of functional gastrointestinal disorders in children with cow's milk allergy. Digestive and Liver Disease, 2018, 50, e394-e395. | 0.4 | 0 |
| 54 | GP/EFSA/NUTRI/2014/01 Scientific substantiation of health claims made on food: collection, collation and critical analysis of information in relation to claimed effects, outcome variables and methods of measurement. EFSA Supporting Publications, 2018, 15, 1272E. | 0.3 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | P152 Therapeutic efficacy of ginger on vomiting in children with acute gastroenteritis. Digestive and Liver Disease, 2018, 50, e411. | 0.4 | O |
| 56 | Prevalence of and risk factors for fatty liver in the general population of Northern Italy: the Bagnacavallo Study. BMC Gastroenterology, 2018, 18, 177. | 0.8 | 23 |
| 57 | Methylsulfonylmethane and mobilee prevent negative effect of IL- $1\hat{l}^2$ in human chondrocyte cultures via NF- \hat{l}^2 B signaling pathway. International Immunopharmacology, 2018, 65, 129-139. | 1.7 | 25 |
| 58 | Claimed Effects, Outcome Variables and Methods of Measurement for Health Claims Proposed Under European Community Regulation 1924/2006 in the Framework of Maintenance of Skin Function. Nutrients, 2018, 10, 7. | 1.7 | 18 |
| 59 | Claimed Effects, Outcome Variables and Methods of Measurement for Health Claims on Foods Related to Vision Proposed Under Regulation (EC) 1924/2006. Nutrients, 2018, 10, 211. | 1.7 | 0 |
| 60 | Claimed effects, outcome variables and methods of measurement for health claims proposed under European Community Regulation 1924/2006 in the area of blood glucose and insulin concentrations. Acta Diabetologica, 2018, 55, 391-404. | 1.2 | 2 |
| 61 | Diagnostic Performance Analysis of the Point-of-Care Bilistick System in Identifying Severe Neonatal Hyperbilirubinemia by a Multi-Country Approach. EClinicalMedicine, 2018, 1, 14-20. | 3.2 | 20 |
| 62 | Clinical significance of time related fluctuations of AFP and PIVKA-II serum levels in single patients with cirrhosis undergoing surveillance for hepatocellular carcinoma. Journal of Hepatology, 2018, 68, S436. | 1.8 | 0 |
| 63 | Claimed effects, outcome variables and methods of measurement for health claims proposed under regulation (EC) 1924/2006 and related to cognitive function in adults. Archives Italiennes De Biologie, 2018, 156, 64-86. | 0.1 | 3 |
| 64 | Infant Feeding Practices in the First Year of Life in a Metropolitan Italian Cohort. Journal of Food and Nutrition Research (Newark, Del), 2018, 6, 82-88. | 0.1 | 1 |
| 65 | Claimed effects, outcome variables and methods of measurement for health claims proposed under European Community Regulation 1924/2006 in the framework of protection against oxidative damage and cardiovascular health. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 473-503. | 1.1 | 28 |
| 66 | Comparison between Bilistick System and transcutaneous bilirubin in assessing total bilirubin serum concentration in jaundiced newborns. Journal of Perinatology, 2017, 37, 1028-1031. | 0.9 | 26 |
| 67 | Time to onset of bisphosphonateâ€related osteonecrosis of the jaws: a multicentre retrospective cohort study. Oral Diseases, 2017, 23, 477-483. | 1.5 | 78 |
| 68 | Extensively hydrolyzed casein formula containing Lactobacillus rhamnosus GG reduces the occurrence of other allergic manifestations in children with cow's milk allergy: 3-year randomized controlled trial. Journal of Allergy and Clinical Immunology, 2017, 139, 1906-1913.e4. | 1.5 | 178 |
| 69 | Outcome variables and methods of measurement for health claims proposed under European community regulation 1924/2006 in the framework of prevention of dyslipidaemia and cardiovascular diseases. Atherosclerosis, 2017, 263, e203. | 0.4 | 0 |
| 70 | Changes in routine laboratory tests and survival in amyotrophic lateral sclerosis. Neurological Sciences, 2017, 38, 2177-2182. | 0.9 | 24 |
| 71 | How Accurate Is a Single Cutpoint to Identify High Blood Pressure in Adolescents?. American Journal of Epidemiology, 2017, 185, 295-303. | 1.6 | 4 |
| 72 | Inside out the Ragbag of Glucose Intolerance in Obese Adolescents. Hormone Research in Paediatrics, 2017, 87, 287-294. | 0.8 | 5 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Nutritional status, metabolic state and nutrient intake in children with bronchiolitis. International Journal of Food Sciences and Nutrition, 2017, 68, 378-383. | 1.3 | 12 |
| 74 | Preventive Effect of Cow's Milk Fermented with Lactobacillus paracasei CBA L74 on Common Infectious Diseases in Children: A Multicenter Randomized Controlled Trial. Nutrients, 2017, 9, 669. | 1.7 | 52 |
| 75 | Association of Body Shape Index (ABSI) with cardio-metabolic risk factors: A cross-sectional study of 6081 Caucasian adults. PLoS ONE, 2017, 12, e0185013. | 1.1 | 80 |
| 76 | Nutrition in Pediatric Inflammatory Bowel Disease: From Etiology to Treatment. A Systematic Review. Nutrients, 2016, 8, 334. | 1.7 | 34 |
| 77 | Accuracy of Prediction Formulae for the Assessment of Resting Energy Expenditure in Hospitalized Children. Journal of Pediatric Gastroenterology and Nutrition, 2016, 63, 708-712. | 0.9 | 19 |
| 78 | Contribution of binge eating behaviour to cardiometabolic risk factors in subjects starting a weight loss or maintenance programme. British Journal of Nutrition, 2016, 116, 1984-1992. | 1.2 | 9 |
| 79 | Predictors of blood pressure at 7–13 years: The "new millennium baby―study. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 706-712. | 1.1 | 11 |
| 80 | Prevalence of and risk factors for binge eating behaviour in 6930 adults starting a weight loss or maintenance programme. Public Health Nutrition, 2016, 19, 71-77. | 1.1 | 34 |
| 81 | Extensively hydrolyzed casein formula containing Lactobacillus rhamnosus GG prevents the occurrence of other allergic manifestations in subjects with cow's milk allergy: 3-year randomized controlled trial. Digestive and Liver Disease, 2016, 48, e279. | 0.4 | 0 |
| 82 | Effect of fermented milk with Lactobacillus paracasei CBA L74 on gastrointestinal and respiratory infections in children: Multicenter randomized controlled trial. Digestive and Liver Disease, 2016, 48, e280-e281. | 0.4 | 3 |
| 83 | Nonalcoholic Fatty Liver Is Not Associated with the Relationship between Insulin Secretion and Insulin Sensitivity in Obese Children: Matched Case–Control Study. Childhood Obesity, 2016, 12, 426-431. | 0.8 | 4 |
| 84 | Does oral alpha lipoic acid prevent oxaliplatin-induced peripheral neuropathy? A randomized, double-blind, parallel-arm, placebo-controlled trial Journal of Clinical Oncology, 2016, 34, 10117-10117. | 0.8 | 0 |
| 85 | Adherence to the Mediterranean diet is inversely associated with visceral abdominal tissue in Caucasian subjects. Clinical Nutrition, 2015, 34, 1266-1272. | 2.3 | 54 |
| 86 | Age- and Sex-Dependent Distribution of OGTT-Related Variables in a Population of Cystic Fibrosis Patients. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2963-2971. | 1.8 | 15 |
| 87 | Inadequate seroconversion rates in celiac disease after 3 doses of hepatitis B vaccine, administered at 3, 5 and 11 months of life. Journal of Pediatric Infectious Diseases, 2015, 06, 173-176. | 0.1 | O |
| 88 | Metabolic correlates of subcutaneous and visceral abdominal fat measured by ultrasonography: a comparison with waist circumference. Nutrition Journal, 2015, 15, 2. | 1.5 | 31 |
| 89 | EXPOsure: Milan, May 1st- October 31st 2015. Italian Journal of Pediatrics, 2015, 41, . | 1.0 | 0 |
| 90 | Pidotimod for the prevention of acute respiratory infections in healthy children entering into daycare: A double blind randomized placebo-controlled study. Pharmacological Research, 2015, 97, 79-83. | 3.1 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Relationship between thyroid hormones, resting energy expenditure and cardiometabolic risk factors in euthyroid subjects. Clinical Nutrition, 2015, 34, 674-678. | 2.3 | 26 |
| 92 | PDX-1 mRNA expression in endoscopic ultrasound-guided fine needle cytoaspirate: Perspectives in the diagnosis of pancreatic cancer. Digestive and Liver Disease, 2015, 47, 138-143. | 0.4 | 8 |
| 93 | Assessment of fat-free mass from bioelectrical impedance analysis in obese women with Prader-Willi syndrome. Annals of Human Biology, 2015, 42, 538-542. | 0.4 | 14 |
| 94 | Silencing efficacy prediction: a retrospective study on target mRNA features. Bioscience Reports, 2015, 35, . | 1.1 | 13 |
| 95 | Does segmental body composition differ in women with Prader–Willi syndrome compared to women with essential obesity?. Journal of Endocrinological Investigation, 2015, 38, 957-961. | 1.8 | 11 |
| 96 | A longitudinal study of streptococcus pneumoniae carriage in healthy children in the 13-valent pneumococcal conjugate vaccine era. Human Vaccines and Immunotherapeutics, 2015, 11, 811-817. | 1.4 | 14 |
| 97 | Up to a quarter of patients with osteonecrosis of the jaw associated with antiresorptive agents remain undiagnosed. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 13-17. | 0.4 | 90 |
| 98 | Nutritional Status in Agammaglobulinemia: An Italian Multicenter Study. Journal of Clinical Immunology, 2015, 35, 595-597. | 2.0 | 1 |
| 99 | Long-term Renal Effects of Tenofovir-Disoproxil-Fumarate in Vertically HIV-Infected Children, Adolescents, and Young Adults: A 132-Month Follow-Up Study. Clinical Drug Investigation, 2015, 35, 419-426. | 1.1 | 12 |
| 100 | Early retesting by GHRHÂ+Âarginine test shows normal GH response in most children with idiopathic GH deficiency. Journal of Endocrinological Investigation, 2015, 38, 429-436. | 1.8 | 10 |
| 101 | Is Non-Alcoholic Fatty Liver Disease Less Frequent among Women with Prader-Willi Syndrome?. Obesity Facts, 2014, 7, 71-76. | 1.6 | 21 |
| 102 | Nutrient Intake in Italian Infants and Toddlers from North and South Italy: The Nutrintake 636 Study. Nutrients, 2014, 6, 3169-3186. | 1.7 | 24 |
| 103 | Plasma high mobility group box 1 protein reflects fibrosis in pediatric nonalcoholic fatty liver disease. Expert Review of Molecular Diagnostics, 2014, 14, 763-771. | 1.5 | 22 |
| 104 | Randomised clinical trial: the beneficial effects of <scp>VSL</scp> #3 in obese children with nonâ€alcoholic steatohepatitis. Alimentary Pharmacology and Therapeutics, 2014, 39, 1276-1285. | 1.9 | 363 |
| 105 | Ten-Year Longitudinal Study of Thyroid Function in Children with Down's Syndrome. Hormone Research in Paediatrics, 2014, 82, 113-121. | 0.8 | 41 |
| 106 | Nutritional assessment and risk of malnutrition in hospitalised children in northern Italy. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, e416-7. | 0.7 | 6 |
| 107 | Origin of Cardiovascular Risk in Overweight Preschool Children. JAMA Pediatrics, 2014, 168, 917. | 3.3 | 61 |
| 108 | Safety and immunogenicity of a quadrivalent human papillomavirus vaccine in HIV-infected and HIV-negative adolescents and young adults. Vaccine, 2014, 32, 5657-5661. | 1.7 | 54 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Association between nocturnal blood pressure dipping and insulin resistance in children affected by NAFLD. European Journal of Pediatrics, 2014, 173, 1511-1518. | 1.3 | 10 |
| 110 | Serotype distribution and antimicrobial susceptibilities of nasopharyngeal isolates of Streptococcus pneumoniae from healthy children in the 13-valent pneumococcal conjugate vaccine era. Vaccine, 2014, 32, 527-534. | 1.7 | 59 |
| 111 | Influence of dietary pattern, physical activity, and I148M PNPLA3 on steatosis severity in at-risk adolescents. Genes and Nutrition, 2014, 9, 392. | 1.2 | 56 |
| 112 | Relationship between glucose metabolism and non-alcoholic fatty liver disease severity in morbidly obese women. Journal of Endocrinological Investigation, 2014, 37, 739-744. | 1.8 | 11 |
| 113 | Vitamin D levels and liver histological alterations in children with nonalcoholic fatty liver disease. European Journal of Endocrinology, 2014, 170, 547-553. | 1.9 | 92 |
| 114 | Staging of osteonecrosis of the jaw requires computed tomography for accurate definition of the extent of bony disease. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 603-608. | 0.4 | 101 |
| 115 | Epidemiology of fatty liver: an update. World Journal of Gastroenterology, 2014, 20, 9050-4. | 1.4 | 71 |
| 116 | Long-term body composition and metabolic changes in HIV-infected children switched from stavudine to tenofovir and from protease inhibitors to efavirenz. European Journal of Pediatrics, 2013, 172, 1089-1096. | 1.3 | 10 |
| 117 | Metabolic syndrome in adult patients with Prader–Willi syndrome. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 1134-1140. | 1.1 | 43 |
| 118 | Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in morbidly obese women. European Journal of Clinical Nutrition, 2013, 67, 1129-1132. | 1.3 | 20 |
| 119 | Docosahexaenoic acid for the treatment of fatty liver: Randomised controlled trial in children. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 1066-1070. | 1.1 | 123 |
| 120 | Changes of body mass index in celiac children on a gluten-free diet. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 177-182. | 1.1 | 59 |
| 121 | Liver stiffness is influenced by a standardized meal in patients with chronic hepatitis C virus at different stages of fibrotic evolution. Hepatology, 2013, 58, 65-72. | 3.6 | 159 |
| 122 | Waist circumference-to-height ratio predicts adiposity better than body mass index in children and adolescents. International Journal of Obesity, 2013, 37, 943-946. | 1.6 | 178 |
| 123 | Paediatric Non-Alcoholic Fatty Liver Disease: Impact on Patients and Mothers' Quality of Life. Hepatitis Monthly, 2013, 13, e7871. | 0.1 | 19 |
| 124 | The I148M Variant of PNPLA3 Reduces the Response to Docosahexaenoic Acid in Children with Non-Alcoholic Fatty Liver Disease. Journal of Medicinal Food, 2013, 16, 957-960. | 0.8 | 60 |
| 125 | Cholecalciferol Supplementation in HIV-Infected Youth with Vitamin D Insufficiency: Effects on Vitamin D Status and T-Cell Phenotype: A Randomized Controlled Trial. HIV Clinical Trials, 2013, 14, 51-60. | 2.0 | 47 |
| 126 | Levels of Serum Ceruloplasmin Associate With Pediatric Nonalcoholic Fatty Liver Disease. Journal of Pediatric Gastroenterology and Nutrition, 2013, 56, 370-375. | 0.9 | 45 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Association between Serum Atypical Fibroblast Growth Factors 21 and 19 and Pediatric Nonalcoholic Fatty Liver Disease. PLoS ONE, 2013, 8, e67160. | 1.1 | 89 |
| 128 | Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. , 2013, , 497-506. | | 1 |
| 129 | Osteomalacia: The Missing Link in the Pathogenesis of Bisphosphonate-Related Osteonecrosis of the Jaws?. Oncologist, 2012, 17, 1114-1119. | 1.9 | 34 |
| 130 | Use of the Screening Suggested by the National Institute on Alcohol Abuse and Alcoholism and of a Newly Derived Tool for the Detection of Unhealthy Alcohol Drinkers Among Surgical Patients. Journal of Studies on Alcohol and Drugs, 2012, 73, 126-133. | 0.6 | 8 |
| 131 | Relationship between fatty liver and glucose metabolism: A cross-sectional study in 571 obese children. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 120-126. | 1.1 | 47 |
| 132 | Effect of intrauterine growth retardation on liver and long-term metabolic risk. International Journal of Obesity, 2012, 36, 1270-1277. | 1.6 | 43 |
| 133 | Serum insulin-like growth factor-I (IGF-I) reference ranges for chemiluminescence assay in childhood and adolescence. Data from a population of in- and out-patients. Growth Hormone and IGF Research, 2012, 22, 134-138. | 0.5 | 31 |
| 134 | The potential role of fatty liver in paediatric metabolic syndrome: a distinct phenotype with high metabolic risk?. Pediatric Obesity, 2012, 7, e75-80. | 1.4 | 26 |
| 135 | Early retinolâ€binding protein levels are associated with growth changes in infants born to diabetic mothers. Pediatric Obesity, 2012, 7, e86-9. | 1.4 | 0 |
| 136 | Human Adipose-Derived Mesenchymal Stem Cells Systemically Injected Promote Peripheral Nerve Regeneration in the Mouse Model of Sciatic Crush. Tissue Engineering - Part A, 2012, 18, 1264-1272. | 1.6 | 167 |
| 137 | NUTRITIONAL MANAGEMENT OF STAGE 5 CHRONIC KIDNEY DISEASE. Journal of Renal Care, 2012, 38, 50-58. | 0.6 | 11 |
| 138 | Impact of percent body fat on oral glucose tolerance testing: a cross-sectional study in 1512 obese children. Journal of Endocrinological Investigation, 2012, 35, 893-6. | 1.8 | 3 |
| 139 | A Combination of the Pediatric NAFLD Fibrosis Index and Enhanced Liver Fibrosis Test Identifies Children With Fibrosis. Clinical Gastroenterology and Hepatology, 2011, 9, 150-155.e1. | 2.4 | 90 |
| 140 | Relationship between portal chronic inflammation and disease severity in paediatric non-alcoholic fatty liver disease. Digestive and Liver Disease, 2011, 43, 143-146. | 0.4 | 12 |
| 141 | Long-Term Renal Safety of Tenofovir Disoproxil Fumarate in Vertically HIV-Infected Children, Adolescents and Young Adults. Clinical Drug Investigation, 2011, 31, 407-415. | 1.1 | 24 |
| 142 | Docosahexaenoic acid supplementation decreases liver fat content in children with non-alcoholic fatty liver disease: double-blind randomised controlled clinical trial. Archives of Disease in Childhood, 2011, 96, 350-353. | 1.0 | 225 |
| 143 | Epigenetic mechanisms elicited by nutrition in early life. Nutrition Research Reviews, 2011, 24, 198-205. | 2.1 | 192 |
| 144 | Design of Observational Studies. Journal of the Royal Statistical Society Series A: Statistics in Society, 2011, 174, 244-245. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Applying Quantitative Bias Analysis to Epidemiologic Data. Journal of the Royal Statistical Society Series A: Statistics in Society, 2011, 174, 511-512. | 0.6 | O |
| 146 | Long-term outcomes of surgical resection of the jaws in cancer patients with bisphosphonate-related osteonecrosis. Oral Oncology, 2011, 47, 420-424. | 0.8 | 109 |
| 147 | ASH and NASH. Digestive Diseases, 2011, 29, 202-210. | 0.8 | 72 |
| 148 | Dose-Response Effect of Baclofen in Reducing Daily Alcohol Intake in Alcohol Dependence: Secondary Analysis of a Randomized, Double-Blind, Placebo-Controlled Trial. Alcohol and Alcoholism, 2011, 46, 312-317. | 0.9 | 173 |
| 149 | Long-Term Immunogenicity after One and Two Doses of a Monovalent MF59-Adjuvanted A/H1N1 Influenza Virus Vaccine Coadministered with the Seasonal 2009-2010 Nonadjuvanted Influenza Virus Vaccine in HIV-Infected Children, Adolescents, and Young Adults in a Randomized Controlled Trial. Vaccine Journal. 2011. 18. 1503-1509. | 3.2 | 12 |
| 150 | 1452 Seroconversion Rates in Celiac Disease After Hbv Vaccination. Pediatric Research, 2010, 68, 717-717. | 1.1 | 0 |
| 151 | Occurrence of Bisphosphonate-Related Osteonecrosis of the Jaw After Surgical Tooth Extraction. Journal of Oral and Maxillofacial Surgery, 2010, 68, 797-804. | 0.5 | 126 |
| 152 | Natural approach against lipotoxic traffic in nonalcoholic fatty liver disease. Hepatology, 2010, 52, 399-399. | 3.6 | 1 |
| 153 | A simple index of lipid overaccumulation is a good marker of liver steatosis. BMC Gastroenterology, 2010, 10, 98. | 0.8 | 188 |
| 154 | "Mi voglio bene": a pediatrician-based randomized controlled trial for the prevention of obesity in Italian preschool children. Italian Journal of Pediatrics, 2010, 36, 55. | 1.0 | 13 |
| 155 | Relationship Between Basal Metabolic Rate, Gender, Age, and Body Composition in 8,780 White Obese Subjects. Obesity, 2010, 18, 71-78. | 1.5 | 135 |
| 156 | Modern Regression Methods. Journal of the Royal Statistical Society Series A: Statistics in Society, 2010, 173, 275-275. | 0.6 | 0 |
| 157 | A Beginner's Guide to R. Journal of the Royal Statistical Society Series A: Statistics in Society, 2010, 173, 697-698. | 0.6 | 0 |
| 158 | Estimation of percentage body fat in 6- to 13-year-old children by skinfold thickness, body mass index and waist circumference. British Journal of Nutrition, 2010, 104, 1565-1572. | 1.2 | 36 |
| 159 | HCV, HBV and Alcohol – the Dionysos Study. Digestive Diseases, 2010, 28, 799-801. | 0.8 | 12 |
| 160 | Both HIV-Infection and Long-Term Antiretroviral Therapy are Associated with Increased Common Carotid Intima-Media Thickness in HIV-Infected Adolescents and Young Adults. Current HIV Research, 2010, 8, 411-417. | 0.2 | 23 |
| 161 | Epidemiology of Non-Alcoholic Fatty Liver Disease. Digestive Diseases, 2010, 28, 155-161. | 0.8 | 772 |
| 162 | Hyaluronic acid predicts hepatic fibrosis in children with nonalcoholic fatty liver disease. Translational Research, 2010, 156, 229-234. | 2.2 | 66 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Metabolic syndrome in children with Prader–Willi syndrome: the effect of obesity. Nutrition, Metabolism and Cardiovascular Diseases, 2010, 21, 269-76. | 1.1 | 46 |
| 164 | Intima-media thickness and liver histology in obese children and adolescents with non-alcoholic fatty liver disease. Atherosclerosis, 2010, 209, 463-468. | 0.4 | 57 |
| 165 | A protective effect of breastfeeding on the progression of non-alcoholic fatty liver disease. Archives of Disease in Childhood, 2009, 94, 801-805. | 1.0 | 79 |
| 166 | The pediatric NAFLD fibrosis index: a predictor of liver fibrosis in children with non-alcoholic fatty liver disease. BMC Medicine, 2009, 7, 21. | 2.3 | 132 |
| 167 | Reply:. Hepatology, 2009, 50, 989-990. | 3.6 | 0 |
| 168 | Systematic review and meta-analysis on the adverse events of rimonabant treatment: Considerations for its potential use in hepatology. BMC Gastroenterology, 2009, 9, 75. | 0.8 | 19 |
| 169 | Cross-validation of bioelectrical impedance analysis for the assessment of body composition in a representative sample of 6- to 13-year-old children. European Journal of Clinical Nutrition, 2009, 63, 619-626. | 1.3 | 73 |
| 170 | Clinical Prediction Modelsâ€"a Practical Approach to Development, Validation and Updating. Journal of the Royal Statistical Society Series A: Statistics in Society, 2009, 172, 944-944. | 0.6 | 9 |
| 171 | Long-Term Evaluation of Glucose Homeostasis in a Cohort of HAART-Treated HIV-Infected Children. Clinical Drug Investigation, 2009, 29, 101-109. | 1.1 | 16 |
| 172 | Evaluation of air-displacement plethysmography and bioelectrical impedance analysis vs dual-energy X-ray absorptiometry for the assessment of fat-free mass in elderly subjects. European Journal of Clinical Nutrition, 2008, 62, 1282-1286. | 1.3 | 14 |
| 173 | Poor agreement between a portable armband and indirect calorimetry in the assessment of resting energy expenditure. Clinical Nutrition, 2008, 27, 307-310. | 2.3 | 27 |
| 174 | Liver and heart: A new link?. Journal of Hepatology, 2008, 49, 300-302. | 1.8 | 33 |
| 175 | Bisphosphonate-associated jawbone osteonecrosis: a correlation between imaging techniques and histopathology. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 105, 358-364. | 1.6 | 170 |
| 176 | Puberty in modernizing Kazakhstan: A comparison of rural and urban children. Annals of Human Biology, 2008, 35, 50-64. | 0.4 | 14 |
| 177 | Thirty-year persistence of obesity after presentation to a pediatric obesity clinic. Annals of Human Biology, 2008, 35, 439-448. | 0.4 | 12 |
| 178 | Natural Course of Chronic HCV and HBV Infection and Role of Alcohol in the General Population: The Dionysos Study. American Journal of Gastroenterology, 2008, 103, 2248-2253. | 0.2 | 75 |
| 179 | Waist circumference correlates with liver fibrosis in children with non-alcoholic steatohepatitis. Gut, 2008, 57, 1283-1287. | 6.1 | 123 |
| 180 | Comparison of dual-energy X-ray absorptiometry, air displacement plethysmography and bioelectrical impedance analysis for the assessment of body composition in severely obese Caucasian children and adolescents. British Journal of Nutrition, 2008, 100, 918-924. | 1.2 | 81 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Clinical update on non-alcoholic fatty liver disease and steatohepatitis. Annals of Hepatology, 2008, 7, 157-60. | 0.6 | 4 |
| 182 | Development and Validation of a Food Frequency Questionnaire for the Assessment of Dietary Total Antioxidant Capacity, 2. Journal of Nutrition, 2007, 137, 93-98. | 1.3 | 88 |
| 183 | [700] INCIDENCE, REMISSION AND MORTALITY RATE OF FATTY LIVER IN THE DIONYSOS COHORT. Journal of Hepatology, 2007, 46, S264. | 1.8 | 1 |
| 184 | Spirometric reference values for children and adolescents from Kazakhstan. Annals of Human Biology, 2007, 34, 519-534. | 0.4 | 9 |
| 185 | Subcellular Localization of APE1/Ref-1 in Human Hepatocellular Carcinoma: Possible Prognostic Significance. Molecular Medicine, 2007, 13, 89-96. | 1.9 | 93 |
| 186 | Prevalence of overweight and cardiovascular risk factors in rural and urban children from Central Asia: The Kazakhstan health and nutrition examination survey. American Journal of Human Biology, 2007, 19, 809-820. | 0.8 | 18 |
| 187 | Incidence and natural course of fatty liver in the general population: The Dionysos study. Hepatology, 2007, 46, 1387-1391. | 3.6 | 192 |
| 188 | Predictors of non-alcoholic fatty liver disease in obese children. European Journal of Clinical Nutrition, 2007, 61, 877-883. | 1.3 | 165 |
| 189 | 676 The fatty liver index: A simple and accurate predictor of hepatic steatosis. Journal of Hepatology, 2006, 44, S249-S250. | 1.8 | 2 |
| 190 | The Fatty Liver Index: a simple and accurate predictor of hepatic steatosis in the general population. BMC Gastroenterology, 2006, 6, 33. | 0.8 | 1,817 |
| 191 | Blood Pressure, Blood Insulin, and Anthropometry in Obese Children: A Preliminary Report. Annals of the New York Academy of Sciences, 2006, 904, 416-417. | 1.8 | 0 |
| 192 | Prolonged n-3 polyunsaturated fatty acid supplementation ameliorates hepatic steatosis in patients with non-alcoholic fatty liver disease: a pilot study. Alimentary Pharmacology and Therapeutics, 2006, 23, 1143-1151. | 1.9 | 368 |
| 193 | Crossvalidation of anthropometry against magnetic resonance imaging for the assessment of visceral and subcutaneous adipose tissue in children. International Journal of Obesity, 2006, 30, 23-30. | 1.6 | 384 |
| 194 | Body water distribution in severe obesity and its assessment from eight-polar bioelectrical impedance analysis. European Journal of Clinical Nutrition, 2005, 59, 155-160. | 1.3 | 137 |
| 195 | Accuracy of eight-polar bioelectrical impedance analysis for the assessment of total and appendicular body composition in peritoneal dialysis patients. European Journal of Clinical Nutrition, 2005, 59, 932-937. | 1.3 | 54 |
| 196 | Prevalence of and risk factors for nonalcoholic fatty liver disease: The Dionysos nutrition and liver study. Hepatology, 2005, 42, 44-52. | 3.6 | 1,118 |
| 197 | Fatty liver: How frequent is it and why?. Annals of Hepatology, 2004, 3, 63-65. | 0.6 | 70 |
| 198 | Nutritional status of 8-year-old rural and urban Italian children: a study in Pistoia, Tuscany. International Journal of Food Sciences and Nutrition, 2004, 55, 381-387. | 1.3 | 16 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 199 | Relationship between body mass index and insulin measured during oral glucose tolerance testing in severely obese children and adolescents. Annals of Human Biology, 2004, 31, 196-201. | 0.4 | 3 |
| 200 | Accuracy of body mass index in detecting an elevated alanine aminotransferase level in adolescents. Annals of Human Biology, 2004, 31, 570-577. | 0.4 | 12 |
| 201 | 84 Prevalence of and risk factors for non-alcoholic fatty liver (NAFL) in the general population of Northern Italy. Journal of Hepatology, 2004, 40, 29. | 1.8 | 0 |
| 202 | 221 Natural history of chronic liver disease (CLD) in the dionysos cohort by ten years of follow-up. Journal of Hepatology, 2004, 40, 71. | 1.8 | 0 |
| 203 | The epidemiology of fatty liver. European Journal of Gastroenterology and Hepatology, 2004, 16, 1087-1093. | 0.8 | 116 |
| 204 | Fatty liver: how frequent is it and why?. Annals of Hepatology, 2004, 3, 63-5. | 0.6 | 34 |
| 205 | Body water distribution and disease. Acta Diabetologica, 2003, 40, s200-s202. | 1.2 | 7 |
| 206 | Comparison of bioelectrical impedance analysis and dual-energy X-ray absorptiometry for the assessment of appendicular body composition in anorexic women. European Journal of Clinical Nutrition, 2003, 57, 1068-1072. | 1.3 | 31 |
| 207 | Body mass index is a good predictor of an elevated alanine transaminase level in the general population: hints from the Dionysos study. Digestive and Liver Disease, 2003, 35, 648-652. | 0.4 | 9 |
| 208 | Cross-calibration of eight-polar bioelectrical impedance analysis versus dual-energy X-ray absorptiometry for the assessment of total and appendicular body composition in healthy subjects aged 21-82 years. Annals of Human Biology, 2003, 30, 380-391. | 0.4 | 284 |
| 209 | Sensitivity and specificity of body mass index and skinfold thicknesses in detecting excess adiposity in children aged 8-12 years. Annals of Human Biology, 2003, 30, 132-139. | 0.4 | 81 |
| 210 | What is the Utility of Selected Clinical and Endoscopic Parameters in Predicting the Risk of Death after Caustic Ingestion?. Endoscopy, 2002, 34, 304-310. | 1.0 | 61 |
| 211 | Relationship between body composition and bone mineral content in young and elderly women. Annals of Human Biology, 2002, 29, 559-565. | 0.4 | 24 |
| 212 | Thyroid function is more strongly associated with body impedance than anthropometry in healthy subjects. Journal of Endocrinological Investigation, 2002, 25, 620-623. | 1.8 | 7 |
| 213 | Accuracy of an eight-point tactile-electrode impedance method in the assessment of total body water. European Journal of Clinical Nutrition, 2002, 56, 1143-1148. | 1.3 | 204 |
| 214 | Some applications of indirect calorimetry to sports medicine. Acta Diabetologica, 2001, 38, 23-26. | 1.2 | 8 |
| 215 | Is Body Mass Index a Measure of Adiposity in Elderly Women?. Obesity, 2001, 9, 17-20. | 4.0 | 48 |
| 216 | Ammonia and Endogenous Benzodiazepine-like Compounds in the Pathogenesis of Hepatic Encephalopathy. Scandinavian Journal of Gastroenterology, 2001, 36, 423-425. | 0.6 | 18 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 217 | Relationships between blood pressure, anthropometric characteristics and blood lipids in high- and low-altitude populations from Central Asia. Annals of Human Biology, 2000, 27, 19-28. | 0.4 | 40 |
| 218 | Is fasting insulin associated with blood pressure in obese children?. Annals of Human Biology, 2000, 27, 499-506. | 0.4 | 9 |
| 219 | Influence of Body Composition on Bone Mineral Content in Elderly Women: A Preliminary Report. Annals of the New York Academy of Sciences, 2000, 904, 489-490. | 1.8 | 2 |
| 220 | Folate status in Italian blood donors: relation to gender and smoking. Haematologica, 2000, 85, 694-8. | 1.7 | 28 |
| 221 | Changes of bioelectrical impedance after a body weight reduction program in highly obese subjects. Diabetes, Nutrition & Metabolism, 2000, 13, 186-91. | 0.4 | 6 |
| 222 | Comparison of food composition tables and direct chemical analysis for the assessment of macronutrient intake in a military community. International Journal of Food Sciences and Nutrition, 1999, 50, 73-79. | 1.3 | 15 |
| 223 | Anthropometry fails in classifying bonemineral status in postmenopausal women. Annals of Human Biology, 1999, 26, 561-568. | 0.4 | 15 |
| 224 | Dysplastic changes in gastric fundic gland polyps of patients with familial adenomatous polyposis. Italian Journal of Gastroenterology and Hepatology, 1999, 31, 192-7. | 0.5 | 51 |
| 225 | Use of bioelectric impedance analysis (BIA) in children with alterations of body water distribution. Applied Radiation and Isotopes, 1998, 49, 619-620. | 0.7 | 4 |
| 226 | Effects of home-based food preparation practices on the micronutrient content of foods. European Journal of Cancer Prevention, 1998, 7, 331-335. | 0.6 | 20 |
| 227 | Endoscopic Snare Papillectomy in Patients with Familial Adenomatous Polyposis and Ampullary Adenoma. Endoscopy, 1997, 29, 685-688. | 1.0 | 48 |
| 228 | Effects of cooking and storage methods on the micronutrient content of foods. European Journal of Cancer Prevention, 1997, 6, S21-S24. | 0.6 | 39 |
| 229 | The prediction of total body water from bioelectrical impedance in patients with anorexia nervosa. British Journal of Nutrition, 1997, 78, 357-365. | 1.2 | 24 |
| 230 | Assessment of body hydration in subjects with schistosomiasis. Annals of Human Biology, 1997, 24, 315-321. | 0.4 | 3 |
| 231 | Body water distribution in highlanders versus lowlanders. Annals of Human Biology, 1997, 24, 533-538. | 0.4 | 5 |
| 232 | The prediction of total body water and extracellular water from bioelectric impedance in obese children. European Journal of Clinical Nutrition, 1997, 51, 129-133. | 1.3 | 23 |
| 233 | Multifrequency bioelectric impedance measurements for predicting body water compartments in duchenne muscular dystrophy. Neuromuscular Disorders, 1996, 6, 55-60. | 0.3 | 20 |
| 234 | A simple latex protector hood for safe endoscopic removal of sharp-pointed gastroesophageal foreign bodies. Gastrointestinal Endoscopy, 1996, 44, 458-461. | 0.5 | 60 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | High prevalence of adenomas and microadenomas of the duodenal papilla and periampullary region in patients with familial adenomatous polyposis. European Journal of Gastroenterology and Hepatology, 1996, 8, 1201-1206. | 0.8 | 47 |
| 236 | Multi-frequency bioelectric impedance measurements for predicting body water compartments in patients with non-ascitic liver cirrhosis. British Journal of Nutrition, 1996, 76, 325-332. | 1.2 | 19 |
| 237 | Altered body water distribution in subjects with juvenile rheumatoid arthritis and its effects on the measurement of water compartments from bioelectric impedance. European Journal of Clinical Nutrition, 1996, 50, 335-9. | 1.3 | 17 |
| 238 | The prediction of extracellular and total body water from bioelectric impedance in a non-Caucasian population from Central Asia. Annals of Human Biology, 1995, 22, 315-320. | 0.4 | 16 |
| 239 | Relative expansion of extracellular water in elite male athletes compared to recreational sportsmen. Annals of Human Biology, 1994, 21, 609-612. | 0.4 | 18 |
| 240 | Antioxidant vitamins or lactulose for the prevention of the recurrence of colorectal adenomas. Diseases of the Colon and Rectum, 1993, 36, 227-234. | 0.7 | 141 |
| 241 | In vivo total body water assessment by total body electrical conductivity in rats suffering perturbations of water compartment equilibrium. British Journal of Nutrition, 1993, 70, 433-438. | 1.2 | 10 |
| 242 | Food intake in university students and its impact on nutritional status. Nutrition Research, 1992, 12, 223-233. | 1.3 | 16 |
| 243 | Endoscopic protector hood for safe removal of sharp-pointed gastroesophageal foreign bodies. Surgical Endoscopy and Other Interventional Techniques, 1992, 6, 255-258. | 1.3 | 24 |
| 244 | Endoscopic dilation of anastomotic colonic stenosis by different techniques: an alternative to surgery?. Gastrointestinal Endoscopy, 1987, 33, 21-24. | 0.5 | 54 |
| 245 | Colonoscopic excision of large and giant colorectal polyps. Diseases of the Colon and Rectum, 1986, 29, 831-835. | 0.7 | 63 |
| 246 | Pyloroduodenal obstruction due to a biliary stone (Bouveret's syndrome) managed by endoscopic extraction. Gastrointestinal Endoscopy, 1985, 31, 36-38. | 0.5 | 55 |
| 247 | Endoscopic sphincterotomy in patients with Billroth II partial gastrectomy: comparison of three different techniques. Gastrointestinal Endoscopy, 1984, 30, 300-304. | 0.5 | 22 |
| 248 | On the operational definition of fatty liver. Qeios, 0, , . | 0.0 | 0 |
| 249 | Exposure to antiresorptive therapy with bisphosphonates does not induce histological changes in human alveolar jawbone. Qeios, 0, , . | 0.0 | 0 |
| 250 | The Fatty liver Index (FLI) 15 years later: a reappraisal. , 0, , . | | 7 |