

Peng Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/311421/publications.pdf>

Version: 2024-02-01

24
papers

178
citations

1307594

7
h-index

1281871

11
g-index

24
all docs

24
docs citations

24
times ranked

195
citing authors

#	ARTICLE	IF	CITATIONS
1	Relation of Circulating Trimethylamine N-Oxide With Coronary Atherosclerotic Burden in Patients With ST-segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019, 123, 894-898.	1.6	35
2	Correlation of Myocardial Strain and Late Gadolinium Enhancement by Cardiac Magnetic Resonance After a First Anterior ST-Segment Elevation Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 705487.	2.4	19
3	Association Between Plasma Trimethylamine N-oxide and Neoatherosclerosis in Patients With Very Late Stent Thrombosis. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1252-1260.	1.7	13
4	Association of Trimethylamine N-Oxide Levels and Calcification in Culprit Lesion Segments in Patients With ST-Segment Elevation Myocardial Infarction Evaluated by Optical Coherence Tomography. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 628471.	2.4	11
5	LATS2 Deletion Attenuates Myocardial Ischemia-Reperfusion Injury by Promoting Mitochondrial Biogenesis. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-11.	4.0	11
6	Prevalence and impact of metabolic syndrome in patients with multivessel coronary artery disease and acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2693-2699.	2.6	11
7	Associations of NETs with inflammatory risk and atherosclerotic severity in ST-segment elevation myocardial infarction. <i>Thrombosis Research</i> , 2021, 203, 5-11.	1.7	10
8	Coronary Endothelium No-Reflow Injury Is Associated with ROS-Modified Mitochondrial Fission through the JNK-Drp1 Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-11.	4.0	10
9	Prognostic Value of D-dimer in patients with acute coronary syndrome treated by percutaneous coronary intervention: a retrospective cohort study. <i>Thrombosis Journal</i> , 2021, 19, 30.	2.1	9
10	Estimation of Major Adverse Cardiovascular Events in Patients With Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: A Risk Prediction Score Model From a Derivation and Validation Study. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 603621.	2.4	8
11	Association between Variation of Troponin and Prognosis of Acute Myocardial Infarction before and after Primary Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-13.	1.2	7
12	Effect of comprehensive remote ischemic conditioning in anterior ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: Design and rationale of the CORICA-AMI randomized trial. <i>Clinical Cardiology</i> , 2018, 41, 997-1003.	1.8	6
13	High Human Antimicrobial Peptide LL-37 Level Predicts Lower Major Adverse Cardiovascular Events after an Acute ST-Segment Elevation Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1499-1510.	2.0	5
14	Trimethylamine N-Oxide Was Not Associated With 30-Day Left Ventricular Systolic Dysfunction in Patients With a First Anterior ST-Segment Elevation Myocardial Infarction After Primary Revascularization: A Sub-analysis From an Optical Coherence Tomography Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 613684.	2.4	4
15	Association of plasma trimethylamine N-Oxide level with healed culprit plaques examined by optical coherence tomography in patients with ST-Segment elevation myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 145-152.	2.6	4
16	Deacetylated Sp1 improves $\text{I}^2\alpha\text{'glycerophosphate}\alpha\text{'}$ induced calcification in vascular smooth muscle cells. <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 1152.	1.8	4
17	Liraglutide reduces coronary endothelial cells no-reflow damage through activating MAPK/ERK signaling pathway. <i>Journal of Receptor and Signal Transduction Research</i> , 2021, 41, 553-557.	2.5	3
18	Ticagrelor Versus Clopidogrel in Patients with Late or Very Late Stent Thrombosis. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 677-684.	2.6	3

#	ARTICLE	IF	CITATIONS
19	Impact of residual thrombus burden on ventricular deformation after acute myocardial infarction: A sub-analysis from an intravascular optical coherence tomography study. <i>EClinicalMedicine</i> , 2021, 39, 101058.	7.1	2
20	The Association Between Plasma Hyaluronan Level and Plaque Types in ST-Segmentâ€Elevation Myocardial Infarction Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 628529.	2.4	1
21	Association Between Preinfarction Angina and Culprit Lesion Morphology in Patients With ST-Segment Elevation Myocardial Infarction: An Optical Coherence Tomography Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 678822.	2.4	1
22	Thrombosis and Major Bleeding Risk After Primary PCI Among Patients With Multivessel Coronary Artery Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 729432.	2.4	1
23	Residual SYNTAX Score in Relation to Coronary Culprit Plaque Characteristics and Cardiovascular Risk in ST Segment Elevation Myocardial Infarction: an Intravascular Optical Coherence Tomography Study. <i>Journal of Cardiovascular Translational Research</i> , 2021, , 1.	2.4	0
24	The relationship between Hemoglobin A1c and the maximal plaque stress of culprit ruptured plaques in patients with ST-segment elevated myocardial infarction. <i>International Journal of Cardiology</i> , 2022, 358, 1-7.	1.7	0