

John Cijiang He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3114668/publications.pdf>

Version: 2024-02-01

88
papers

3,870
citations

136950

32
h-index

144013

57
g-index

94
all docs

94
docs citations

94
times ranked

5433
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of STAT3 signaling pathway in the kidney of COVID-19 patients. <i>Journal of Nephrology</i> , 2022, 35, 735-743.	2.0	10
2	Kidney single-cell transcriptome profile reveals distinct response of proximal tubule cells to SGLT2i and ARB treatment in diabetic mice. <i>Molecular Therapy</i> , 2022, 30, 1741-1753.	8.2	17
3	Modulation of transforming growth factor- β -induced kidney fibrosis by leucine-rich α -2 glycoprotein-1. <i>Kidney International</i> , 2022, 101, 299-314.	5.2	27
4	Digital Spatial Profiling of Individual Glomeruli From Patients With Anti-Neutrophil Cytoplasmic Autoantibody-Associated Glomerulonephritis. <i>Frontiers in Immunology</i> , 2022, 13, 831253.	4.8	9
5	HIPK2 directs cell type-specific regulation of STAT3 transcriptional activity in Th17 cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2117112119.	7.1	2
6	Reticulon-1A mediates diabetic kidney disease progression through endoplasmic reticulum-mitochondrial contacts in tubular epithelial cells. <i>Kidney International</i> , 2022, 102, 293-306.	5.2	18
7	A reference tissue atlas for the human kidney. <i>Science Advances</i> , 2022, 8, .	10.3	67
8	Connectivity Mapping Identifies BI-2536 as a Potential Drug to Treat Diabetic Kidney Disease. <i>Diabetes</i> , 2021, 70, 589-602.	0.6	12
9	Outcomes of Patients on Maintenance Dialysis Hospitalized with COVID-19. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 452-455.	4.5	25
10	Low expression of HIV genes in podocytes accelerates the progression of diabetic kidney disease in mice. <i>Kidney International</i> , 2021, 99, 914-925.	5.2	16
11	Disparate roles of retinoid acid signaling molecules in kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F683-F692.	2.7	23
12	Predictive Approaches for Acute Dialysis Requirement and Death in COVID-19. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1158-1168.	4.5	15
13	Peroxisomal L-bifunctional Protein Deficiency Causes Male-specific Kidney Hypertrophy and Proximal Tubular Injury in Mice. <i>Kidney360</i> , 2021, 2, 1441-1454.	2.1	10
14	Krüppel-like factor 6-mediated loss of BCAA catabolism contributes to kidney injury in mice and humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	34
15	Perirenal Fat Thickness Is Significantly Associated With the Risk for Development of Chronic Kidney Disease in Patients With Diabetes. <i>Diabetes</i> , 2021, 70, 2322-2332.	0.6	27
16	A Novel Mechanism of Regulation for Exosome Secretion in the Diabetic Kidney. <i>Diabetes</i> , 2021, 70, 1440-1442.	0.6	4
17	Global transcriptomic changes in glomerular endothelial cells in mice with podocyte depletion and glomerulosclerosis. <i>Cell Death and Disease</i> , 2021, 12, 687.	6.3	5
18	Acute Kidney Injury in Patients Hospitalized With COVID-19 in New York City: Temporal Trends From March 2020 to April 2021. <i>Kidney Medicine</i> , 2021, 3, 877-879.	2.0	12

#	ARTICLE	IF	CITATIONS
19	Epithelial proliferation and cell cycle dysregulation in kidney injury and disease. <i>Kidney International</i> , 2021, 100, 67-78.	5.2	20
20	AMPK mediates regulation of glomerular volume and podocyte survival. <i>JCI Insight</i> , 2021, 6, .	5.0	16
21	Inhibition of HIPK2 Alleviates Thoracic Aortic Disease in Mice With Progressively Severe Marfan Syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 2483-2493.	2.4	4
22	Autocrine and paracrine effects of a novel podocyte gene, RARRES1. <i>Kidney International</i> , 2021, 100, 745-747.	5.2	7
23	Tackling Dialysis Burden around the World: A Global Challenge. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 167-175.	2.5	17
24	Happy gut, happy kidneys? Restoration of gut microbiome ameliorates acute and chronic kidney disease. <i>Cell Metabolism</i> , 2021, 33, 1901-1903.	16.2	6
25	Controversies in Podocyte Loss: Death or Detachment?. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 771931.	3.7	24
26	Role of CD8+ T cells in crescentic glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 564-572.	0.7	21
27	Role of SIRT1 in HIV-associated kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F335-F344.	2.7	13
28	Diabetic Kidney Disease: Challenges, Advances, and Opportunities. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 215-225.	2.5	98
29	Loss of decay-accelerating factor triggers podocyte injury and glomerulosclerosis. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	40
30	IL-9: a novel pro-podocyte survival cytokine in FSGS. <i>Kidney International</i> , 2020, 98, 541-543.	5.2	3
31	Derivation and validation of genome-wide polygenic score for urinary tract stone diagnosis. <i>Kidney International</i> , 2020, 98, 1323-1330.	5.2	12
32	Tubular HIPK2 is a key contributor to renal fibrosis. <i>JCI Insight</i> , 2020, 5, .	5.0	14
33	Soluble RARRES1 induces podocyte apoptosis to promote glomerular disease progression. <i>Journal of Clinical Investigation</i> , 2020, 130, 5523-5535.	8.2	37
34	Novel protein synthesisâ€œbreakdown complexes: TASCCEd with fibrosis after G2-M arrest. <i>Kidney International</i> , 2019, 96, 1056-1058.	5.2	2
35	Arctigenin attenuates diabetic kidney disease through the activation of PP2A in podocytes. <i>Nature Communications</i> , 2019, 10, 4523.	12.8	89
36	Comparison of Kidney Transcriptomic Profiles of Early and Advanced Diabetic Nephropathy Reveals Potential New Mechanisms for Disease Progression. <i>Diabetes</i> , 2019, 68, 2301-2314.	0.6	74

#	ARTICLE	IF	CITATIONS
37	MicroRNA-214 promotes chronic kidney disease by disrupting mitochondrial oxidative phosphorylation. <i>Kidney International</i> , 2019, 95, 1389-1404.	5.2	69
38	Single-Cell RNA Profiling of Glomerular Cells Shows Dynamic Changes in Experimental Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 533-545.	6.1	133
39	Expression of Glutamate Receptor Subtype 3 Is Epigenetically Regulated in Podocytes under Diabetic Conditions. <i>Kidney Diseases (Basel, Switzerland)</i> , 2019, 5, 34-42.	2.5	7
40	Increased podocyte Sirtuin-1 function attenuates diabetic kidney injury. <i>Kidney International</i> , 2018, 93, 1330-1343.	5.2	153
41	Telenephrology: Providing Healthcare to Remotely Located Patients with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2018, 47, 200-207.	3.1	41
42	Bisphenol A promotes hyperuricemia via activating xanthine oxidase. <i>FASEB Journal</i> , 2018, 32, 1007-1016.	0.5	29
43	Analysis of OPTN/UNOS registry suggests the number of HLA matches and not mismatches is a stronger independent predictor of kidney transplant survival. <i>Kidney International</i> , 2018, 93, 482-490.	5.2	26
44	Transcriptomic analysis uncovers novel synergistic mechanisms in combination therapy for lupus nephritis. <i>Kidney International</i> , 2018, 93, 416-429.	5.2	26
45	SIRT1 Is a Potential Drug Target for Treatment of Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2018, 9, 624.	3.5	63
46	Epigenetic regulation of RCAN1 expression in kidney disease and its role in podocyte injury. <i>Kidney International</i> , 2018, 94, 1160-1176.	5.2	23
47	Gene expression profiles of glomerular endothelial cells support their role in the glomerulopathy of diabetic mice. <i>Kidney International</i> , 2018, 94, 326-345.	5.2	55
48	Expression of Endothelial Cell Injury Marker Cd146 Correlates with Disease Severity and Predicts the Renal Outcomes in Patients with Diabetic Nephropathy. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 63-74.	1.6	20
49	Tyro3 is a podocyte protective factor in glomerular disease. <i>JCI Insight</i> , 2018, 3, .	5.0	14
50	A protective role for microRNA-688 in acute kidney injury. <i>Journal of Clinical Investigation</i> , 2018, 128, 5216-5218.	8.2	12
51	Bowman's capsule provides a protective niche for podocytes from cytotoxic CD8+ T cells. <i>Journal of Clinical Investigation</i> , 2018, 128, 3413-3424.	8.2	62
52	Novel Therapeutics Identification for Fibrosis in Renal Allograft Using Integrative Informatics Approach. <i>Scientific Reports</i> , 2017, 7, 39487.	3.3	28
53	A Novel Inhibitor of Homeodomain Interacting Protein Kinase 2 Mitigates Kidney Fibrosis through Inhibition of the TGF- β 1/Smad3 Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2133-2143.	6.1	43
54	The Role of Endoplasmic Reticulum Stress in Diabetic Nephropathy. <i>Current Diabetes Reports</i> , 2017, 17, 17.	4.2	74

#	ARTICLE	IF	CITATIONS
55	LncRNA HOTAIR regulates HIF-1 α /AXL signaling through inhibition of miR-217 in renal cell carcinoma. <i>Cell Death and Disease</i> , 2017, 8, e2772-e2772.	6.3	136
56	Reduction in podocyte SIRT1 accelerates kidney injury in aging mice. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F621-F628.	2.7	69
57	Rtn1a-Mediated Endoplasmic Reticulum Stress in Podocyte Injury and Diabetic Nephropathy. <i>Scientific Reports</i> , 2017, 7, 323.	3.3	37
58	Genomic Analysis of Kidney Allograft Injury Identifies Hematopoietic Cell Kinase as a Key Driver of Renal Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1385-1393.	6.1	26
59	Puerarin attenuates diabetic kidney injury through the suppression of NOX4 expression in podocytes. <i>Scientific Reports</i> , 2017, 7, 14603.	3.3	40
60	Retinoic acid improves nephrotoxic serum α -induced glomerulonephritis through activation of podocyte retinoic acid receptor β . <i>Kidney International</i> , 2017, 92, 1444-1457.	5.2	32
61	Febuxostat attenuates ER stress mediated kidney injury in a rat model of hyperuricemic nephropathy. <i>Oncotarget</i> , 2017, 8, 111295-111308.	1.8	19
62	Glucocorticoid-Regulated Kinase: Linking Azotemia and Muscle Wasting in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2545-2547.	6.1	0
63	Role of C/EBP β in Adriamycin-induced podocyte injury. <i>Scientific Reports</i> , 2016, 6, 33520.	3.3	16
64	Knockdown of RTN1A attenuates ER stress and kidney injury in albumin overload-induced nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F409-F415.	2.7	27
65	Comparison of Glomerular and Podocyte mRNA Profiles in Streptozotocin-Induced Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1006-1014.	6.1	37
66	The Beneficial Role of Retinoids in Glomerular Disease. <i>Frontiers in Medicine</i> , 2015, 2, 16.	2.6	41
67	Novel mutations in the inverted formin 2 gene of Chinese families contribute to focal segmental glomerulosclerosis. <i>Kidney International</i> , 2015, 88, 593-604.	5.2	23
68	Myeloid cell-derived inducible nitric oxide synthase suppresses M1 macrophage polarization. <i>Nature Communications</i> , 2015, 6, 6676.	12.8	162
69	Recent Advances in Traditional Chinese Medicine for Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2015, 66, 513-522.	1.9	122
70	Nephrin Preserves Podocyte Viability and Glomerular Structure and Function in Adult Kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2361-2377.	6.1	93
71	An update: the role of Nephrin inside and outside the kidney. <i>Science China Life Sciences</i> , 2015, 58, 649-657.	4.9	24
72	Dendrin Ablation Prolongs Life Span by Delaying Kidney Failure. <i>American Journal of Pathology</i> , 2015, 185, 2143-2157.	3.8	17

#	ARTICLE	IF	CITATIONS
73	Genetics and Epigenetics of Diabetic Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 42-51.	2.5	24
74	Glomerular endothelial cell injury and cross talk in diabetic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F287-F297.	2.7	200
75	Protective Role of PGC-1 α in Diabetic Nephropathy Is Associated with the Inhibition of ROS through Mitochondrial Dynamic Remodeling. <i>PLoS ONE</i> , 2015, 10, e0125176.	2.5	76
76	Temporal Profile of the Renal Transcriptome of HIV-1 Transgenic Mice during Disease Progression. <i>PLoS ONE</i> , 2014, 9, e93019.	2.5	10
77	The Role of SIRT1 in Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2014, 5, 166.	3.5	63
78	Induction of Retinol Dehydrogenase 9 Expression in Podocytes Attenuates Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1933-1941.	6.1	14
79	Role of Transcription Factor Acetylation in Diabetic Kidney Disease. <i>Diabetes</i> , 2014, 63, 2440-2453.	0.6	171
80	cAMP Signaling Prevents Podocyte Apoptosis via Activation of Protein Kinase A and Mitochondrial Fusion. <i>PLoS ONE</i> , 2014, 9, e92003.	2.5	27
81	Renoprotective Effect of Combined Inhibition of Angiotensin-Converting Enzyme and Histone Deacetylase. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 801-811.	6.1	46
82	Down-regulation of NF- κ B Transcriptional Activity in HIV-associated Kidney Disease by BRD4 Inhibition. <i>Journal of Biological Chemistry</i> , 2012, 287, 28840-28851.	3.4	172
83	3-D Quantitative Microanatomy of Rat Kidney Podocytes as Determined by Serial Block-Face Scanning Electron Microscopy. , 2012, , .		0
84	Systems biology of kidney diseases. <i>Kidney International</i> , 2012, 81, 22-39.	5.2	72
85	Retinoic Acid Inhibits HIV-1-Induced Podocyte Proliferation through the cAMP Pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 93-102.	6.1	85
86	Role of the Go/i signaling network in the regulation of neurite outgrowthThis paper is one of a selection of papers published in this Special issue, entitled Second Messengers and Phosphoproteinsâ€™ 12th International Conference.. <i>Canadian Journal of Physiology and Pharmacology</i> , 2006, 84, 687-694.	1.4	61
87	The G β /i-coupled Cannabinoid Receptor-mediated Neurite Outgrowth Involves Rap Regulation of Src and Stat3. <i>Journal of Biological Chemistry</i> , 2005, 280, 33426-33434.	3.4	102
88	Nef stimulates proliferation of glomerular podocytes through activation of Src-dependent Stat3 and MAPK1,2 pathways. <i>Journal of Clinical Investigation</i> , 2004, 114, 643-651.	8.2	100