

Stephen Wilson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/311712/publications.pdf>

Version: 2024-02-01

78
papers

2,093
citations

201674

27
h-index

265206

42
g-index

79
all docs

79
docs citations

79
times ranked

458
citing authors

#	ARTICLE	IF	CITATIONS
1	Algebraic approximation in many-body perturbation theory. <i>Physical Review A</i> , 1976, 14, 1949-1960.	2.5	164
2	Universal basis sets and transferability of integrals. <i>International Journal of Quantum Chemistry</i> , 1978, 14, 635-639.	2.0	81
3	Basis Sets. <i>Advances in Chemical Physics</i> , 2007, , 439-500.	0.3	80
4	On the use of Brillouin-Wigner perturbation theory for many-body systems. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2000, 33, 365-374.	1.5	69
5	Applicability of non-degenerate many-body perturbation theory to quasidegenerate electronic states: A model study. <i>International Journal of Quantum Chemistry</i> , 1983, 23, 1781-1802.	2.0	65
6	Diagrammatic perturbation theory: Many-body effects in the $X1^1\Sigma^+$ states of first-row and second-row diatomic hydrides. <i>Journal of Chemical Physics</i> , 1977, 66, 5400-5411.	3.0	62
7	Diagrammatic perturbation theory: An application to the nitrogen, carbon monoxide, and boron fluoride molecules using a universal even-tempered basis set. <i>Journal of Chemical Physics</i> , 1980, 72, 2159-2165.	3.0	62
8	Universal systematic sequence of even-tempered Gaussian primitive functions in electronic correlation studies. <i>Theoretica Chimica Acta</i> , 1980, 58, 31-40.	0.8	61
9	van der Waals interaction potentials. <i>Molecular Physics</i> , 1983, 50, 1295-1309.	1.7	61
10	On the accuracy of the algebraic approximation in molecular electronic structure calculations. I. Calculations for H_2^+ , HeH_2^+ , H_2 and HeH^+ using basis sets of atom-centred Gaussian-type functions. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 1989, 22, 1285-1295.	1.5	59
11	Systematic sequences of even-tempered Gaussian primitives in electron correlation studies using many-body perturbation theory. <i>Theoretica Chimica Acta</i> , 1980, 57, 53-61.	0.8	58
12	Finite basis set versus finite difference and finite element methods. <i>Chemical Physics Letters</i> , 1993, 209, 423-426.	2.6	51
13	Applicability of nondegenerate many-body perturbation theory to quasi-degenerate electronic states. II. A two-state model. <i>International Journal of Quantum Chemistry</i> , 1985, 28, 525-534.	2.0	50
14	Fourth-Order terms in the diagrammatic perturbation expansion for the electronic energy of atoms and molecules. <i>International Journal of Quantum Chemistry</i> , 1979, 15, 683-692.	2.0	49
15	van der Waals interaction potentials. <i>Molecular Physics</i> , 1985, 55, 199-210.	1.7	47
16	Theoretical study of the butadiynyl and cyanoethynyl radicals - Support for the identification of C ₃ N in IRC + 10216. <i>Astrophysical Journal</i> , 1977, 212, L87.	4.5	46
17	Many-body effects in the $X1^1\Sigma^+$ states of the hydrogen fluoride, lithium fluoride and boron fluoride molecules. <i>Molecular Physics</i> , 1977, 33, 1177-1193.	1.7	43
18	A universal basis set for high-precision molecular electronic structure studies. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 1994, 27, 1-13.	1.5	43

#	ARTICLE	IF	CITATIONS
19	Brillouin-Wigner Methods for Many-Body Systems. Progress in Theoretical Chemistry and Physics, 2010, , .	0.2	39
20	Noble gas molecular ions. Molecular Physics, 1981, 44, 161-172.	1.7	37
21	Scaling, Pad� approximants and variation principles in the many-body perturbation theory of atomic and molecular properties. Molecular Physics, 1981, 44, 299-317.	1.7	35
22	Comparison within the algebraic approximation of configuration interaction and many-body perturbation theory for the Be ground state. Physical Review A, 1979, 19, 1375-1382.	2.5	34
23	Finite-field many-body perturbation theory. Calculations of the dipole polarizability of the fluoride ion using electric-field-variant gaussian-type orbitals. Theoretica Chimica Acta, 1981, 60, 19-39.	0.8	33
24	On the accuracy of the algebraic approximation in molecular electronic structure calculations: V. Electron correlation in the ground state of the nitrogen molecule. Journal of Physics B: Atomic, Molecular and Optical Physics, 1996, 29, 2425-2451.	1.5	33
25	Diagrammatic perturbation theory: N ₂ + g. Journal of Chemical Physics, 1977, 67, 1689-1696.	3.0	31
26	Diagrammatic perturbation theory: An application to the LiH and FH molecules using a universal even-tempered basis set. Journal of Chemical Physics, 1982, 77, 3674-3675.	3.0	31
27	Can the ground state energy of H ₂ be obtained to sub-microhartree accuracy with a basis set of s-type Gaussian functions?. Molecular Physics, 1993, 80, 461-467.	1.7	29
28	Distributed basis sets of s-type Gaussian functions in molecular electronic structure calculations. Molecular Physics, 1994, 82, 523-530.	1.7	27
29	Molecular multipole moment calculations using universal systematic sequences of even-tempered basis sets. Molecular Physics, 1985, 54, 445-453.	1.7	26
30	van der Waals interaction potentials. Molecular Physics, 1986, 57, 21-32.	1.7	26
31	Distributed Gaussian basis sets: Variationally optimized s-type sets for H ₂ , LiH, and BH. International Journal of Quantum Chemistry, 2002, 89, 237-247.	2.0	26
32	Distributed Gaussian basis sets: Variationally optimized s-type sets. Advances in Quantum Chemistry, 2001, 39, 123-143.	0.8	24
33	Distributed Gaussian basis sets: Variationally optimized s-type sets for the open-shell systems HeH and BeH. International Journal of Quantum Chemistry, 2004, 99, 903-913.	2.0	24
34	Calculation of potential energy curves for the ground state of the hydrogen molecule. Molecular Physics, 1975, 30, 777-787.	1.7	23
35	The group function model. A set of orthogonality conditions. Journal of Chemical Physics, 1976, 64, 1692-1696.	3.0	21
36	Third-order many-body perturbation theory for the ground state of the carbon monoxide molecule. International Journal of Quantum Chemistry, 1977, 12, 737-757.	2.0	21

#	ARTICLE	IF	CITATIONS
37	Universal systematic sequence of even-tempered exponential-type functions in electronic structure studies. <i>Journal of Chemical Physics</i> , 1982, 77, 5053-5057.	3.0	21
38	A self-consistent pair function study of the equilibrium bond angle of the water molecule. <i>Molecular Physics</i> , 1975, 30, 789-795.	1.7	20
39	Theoretical studies of interstellar radicals and ions. <i>Chemical Reviews</i> , 1980, 80, 263-267.	47.7	20
40	The electronic structure of the diborane molecule. <i>Molecular Physics</i> , 1975, 30, 765-775.	1.7	19
41	Distributed Gaussian Basis Sets: Some Recent Results and Prospects. <i>Advances in Quantum Chemistry</i> , 1997, , 47-63.	0.8	19
42	Theoretical study of the thioformyl ion. <i>Astrophysical Journal</i> , 1978, 220, 739.	4.5	18
43	Theoretical studies of the HeCN ⁺ and NeCN ⁺ molecular ions. <i>Journal of Chemical Physics</i> , 1980, 73, 419-424.	3.0	17
44	Universal even-tempered basis sets for negative molecular ions. <i>Journal of Chemical Physics</i> , 1983, 78, 2456-2458.	3.0	17
45	van der Waals interaction potentials. <i>Molecular Physics</i> , 1986, 57, 421-426.	1.7	17
46	Distributed basis sets of s-type Gaussian functions for molecular electronic structure calculations: Applications of the Gaussian cell model to one-electron polycentric linear molecular systems. <i>International Journal of Quantum Chemistry</i> , 1996, 60, 47-57.	2.0	17
47	Universal systematic sequences of even-tempered basis functions in electronic structure studies of negative ions. <i>Journal of Chemical Physics</i> , 1982, 77, 4551-4554.	3.0	16
48	Many-body Brillouin-Wigner second-order perturbation theory: A robust and efficient approach to the multireference correlation problem. <i>International Journal of Quantum Chemistry</i> , 2007, 107, 2622-2631.	2.0	15
49	Distributed basis sets of s-type Gaussian functions in molecular electronic structure calculations. Part 2. The Gaussian cell model. <i>Computational and Theoretical Chemistry</i> , 1995, 357, 37-48.	1.5	14
50	Many-body Brillouin-Wigner second-order perturbation theory using a multireference formulation: an application to bond breaking in the diatomic hydrides BH and FH. <i>Molecular Physics</i> , 2006, 104, 2367-2386.	1.7	14
51	On the contribution of triply-excited and quadruply-excited configurations to electron correlation energies in closed-shell systems. <i>Molecular Physics</i> , 1981, 43, 1331-1345.	1.7	13
52	Diagrammatic perturbation theory. <i>Molecular Physics</i> , 1983, 49, 1489-1493.	1.7	13
53	Distributed Gaussian basis sets: description of the Hartree-Fock ground state energies of N ₂ , CO and BF using s- and p-type Gaussian functions. <i>Molecular Physics</i> , 1995, 85, 103-120.	1.7	13
54	Transformation matrices for representations of the spin permutation group. A graphical approach. <i>Chemical Physics Letters</i> , 1977, 49, 168-173.	2.6	12

#	ARTICLE	IF	CITATIONS
55	Direct evaluation of elements of the representation matrices of the spin permutation group for transpositions. <i>Journal of Physics B: Atomic and Molecular Physics</i> , 1979, 12, 339-344.	1.6	10
56	Distributed basis sets of s-type Gaussian functions for simple diatomics: Anharmonic-model distribution. <i>International Journal of Quantum Chemistry</i> , 2007, 107, 2632-2642.	2.0	10
57	Distributed Gaussian basis sets: A stochastic variational approach for diatomic molecules. <i>International Journal of Quantum Chemistry</i> , 1999, 74, 547-552.	2.0	9
58	Distributed Gaussian basis sets: a comparison with finite difference Hartree-Fock calculations for potential energy curves of H_2 , LiH and BH. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2008, 41, 205102.	1.5	9
59	The Coulson-Fischer wave function: parametrisation using distributed Gaussian basis sets. <i>Molecular Physics</i> , 2009, 107, 2299-2308.	1.7	9
60	Many-body perturbation theory for open-shell systems. Expansion through fourth-order. <i>Theoretica Chimica Acta</i> , 1982, 61, 343-361.	0.8	8
61	The Dirac equation in the algebraic approximation: VIII. Comparison of finite basis set and finite element molecular Dirac-Hartree-Fock calculations for the H_2 , LiH, and BH ground states. <i>International Journal of Quantum Chemistry</i> , 2002, 89, 227-236.	2.0	8
62	The Dirac equation in the algebraic approximation. IX. Matrix Dirac-Hartree-Fock calculations for the HeH and BeH ground states using distributed Gaussian basis sets. <i>International Journal of Quantum Chemistry</i> , 2004, 99, 950-962.	2.0	7
63	On the Coulson-Fischer wave function and a local static correlation potential. <i>Molecular Physics</i> , 2012, 110, 149-161.	1.7	7
64	Brillouin-Wigner Methods for Many-Body Systems. <i>Progress in Theoretical Chemistry and Physics</i> , 2010, , 133-189.	0.2	7
65	On the group function model for molecular electronic structure. <i>Molecular Physics</i> , 1978, 35, 1381-1396.	1.7	6
66	Theoretical study of SiO_2^- . <i>Molecular Physics</i> , 1981, 44, 799-802.	1.7	6
67	Scaling in second order electron correlation calculations of potential energy curves and spectroscopic constants. <i>Molecular Physics</i> , 1983, 50, 1323-1333.	1.7	6
68	Many-body Brillouin-Wigner second-order perturbation theory: an application to the autoaromatisation of hex-3-ene-1,5-diyne (the Bergman reaction). <i>Molecular Physics</i> , 2008, 106, 57-74.	1.7	6
69	On the application of hierarchical orthogonality restrictions to spin-coupled wave functions. <i>International Journal of Quantum Chemistry</i> , 1999, 74, 135-144.	2.0	5
70	On the Accuracy of the Algebraic Approximation in Molecular Electronic Structure Studies: VII. Matrix Valence Bond Calculations for the Hydrogen Molecule Ground State. <i>Topics in Molecular Organization and Engineering</i> , 1997, , 323-341.	0.1	4
71	Distributed Gaussian basis sets in correlation energy studies: the second order correlation energy for the ground state of the hydrogen molecule. <i>Advances in Quantum Chemistry</i> , 1998, , 157-172.	0.8	3
72	Theoretical study of the helio hydrogen cyanide dication $HeCNH_2^{2+}$. <i>Molecular Physics</i> , 2009, 107, 2275-2282.	1.7	2

#	ARTICLE	IF	CITATIONS
73	The Coulsonâ€Fischer wave functions for the ground and excited states of H ₂ and HeH ⁺ : parametrisation using distributed Gaussian basis sets. <i>Molecular Physics</i> , 2014, 112, 3092-3107.	1.7	2
74	On the Coulsonâ€Fischer wave function for the X ¹ A ² H ⁺ molecular ion: parametrisation using distributed Gaussian basis sets. <i>Molecular Physics</i> , 2014, 112, 904-918.	1.7	1
75	Parametrisation of the optimised effective potential method based on the Coulsonâ€Fischer wave function for excited states. <i>Molecular Physics</i> , 2020, 118, e1696479.	1.7	1
76	On the representation matrices for the symmetric group adapted to electron pair and electron group wave functions using graphical methods of spin algebras. <i>International Journal of Quantum Chemistry</i> , 2012, 112, 3098-3109.	2.0	0
77	Theoretical study of the HeN ₂ ²⁺ dication. <i>Molecular Physics</i> , 2013, 111, 3801-3807.	1.7	0
78	Summary and Prospects. <i>Progress in Theoretical Chemistry and Physics</i> , 2010, , 191-199.	0.2	0