

# Inamullah Khan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3123037/publications.pdf>

Version: 2024-02-01

42  
papers

739  
citations

516710

16  
h-index

580821

25  
g-index

42  
all docs

42  
docs citations

42  
times ranked

990  
citing authors

#	ARTICLE	IF	CITATIONS
1	High-intensity focused ultrasound: past, present, and future in neurosurgery. <i>Neurosurgical Focus</i> , 2018, 44, E16.	2.3	102
2	Preoperative Opioids and 1-year Patient-reported Outcomes After Spine Surgery. <i>Spine</i> , 2019, 44, 887-895.	2.0	70
3	Measuring clinically relevant improvement after lumbar spine surgery: is it time for something new?. <i>Spine Journal</i> , 2020, 20, 847-856.	1.3	44
4	A predictive model and nomogram for predicting return to work at 3 months after cervical spine surgery: an analysis from the Quality Outcomes Database. <i>Neurosurgical Focus</i> , 2018, 45, E9.	2.3	38
5	Comparing different chronic preoperative opioid use definitions on outcomes after spine surgery. <i>Spine Journal</i> , 2019, 19, 984-994.	1.3	37
6	Impact of occupational characteristics on return to work for employed patients after elective lumbar spine surgery. <i>Spine Journal</i> , 2019, 19, 1969-1976.	1.3	34
7	Predictive Model for Medical and Surgical Readmissions Following Elective Lumbar Spine Surgery. <i>Spine</i> , 2019, 44, 588-600.	2.0	33
8	Diffuse low-grade glioma “ Changing concepts in diagnosis and management: A review. <i>Journal of Innovative Optical Health Sciences</i> , 2019, 14, 356-363.	1.0	33
9	Drivers of Cost in Adult Thoracolumbar Spine Deformity Surgery. <i>World Neurosurgery</i> , 2018, 118, e206-e211.	1.3	26
10	Causes and Timing of Unplanned 90-day Readmissions Following Spine Surgery. <i>Spine</i> , 2018, 43, 991-998.	2.0	25
11	Why are patients dissatisfied after spine surgery when improvements in disability and pain are clinically meaningful?. <i>Spine Journal</i> , 2020, 20, 1535-1543.	1.3	25
12	Clinically Meaningful Improvement Following Cervical Spine Surgery: 30% Reduction Versus Absolute Point-change MCID Values. <i>Spine</i> , 2021, 46, 717-725.	2.0	25
13	Prediction of Oswestry Disability Index (ODI) using PROMIS-29 in a national sample of lumbar spine surgery patients. <i>Quality of Life Research</i> , 2019, 28, 2839-2850.	3.1	23
14	Adding 3-month patient data improves prognostic models of 12-month disability, pain, and satisfaction after specific lumbar spine surgical procedures: development and validation of a prediction model. <i>Spine Journal</i> , 2020, 20, 600-613.	1.3	19
15	Duration and Dosage of Opioids After Spine Surgery. <i>Spine</i> , 2020, 45, 1081-1088.	2.0	19
16	Trajectory of Improvement in Myelopathic Symptoms From 3 to 12 Months Following Surgery for Degenerative Cervical Myelopathy. <i>Neurosurgery</i> , 2020, 86, 763-768.	1.1	18
17	Development and Validation of Cervical Prediction Models for Patient-Reported Outcomes at 1 Year After Cervical Spine Surgery for Radiculopathy and Myelopathy. <i>Spine</i> , 2020, 45, 1541-1552.	2.0	17
18	Emergency Department Visits After Elective Spine Surgery. <i>Neurosurgery</i> , 2019, 85, E258-E265.	1.1	15

#	ARTICLE	IF	CITATIONS
19	Utility of Anxiety/Depression Domain of EQ-5D to Define Psychological Distress in Spine Surgery. <i>World Neurosurgery</i> , 2019, 126, e1075-e1080.	1.3	13
20	Prognostic significance of IDH 1 mutation in patients with glioblastoma multiforme. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2017, 67, 816-817.	0.2	12
21	Does Neck Disability Index Correlate With 12-Month Satisfaction After Elective Surgery for Cervical Radiculopathy? Results From a National Spine Registry. <i>Neurosurgery</i> , 2020, 86, 736-741.	1.1	11
22	Predictors of patient satisfaction following 1- or 2-level anterior cervical discectomy and fusion: insights from the Quality Outcomes Database. <i>Journal of Neurosurgery: Spine</i> , 2019, 31, 835-843.	1.7	11
23	Is Length of Stay Influenced by the Weekday On Which Lumbar Surgery is Performed?. <i>Neurosurgery</i> , 2019, 85, 494-499.	1.1	10
24	Factors Associated With Return-to-Work Following Cervical Spine Surgery in Non-Worker's Compensation Setting. <i>Spine</i> , 2019, 44, 903-907.	2.0	10
25	Using PROMIS-29 to predict Neck Disability Index (NDI) scores using a national sample of cervical spine surgery patients. <i>Spine Journal</i> , 2020, 20, 1305-1315.	1.3	10
26	Effect of Modified Japanese Orthopedic Association Severity Classifications on Satisfaction With Outcomes 12 Months After Elective Surgery for Cervical Spine Myelopathy. <i>Spine</i> , 2019, 44, 801-808.	2.0	9
27	Lowest Instrumented Vertebra Selection in Posterior Cervical Fusion. <i>Spine</i> , 2021, 46, E482-E490.	2.0	8
28	A Strategy for Risk-adjusted Ranking of Surgeons and Practices Based on Patient-reported Outcomes After Elective Lumbar Surgery. <i>Spine</i> , 2019, 44, 670-677.	2.0	6
29	Orthopedic versus Neurosurgery—Understanding 90-Day Complications and Costs in Patients Undergoing Elective 1-Level to 2-Level Posterior Lumbar Fusions by Different Specialties. <i>World Neurosurgery</i> , 2019, 131, e447-e453.	1.3	5
30	Launching the Quality Outcomes Database Tumor Registry: rationale, development, and pilot data. <i>Journal of Neurosurgery</i> , 2022, 136, 369-378.	1.6	5
31	Role of Intra-operative MRI (iMRI) in Improving Extent of Resection and Survival in Patients with Glioblastoma Multiforme. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2017, 67, 1121-1123.	0.2	5
32	Impact of Dominant Symptom on 12-Month Patient-Reported Outcomes for Patients Undergoing Lumbar Spine Surgery. <i>Neurosurgery</i> , 2020, 87, 1037-1045.	1.1	4
33	Perioperative Modifications to the Open TLIF Provide Comparable Short-term Outcomes to the MIS-TLIF. <i>Clinical Spine Surgery</i> , 2021, Publish Ahead of Print, .	1.3	3
34	Self-resolving prepontine cyst. , 2017, 8, 215.		3
35	Classifying chronic opioid use before spine surgery: comparison of self-report and prescription drug monitoring program (PDMP) reporting. <i>Spine Journal</i> , 2020, 20, 1795-1797.	1.3	2
36	Enterointestinal Fistulae In Acute Bowel Ischemia. <i>Journal of the College of Physicians and Surgeons–Pakistan: JCPSP</i> , 2018, 28, 568-571.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Is it Better to Stop at C2 or C3/4 in Elective Posterior Cervical Decompression and Fusion?. Spine, 2022, 47, 565-573.	2.0	2
38	Sprengel's Deformity. Journal of Ayub Medical College, Abbottabad: JAMC, 2018, 30, 135-137.	0.1	2
39	Hemorrhagic complications after decompressive craniectomy. , 2020, 11, 379.		1
40	Role of 5-ALA in improving extent of tumour resection in patients with Glioblastoma Multiforme. JPMA the Journal of the Pakistan Medical Association, 2017, 67, 1630-1632.	0.2	1
41	Clinical and Cost-Effectiveness of Lumbar Interbody Fusion Using Tritanium Posterolateral Cage (vs.) Tj ETQq1 1 0.784314 rgBT /Over	0.7	1
42	Comparison between endoscopic and microscopic approaches for surgery of pituitary tumours. JPMA the Journal of the Pakistan Medical Association, 2017, 67, 1777-1779.	0.2	0