

Anat Mirelman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3123213/publications.pdf>

Version: 2024-02-01

161
papers

9,521
citations

36303

51
h-index

45317

90
g-index

163
all docs

163
docs citations

163
times ranked

9324
citing authors

#	ARTICLE	IF	CITATIONS
1	Executive Control Deficits as a Prodrome to Falls in Healthy Older Adults: A Prospective Study Linking Thinking, Walking, and Falling. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 1086-1092.	3.6	374
2	Gait impairments in Parkinson's disease. <i>Lancet Neurology</i> , The, 2019, 18, 697-708.	10.2	374
3	Executive Function and Falls in Older Adults: New Findings from a Five-Year Prospective Study Link Fall Risk to Cognition. <i>PLoS ONE</i> , 2012, 7, e40297.	2.5	347
4	Addition of a non-immersive virtual reality component to treadmill training to reduce fall risk in older adults (V-TIME): a randomised controlled trial. <i>Lancet</i> , The, 2016, 388, 1170-1182.	13.7	328
5	Virtual Reality for Gait Training: Can It Induce Motor Learning to Enhance Complex Walking and Reduce Fall Risk in Patients With Parkinson's Disease?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 234-240.	3.6	300
6	Differential effects of severe vs mild <i>GBA</i> mutations on Parkinson disease. <i>Neurology</i> , 2015, 84, 880-887.	1.1	277
7	Effects of Training With a Robot-Virtual Reality System Compared With a Robot Alone on the Gait of Individuals After Stroke. <i>Stroke</i> , 2009, 40, 169-174.	2.0	260
8	How Does Explicit Prioritization Alter Walking During Dual-Task Performance? Effects of Age and Sex on Gait Speed and Variability. <i>Physical Therapy</i> , 2010, 90, 177-186.	2.4	250
9	The interplay between gait, falls and cognition: can cognitive therapy reduce fall risk?. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1057-1075.	2.8	230
10	The Role of the Frontal Lobe in Complex Walking Among Patients With Parkinson's Disease and Healthy Older Adults. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 963-971.	2.9	208
11	Increased frontal brain activation during walking while dual tasking: an fNIRS study in healthy young adults. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 85.	4.6	190
12	Long-term unsupervised mobility assessment in movement disorders. <i>Lancet Neurology</i> , The, 2020, 19, 462-470.	10.2	181
13	Feasibility and effects of home-based smartphone-delivered automated feedback training for gait in people with Parkinson's disease: A pilot randomized controlled trial. <i>Parkinsonism and Related Disorders</i> , 2016, 22, 28-34.	2.2	170
14	Effects of virtual reality training on gait biomechanics of individuals post-stroke. <i>Gait and Posture</i> , 2010, 31, 433-437.	1.4	165
15	Virtual reality for rehabilitation in Parkinson's disease. <i>The Cochrane Library</i> , 2016, 2016, CD010760.	2.8	162
16	Effects of aging on prefrontal brain activation during challenging walking conditions. <i>Brain and Cognition</i> , 2017, 115, 41-46.	1.8	156
17	Cognitive Involvement in Balance, Gait and Dual-Tasking in Aging: A Focused Review From a Neuroscience of Aging Perspective. <i>Frontiers in Neurology</i> , 2018, 9, 913.	2.4	151
18	Is every-day walking in older adults more analogous to dual-task walking or to usual walking? Elucidating the gaps between gait performance in the lab and during 24/7 monitoring. <i>European Review of Aging and Physical Activity</i> , 2019, 16, 6.	2.9	151

#	ARTICLE	IF	CITATIONS
19	Gait alterations in healthy carriers of the LRRK2 G2019S mutation. <i>Annals of Neurology</i> , 2011, 69, 193-197.	5.3	140
20	Arm swing as a potential new prodromal marker of Parkinson's disease. <i>Movement Disorders</i> , 2016, 31, 1527-1534.	3.9	136
21	Analysis of Free-Living Gait in Older Adults With and Without Parkinson's Disease and With and Without a History of Falls: Identifying Generic and Disease-Specific Characteristics. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 500-506.	3.6	132
22	Parkinson disease phenotype in Ashkenazi Jews with and without LRRK2 G2019S mutations. <i>Movement Disorders</i> , 2013, 28, 1966-1971.	3.9	131
23	V-TIME: a treadmill training program augmented by virtual reality to decrease fall risk in older adults: study design of a randomized controlled trial. <i>BMC Neurology</i> , 2013, 13, 15.	1.8	130
24	Age-specific penetrance of LRRK2 G2019S in the Michael J. Fox Ashkenazi Jewish LRRK2 Consortium. <i>Neurology</i> , 2015, 85, 89-95.	1.1	130
25	Penetrance estimate of LRRK2 p.G2019S mutation in individuals of non-Ashkenazi Jewish ancestry. <i>Movement Disorders</i> , 2017, 32, 1432-1438.	3.9	126
26	Association Between Performance on Timed Up and Go Subtasks and Mild Cognitive Impairment: Further Insights into the Links Between Cognitive and Motor Function. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 673-678.	2.6	116
27	Virtual reality and motor imagery: Promising tools for assessment and therapy in Parkinson's disease. <i>Movement Disorders</i> , 2013, 28, 1597-1608.	3.9	111
28	When does walking alter thinking? Age and task associated findings. <i>Brain Research</i> , 2009, 1253, 92-99.	2.2	109
29	Progression in the LRRK2-Associated Parkinson Disease Population. <i>JAMA Neurology</i> , 2018, 75, 312.	9.0	109
30	Changes in oxygenated hemoglobin link freezing of gait to frontal activation in patients with Parkinson disease: an fNIRS study of transient motor-cognitive failures. <i>Journal of Neurology</i> , 2015, 262, 899-908.	3.6	107
31	Prediction of Freezing of Gait in Parkinson's From Physiological Wearables: An Exploratory Study. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1843-1854.	6.3	101
32	Parkinson's disease phenotype is influenced by the severity of the mutations in the GBA gene. <i>Parkinsonism and Related Disorders</i> , 2018, 55, 45-49.	2.2	90
33	Fall risk and gait in Parkinson's disease: The role of the LRRK2 G2019S mutation. <i>Movement Disorders</i> , 2013, 28, 1683-1690.	3.9	82
34	Audio-Biofeedback training for posture and balance in Patients with Parkinson's disease. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2011, 8, 35.	4.6	79
35	A dose-effect of mutations in the GBA gene on Parkinson's disease phenotype. <i>Parkinsonism and Related Disorders</i> , 2017, 36, 47-51.	2.2	78
36	Higher Frequency of Certain Cancers in LRRK2 G2019S Mutation Carriers With Parkinson Disease. <i>JAMA Neurology</i> , 2015, 72, 58.	9.0	76

#	ARTICLE	IF	CITATIONS
37	A consensus guide to using functional near-infrared spectroscopy in posture and gait research. <i>Gait and Posture</i> , 2020, 82, 254-265.	1.4	75
38	Impaired dual tasking in Parkinson's disease is associated with reduced focusing of cortico-striatal activity. <i>Brain</i> , 2017, 140, 1384-1398.	7.6	72
39	Barriers and Motivators to Engage in Exercise for Persons with Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1293-1299.	2.8	72
40	Associations between daily-living physical activity and laboratory-based assessments of motor severity in patients with falls and Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019, 62, 85-90.	2.2	70
41	Reorganization of corticostriatal circuits in healthy G2019S <i>LRRK2</i> carriers. <i>Neurology</i> , 2015, 84, 399-406.	1.1	66
42	Effects of Aging on Arm Swing during Gait: The Role of Gait Speed and Dual Tasking. <i>PLoS ONE</i> , 2015, 10, e0136043.	2.5	63
43	Measuring prefrontal cortical activity during dual task walking in patients with Parkinson's disease: feasibility of using a new portable fNIRS device. <i>Pilot and Feasibility Studies</i> , 2016, 2, 59.	1.2	63
44	Intervention modalities for targeting cognitive-motor interference in individuals with neurodegenerative disease: a systematic review. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 251-261.	2.8	61
45	Effects of a virtual reality and treadmill training on gait of subjects with multiple sclerosis: a pilot study. <i>Multiple Sclerosis and Related Disorders</i> , 2016, 5, 91-96.	2.0	60
46	Disparate effects of training on brain activation in Parkinson disease. <i>Neurology</i> , 2017, 89, 1804-1810.	1.1	60
47	An innovative training program based on virtual reality and treadmill: effects on gait of persons with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2017, 39, 1557-1563.	1.8	60
48	FDG PET Parkinson's disease-related pattern as a biomarker for clinical trials in early stage disease. <i>NeuroImage: Clinical</i> , 2018, 20, 572-579.	2.7	60
49	When is Higher Level Cognitive Control Needed for Locomotor Tasks Among Patients with Parkinson's Disease?. <i>Brain Topography</i> , 2017, 30, 531-538.	1.8	59
50	SPARC: a new approach to quantifying gait smoothness in patients with Parkinson's disease. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018, 15, 49.	4.6	59
51	Neuropsychological performance in LRRK2 G2019S carriers with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 106-110.	2.2	58
52	Attentional Control of Gait and Falls: Is Cholinergic Dysfunction a Common Substrate in the Elderly and Parkinson's Disease?. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 104.	3.4	58
53	The role of the prefrontal cortex in freezing of gait in Parkinson's disease: insights from a deep repetitive transcranial magnetic stimulation exploratory study. <i>Experimental Brain Research</i> , 2017, 235, 2463-2472.	1.5	57
54	Gait. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2018, 159, 119-134.	1.8	56

#	ARTICLE	IF	CITATIONS
55	Estimation of spatio-temporal parameters of gait from magneto-inertial measurement units: multicenter validation among Parkinson, mildly cognitively impaired and healthy older adults. <i>BioMedical Engineering OnLine</i> , 2018, 17, 58.	2.7	56
56	Nonmotor symptoms in healthy Ashkenazi Jewish carriers of the G2019S mutation in the <i>LRRK2</i> gene. <i>Movement Disorders</i> , 2015, 30, 981-986.	3.9	52
57	Virtual reality training to enhance behavior and cognitive function among children with attention-deficit/hyperactivity disorder: brief report. <i>Developmental Neurorehabilitation</i> , 2019, 22, 431-436.	1.1	51
58	Genome-wide mapping of IBD segments in an Ashkenazi PD cohort identifies associated haplotypes. <i>Human Molecular Genetics</i> , 2014, 23, 4693-4702.	2.9	49
59	Altered organization of the dorsal attention network is associated with freezing of gait in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019, 63, 77-82.	2.2	49
60	High Frequency of <i>GBA</i> Gene Mutations in Dementia With Lewy Bodies Among Ashkenazi Jews. <i>JAMA Neurology</i> , 2016, 73, 1448.	9.0	48
61	Evidence for Differential Effects of 2 Forms of Exercise on Prefrontal Plasticity During Walking in Parkinson's Disease. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 200-208.	2.9	48
62	A wearable sensor identifies alterations in community ambulation in multiple sclerosis: contributors to real-world gait quality and physical activity. <i>Journal of Neurology</i> , 2020, 267, 1912-1921.	3.6	46
63	Heart rate changes during freezing of gait in patients with Parkinson's disease. <i>Movement Disorders</i> , 2010, 25, 2346-2354.	3.9	45
64	A Wearable Assistant for Gait Training for Parkinson's Disease with Freezing of Gait in Out-of-the-Lab Environments. <i>ACM Transactions on Interactive Intelligent Systems</i> , 2015, 5, 1-31.	3.7	44
65	Application of the Movement Disorder Society prodromal criteria in healthy <i>G2019S</i> <i>LRRK2</i> carriers. <i>Movement Disorders</i> , 2018, 33, 966-973.	3.9	44
66	Treadmill walking reduces pre-frontal activation in patients with Parkinson's disease. <i>Gait and Posture</i> , 2018, 62, 384-387.	1.4	44
67	Olfactory identification in <i>LRRK2</i> <i>G2019S</i> mutation carriers: a relevant marker?. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 670-678.	3.7	43
68	Neural correlates of executive functions in healthy <i>G2019S</i> <i>LRRK2</i> mutation carriers. <i>Cortex</i> , 2013, 49, 2501-2511.	2.4	42
69	REM sleep behavior disorder, as assessed by questionnaire, in <i>G2019S</i> <i>LRRK2</i> mutation PD and carriers. <i>Movement Disorders</i> , 2015, 30, 1834-1839.	3.9	40
70	Falls Risk in Relation to Activity Exposure in High-Risk Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1198-1205.	3.6	40
71	Detecting Sensitive Mobility Features for Parkinson's Disease Stages Via Machine Learning. <i>Movement Disorders</i> , 2021, 36, 2144-2155.	3.9	40
72	Everyday Stepping Quantity and Quality Among Older Adult Fallers With and Without Mild Cognitive Impairment: Initial Evidence for New Motor Markers of Cognitive Deficits?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1078-1082.	3.6	39

#	ARTICLE	IF	CITATIONS
73	Clinical Experience Using a 5-Week Treadmill Training Program With Virtual Reality to Enhance Gait in an Ambulatory Physical Therapy Service. <i>Physical Therapy</i> , 2014, 94, 1319-1326.	2.4	38
74	Association of Dual <i>LRRK2</i> G2019S and <i>GBA</i> Variations With Parkinson Disease Progression. <i>JAMA Network Open</i> , 2021, 4, e215845.	5.9	38
75	Using wearables to assess bradykinesia and rigidity in patients with Parkinson's disease: a focused, narrative review of the literature. <i>Journal of Neural Transmission</i> , 2019, 126, 699-710.	2.8	37
76	Associations between Quantitative Mobility Measures Derived from Components of Conventional Mobility Testing and Parkinsonian Gait in Older Adults. <i>PLoS ONE</i> , 2014, 9, e86262.	2.5	36
77	Do Patients With Parkinson's Disease With Freezing of Gait Respond Differently Than Those Without to Treadmill Training Augmented by Virtual Reality?. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 440-449.	2.9	36
78	Can Cognitive Remediation Improve Mobility in Patients with Parkinson's Disease? Findings from a 12 week Pilot Study. <i>Journal of Parkinson's Disease</i> , 2014, 4, 37-44.	2.8	35
79	Differential Associations Between Distinct Components of Cognitive Function and Mobility: Implications for Understanding Aging, Turning and Dual-Task Walking. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 166.	3.4	35
80	Tossing and Turning in Bed: Nocturnal Movements in Parkinson's Disease. <i>Movement Disorders</i> , 2020, 35, 959-968.	3.9	34
81	Objective characterization of daily living transitions in patients with Parkinson's disease using a single body-fixed sensor. <i>Journal of Neurology</i> , 2016, 263, 1544-1551.	3.6	32
82	Genomewide Association Studies of <i>LRRK2</i> Modifiers of Parkinson's Disease. <i>Annals of Neurology</i> , 2021, 90, 76-88.	5.3	30
83	Fall-Prone Older People's Attitudes towards the Use of Virtual Reality Technology for Fall Prevention. <i>Gerontology</i> , 2017, 63, 590-598.	2.8	28
84	Cancer outcomes among Parkinson's disease patients with leucine rich repeat kinase 2 mutations, idiopathic Parkinson's disease patients, and nonaffected controls. <i>Movement Disorders</i> , 2019, 34, 1392-1398.	3.9	28
85	Changes in event-related potentials during dual task walking in aging and Parkinson's disease. <i>Clinical Neurophysiology</i> , 2019, 130, 224-230.	1.5	28
86	The Contribution of Proprioceptive Information to Postural Control in Elderly and Patients with Parkinson's Disease with a History of Falls. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 939.	2.0	27
87	Transition Between the Timed up and Go Turn to Sit Subtasks: Is Timing Everything?. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 864.e9-864.e15.	2.5	27
88	Prefrontal cortex activation during obstacle negotiation: What's the effect size and timing?. <i>Brain and Cognition</i> , 2018, 122, 45-51.	1.8	27
89	A Possible Modifying Effect of the G2019S Mutation in the LRRK2 Gene on GBA Parkinson's Disease. <i>Movement Disorders</i> , 2020, 35, 1249-1253.	3.9	27
90	DaT-SPECT assessment depicts dopamine depletion among asymptomatic G2019S LRRK2 mutation carriers. <i>PLoS ONE</i> , 2017, 12, e0175424.	2.5	27

#	ARTICLE	IF	CITATIONS
91	Revisiting the non-Gaucher-GBA-E326K carrier state: Is it sufficient to increase Parkinson's disease risk?. <i>Molecular Genetics and Metabolism</i> , 2019, 128, 470-475.	1.1	25
92	The transition between turning and sitting in patients with Parkinson's disease: A wearable device detects an unexpected sequence of events. <i>Gait and Posture</i> , 2019, 67, 224-229.	1.4	25
93	Body-Fixed Sensors for Parkinson Disease. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 873.	7.4	24
94	Combining transcranial direct current stimulation with a motor-cognitive task: the impact on dual-task walking costs in older adults. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 23.	4.6	24
95	Fall risk is associated with amplified functional connectivity of the central executive network in patients with Parkinson's disease. <i>Journal of Neurology</i> , 2015, 262, 2448-2456.	3.6	23
96	Cerebral Imaging Markers of GBA and LRRK2 Related Parkinson's Disease and Their First-Degree Unaffected Relatives. <i>Brain Topography</i> , 2018, 31, 1029-1036.	1.8	23
97	A cognitive fMRI study in non-manifesting LRRK2 and GBA carriers. <i>Brain Structure and Function</i> , 2017, 222, 1207-1218.	2.3	22
98	Gait Measures as Predictors of Poststroke Cognitive Function. <i>Stroke</i> , 2015, 46, 1077-1083.	2.0	21
99	A Personalized Approach to Parkinson's Disease Patients Based on Founder Mutation Analysis. <i>Frontiers in Neurology</i> , 2016, 7, 71.	2.4	21
100	Down-regulation of B cell-related genes in peripheral blood leukocytes of Parkinson's disease patients with and without GBA mutations. <i>Molecular Genetics and Metabolism</i> , 2016, 117, 179-185.	1.1	21
101	Genetic markers of Restless Legs Syndrome in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 582-585.	2.2	20
102	Altered reward-related neural responses in non-manifesting carriers of the Parkinson disease related LRRK2 mutation. <i>Brain Imaging and Behavior</i> , 2019, 13, 1009-1020.	2.1	20
103	Tele-Rehabilitation with Virtual Reality. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2021, 100, 435-438.	1.4	20
104	A Multimodal Training Modulates Short Afferent Inhibition and Improves Complex Walking in a Cohort of Faller Older Adults With an Increased Prevalence of Parkinson's Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 722-728.	3.6	19
105	Metabolic syndrome does not influence the phenotype of LRRK2 and GBA related Parkinson's disease. <i>Scientific Reports</i> , 2020, 10, 9329.	3.3	19
106	Changes in the EEG spectral power during dual-task walking with aging and Parkinson's disease: initial findings using Event-Related Spectral Perturbation analysis. <i>Journal of Neurology</i> , 2021, 268, 161-168.	3.6	19
107	Glucocerebrosidase Activity is not Associated with Parkinson's Disease Risk or Severity. <i>Movement Disorders</i> , 2022, 37, 190-195.	3.9	19
108	Distinct Effects of Motor Training on Resting-State Functional Networks of the Brain in Parkinson's Disease. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 795-803.	2.9	18

#	ARTICLE	IF	CITATIONS
109	Intact working memory in non-manifesting <i><sc>LRRK</sc>2</i> carriers – an <sc>fMRI</sc> study. <i>European Journal of Neuroscience</i> , 2016, 43, 106-112.	2.6	16
110	Network abnormalities among non-manifesting Parkinson disease related LRRK2 mutation carriers. <i>Human Brain Mapping</i> , 2019, 40, 2546-2555.	3.6	16
111	Mutations in GBA and LRRK2 Are Not Associated with Increased Inflammatory Markers. <i>Journal of Parkinson's Disease</i> , 2021, 11, 1285-1296.	2.8	16
112	Dopaminergic therapy and prefrontal activation during walking in individuals with Parkinson's disease: does the levodopa overdose hypothesis extend to gait?. <i>Journal of Neurology</i> , 2021, 268, 658-668.	3.6	15
113	Survival rates among Parkinson's disease patients who carry mutations in the LRRK2 and GBA genes. <i>Movement Disorders</i> , 2018, 33, 1656-1660.	3.9	14
114	Does culture affect usability? A trans-European usability and user experience assessment of a falls-risk connected health system following a user-centred design methodology carried out in a single European country. <i>Maturitas</i> , 2018, 114, 22-26.	2.4	14
115	SEPT14 Is Associated with a Reduced Risk for Parkinson's Disease and Expressed in Human Brain. <i>Journal of Molecular Neuroscience</i> , 2016, 59, 343-350.	2.3	13
116	Hierarchical Data-Driven Analysis of Clinical Symptoms Among Patients With Parkinson's Disease. <i>Frontiers in Neurology</i> , 2019, 10, 531.	2.4	13
117	What happens before the first step? A New Approach to Quantifying Gait Initiation Using a Wearable Sensor. <i>Gait and Posture</i> , 2020, 76, 128-135.	1.4	13
118	The neural correlates of falls: Alterations in large-scale resting-state networks in elderly fallers. <i>Gait and Posture</i> , 2020, 80, 56-61.	1.4	13
119	The Effect of GBA Mutations and APOE Polymorphisms on Dementia with Lewy Bodies in Ashkenazi Jews. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 1221-1229.	2.6	12
120	Neural Variability in the Prefrontal Cortex as a Reflection of Neural Flexibility and Stability in Patients With Parkinson Disease. <i>Neurology</i> , 2022, 98, .	1.1	12
121	Distinct cortical thickness patterns link disparate cerebral cortex regions to select mobility domains. <i>Scientific Reports</i> , 2021, 11, 6600.	3.3	11
122	Subthalamic Neurons Encode Both Single- and Multi-Limb Movements in Parkinson's Disease Patients. <i>Scientific Reports</i> , 2017, 7, 42467.	3.3	10
123	Sensor-Based and Patient-Based Assessment of Daily-Living Physical Activity in People with Parkinson's Disease: Do Motor Subtypes Play a Role?. <i>Sensors</i> , 2020, 20, 7015.	3.8	10
124	Virtual Reality Training as an Intervention to Reduce Falls. , 2020, , 309-321.		10
125	Does Time of Day influence postural control and gait? A review of the literature. <i>Gait and Posture</i> , 2022, 92, 153-166.	1.4	10
126	Differential changes in visual and auditory event-related oscillations in dementia with Lewy bodies. <i>Clinical Neurophysiology</i> , 2020, 131, 2357-2366.	1.5	9

#	ARTICLE	IF	CITATIONS
127	Motorâ€“Cognitive Treadmill Training With Virtual Reality in Parkinsonâ€™s Disease: The Effect of Training Duration. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 753381.	3.4	9
128	Alterations in conflict monitoring are related to functional connectivity in Parkinson's disease. <i>Cortex</i> , 2016, 82, 277-286.	2.4	8
129	Quantitative digital clock drawing test as a sensitive tool to detect subtle cognitive impairments in early stage Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 90, 84-89.	2.2	8
130	Michael J. Fox Foundation LRRK2 Consortium: geographical differences in returning genetic research data to study participants. <i>Genetics in Medicine</i> , 2014, 16, 644-645.	2.4	7
131	Vertical ground reaction force during standing and walking: Are they related to bone mineral density left-right asymmetries?. <i>Gait and Posture</i> , 2017, 54, 174-177.	1.4	7
132	Successful Negotiation of Anticipated and Unanticipated Obstacles in Young and Older Adults: Not All Is as Expected. <i>Gerontology</i> , 2020, 66, 187-196.	2.8	7
133	Whole brain and deep gray matter structure segmentation: Quantitative comparison between MPRAGE and MP2RAGE sequences. <i>PLoS ONE</i> , 2021, 16, e0254597.	2.5	7
134	Event-related oscillations differentiate between cognitive, motor and visual impairments. <i>Journal of Neurology</i> , 2022, 269, 3529-3540.	3.6	7
135	Methods for Gait Analysis During Obstacle Avoidance Task. <i>Annals of Biomedical Engineering</i> , 2020, 48, 634-643.	2.5	6
136	A multimodal approach using TMS and EEG reveals neurophysiological changes in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 89, 28-33.	2.2	6
137	Frailty and Falls in People Living With Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 952-957.	0.9	6
138	Gait and cognitive abnormalities are associated with regional cerebellar atrophy in elderly fallers â€“ A pilot study. <i>Gait and Posture</i> , 2021, 90, 99-105.	1.4	5
139	Aberrant dopamine transporter and functional connectivity patterns in LRRK2 and GBA mutation carriers. <i>Npj Parkinson's Disease</i> , 2022, 8, 20.	5.3	5
140	Differences in performance on English and Hebrew versions of the MoCA in Parkinson's patients. <i>Clinical Parkinsonism & Related Disorders</i> , 2020, 3, 100042.	0.9	4
141	PARK16 locus: Differential effects of the non-coding rs823114 on Parkinsonâ€™s disease risk, RNA expression, and DNA methylation. <i>Journal of Genetics and Genomics</i> , 2021, 48, 341-345.	3.9	4
142	The Home-Based Sleep Laboratory. <i>Journal of Parkinson's Disease</i> , 2021, 11, S71-S76.	2.8	4
143	Biochemical markers for severity and risk in GBA and LRRK2 Parkinsonâ€™s disease. <i>Journal of Neurology</i> , 2021, 268, 1517-1525.	3.6	4
144	Glucocerebrosidase Activity Is Not Associated with Parkinson's Disease Risk or Severity. <i>Movement Disorders</i> , 2022, 37, 651-652.	3.9	4

#	ARTICLE	IF	CITATIONS
145	Treadmill-virtual reality combined training program to improve gait in multiple sclerosis individuals. , 2015, , .		3
146	Low cerebrospinal fluid volume and the risk for post-lumbar puncture headaches. Journal of the Neurological Sciences, 2020, 417, 117059.	0.6	3
147	Associations between visual hallucinations and impaired visuo-spatial abilities in dementia with Lewy bodies.. Neuropsychology, 2021, 35, 276-284.	1.3	3
148	Using Technology to Reshape Clinical Care and Research in Parkinsonâ€™s Disease. Journal of Parkinson's Disease, 2021, 11, S1-S3.	2.8	3
149	Impaired Inhibitory Control During Walking in Parkinsonâ€™s Disease Patients: An EEG Study. Journal of Parkinson's Disease, 2021, , 1-14.	2.8	3
150	Automatic Quantification of Tandem Walking Using a Wearable Device: New Insights Into Dynamic Balance and Mobility in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 101-107.	3.6	2
151	The GBA-370Rec Parkinson's disease risk haplotype harbors a potentially pathogenic variant in the mitochondrial gene SLC25A44. Molecular Genetics and Metabolism, 2021, 133, 109-112.	1.1	2
152	C9orf72-G4C2 Intermediate Repeats and Parkinsonâ€™s Disease; A Data-Driven Hypothesis. Genes, 2021, 12, 1210.	2.4	2
153	Limited Ability to Adjust N2 Amplitude During Dual Task Walking in People With Drug-Resistant Juvenile Myoclonic Epilepsy. Frontiers in Neurology, 2022, 13, 793212.	2.4	2
154	AUTOMATIC QUANTIFICATION OF TANDEM WALKING USING A WEARABLE DEVICE: VALIDITY OF THE INSTRUMENTED TANDEM WALK. Innovation in Aging, 2019, 3, S335-S335.	0.1	1
155	Real-Time Constant Monitoring of Fall Risk Index by Means of Fully-Wireless Insoles. Studies in Health Technology and Informatics, 2017, 237, 193-197.	0.3	1
156	Transcranial Direct Current Stimulation May Reduce Prefrontal Recruitment During Dual Task Walking in Functionally Limited Older Adults â€“ A Pilot Study. Frontiers in Aging Neuroscience, 2022, 14, 843122.	3.4	1
157	WEARABLES REVEAL A GAP BETWEEN GAIT PERFORMANCE IN THE LAB AND DURING 24/7 MONITORING IN OLDER ADULTS. Innovation in Aging, 2019, 3, S335-S335.	0.1	0
158	Evidence for increased completed suicide in first-degree relatives of LRRK2 G2019S mutation Parkinsonâ€™s disease. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 843-844.	1.9	0
159	Overlap, Commonality, Disparity, and Variability of Frontal Lobe Activation in Aging and Neurodegeneration. Innovation in Aging, 2020, 4, 792-792.	0.1	0
160	Combining tDCS With a Motor-Cognitive Task to Reduce the Negative Impact of Dual-Tasking on the Gait of Older Adults. Innovation in Aging, 2020, 4, 287-288.	0.1	0
161	Higher-Level Cognitive Function and Obstacle Attributes: An fNIRS Study in Older Adults With Parkinsonâ€™s Disease. Innovation in Aging, 2020, 4, 268-268.	0.1	0