

Zainovia Lockman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3130790/publications.pdf>

Version: 2024-02-01

186
papers

3,013
citations

172457

29
h-index

233421

45
g-index

189
all docs

189
docs citations

189
times ranked

3226
citing authors

#	ARTICLE	IF	CITATIONS
1	Anodized TiO ₂ nanotubes using Ti wire in fluorinated ethylene glycol with air bubbles for removal of methylene blue dye. <i>Journal of Applied Electrochemistry</i> , 2022, 52, 173-188.	2.9	4
2	Self-Assembled Iron Oxide Nanoparticle-Modified APTES-ITO Electrode for Simultaneous Stripping Analysis of Cd(II) and Pb(II) Ions. <i>ACS Omega</i> , 2022, 7, 3823-3833.	3.5	18
3	Fabrication of titanium-based alloys with bioactive surface oxide layer as biomedical implants: Opportunity and challenges. <i>Transactions of Nonferrous Metals Society of China</i> , 2022, 32, 1-44.	4.2	29
4	Photoreduction of Cr(VI) in wastewater by anodic nanoporous Nb ₂ O ₅ formed at high anodizing voltage and electrolyte temperature. <i>Environmental Science and Pollution Research</i> , 2022, 29, 60600-60615.	5.3	1
5	Formation of self-organized ZrO ₂ @TiO ₂ and ZrTiO ₄ @TiO ₂ nanotube arrays by anodization of Ti@40Zr foil for Cr(VI) removal. <i>Journal of Materials Research and Technology</i> , 2022, 19, 2991-3003.	5.8	5
6	Anodic film on Ti: Nanotubes formation and application for Cr(VI) and Cd(II) removal. <i>Materials Today: Proceedings</i> , 2022, , .	1.8	1
7	Thermal oxidation of steel mesh for water-oil separation process. <i>Materials Today: Proceedings</i> , 2022, 66, 2952-2956.	1.8	0
8	Nanomaterial Fabrication through the Modification of Sol-Gel Derived Coatings. <i>Nanomaterials</i> , 2021, 11, 181.	4.1	36
9	Hexavalent Chromium Removal via Photoreduction by Sunlight on Titanium Dioxide Nanotubes Formed by Anodization with a Fluorinated Glycerol-Water Electrolyte. <i>Catalysts</i> , 2021, 11, 376.	3.5	16
10	Sensitive detection of Pb ions by square wave anodic stripping voltammetry by using iron oxide nanoparticles decorated zinc oxide nanorods modified electrode. <i>Materials Chemistry and Physics</i> , 2021, 273, 125148.	4.0	7
11	Nanoporous anodic Nb ₂ O ₅ with pore-in-pore structure formation and its application for the photoreduction of Cr(VI). <i>Chemosphere</i> , 2021, 283, 131231.	8.2	13
12	Thermally oxidized steel mesh for oil-water separation application and its automation device. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2021, 16, 100538.	2.9	1
13	ITO electrode modified with Pt nanodendrites-decorated ZnO nanorods for enzymatic glucose sensor. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 1065-1072.	2.5	14
14	Formation of Dense and High-Aspect-Ratio Iron Oxide Nanowires by Water Vapor-Assisted Thermal Oxidation and Their Cr(VI) Adsorption Properties. <i>ACS Omega</i> , 2021, 6, 28203-28214.	3.5	3
15	Synthesis of rutile TiO ₂ nanowires by thermal oxidation of titanium in the presence of KOH and their ability to photoreduce Cr(VI) ions. <i>Journal of Alloys and Compounds</i> , 2020, 812, 152094.	5.5	30
16	Formation of grassy TiO ₂ nanotube thin film by anodisation in peroxide electrolyte for Cr(VI) removal under ultraviolet radiation. <i>Nanotechnology</i> , 2020, 31, 435605.	2.6	10
17	Hydrothermal synthesis of bismuth nanosheets for modified APTES-functionalized screen-printed carbon electrode in lead and cadmium detection. <i>Journal of Nanoparticle Research</i> , 2020, 22, 1.	1.9	15
18	Comparison of ZrO ₂ , TiO ₂ , and Fe ₃ O ₄ nanotube arrays on Cr(VI) photoreduction fabricated by anodization of Zr, Ti, and Fe foils. <i>Materials Research Express</i> , 2020, 7, 055013.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Glucose-sensing properties of citrate-functionalized maghemite nanoparticle-modified indium tin oxide electrodes. <i>Journal of Materials Research</i> , 2020, 35, 1279-1289.	2.6	3
20	Oxide nanotubes formation by anodic process and their application in photochemical reactions for heavy metal removal. , 2020, , 277-303.		1
21	Metal oxide for heavy metal detection and removal. , 2020, , 299-332.		3
22	Immuno-probed graphene nanoplatelets on electrolyte-gated field-effect transistor for stable cortisol quantification in serum. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 117, 10-18.	5.3	17
23	Facile Fabrication of Plasmonic Enhanced Noble-Metal-Decorated ZnO Nanowire Arrays for Dye-Sensitized Solar Cells. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 359-366.	0.9	9
24	Effect of Dodecylbenzenesulfonic acid as a Surfactant on the Properties of Polyaniline/Graphene Nanocomposites. <i>Materials Today: Proceedings</i> , 2019, 17, 864-870.	1.8	6
25	Sensitive and selective chloroform sensor using Fe ₂ O ₃ nanoparticle-decorated ZnO nanorods in an aqueous solution. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 18990-19000.	2.2	4
26	Anodised porous Nb ₂ O ₅ for photoreduction of Cr(VI). <i>Materials Today: Proceedings</i> , 2019, 17, 1033-1039.	1.8	9
27	Hydrothermal growth of Fe ₂ O ₃ nano/micro-rods on Fe foil for Cr(VI) removal. <i>Materials Today: Proceedings</i> , 2019, 17, 1018-1023.	1.8	2
28	Facile Fabrication of rGO/Rutile TiO ₂ Nanowires as Photocatalyst for Cr(VI) Reduction. <i>Materials Today: Proceedings</i> , 2019, 17, 1143-1151.	1.8	13
29	Performance of zinc oxide particles as liquid ethanol sensor. <i>Materials Today: Proceedings</i> , 2019, 17, 976-981.	1.8	1
30	Influence of substrate temperature on physical properties of CuAlO ₂ thin films grown via nitrate route pyrolytic reaction. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2019, 240, 69-74.	3.5	4
31	Methylene blue dye removal on silver nanoparticles reduced by <i>Kyllinga brevifolia</i> . <i>Environmental Science and Pollution Research</i> , 2019, 26, 11482-11495.	5.3	38
32	Water Adsorption Characteristics and Microcalorimetric Studies of MOF-5 and MOF-199 Synthesized Using "Green" Sol-Gel. <i>Acta Physica Polonica A</i> , 2019, 135, 1119-1122.	0.5	2
33	Hierarchical Porous Fe ₂ O ₃ Formation by Thermal Oxidation of Iron as Catalyst for Cr(VI) Reduction. <i>Journal of Physics: Conference Series</i> , 2018, 1082, 012044.	0.4	2
34	Tailoring Parameters to Produce Nanowires on Metal Surface via Surface Oxidation Process. <i>Journal of Physics: Conference Series</i> , 2018, 1082, 012052.	0.4	3
35	Interaction of graphene electrolyte gate field-effect transistor for detection of cortisol biomarker. <i>AIP Conference Proceedings</i> , 2018, , .	0.4	9
36	Synthesis of TiO ₂ Nanotubes Decorated with Ag Nanoparticles (TNTs/AgNPs) For Visible Light Degradation of Methylene Blue. <i>Journal of Physics: Conference Series</i> , 2018, 1082, 012105.	0.4	3

#	ARTICLE	IF	CITATIONS
37	Fabrication and Characterization of Glucose Biosensors by Using Hydrothermally Grown ZnO Nanorods. Scientific Reports, 2018, 8, 13722.	3.3	101
38	Rapid TiO ₂ Nanotubes Formation in Aged Electrolyte and Their Application as Photocatalysts for Cr(VI) Reduction Under Visible Light. IEEE Nanotechnology Magazine, 2018, 17, 1106-1110.	2.0	8
39	Cr(VI) removal on visible light active TiO ₂ nanotube arrays. AIP Conference Proceedings, 2018, , .	0.4	5
40	The effect of colloidal silica nanoparticles encapsulated fluorescein dye using micelle entrapment method. AIP Conference Proceedings, 2018, , .	0.4	1
41	Sunlight activated anodic freestanding ZrO ₂ nanotube arrays for Cr(VI) photoreduction. Nanotechnology, 2018, 29, 375701.	2.6	21
42	Formation of anodic zirconia nanotubes in fluorinated ethylene glycol electrolyte with K ₂ CO ₃ addition. Surface and Coatings Technology, 2017, 320, 86-90.	4.8	7
43	Preparation of anodic nanoporous WO ₃ film using oxalic acid as electrolyte. Journal of Alloys and Compounds, 2017, 704, 518-527.	5.5	29
44	Initial growth study of TiO ₂ nanotube arrays anodised in KOH/fluoride/ethylene glycol electrolyte. Materials and Design, 2017, 128, 195-205.	7.0	19
45	TiO ₂ nanotube arrays formation in fluoride/ethylene glycol electrolyte containing LiOH or KOH as photoanode for dye-sensitized solar cell. Journal of Photochemistry and Photobiology A: Chemistry, 2017, 343, 33-39.	3.9	23
46	Photocatalytic performance of freestanding tetragonal zirconia nanotubes formed in H ₂ O ₂ /NH ₄ F/ethylene glycol electrolyte by anodisation of zirconium. Nanotechnology, 2017, 28, 155604.	2.6	12
47	Synthesis of freestanding amorphous ZrO ₂ nanotubes by anodization and their application in photoreduction of Cr(VI) under visible light. Surface and Coatings Technology, 2017, 320, 371-376.	4.8	32
48	Effect of NaOH Concentration on the Formation of TiO ₂ Nanotube Arrays by Anodic Oxidation Process for Photoelectrochemical Cell. Solid State Phenomena, 2017, 264, 152-155.	0.3	3
49	Effect of calcination temperature on the photodegradation efficiency of Ni/ZnO composite in removal of organic dye. AIP Conference Proceedings, 2017, , .	0.4	1
50	Synthesis colloidal Kyllinga brevifolia-mediated silver nanoparticles at different temperature for methylene blue removal. AIP Conference Proceedings, 2017, , .	0.4	3
51	Characterizations and photoelectrochemical properties of Fe ₂ O ₃ and ZrO ₂ nanotubes formed by anodic oxidation process. AIP Conference Proceedings, 2017, , .	0.4	0
52	Physical and Electrochemical Properties of Iron Oxide Nanoparticles-modified Electrode for Amperometric Glucose Detection. Electrochimica Acta, 2017, 248, 160-168.	5.2	36
53	Formation of anodic TiO ₂ nanotube arrays in NaOH added fluoride-ethylene glycol electrolyte for dye-sensitized solar cells. AIP Conference Proceedings, 2017, , .	0.4	0
54	Controlled facile fabrication of plasmonic enhanced Au-decorated ZnO nanowire arrays dye-sensitized solar cells. Materials Today Communications, 2017, 13, 354-358.	1.9	10

#	ARTICLE	IF	CITATIONS
55	In situ mixed potential study of the growth of zinc oxide hierarchical nanostructures by wet oxidation of zinc foil. <i>Journal of Materials Science</i> , 2017, 52, 2319-2328.	3.7	19
56	Kyllinga brevifolia mediated greener silver nanoparticles. <i>AIP Conference Proceedings</i> , 2017, , .	0.4	2
57	Formation and photoelectrochemical properties of TiO ₂ nanotube arrays in fluorinated organic electrolyte. <i>Journal of Mechanical Engineering and Sciences</i> , 2017, 11, 3129-3136.	0.6	1
58	Formation of freestanding ZrO ₂ nanotubes for Cr(VI) removal. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	3
59	Formation of TiO ₂ nanotube arrays in KOH added fluoride-ethylene glycol (EG) electrolyte and its photoelectrochemical response. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	1
60	Effect of KOH added to ethylene glycol electrolyte on the self-organization of anodic ZrO ₂ nanotubes. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	2
61	Formation of raspberry like cobalt particles with hydrazine reduction in a polyol route. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	0
62	Formation of TiO ₂ nanotube arrays by anodic oxidation in LiOH added ethylene glycol electrolyte and the effect of thermal annealing on the photoelectrochemical properties. <i>AIP Conference Proceedings</i> , 2016, , .	0.4	1
63	Properties of Al-Doped ZnO Nanorods Synthesized Using Low Temperature Hydrothermal Method. <i>Materials Science Forum</i> , 2016, 846, 459-464.	0.3	5
64	Effect of Fluoride or Chloride Ions on the Morphology of ZrO ₂ Thin Film Grown in Ethylene Glycol Electrolyte by Anodization. <i>Procedia Chemistry</i> , 2016, 19, 611-618.	0.7	7
65	Anodic Ag/TiO ₂ nanotube array formation in NaOH/fluoride/ethylene glycol electrolyte as a photoanode for dye-sensitized solar cells. <i>Nanotechnology</i> , 2016, 27, 355605.	2.6	18
66	Synthesis of TiO ₂ Nanotube Arrays in NaOH Added Ethylene Glycol Electrolyte and the Effect of Annealing Temperature on the Nanotube Arrays to their Photocurrent Performance. <i>Key Engineering Materials</i> , 2016, 701, 28-32.	0.4	7
67	Segmented nanoporous WO ₃ prepared via anodization and their photocatalytic properties. <i>Journal of Materials Research</i> , 2016, 31, 721-728.	2.6	10
68	The Assessment of Cr(VI) Removal by Iron Oxide Nanosheets and Nanowires Synthesized by Thermal Oxidation of Iron in Water Vapour. <i>Procedia Chemistry</i> , 2016, 19, 586-593.	0.7	15
69	Study of ITO Glass Electrode Modified with Iron Oxide Nanoparticles and Nafion for Glucose Biosensor Application. <i>Procedia Chemistry</i> , 2016, 19, 50-56.	0.7	10
70	Annealing temperature-dependent crystallinity and photocurrent response of anodic nanoporous iron oxide film. <i>Journal of Materials Research</i> , 2016, 31, 1681-1690.	2.6	8
71	Rapid nanosheets and nanowires formation by thermal oxidation of iron in water vapour and their applications as Cr(VI) adsorbent. <i>Applied Surface Science</i> , 2016, 380, 172-177.	6.1	19
72	Formation of Aligned Iron Oxide Nanopores as Cr Adsorbent Material. <i>Advanced Materials Research</i> , 2015, 1087, 460-464.	0.3	2

#	ARTICLE	IF	CITATIONS
73	Ag nanoparticle-deposited TiO ₂ nanotube arrays for electrodes of Dye-sensitized solar cells. <i>Nanoscale Research Letters</i> , 2015, 10, 219.	5.7	33
74	A WO ₃ Nanoporous-Nanorod Film Formed by Hydrothermal Growth of Nanorods on Anodized Nanoporous Substrate. <i>Journal of the Electrochemical Society</i> , 2015, 162, E148-E153.	2.9	10
75	Effect of annealing temperature on anodized nanoporous WO ₃ . <i>Journal of Porous Materials</i> , 2015, 22, 537-544.	2.6	19
76	Effect of annealing on acid-treated WO ₃ ·H ₂ O nanoplates and their electrochromic properties. <i>Electrochimica Acta</i> , 2015, 178, 673-681.	5.2	30
77	Thermal oxidation of seeds for the hydrothermal growth of WO ₃ nanorods on ITO glass substrate. <i>Thin Solid Films</i> , 2015, 595, 73-78.	1.8	7
78	Blue-emitting photoluminescence of rod-like and needle-like ZnO nanostructures formed by hot-water treatment of sol-gel derived coatings. <i>Journal of Luminescence</i> , 2015, 158, 44-49.	3.1	14
79	Growth of ZnO Nanorods on Stainless Steel Wire Using Chemical Vapour Deposition and Their Photocatalytic Activity. <i>Scientific World Journal</i> , The, 2014, 2014, 1-9.	2.1	10
80	Formation of Two-Dimensional ZnO Nanosheets by Rapid Thermal Oxidation in Oxygenated Environment. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 2960-2967.	0.9	2
81	Growth of Fe-doped ZnO nanorods using aerosol-assisted chemical vapour deposition via in situ doping. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 116, 1801-1811.	2.3	13
82	Photoelectrocatalytic activity of Zn-loaded RGO-TiO ₂ composite coatings on mild steel substrate via DC electrochemical co-deposition. <i>EPJ Applied Physics</i> , 2014, 65, 20303.	0.7	2
83	Synthesis of ZnO nanorod-nanosheet composite via facile hydrothermal method and their photocatalytic activities under visible-light irradiation. <i>Journal of Solid State Chemistry</i> , 2014, 211, 146-153.	2.9	19
84	WO ₃ nanorods prepared by low-temperature seeded growth hydrothermal reaction. <i>Journal of Alloys and Compounds</i> , 2014, 588, 585-591.	5.5	24
85	The formation of WO ₃ nanorods using the surfactant-assisted hydrothermal reaction. <i>Journal of Experimental Nanoscience</i> , 2014, 9, 9-16.	2.4	9
86	Photoluminescence properties of rod-like Ce-doped ZnO nanostructured films formed by hot-water treatment of sol-gel derived coating. <i>Optical Materials</i> , 2013, 35, 1902-1907.	3.6	28
87	Optical properties of two-dimensional ZnO nanosheets formed by hot-water treatment of Zn foils. <i>Solid State Communications</i> , 2013, 162, 43-47.	1.9	12
88	Fabrication of well-crystallized mesoporous ZrO ₂ thin films via Pluronic P123 templated sol-gel route. <i>Ceramics International</i> , 2013, 39, S437-S440.	4.8	14
89	Enhanced dye-sensitized solar cells performance of ZnO nanorod arrays grown by low-temperature hydrothermal reaction. <i>International Journal of Energy Research</i> , 2013, 37, n/a-n/a.	4.5	12
90	Ex Situ Doping of ZnO Nanorods by Spray Pyrolysis Technique. <i>Materials Science Forum</i> , 2013, 756, 16-23.	0.3	2

#	ARTICLE	IF	CITATIONS
91	Formation of highly crystallized ZnO nanostructures by hot-water treatment of etched Zn foils. <i>Materials Letters</i> , 2013, 91, 111-114.	2.6	32
92	Design of hierarchically meso-“macroporous tetragonal ZrO ₂ thin films with tunable thickness by spin-coating via sol-gel template route. <i>Microporous and Mesoporous Materials</i> , 2013, 167, 198-206.	4.4	13
93	Photoelectrochemical Behaviour of Uniform Growth TiO ₂ /Nanotubes via Bubble Blowing Synthesised in Ethylene Glycol with Hydrogen Peroxide. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 4057-4066.	0.9	17
94	Synthesis of Cobalt/Gold Bimetallic Particles with Porous Flake-Like Nanostructures and Their Magnetic Properties. <i>Nanoscience and Nanotechnology Letters</i> , 2012, 4, 687-692.	0.4	11
95	Effects of applied voltage on the properties of anodic zirconia thin film on (100) silicon. <i>Thin Solid Films</i> , 2012, 522, 117-124.	1.8	5
96	Elaboration and characterization of sol-gel derived ZrO ₂ thin films treated with hot water. <i>Applied Surface Science</i> , 2012, 258, 5250-5258.	6.1	59
97	Structural and Morphology of ZnO Nanorods Synthesized Using ZnO Seeded Growth Hydrothermal Method and Its Properties as UV Sensing. <i>PLoS ONE</i> , 2012, 7, e50405.	2.5	121
98	Synthesis of au/co hollow microspheres via galvanic replacement reaction in organic solvent. <i>World Journal of Engineering</i> , 2012, 9, 493-500.	1.6	2
99	Formation of 1-dimensional (1D) and 3-dimensional (3D) ZnO nanostructures by oxidation and chemical methods. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2012, 43, 457-460.	0.9	1
100	Metal-oxide-semiconductor characteristics of lanthanum cerium oxide film on Si. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 459-467.	2.3	21
101	Extremely Fast Growth Rate of TiO ₂ Nanotube Arrays in Electrochemical Bath Containing H ₂ O ₂ . <i>Journal of the Electrochemical Society</i> , 2011, 158, C397.	2.9	70
102	Formation of CuAlO ₂ Film by Ultrasonic Spray Pyrolysis. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 082022.	0.6	0
103	Effect of sputtering time on physical and electrical properties of ZrO _x thin film on Si. <i>Microelectronics International</i> , 2011, 28, 7-11.	0.6	0
104	Formation of ZnO Nanorods via Seeded Growth Hydrothermal Reaction. <i>Applied Mechanics and Materials</i> , 2011, 83, 116-122.	0.2	5
105	Effect of Anodisation Parameters on the Formation of Porous Anodic Oxide on Ti, Zr and W. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 052004.	0.6	4
106	Effect of applied voltage and fluoride ion content on the formation of zirconia nanotube arrays by anodic oxidation of zirconium. <i>Corrosion Science</i> , 2011, 53, 1156-1164.	6.6	70
107	Formation of ZnO nanorod arrays on polytetrafluoroethylene (PTFE) via a seeded growth low temperature hydrothermal reaction. <i>Journal of Alloys and Compounds</i> , 2011, 509, 820-826.	5.5	16
108	Oxidation of etched Zn foil for the formation of ZnO nanostructure. <i>Journal of Alloys and Compounds</i> , 2011, 509, 6806-6811.	5.5	37

#	ARTICLE	IF	CITATIONS
109	Design and synthesis of mesoporous ZrO ₂ thin films using surfactant Pluronic P123 via sol-gel technique. Journal of the Ceramic Society of Japan, 2011, 119, 517-521.	1.1	7
110	Effect of Postdeposition Annealing in Oxygen Ambient on Gallium-Nitride-Based MOS Capacitors With Cerium Oxide Gate. IEEE Transactions on Electron Devices, 2011, 58, 122-131.	3.0	29
111	Oxidation of sputtered Zr thin film on Si substrate. Journal of Materials Science: Materials in Electronics, 2011, 22, 143-150.	2.2	27
112	Investigation of forming-gas annealed CeO ₂ thin film on GaN. Journal of Materials Science: Materials in Electronics, 2011, 22, 583-591.	2.2	25
113	Physical and electrical characteristics of metal-organic decomposed CeO ₂ gate spin-coated on 4H-SiC. Applied Physics A: Materials Science and Processing, 2011, 103, 1067-1075.	2.3	26
114	Effect of postdeposition annealing on electrical properties of RF magnetron sputtered CeO ₂ gate on 4H-silicon carbide. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 1925-1930.	1.8	2
115	Effects of the size and filler loading on the properties of copper and silver nanoparticle-filled epoxy composites. Journal of Applied Polymer Science, 2011, 121, 3145-3152.	2.6	51
116	Effects of post-oxidation annealing temperature on ZrO ₂ thin film deposited on 4H-SiC substrate. Materials Science in Semiconductor Processing, 2011, 14, 13-17.	4.0	27
117	Effect of post-deposition annealing temperature on CeO ₂ thin film deposited on silicon substrate via RF magnetron sputtering technique. Materials Science in Semiconductor Processing, 2011, 14, 101-107.	4.0	14
118	Comparison of metal-organic decomposed (MOD) cerium oxide (CeO ₂) gate deposited on GaN and SiC substrates. Journal of Crystal Growth, 2011, 326, 2-8.	1.5	37
119	Effects of post-deposition annealing temperature and time on physical properties of metal-organic decomposed lanthanum cerium oxide thin film. Thin Solid Films, 2011, 519, 5139-5145.	1.8	24
120	Influence of post-deposition annealing on metal-organic decomposed lanthanum cerium oxide film. , 2011, , .		7
121	Effects of N ₂ O Postdeposition Annealing on Metal-Organic Decomposed CeO ₂ Gate Oxide Spin-Coated on GaN Substrate. Journal of the Electrochemical Society, 2011, 158, H423.	2.9	23
122	Structural and Optical Properties Thin Film Copper Oxides Formed by Chemical Solution Deposition Process Technique. , 2011, , .		0
123	Tungsten Oxide Nanoporous Structure Synthesized Via Direct Electrochemical Anodization. , 2011, , .		2
124	Self Ordering of Anodic ZrO ₂ Nanotubes in Viscous Glycerol Electrolyte Using Anodization. , 2011, , .		0
125	Fast-rate formation of TiO ₂ nanotube arrays in an organic bath and their applications in photocatalysis. Nanotechnology, 2010, 21, 365603.	2.6	97
126	Effect of ultrasonication medium on the properties of copper nanoparticle-filled epoxy composite for electrical conductive adhesive (ECA) application. Journal of Materials Science: Materials in Electronics, 2010, 21, 772-778.	2.2	22

#	ARTICLE	IF	CITATIONS
127	Electrical Properties of Pulsed Laser Deposited Y_{2}O_{3} Gate Oxide on 4H-SiC. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, H396.	2.2	33
128	Effects of Postdeposition Annealing in Argon Ambient on Metallorganic Decomposed CeO_{2} Gate Spin Coated on Silicon. <i>Journal of the Electrochemical Society</i> , 2010, 157, H6.	2.9	61
129	MOS Characteristics of Metallorganic-Decomposed CeO_{2} Spin-Coated on GaN. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, H116.	2.2	20
130	CURRENT CONDUCTION MECHANISMS OF ATOMIC-LAYER-DEPOSITED $\text{Al}_{2}\text{O}_{3}$ /NITRIDED SiO_{2} STACKING GATE OXIDE ON 4H-SiC. <i>International Journal of Modern Physics B</i> , 2010, 24, 5371-5378.	2.0	1
131	Oxidation of Copper for Copper Oxide Nanowires Production. , 2010, , .		0
132	Protective Agent-Free Synthesis of Colloidal Cobalt Nanoparticles. , 2010, , .		1
133	The rapid growth of 3 μm long titania nanotubes by anodization of titanium in a neutral electrochemical bath. <i>Nanotechnology</i> , 2010, 21, 055601.	2.6	27
134	Formation and Mechanistic Study of Self-Ordering ZrO_{2} Nanotubes by Anodic Oxidation. <i>Advanced Materials Research</i> , 2010, 173, 173-177.	0.3	3
135	Tungsten oxide nanoporous structure synthesized via direct electrochemical anodization. , 2010, , .		0
136	Influence of anodisation voltage on the dimension of titania nanotubes. <i>Journal of Alloys and Compounds</i> , 2010, 503, 359-364.	5.5	76
137	Formation of self-aligned ZnO nanorods in aqueous solution. <i>Journal of Alloys and Compounds</i> , 2010, 493, 699-706.	5.5	35
138	Physical characterization of post-deposition annealed metal-organic decomposed cerium oxide film spin-coated on 4H-silicon carbide. <i>Journal of Alloys and Compounds</i> , 2010, 497, 195-200.	5.5	26
139	Electroless Deposition of Ferromagnetic Cobalt Nanoparticles in Propylene Glycol. <i>Journal of the Electrochemical Society</i> , 2009, 156, E139.	2.9	23
140	Growth Mechanism of Cubic-Silicon Carbide Nanowires. <i>Journal of Nanomaterials</i> , 2009, 2009, 1-5.	2.7	10
141	Photoactivity of anatase-rutile TiO_{2} nanotubes formed by anodization method. <i>Thin Solid Films</i> , 2009, 518, 16-21.	1.8	115
142	Rapid formation of transparent CuAlO_{2} thin film by thermal annealing of Cu on $\text{Al}_{2}\text{O}_{3}$. <i>Solar Energy Materials and Solar Cells</i> , 2009, 93, 1383-1387.	6.2	18
143	Stimulation of silicon carbide nanotubes formation using different ratios of carbon nanotubes to silicon dioxide nanopowders. <i>Journal of Alloys and Compounds</i> , 2009, 475, 565-568.	5.5	15
144	Room temperature anodic deposition and shape control of one-dimensional nanostructured zinc oxide. <i>Journal of Alloys and Compounds</i> , 2009, 476, 513-518.	5.5	34

#	ARTICLE	IF	CITATIONS
145	Effects of temperature and crucible height on the synthesis of 6H-SiC nanowires and nanoneedles. Journal of Alloys and Compounds, 2009, 481, 345-348.	5.5	11
146	Influence of electrolyte pH on TiO ₂ nanotube formation by Ti anodization. Journal of Alloys and Compounds, 2009, 485, 478-483.	5.5	83
147	Size dependent ferromagnetism in cerium oxide (CeO ₂) nanostructures independent of oxygen vacancies. Journal of Physics Condensed Matter, 2008, 20, 165201.	1.8	97
148	Synthesis of R-SiC nanowires via catalyst-free chemical vapour growth route. , 2008, , .		0
149	Characterisation of MgB ₂ thin films of varying T _c by Raman spectroscopy. Journal of Physics and Chemistry of Solids, 2006, 67, 333-335.	4.0	1
150	A-13 SOFT COMBUSTION SYNTHESIS OF NANOCRYSTALS SEMI-CONDUCTING TETRAGONAL ZIRCONIA POWDER(Session: Ceramics III). The Proceedings of the Asian Symposium on Materials and Processing, 2006, 2006, 13.	0.0	0
151	The effect of oxygenation on the superconducting properties of MgB ₂ thin films. Applied Physics Letters, 2005, 86, 022502.	3.3	14
152	Improved current densities in MgB ₂ by liquid-assisted sintering. Applied Physics Letters, 2005, 86, 242501.	3.3	15
153	YBCO/Nd ₂ CuO ₄ /NiO/Ni coated conductors fabricated by liquid phase epitaxy based techniques. Superconductor Science and Technology, 2004, 17, 1144-1147.	3.5	3
154	Electrochemical growth of ZnO nano-rods on polycrystalline Zn foil. Nanotechnology, 2003, 14, 968-973.	2.6	70
155	Study of the Surface Oxidation Epitaxy of Pure Ni. Materials Science Forum, 2003, 426-432, 3531-3536.	0.3	0
156	Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential YBa ₂ Cu ₃ O _{7-x} -coated conductor buffer layer. Journal of Materials Research, 2003, 18, 327-337.	2.6	5
157	The microwave surface impedance of MgB ₂ thin films. Superconductor Science and Technology, 2003, 16, 1-6.	3.5	29
158	Microwave surface resistance of MgB ₂ . Applied Physics Letters, 2002, 80, 2347-2349.	3.3	29
159	Rapid Growth of Nd _{2-x} Ce _x CuO ₄ Thick Films as a Buffer for the Growth of Rare-earth Barium Cuprate-coated Conductors. Journal of Materials Research, 2002, 17, 1-4.	2.6	20
160	Effective vortex pinning in MgB ₂ thin films. Superconductor Science and Technology, 2002, 15, 1392-1397.	3.5	8
161	Structure of the superconducting gap in MgB ₂ from point-contact spectroscopy. Superconductor Science and Technology, 2002, 15, 526-532.	3.5	40
162	Fabrication of YBCO thick films on Nd ₂ CuO ₄ buffered Ni tapes by liquid phase epitaxy. Physica C: Superconductivity and Its Applications, 2002, 372-376, 742-746.	1.2	4

#	ARTICLE	IF	CITATIONS
163	Selective oxidation of cube textured Ni and Ni-Cr substrate for the formation of cube textured NiO as a component buffer layer for REBa ₂ Cu ₃ O _{7+x} (REBCO) coated conductors. Physica C: Superconductivity and Its Applications, 2002, 372-376, 831-834.	1.2	1
164	Surface oxidation of cube-textured Ni-Cr for the formation of a NiO buffer layer for superconducting coated conductors. Physica C: Superconductivity and Its Applications, 2002, 383, 127-139.	1.2	8
165	Study of thermal oxidation of NiO on pure Ni, Ni-10% Cr and Ni-9% V tapes. IEEE Transactions on Applied Superconductivity, 2001, 11, 3325-3328.	1.7	13
166	Study of thermal oxidation of NiO buffers on Ni-based tapes for superconductor substrates. Physica C: Superconductivity and Its Applications, 2001, 351, 34-37.	1.2	20
167	Growth of strongly biaxially aligned MgB ₂ thin films on sapphire by postannealing of amorphous precursors. Applied Physics Letters, 2001, 79, 4001-4003.	3.3	40
168	Effects of Post-Deposition Annealing on CeO ₂ Gate Prepared by Metal-Organic Decomposition (MOD) Method on 4H-SiC. Materials Science Forum, 0, 645-648, 837-840.	0.3	20
169	Study on Tungsten Oxide (WO ₃) Nanostructures Formation via Seeded Growth Hydrothermal Reaction. Applied Mechanics and Materials, 0, 83, 204-209.	0.2	0
170	Formation of Zirconia and Titania Nanotubes in Fluorine Contained Glycerol Electrochemical Bath. Defect and Diffusion Forum, 0, 312-315, 76-81.	0.4	3
171	Properties of ZnO Nanorods Arrays Growth via Low Temperature Hydrothermal Reaction. Advanced Materials Research, 0, 364, 422-426.	0.3	3
172	Crystallization of TiO ₂ Nanotubes Arrays Grown by Anodization of Ti in Organic Electrolyte. Advanced Materials Research, 0, 620, 412-417.	0.3	4
173	Surface and Structural Properties of TiO ₂ Nanotubes Formation via Electrochemical Anodization. Advanced Materials Research, 0, 686, 71-76.	0.3	0
174	Structural and Optical Properties of Fe-Doped ZnO Nanorods. Advanced Materials Research, 0, 858, 151-158.	0.3	1
175	Formation of Anodic Oxide Nanotubes in H ₂ O ₂ - Fluoride Ethylene Glycol Electrolyte as Template for Electrodeposition of Fe ₂ O ₃ . Advanced Materials Research, 0, 832, 333-337.	0.3	3
176	Preparation of WO ₃ Nanorods by Seeded Growth Hydrothermal Reaction. Advanced Materials Research, 0, 1024, 91-94.	0.3	2
177	Effects of Post-Deposition Annealing Time on Metal-Organic Decomposed Lanthanum Cerium Oxide Film Spin-Coated on Si Substrate. Advanced Materials Research, 0, 1024, 364-367.	0.3	1
178	Effect of Applied Voltage on the Formation of Self-Organized Iron Oxide Nanoporous Film in Organic Electrolyte via Anodic Oxidation Process and their Photocurrent Performance. Advanced Materials Research, 0, 1024, 99-103.	0.3	1
179	Electrolyte Influence on the Morphologies of Anodic ZrO ₂ Nanotube Arrays Formed by Anodization. Advanced Materials Research, 0, 1024, 104-107.	0.3	0
180	Zinc Oxide Nanostructures Formed by Wet Oxidation of Zn Foil. Advanced Materials Research, 0, 1043, 22-26.	0.3	7

#	ARTICLE	IF	CITATIONS
181	Effect of Annealing Temperature of Hybrid $\text{CeO}_2/\text{TiO}_2$ Nanotubes on the Photocurrent. <i>Advanced Materials Research</i> , 0, 1024, 132-135.	0.3	0
182	The Effect of Crystallinity of Nanoporous WO_3 on the Intercalation and Deintercalation of Li^+ . <i>Advanced Materials Research</i> , 0, 1024, 128-131.	0.3	0
183	Properties of $\text{BaZr}_x\text{Ti}_{1-x}\text{O}_3$ Thick Film Deposited Using EPD Method. <i>Advanced Materials Research</i> , 0, 1087, 465-469.	0.3	1
184	Anodic ZrO_2 Nanotube Arrays Formation by Anodisation in Ethylene Glycol with Varying Amount of Water. <i>Solid State Phenomena</i> , 0, 264, 224-227.	0.3	0
185	Effect of Concentration and pH of PBS to the Electrocatalytic Performance of Enzymatic Glucose Biosensor. <i>Solid State Phenomena</i> , 0, 290, 193-198.	0.3	5
186	Morphology Controlled Synthesis of ZnO Nanorods for Glucose Enzymatic Biosensor. <i>Solid State Phenomena</i> , 0, 290, 280-285.	0.3	0