

# Yongsheng Tong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3134722/publications.pdf>

Version: 2024-02-01

22  
papers

200  
citations

1478505

6  
h-index

1125743

13  
g-index

22  
all docs

22  
docs citations

22  
times ranked

192  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interrelationships Between BDNF, Superoxide Dismutase, and Cognitive Impairment in Drug-Naive First-Episode Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1498-1510.	4.3	42
2	Cohort-specific risk of suicide for different mental disorders in China. <i>British Journal of Psychiatry</i> , 2010, 196, 467-473.	2.8	36
3	Relationship of the high proportion of suicidal acts involving ingestion of pesticides to the low male-to-female ratio of suicide rates in China. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e114.	3.9	15
4	Association of retinal nerve fiber abnormalities with serum CNTF and cognitive functions in schizophrenia patients. <i>PeerJ</i> , 2020, 8, e9279.	2.0	14
5	DSM-IV Axis II personality disorders and suicide and attempted suicide in China. <i>British Journal of Psychiatry</i> , 2016, 209, 319-326.	2.8	13
6	Suicidal ideation, suicide attempts, and neurocognitive dysfunctions among patients with first-episode schizophrenia. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 1181-1188.	1.9	10
7	Prospective study of association of characteristics of hotline psychological intervention in 778 high-risk callers with subsequent suicidal act. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1182-1191.	2.3	9
8	Trends in suicide rates and the case-fatality of pesticide self-poisoning in an agricultural county in china, 2009 to 2014. <i>Journal of Affective Disorders</i> , 2021, 283, 52-59.	4.1	9
9	Prevalence of psychiatric diagnoses in individuals who die by suicide or attempt suicide in China based on independent structured diagnostic interviews with different informants. <i>Journal of Psychiatric Research</i> , 2018, 98, 30-38.	3.1	8
10	Factors related to retinal nerve fiber layer thickness in bipolar disorder patients and major depression patients. <i>BMC Psychiatry</i> , 2021, 21, 301.	2.6	8
11	Comparisons of Characteristics Between Psychological Support Hotline Callers With and Without COVID-19 Related Psychological Problems in China. <i>Frontiers in Psychiatry</i> , 2021, 12, 648974.	2.6	7
12	Association between TNF-alpha polymorphism and the age of first suicide attempt in chronic patients with schizophrenia. <i>Aging</i> , 2020, 12, 1433-1445.	3.1	7
13	Suicide attempt risks among hotline callers with and without the coronavirus disease 2019 related psychological distress: a case-control study. <i>BMC Psychiatry</i> , 2021, 21, 363.	2.6	6
14	Suicidal Behavior in Relatives or Associates Moderates the Strength of Common Risk Factors for Suicide. <i>Suicide and Life-Threatening Behavior</i> , 2015, 45, 505-517.	1.9	4
15	Mental health problems among hotline callers during the early stage of COVID-19 pandemic. <i>PeerJ</i> , 0, 10, e13419.	2.0	4
16	Differences between medically treated and untreated non-fatal self-harm reported by hotline callers in China. <i>PeerJ</i> , 2019, 7, e7868.	2.0	2
17	Auditory Hallucinations, Depressive Symptoms, and Current Suicidal Ideation or Behavior Among Patients with Acute-episode Schizophrenia. <i>Archives of Suicide Research</i> , 2021, , 1-16.	2.3	2
18	Symptomatology in 1,112 women screened positive and negative using the Edinburgh postnatal depression scale (EPDS): longitudinal observations from the first trimester to 6 weeks postpartum of a Chinese cohort. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2022, 43, 453-463.	2.1	2

#	ARTICLE	IF	CITATIONS
19	Comparison of Psycho-Social Factors Associated With Suicidal Ideation and Suicide Attempts Among People Living With HIV in Central West China. <i>Frontiers in Public Health</i> , 2022, 10, 832624.	2.7	2
20	Authors' reply. <i>British Journal of Psychiatry</i> , 2017, 210, 167-168.	2.8	0
21	Relationship of the High Proportion of Suicidal Acts Involving Ingestion of Pesticides to the Low Male-to-Female Ratio of Suicide Rates in China. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
22	Comparison of Characteristics of Suicide Attempts Registered in Urban and Rural Areas in China. <i>Frontiers in Psychiatry</i> , 2021, 12, 805324.	2.6	0