## Xiaoyong Hu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3135253/publications.pdf

Version: 2024-02-01

| 101             | 3,177 citations       | 147801<br>31<br>h-index | 53<br>g-index          |
|-----------------|-----------------------|-------------------------|------------------------|
| papers          | citations             | II-IIIdex               | g-mdex                 |
| 109<br>all docs | 109<br>docs citations | 109<br>times ranked     | 3434<br>citing authors |

| #                    | Article  | IF                       | CITATIONS          |
|----------------------|--|--------------------------|--------------------|
| 1                    | All-optical binary computation based on inverse design method. Nanophotonics, 2022, 11, 2117-2127.   | 6.0                      | 5                  |
| 2                    | Chemical Polishing of Perovskite Surface Enhances Photovoltaic Performances. Journal of the American Chemical Society, 2022, 144, 1700-1708.   | 13.7                     | 88                 |
| 3                    | Topologically protected quantum entanglement emitters. Nature Photonics, 2022, 16, 248-257.  | 31.4                     | 45                 |
| 4                    | Silicon Thermo-Optic Switches with Graphene Heaters Operating at Mid-Infrared Waveband.<br>Nanomaterials, 2022, 12, 1083.  | 4.1                      | 13                 |
| 5                    | Higher-order topological biphoton corner states in two-dimensional photonic lattices. Physical<br>Review Research, 2022, 4, .  | 3.6                      | 10                 |
| 6                    | Non-Hermitian high-quality-factor topological photonic crystal cavity. Physical Review A, 2022, 105, .   | 2.5                      | 6                  |
| 7                    | Matrix eigenvalue solver based on reconfigurable photonic neural network. Nanophotonics, 2022, 11, 4089-4099.  | 6.0                      | 9                  |
| 8                    | On-chip nanophotonic topological rainbow. Nature Communications, 2022, 13, 2586.   | 12.8                     | 43                 |
| 9                    | Tracing the formation of oxygen vacancies at the conductive LaAlO <sub>3</sub> 4\$\langle\$Usub>4\$\langle\$Usub>5\$\langle\$Usub>5\$\langle\$Usub>1\$\langle\$Usu |                          | 3                  |
|                      |  |                          |                    |
| 10                   | Edge states in plasmonic meta-arrays. Nanophotonics, 2022, .   | 6.0                      | 5                  |
| 10                   | Edge states in plasmonic meta-arrays. Nanophotonics, 2022, .  Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface. Advanced Electronic Materials, 2021, 7, 2000968.  | 5.1                      | 4                  |
|                      | Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface.   |                          | 5<br>4<br>6        |
| 11                   | Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface. Advanced Electronic Materials, 2021, 7, 2000968.  Ultrafast Allâ€Optical Polarization Switching Based on Composite Metasurfaces with Gratings and an  | 5.1                      | 4                  |
| 11 12                | Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface. Advanced Electronic Materials, 2021, 7, 2000968.  Ultrafast Allâ€Optical Polarization Switching Based on Composite Metasurfaces with Gratings and an Epsilonâ€Nearâ€Zero Film. Advanced Photonics Research, 2021, 2, 2000167.   | 5.1<br>3.6               | 6                  |
| 11<br>12<br>13       | Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface. Advanced Electronic Materials, 2021, 7, 2000968.  Ultrafast Allâ€Optical Polarization Switching Based on Composite Metasurfaces with Gratings and an Epsilonâ€Nearâ€Zero Film. Advanced Photonics Research, 2021, 2, 2000167.  Quantum Topological Photonics. Advanced Optical Materials, 2021, 9, 2001739.   | 5.1<br>3.6<br>7.3        | 6                  |
| 11<br>12<br>13<br>14 | Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface. Advanced Electronic Materials, 2021, 7, 2000968.  Ultrafast Allâ€Optical Polarization Switching Based on Composite Metasurfaces with Gratings and an Epsilonâ€Nearâ€Zero Film. Advanced Photonics Research, 2021, 2, 2000167.  Quantum Topological Photonics. Advanced Optical Materials, 2021, 9, 2001739.  Advances in Photonic Devices Based on Optical Phase-Change Materials. Molecules, 2021, 26, 2813.  Encircling an exceptional point in a multiwaveguide anti–parity-time-symmetry system. Physical Review  | 5.1<br>3.6<br>7.3<br>3.8 | 4<br>6<br>22<br>13 |
| 11<br>12<br>13<br>14 | Engineering of Electron Confinement through Defectâ€Based Localized Polarization on SrTiO 3 Surface. Advanced Electronic Materials, 2021, 7, 2000968.  Ultrafast Allâ€Optical Polarization Switching Based on Composite Metasurfaces with Gratings and an Epsilonâ€Nearâ€Zero Film. Advanced Photonics Research, 2021, 2, 2000167.  Quantum Topological Photonics. Advanced Optical Materials, 2021, 9, 2001739.  Advances in Photonic Devices Based on Optical Phase-Change Materials. Molecules, 2021, 26, 2813.  Encircling an exceptional point in a multiwaveguide anti–parity-time-symmetry system. Physical Review A, 2021, 103, .  | 5.1<br>3.6<br>7.3<br>3.8 | 4<br>6<br>22<br>13 |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | On-Chip Cascaded Bandpass Filter and Wavelength Router Using an Intelligent Algorithm. IEEE Photonics Journal, 2021, 13, 1-8.  | 2.0  | 1         |
| 20 | Influence factors of resolution in laser accelerated proton radiography and image deblurring. AIP Advances, 2021, $11$ , .   | 1.3  | 6         |
| 21 | Quantum Topological Photonics (Advanced Optical Materials 15/2021). Advanced Optical Materials, 2021, 9, 2170056.  | 7.3  | 0         |
| 22 | Controlling Microring Resonator Extinction Ratio via Metalâ€Halide Perovskite Nonlinearity. Advanced Optical Materials, 2021, 9, 2100783.  | 7.3  | 6         |
| 23 | Near-Field Imaging and Time-Domain Dynamics of Photonic Topological Edge States in Plasmonic Nanochains. Nano Letters, 2021, 21, 9270-9278.  | 9.1  | 16        |
| 24 | Topological hybrid nanocavity for coupling phase transition. Journal of Optics (United Kingdom), 2021, 23, 124002.   | 2.2  | 6         |
| 25 | Topological Nanophotonic Wavelength Router Based on Topology Optimization. Micromachines, 2021, 12, 1506.  | 2.9  | 7         |
| 26 | Exciton polaritons based on planar dielectric Si asymmetric nanogratings coupled with J-aggregated dyes film. Frontiers of Optoelectronics, 2020, 13, 4-11.  | 3.7  | 4         |
| 27 | Large-Scale Thin CsPbBr <sub>3</sub> Single-Crystal Film Grown on Sapphire <i>via</i> Chemical Vapor Deposition: Toward Laser Array Application. ACS Nano, 2020, 14, 15605-15615.  | 14.6 | 112       |
| 28 | All-Optical Mode-Selective Router Based on Broken Anti- <mml:math display="inline" overflow="script" xmlns:mml="http://www.w3.org/1998/Math/MathML">P <mml:mi mathvariant="script">P</mml:mi> <mml:mi mathvariant="script">T</mml:mi> </mml:math> Symmetry. Physical Review Applied, 2020, 14, . | 3.8  | 7         |
| 29 | Ultrafast Electron Cooling and Decay in Monolayer WS <sub>2</sub> Revealed by Time- and Energy-Resolved Photoemission Electron Microscopy. Nano Letters, 2020, 20, 3747-3753.  | 9.1  | 35        |
| 30 | Topological Phase Transition in the Non-Hermitian Coupled Resonator Array. Physical Review Letters, 2020, 125, 013902.   | 7.8  | 45        |
| 31 | Light Emission from Selfâ€Assembled and Laserâ€Crystallized Chalcogenide Metasurface. Advanced Optical<br>Materials, 2020, 8, 1901236.   | 7.3  | 6         |
| 32 | Nanophotonic Polarization Routers Based on an Intelligent Algorithm. Advanced Optical Materials, 2020, 8, 1902018.   | 7.3  | 22        |
| 33 | Low-power all-optical tunable sharp trapped-mode resonances in asymmetrical planar WS2 exciton-polariton gratings. Applied Physics Letters, 2020, 116, .   | 3.3  | 3         |
| 34 | Photonic crystal and topological photonics provide new modulation degrees of freedom. Frontiers of Optoelectronics, 2020, 13, 1-1.   | 3.7  | 3         |
| 35 | Correlation between Near-Field Enhancement and Dephasing Time in Plasmonic Dimers. Physical Review<br>Letters, 2020, 124, 163901.  | 7.8  | 29        |
| 36 | Al-assisted on-chip nanophotonic convolver based on silicon metasurface. Nanophotonics, 2020, 9, 3315-3322.  | 6.0  | 29        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Broadband dispersive free, large, and ultrafast nonlinear material platforms for photonics.<br>Nanophotonics, 2020, 9, 4609-4618.   | 6.0  | 8         |
| 38 | Polarization-selected nonlinearity transition in gold dolmens coupled to an epsilon-near-zero material. Nanophotonics, 2020, 9, 4839-4851.  | 6.0  | 14        |
| 39 | Integrated nanophotonic wavelength router based on an intelligent algorithm. Optica, 2019, 6, 1367.   | 9.3  | 87        |
| 40 | Ultracompact and Unidirectional On-Chip Light Source Based on Epsilon-Near-Zero Materials in an Optical Communication Range. Physical Review Applied, 2019, 12, .   | 3.8  | 11        |
| 41 | Engineering Ultrafast Carrier Dynamics at the Graphene/GaAs Interface by Bulk Doping Level. Advanced Optical Materials, 2019, 7, 1900580.   | 7.3  | 6         |
| 42 | Spintronics of Hybrid Organic–Inorganic Perovskites: Miraculous Basis of Integrated Optoelectronic Devices. Advanced Optical Materials, 2019, 7, 1900350.   | 7.3  | 47        |
| 43 | Plasmon-induced transparency effect for ultracompact on-chip devices. Nanophotonics, 2019, 8, 1125-1149.  | 6.0  | 36        |
| 44 | Roadmap on all-optical processing. Journal of Optics (United Kingdom), 2019, 21, 063001.  | 2.2  | 128       |
| 45 | Nanoscale all-optical logic devices. Science China: Physics, Mechanics and Astronomy, 2019, 62, 1.  | 5.1  | 23        |
| 46 | Epsilonâ€Nearâ€Zero Photonics: A New Platform for Integrated Devices. Advanced Optical Materials, 2018, 6, 1701292.   | 7.3  | 181       |
| 47 | Ultralow-power on-chip all-optical Fano diode based on uncoupled nonlinear photonic-crystal nanocavities. Journal of Optics (United Kingdom), 2018, 20, 034004.   | 2.2  | 7         |
| 48 | Thermoâ€optical Tunable Ultracompact Chipâ€Integrated 1D Photonic Topological Insulator. Advanced Optical Materials, 2018, 6, 1701071.  | 7.3  | 38        |
| 49 | Low-dimensional materials-based field-effect transistors. Journal of Materials Chemistry C, 2018, 6, 924-941.   | 5.5  | 24        |
| 50 | Fabry–Pérot Oscillation and Room Temperature Lasing in Perovskite Cubeâ€Corner Pyramid Cavities.<br>Small, 2018, 14, 1703136.   | 10.0 | 61        |
| 51 | All-optical tunable dual Fano resonance in nonlinear metamaterials in optical communication range.<br>Journal of Modern Optics, 2018, 65, 206-212.  | 1.3  | 7         |
| 52 | Electro-Optic Modulators: On-Chip Dual Electro-Optic and Optoelectric Modulation Based on ZnO Nanowire-Coated Photonic Crystal Nanocavity (Advanced Optical Materials 17/2018). Advanced Optical Materials, 2018, 6, 1870069. | 7.3  | 0         |
| 53 | Structural surface wave properties of amorphous Bi2Te3 by pulsed laser deposition in the visible and near-infrared regions. AIP Advances, 2018, 8, .  | 1.3  | 3         |
| 54 | Onâ€Chip Dual Electroâ€Optic and Optoelectric Modulation Based on ZnO Nanowireâ€Coated Photonic Crystal Nanocavity. Advanced Optical Materials, 2018, 6, 1800374.   | 7.3  | 6         |

| #  | Article  | lF   | Citations |
|----|--|------|-----------|
| 55 | Fano-resonance in one-dimensional topological photonic crystal heterostructure. Optics Express, 2018, 26, 8634.  | 3.4  | 68        |
| 56 | High-Temperature Continuous-Wave Pumped Lasing from Large-Area Monolayer Semiconductors Grown by Chemical Vapor Deposition. ACS Nano, 2018, 12, 9390-9396.                               | 14.6 | 44        |
| 57 | Topological properties of coupled resonator array based on accurate band structure. Physical Review Materials, 2018, 2, .  | 2.4  | 14        |
| 58 | Reconfigurable topological states in valley photonic crystals. Physical Review Materials, 2018, 2, .   | 2.4  | 29        |
| 59 | Unidirectional transmission in 1D nonlinear photonic crystal based on topological phase reversal by optical nonlinearity. AIP Advances, 2017, $7$ , .                                    | 1.3  | 21        |
| 60 | Chip-integrated all-optical diode based on nonlinear plasmonic nanocavities covered with multicomponent nanocomposite. Nanophotonics, 2017, 6, 329-339.                                  | 6.0  | 19        |
| 61 | Ultracompact all-optical full-adder and half-adder based on nonlinear plasmonic nanocavities. Nanophotonics, 2017, 6, 1161-1173.   | 6.0  | 40        |
| 62 | Ultrafast Allâ€Optical Switching. Advanced Optical Materials, 2017, 5, 1600665.  | 7.3  | 185       |
| 63 | Asymmetric Light Excitation for Photodetectors Based on Nanoscale Semiconductors. ACS Nano, 2017, 11, 549-557.   | 14.6 | 10        |
| 64 | Ultralowâ€Power Allâ€Optical Logic Data Distributor Based on Resonant Excitation Enhanced Nonlinearity by Upconversion Radiative Transfer. Advanced Optical Materials, 2017, 5, 1700360. | 7.3  | 6         |
| 65 | Ultrafast onâ€Chip Remotelyâ€Triggered Allâ€Optical Switching Based on Epsilonâ€Nearâ€Zero Nanocomposites.<br>Laser and Photonics Reviews, 2017, 11, 1700042.                            | 8.7  | 25        |
| 66 | Applications of Topological Photonics in Integrated Photonic Devices. Advanced Optical Materials, 2017, 5, 1700357.  | 7.3  | 110       |
| 67 | Ultracompact all-optical logic gates based on nonlinear plasmonic nanocavities. Nanophotonics, 2017, 6, 365-376.   | 6.0  | 72        |
| 68 | Nanoscale on-chip all-optical logic parity checker in integrated plasmonic circuits in optical communication range. Scientific Reports, 2016, 6, 24433.                                  | 3.3  | 30        |
| 69 | On-Chip Multiple Electromagnetically Induced Transparencies in Photon–Plasmon Composite Nanocavities. ACS Photonics, 2016, 3, 2068-2073.   | 6.6  | 14        |
| 70 | Integrated ultracompact and broadband wavelength demultiplexer based on multi-component nano-cavities. Scientific Reports, 2016, 6, 27428.   | 3.3  | 23        |
| 71 | Onâ€Chip Optical Switch Based on Plasmon–Photon Hybrid Nanostructureâ€Coated Multicomponent<br>Nanocomposite. Advanced Optical Materials, 2016, 4, 1159-1166.                            | 7.3  | 28        |
| 72 | An actively ultrafast tunable giant slow-light effect in ultrathin nonlinear metasurfaces. Light: Science and Applications, 2015, 4, e302-e302.  | 16.6 | 56        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Ultralow-power all-optical tunable double plasmon-induced transparencies in nonlinear metamaterials. Applied Physics Letters, 2014, 104, .   | 3.3 | 24        |
| 74 | Tunable ultracompact chip-integrated multichannel filter based on plasmon-induced transparencies. Applied Physics Letters, 2014, 104, .  | 3.3 | 67        |
| 75 | Composite modulation of Fano resonance in plasmonic microstructures by electric-field and microcavity. Applied Physics Letters, 2014, 105, 181114.   | 3.3 | 10        |
| 76 | Ultracompact Chipâ€Integrated Electromagnetically Induced Transparency in a Single Plasmonic Composite Nanocavity. Advanced Optical Materials, 2014, 2, 320-325.                             | 7.3 | 51        |
| 77 | Multilayer Graphene:Polycrystalline ITO for Ultralowâ€Power Active Control of Polarizationâ€Insensitive, Metamaterialâ€Induced Transparency. Advanced Optical Materials, 2014, 2, 1141-1148. | 7.3 | 8         |
| 78 | Low-power all-optical tunable plasmonic-mode coupling in nonlinear metamaterials. Applied Physics Letters, 2014, 104, .  | 3.3 | 5         |
| 79 | Nanoscale all-optical devices based on surface plasmon polaritons. Science Bulletin, 2014, 59, 2661-2665.  | 1.7 | 8         |
| 80 | Chip-integrated ultrawide-band all-optical logic comparator in plasmonic circuits. Scientific Reports, 2014, 4, 3869.  | 3.3 | 35        |
| 81 | On-chip plasmon-induced transparency based on plasmonic coupled nanocavities. Scientific Reports, 2014, 4, 3752.   | 3.3 | 140       |
| 82 | Ultrawideâ€Band Unidirectional Surface Plasmon Polariton Launchers. Advanced Optical Materials, 2013, 1, 792-797.  | 7.3 | 15        |
| 83 | Ferroelectric Hybrid Plasmonic Waveguide for All-Optical Logic Gate Applications. Plasmonics, 2013, 8, 749-754.  | 3.4 | 39        |
| 84 | Ultralow-power and ultrafast all-optical tunable plasmon-induced transparency in metamaterials at optical communication range. Scientific Reports, 2013, 3, 2338.                            | 3.3 | 72        |
| 85 | Ultralow-power all-optical tunable dual Fano resonances in nonlinear metamaterials. Applied Physics<br>Letters, 2013, 103, .   | 3.3 | 9         |
| 86 | Low-power and ultrafast all-optical tunable plasmon-induced transparency in plasmonic nanostructures. Applied Physics Letters, 2013, 102, 201119.  | 3.3 | 42        |
| 87 | Fast and Lowâ€Power Allâ€Optical Tunable Fano Resonance in Plasmonic Microstructures. Advanced Optical Materials, 2013, 1, 61-67.  | 7.3 | 56        |
| 88 | All-Optical Tunable Wavelength-Division Multiplexing Based on Colloidal Crystal Coated Silver Film. Plasmonics, 2012, 7, 589-594.  | 3.4 | 2         |
| 89 | Large Nonlinearity Enhancement of Ag/MEH-PPV Nanocomposite by Surface Plasmon Resonance at 1,550 nm. Plasmonics, 2012, 7, 159-165.   | 3.4 | 5         |
| 90 | Ultrahigh-contrast and wideband nanoscale photonic crystal all-optical diode. Optics Letters, 2011, 36, 4668.  | 3.3 | 52        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Nanoscale Surface Plasmon All-Optical Diode Based on Plasmonic Slot Waveguides. Plasmonics, 2011, 6, 619-624.   | 3.4  | 31        |
| 92  | Lowâ€Power and Highâ€Contrast Nanoscale Allâ€Optical Diodes Via Nanocomposite Photonic Crystal Microcavities. Advanced Functional Materials, 2011, 21, 1803-1809. | 14.9 | 48        |
| 93  | Lowâ€Power and Ultrafast Allâ€Optical Tunable Nanometerâ€Scale Photonic Metamaterials. Advanced Materials, 2011, 23, 4295-4300.                                   | 21.0 | 29        |
| 94  | Ultafast organic nonlinear optical molecules and the realization of mesoscopic photonic devices. Science Bulletin, 2010, 55, 2111-2117.                           | 1.7  | 1         |
| 95  | Tunable time response of the nonlinearity of nanocomposites by doping semiconductor quantum dots. Optics Express, 2009, 17, 18858.                                | 3.4  | 10        |
| 96  | Picosecond and low-power all-optical switching based on an organic photonic-bandgap microcavity. Nature Photonics, 2008, 2, 185-189.                              | 31.4 | 273       |
| 97  | Ultrafast Organic Photonic Crystal Optical Switching. , 2007, , .   |      | 0         |
| 98  | Low-Power Photonic Crystal All-Optical Switching., 2007,,.  |      | 0         |
| 99  | Ultrafast tunable filter in two-dimensional organic photonic crystal. Optics Letters, 2006, 31, 371.  | 3.3  | 15        |
| 100 | All-optical tunable photonic bandgap microcavities with a femtosecond time response. Optics Letters, 2006, 31, 2777.  | 3.3  | 6         |
| 101 | Ultrafast tunable filter in two-dimensional organic photonic crystal. , 2006, , .   |      | O         |