Sunil Yeruva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3144832/publications.pdf

Version: 2024-02-01

44 1,148 16 30 g-index

45 45 45 1685 all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Structure and regulation of desmosomes in intercalated discs: Lessons from epithelia. Journal of Anatomy, 2023, 242, 81-90. | 1.5 | 13 |
| 2 | EGFR Inhibition in Cardiomyocytes Stabilizes Cardiomyocyte Cohesion in a Murine Model for Arrhythmogenic Cardiomyopathy. FASEB Journal, 2022, 36, . | 0.5 | 1 |
| 3 | Differential regulation of claudin-2 and claudin-15 expression in children and adults with malabsorptive disease. Laboratory Investigation, 2020, 100, 483-490. | 3.7 | 17 |
| 4 | Adrenergic Signaling-Induced Ultrastructural Strengthening of Intercalated Discs via Plakoglobin Is Crucial for Positive Adhesiotropy in Murine Cardiomyocytes. Frontiers in Physiology, 2020, 11, 430. | 2.8 | 14 |
| 5 | The inotropic agent digitoxin strengthens desmosomal adhesion in cardiac myocytes in an ERK1/2-dependent manner. Basic Research in Cardiology, 2020, 115, 46. | 5.9 | 17 |
| 6 | Calciumâ€sensing receptor regulates intestinal dipeptide absorption via Ca ²⁺ signaling and IK _{Ca} activation. Physiological Reports, 2020, 8, e14337. | 1.7 | 8 |
| 7 | Stabilization of desmoglein-2 binding rescues arrhythmia in arrhythmogenic cardiomyopathy. JCI Insight, 2020, 5, . | 5.0 | 16 |
| 8 | Cardiomyocyte adhesion and hyperadhesion differentially require ERK1/2 and plakoglobin. JCI Insight, 2020, 5, . | 5.0 | 17 |
| 9 | Adrenergic signalingâ€induced ultrastructural strengthening of intercalated discs via PG is crucial for positive adhesiotropy in murine cardiomyocytes FASEB Journal, 2020, 34, 1-1. | 0.5 | 0 |
| 10 | Differential regulation of cardiomyocyte cohesion by signaling pathways involve ERK1/2 or Plakoglobin. FASEB Journal, 2020, 34, 1-1. | 0.5 | 0 |
| 11 | Regulation of cardiac myocyte cohesion and gap junctions via desmosomal adhesion. Acta Physiologica, 2019, 226, e13242. | 3.8 | 15 |
| 12 | Expression, Localization and Functional Activity of the Major Na+/H+ Exchange Isoforms Expressed in the Intestinal Cell Line Caco-2BBe. Cellular Physiology and Biochemistry, 2019, 52, 1017-1038. | 1.6 | 9 |
| 13 | Inotropic Agent Digitoxin Strengthens Desmosomal Adhesion in Cardiac Myocytes in an ERK1/2â€dependent Manner. FASEB Journal, 2019, 33, 374.7. | 0.5 | O |
| 14 | Environmental Enteropathy in Undernourished Pakistani Children: Clinical and Histomorphometric Analyses. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1577-1584. | 1.4 | 20 |
| 15 | Silencing of NHE2 Enhances Migratory Speed in Colonic Epithelial Cells. FASEB Journal, 2018, 32, 747.20. | 0.5 | 1 |
| 16 | The Sodium/Hydrogen Exchanger 2 (Slc9a2/NHE2) is Involved in the Differentiation of Colonic Intestinal Epithelial Cells. FASEB Journal, 2018, 32, 747.15. | 0.5 | 0 |
| 17 | IL-22ÂUpregulates Epithelial Claudin-2 to Drive Diarrhea and Enteric Pathogen Clearance. Cell Host and Microbe, 2017, 21, 671-681.e4. | 11.0 | 178 |
| 18 | Contributions of intestinal epithelial barriers to health and disease. Experimental Cell Research, 2017, 358, 71-77. | 2.6 | 57 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Na ⁺ /H ⁺ exchanger NHE1 and NHE2 have opposite effects on migration velocity in rat gastric surface cells. Journal of Cellular Physiology, 2017, 232, 1669-1680. | 4.1 | 16 |
| 20 | Epithelial Organization: The Gut and Beyond. , 2017, 7, 1497-1518. | | 16 |
| 21 | Environmental Enteropathy in Pakistani Children: Clinical Profile and Histomorphometric Analysis. Gastroenterology, 2017, 152, S437-S438. | 1.3 | 1 |
| 22 | Impaired Barrier Function and Autoantibody Generation in Malnutrition Enteropathy in Zambia. EBioMedicine, 2017, 22, 191-199. | 6.1 | 66 |
| 23 | IL- $1\hat{l}^2$ -Induced Downregulation of the Multifunctional PDZ Adaptor PDZK1 Is Attenuated by ERK Inhibition, RXR \hat{l} ±, or PPAR \hat{l} ± Stimulation in Enterocytes. Frontiers in Physiology, 2017, 8, 61. | 2.8 | 13 |
| 24 | Loss of Slc26a9 anion transporter alters intestinal electrolyte and HCO3 - transport and reduces survival in CFTR-deficient mice. Pflugers Archiv European Journal of Physiology, 2015, 467, 1261-1275. | 2.8 | 54 |
| 25 | Tu1854 The Alarmin High Mobility Group Box 1 (HMGB1) Is Released From Enterocytes During Intestinal Inflammation and Causes Increased Interferon- \hat{l}^3 and Decreased Na+/H+ Exchanger Isoform 3 Expression. Gastroenterology, 2015, 148, S-920. | 1.3 | 0 |
| 26 | Su $1846IL$ - $1\hat{l}^2InducedPDZK1DownregulationReducesNHE3ActivityinIntestinalEpithelialCells.Gastroenterology, 2015, 148, S-532.$ | 1.3 | 0 |
| 27 | Tu1394 PDZK1 Expression Is Critical for the Brush Border Membrane Localisation, Membrane Half Life and cAMP-Mediated Regulation of Enterocyte Na+/H+ Exchanger Isoform 3. Gastroenterology, 2015, 148, S-878. | 1.3 | 0 |
| 28 | Evidence for a causal link between adaptor protein PDZK1 downregulation and Na+/H+ exchanger NHE3 dysfunction in human and murine colitis. Pflugers Archiv European Journal of Physiology, 2015, 467, 1795-1807. | 2.8 | 29 |
| 29 | The distinct roles of anion transporters Slc26a3 (DRA) and Slc26a6 (PAT-1) in fluid and electrolyte absorption in the murine small intestine. Pflugers Archiv European Journal of Physiology, 2014, 466, 1541-1556. | 2.8 | 59 |
| 30 | Intestinal inflammation induces functional Na + /H + exchanger 3 defect via downregulation of PDZâ€domain adaptor protein PDZK1 (NHERF3). FASEB Journal, 2013, 27, 949.4. | 0.5 | 0 |
| 31 | Loss of downregulated in adenoma (DRA) impairs mucosal HCO3â° secretion in murine ileocolonic inflammation. Inflammatory Bowel Diseases, 2012, 18, 101-111. | 1.9 | 78 |
| 32 | Glucocorticoid-Mediated Increase in NHE3 Synthesis, Membrane Trafficking and Function is Differentially Impaired in NHERF2 Ko and NHERF3 (PDZK1) Ko Ileum. Gastroenterology, 2011, 140, S-658. | 1.3 | 0 |
| 33 | New therapeutic targets in ulcerative colitis: The importance of ion transporters in the human colon. Inflammatory Bowel Diseases, 2011, 17, 884-898. | 1.9 | 66 |
| 34 | Preserved Na+/H+ exchanger isoform 3 expression and localization, but decreased NHE3 function indicate regulatory sodium transport defect in ulcerative colitisâ€. Inflammatory Bowel Diseases, 2010, 16, 1149-1161. | 1.9 | 54 |
| 35 | Loss of PDZ-adaptor protein NHERF2 affects membrane localization and cGMP- and [Ca2+]- but not cAMP-dependent regulation of Na+/H+exchanger 3 in murine intestine. Journal of Physiology, 2010, 588, 5049-5063. | 2.9 | 33 |
| 36 | Gene ablation for PEPT1 in mice abolishes the effects of dipeptides on small intestinal fluid absorption, short-circuit current, and intracellular pH. American Journal of Physiology - Renal Physiology, 2010, 299, G265-G274. | 3.4 | 42 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | T1841 Differential Effect of NHE3 Kinase a Regulatory Protein (E3karp/NHERF2) Knockout on cAMP-, cGMP-, or [Ca2+]-Induced Inhibition of Na+/H+ Exchanger 3 (NHE3) Activity Along the Murine Intestinal Tract. Gastroenterology, 2010, 138, S-590. | 1.3 | 0 |
| 38 | Lysophosphatidic Acid Stimulates the Intestinal Brush Border Na+/H+ Exchanger 3 and Fluid Absorption via LPA5 and NHERF2. Gastroenterology, 2010, 138, 649-658. | 1.3 | 105 |
| 39 | Knockout mouse models for intestinal electrolyte transporters and regulatory PDZ adaptors: new insights into cystic fibrosis, secretory diarrhoea and fructoseâ€induced hypertension. Experimental Physiology, 2009, 94, 175-179. | 2.0 | 31 |
| 40 | 885 Preserved Abundance But Functional Dysregulation of Na+/H+ Exchanger Isoform NHE3 in the Small and Large Intestine in CD45RBhigh Transfer Colitis Mice with Diarrhea. Gastroenterology, 2009, 136, A-136-A-137. | 1.3 | 0 |
| 41 | T1728 Downregulation of Na+/H+ Exchanger Isoform 3 (NHE3) Function, But Not Expression, in Colonic Mucosa of Patients with Moderately Active Ulcerative Colitis May Be Related to Loss of PDZK1 Adaptor Protein Expression. Gastroenterology, 2009, 136, A-567. | 1.3 | O |
| 42 | Dual role of the Na+/H+ exchanger isoform 3 for PEPT1â€mediated H+/dipeptide cotransport in native murine intestine. FASEB Journal, 2009, 23, 796.42. | 0.5 | 0 |
| 43 | NF-Î $^{\circ}$ B-dependent synergistic regulation of CXCL10 gene expression by IL-1Î 2 and IFN-Î 3 in human intestinal epithelial cell lines. International Journal of Colorectal Disease, 2008, 23, 305-317. | 2.2 | 81 |
| 44 | Quantitative gene expression of cytokines in peripheral blood leukocytes stimulated in vitro: modulation by the anti-tumor nerosis factor-alpha antibody infliximab and comparison with the mucosal cytokine expression in patients with ulcerative colitis. Translational Research, 2007, 150, 223-232. | 5.0 | 21 |