

Michihiro Hide

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3146917/publications.pdf>

Version: 2024-02-01

274
papers

11,579
citations

38742

50
h-index

32842

100
g-index

311
all docs

311
docs citations

311
times ranked

7511
citing authors

#	ARTICLE	IF	CITATIONS
1	The EAACI/GA ² LEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1393-1414.	5.7	1,008
2	The EAACI/GA ² LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 868-887.	5.7	912
3	Autoantibodies against the High-Affinity IgE Receptor as a Cause of Histamine Release in Chronic Urticaria. New England Journal of Medicine, 1993, 328, 1599-1604.	27.0	812
4	Unmet clinical needs in chronic spontaneous urticaria. A GA ² LEN task force report1. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 317-330.	5.7	597
5	The international EAACI/GA ² LEN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 734-766.	5.7	392
6	The international WAO/EAACI guideline for the management of hereditary angioedema—The 2017 revision and update. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1575-1596.	5.7	365
7	Detection of circulating histamine releasing autoantibodies with functional properties of anti-IgE in chronic urticaria. Clinical and Experimental Allergy, 1991, 21, 695-704.	2.9	311
8	Dermal Mast Cell Activation by Autoantibodies Against the High Affinity IgE Receptor in Chronic Urticaria. Journal of Investigative Dermatology, 1996, 106, 1001-1006.	0.7	281
9	A randomized double-blind trial of intravenous immunoglobulin for pemphigus. Journal of the American Academy of Dermatology, 2009, 60, 595-603.	1.2	233
10	Exercise and aspirin increase levels of circulating gliadin peptides in patients with wheat-dependent exercise-induced anaphylaxis. Clinical and Experimental Allergy, 2005, 35, 461-466.	2.9	219
11	Guidelines for management of atopic dermatitis. Journal of Dermatology, 2009, 36, 563-577.	1.2	215
12	The international WAO/EAACI guideline for the management of hereditary angioedema—The 2021 revision and update. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1961-1990.	5.7	153
13	Complex permittivities of breast tumor tissues obtained from cancer surgeries. Applied Physics Letters, 2014, 104, .	3.3	151
14	The global burden of chronic urticaria for the patient and society*. British Journal of Dermatology, 2021, 184, 226-236.	1.5	150
15	Coagulation/fibrinolysis and inflammation markers are associated with disease activity in patients with chronic urticaria. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 649-656.	5.7	143
16	Real-Time Analysis of Ligand-Induced Cell Surface and Intracellular Reactions of Living Mast Cells Using a Surface Plasmon Resonance-Based Biosensor. Analytical Biochemistry, 2002, 302, 28-37.	2.4	137
17	Surface Plasmon Resonance for Cell-Based Clinical Diagnosis. Sensors, 2014, 14, 4948-4959.	3.8	128
18	International consensus on hereditary and acquired angioedema. Annals of Allergy, Asthma and Immunology, 2012, 109, 395-402.	1.0	118

#	ARTICLE	IF	CITATIONS
37	New insight into mechanisms of pruritus from molecular studies on familial primary localized cutaneous amyloidosis. <i>British Journal of Dermatology</i> , 2009, 161, 1217-1224.	1.5	66
38	Increase of coagulation potential in chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 428-433.	5.7	66
39	Fucoidan prevents CÎ¼ germline transcription and NFÎ²B p52 translocation for IgE production in B cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 501-507.	2.1	63
40	Calcium influx in a rat mast cell (RBL-2H3) line. Use of multivalent metal ions to define its characteristics and role in exocytosis. <i>Journal of Biological Chemistry</i> , 1991, 266, 15221-15229.	3.4	62
41	Adrenergic urticaria in a patient with cholinergic urticaria. <i>British Journal of Dermatology</i> , 2008, 158, 629-631.	1.5	61
42	Roles of omalizumab in various allergic diseases. <i>Allergology International</i> , 2020, 69, 167-177.	3.3	61
43	The Pathogenesis of Chronic Spontaneous Urticaria: The Role of Infiltrating Cells. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2195-2208.	3.8	61
44	Outbreak of immediate-type hydrolyzed wheat protein allergy due to a facial soap in Japan. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 879-881.e7.	2.9	60
45	IgE-mediated Hypersensitivity Against Human Sweat Antigen in Patients with Atopic Dermatitis. <i>Acta Dermato-Venereologica</i> , 2002, 82, 335-340.	1.3	58
46	Sweat antigen induces histamine release from basophils of patients with cholinergic urticaria associated with atopic diathesis. <i>British Journal of Dermatology</i> , 2009, 160, 426-428.	1.5	58
47	Impact of chronic urticaria on quality of life and work in Japan: Results of a realâ€world study. <i>Journal of Dermatology</i> , 2018, 45, 963-970.	1.2	58
48	Calcium influx in a rat mast cell (RBL-2H3) line. Use of multivalent metal ions to define its characteristics and role in exocytosis. <i>Journal of Biological Chemistry</i> , 1991, 266, 15221-9.	3.4	58
49	Application of SPR Imaging Sensor for Detection of Individual Living Cell Reactions and Clinical Diagnosis of Type I Allergy. <i>Allergology International</i> , 2013, 62, 163-169.	3.3	57
50	Elevated Serum IgE against MGL_1304 in Patients with Atopic Dermatitis and Cholinergic Urticaria. <i>Allergology International</i> , 2014, 63, 83-93.	3.3	54
51	Increasing the dose of cetirizine may lead to better control of chronic idiopathic urticaria: an open study of 21 patients. <i>British Journal of Dermatology</i> , 2007, 157, 803-804.	1.5	53
52	The effectiveness of montelukast for the treatment of anti-histamine-resistant chronic urticaria. <i>Archives of Dermatological Research</i> , 2005, 297, 134-138.	1.9	52
53	Secretion of recombinant human IgE-Fc by mammalian cells and biological activity of glycosylation site mutants. <i>Protein Engineering, Design and Selection</i> , 1995, 8, 193-199.	2.1	51
54	Semi-purification of the immunoglobulin E-sweat antigen acting on mast cells and basophils in atopic dermatitis. <i>Experimental Dermatology</i> , 2006, 15, 283-290.	2.9	51

#	ARTICLE	IF	CITATIONS
55	Living cell positioning on the surface of gold film for SPR analysis. <i>Biosensors and Bioelectronics</i> , 2007, 23, 562-567.	10.1	51
56	Efficacy and safety of omalizumab in Japanese and Korean patients with refractory chronic spontaneous urticaria. <i>Journal of Dermatological Science</i> , 2017, 87, 70-78.	1.9	49
57	Peritoneal injection of fucoidan suppresses the increase of plasma IgE induced by OVA-sensitization. <i>Biochemical and Biophysical Research Communications</i> , 2009, 387, 435-439.	2.1	46
58	Effects of non-steroidal anti-inflammatory drugs (NSAIDs) on serum allergen levels after wheat ingestion. <i>Journal of Dermatological Science</i> , 2009, 53, 241-243.	1.9	45
59	The international WAO/EAACI guideline for the management of hereditary angioedema – the 2017 revision and update. <i>World Allergy Organization Journal</i> , 2018, 11, 5.	3.5	45
60	Evaluation of peripheral blood basophil activation by means of surface plasmon resonance imaging. <i>Biosensors and Bioelectronics</i> , 2012, 32, 62-68.	10.1	43
61	Substance P induces tumor necrosis factor- α release from human skin via mitogen-activated protein kinase. <i>European Journal of Pharmacology</i> , 2000, 398, 309-315.	3.5	42
62	Hydrolyzed Konjac Glucomannan Suppresses IgE Production in Mice B Cells. <i>International Archives of Allergy and Immunology</i> , 2010, 152, 122-130.	2.1	41
63	Surface plasmon resonance-biosensor detects the diversity of responses against epidermal growth factor in various carcinoma cell lines. <i>Biosensors and Bioelectronics</i> , 2012, 32, 202-207.	10.1	41
64	Dietary Pulverized Konjac Glucomannan Prevents the Development of Allergic Rhinitis-Like Symptoms and IgE Response in Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2007, 71, 2551-2556.	1.3	40
65	Surface plasmon resonance biosensor detects the downstream events of active PKC β in antigen-stimulated mast cells. <i>Biosensors and Bioelectronics</i> , 2008, 23, 1652-1658.	10.1	40
66	Fucoidan suppresses IgE production in peripheral blood mononuclear cells from patients with atopic dermatitis. <i>Archives of Dermatological Research</i> , 2011, 303, 425-431.	1.9	40
67	The IL-6 family cytokines, interleukin-6, interleukin-11, oncostatin M, and leukemia inhibitory factor, enhance mast cell growth through fibroblast-dependent pathway in mice. <i>Archives of Dermatological Research</i> , 2001, 293, 508-514.	1.9	39
68	Chronic spontaneous urticaria and the extrinsic coagulation system. <i>Allergology International</i> , 2018, 67, 191-194.	3.3	39
69	Japanese Guidelines for Diagnosis and Treatment of Urticaria in Comparison with Other Countries. <i>Allergology International</i> , 2012, 61, 517-527.	3.3	38
70	Oral administration of pulverized Konjac glucomannan prevents the increase of plasma immunoglobulin E and immunoglobulin G levels induced by the injection of syngeneic keratinocyte extracts in BALB/c mice. <i>Clinical and Experimental Allergy</i> , 2006, 36, 102-110.	2.9	37
71	The international WAO/EAACI guideline for the management of hereditary angioedema – The 2021 revision and update. <i>World Allergy Organization Journal</i> , 2022, 15, 100627.	3.5	37
72	Histamine H1-receptor in endothelial and smooth muscle cells of guinea-pig aorta. <i>European Journal of Pharmacology</i> , 1988, 148, 161-169.	3.5	34

#	ARTICLE	IF	CITATIONS
73	The molecular skin pathology of familial primary localized cutaneous amyloidosis. <i>Experimental Dermatology</i> , 2010, 19, 416-423.	2.9	34
74	Aspirin Augments IgE-Mediated Histamine Release from Human Peripheral Basophils via Syk Kinase Activation. <i>Allergology International</i> , 2013, 62, 503-511.	3.3	34
75	Dietary Pulverized Konjac Glucomannan Suppresses Scratching Behavior and Skin Inflammatory Immune Responses in NC/Nga Mice. <i>International Archives of Allergy and Immunology</i> , 2007, 144, 95-104.	2.1	32
76	<i>Staphylococcus aureus</i> from atopic dermatitis skin alters cytokine production triggered by monocyte-derived Langerhans cell. <i>Journal of Dermatological Science</i> , 2017, 88, 271-279.	1.9	32
77	Association of Preexisting Interstitial Lung Abnormalities With Immune Checkpoint Inhibitor-Induced Interstitial Lung Disease Among Patients With Nonlung Cancers. <i>JAMA Network Open</i> , 2020, 3, e2022906.	5.9	32
78	A critical role of conventional protein kinase C in morphological changes of rodent mast cells. <i>Immunology and Cell Biology</i> , 2011, 89, 149-159.	2.3	31
79	Substance P- and antigen-induced release of leukotriene B ₄ , prostaglandin D ₂ and histamine from guinea pig skin by different mechanisms in vitro. <i>Archives of Dermatological Research</i> , 1999, 291, 466-473.	1.9	30
80	IL-4 modulates the histamine content of mast cells in a mast cell/fibroblast coculture through a Stat6 signaling pathway in fibroblasts. <i>FEBS Letters</i> , 2005, 579, 6653-6658.	2.8	30
81	Community validation of the U.K. diagnostic criteria for atopic dermatitis in Japanese elementary schoolchildren. <i>Journal of Dermatological Science</i> , 2007, 47, 227-231.	1.9	30
82	A Randomized, Open-Label, Multicenter Trial of Topical Tacrolimus for the Treatment of Pruritis in Patients with Atopic Dermatitis. <i>Annals of Dermatology</i> , 2012, 24, 144.	0.9	29
83	Chronic idiopathic urticaria (CIU) is no longer idiopathic: time for an update. <i>British Journal of Dermatology</i> , 2013, 168, 455-456.	1.5	29
84	The Sensitivity and Clinical Course of Patients with Wheat-Dependent Exercise-Induced Anaphylaxis Sensitized to Hydrolyzed Wheat Protein in Facial Soap - Secondary Publication. <i>Allergology International</i> , 2013, 62, 351-358.	3.3	29
85	Definition, aims, and implementation of GA ² LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2115-2123.	5.7	29
86	Applying Surface Plasmon Resonance to Monitor the IgE-Mediated Activation of Human Basophils. <i>Allergology International</i> , 2008, 57, 347-358.	3.3	28
87	Efficacy and safety of bilastine in Japanese patients with chronic spontaneous urticaria: A multicenter, randomized, double-blind, placebo-controlled, parallel-group phase II/III study. <i>Allergology International</i> , 2017, 66, 317-325.	3.3	28
88	<i>Staphylococcus aureus</i> from atopic dermatitis skin accumulates in the lysosomes of keratinocytes with induction of IL-1 β secretion via TLR9. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 560-571.	5.7	28
89	The release of leukotriene B ₄ from human skin in response to substance P: evidence for the functional heterogeneity of human skin mast cells among individuals. <i>Clinical and Experimental Immunology</i> , 2002, 124, 150-156.	2.6	27
90	Environmental factors associated with childhood eczema: Findings from a national web-based survey. <i>Allergology International</i> , 2016, 65, 420-424.	3.3	27

#	ARTICLE	IF	CITATIONS
91	Sweat allergy. <i>Allergology International</i> , 2018, 67, 435-441.	3.3	27
92	Efficacy and safety of dupilumab in Japanese adults with moderate-to-severe atopic dermatitis: a subanalysis of three clinical trials. <i>British Journal of Dermatology</i> , 2020, 183, 39-51.	1.5	27
93	Consensus on treatment goals in hereditary angioedema: A global Delphi initiative. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 1526-1532.	2.9	27
94	The Role of Coagulation and Complement Factors for Mast Cell Activation in the Pathogenesis of Chronic Spontaneous Urticaria. <i>Cells</i> , 2021, 10, 1759.	4.1	27
95	Histamine enhances UVB-induced IL-6 production by human keratinocytes. <i>Archives of Dermatological Research</i> , 1998, 290, 429-434.	1.9	26
96	Histamine and Toll-like receptor ligands synergistically induce endothelial cell gap formation by the extrinsic coagulating pathway. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1115-1118.e7.	2.9	26
97	Management of urticarial vasculitis: A worldwide physician perspective. <i>World Allergy Organization Journal</i> , 2020, 13, 100107.	3.5	26
98	Sustained safety and efficacy of ligelizumab in patients with chronic spontaneous urticaria: A one-year extension study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2175-2184.	5.7	26
99	One-year safety and efficacy study of bilastine treatment in Japanese patients with chronic spontaneous urticaria or pruritus associated with skin diseases. <i>Journal of Dermatology</i> , 2017, 44, 375-385.	1.2	25
100	Oral berotralstat for the prophylaxis of hereditary angioedema attacks in patients in Japan: A phase 3 randomized trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1789-1799.	5.7	25
101	Coagulation factors induce human skin mast cell and basophil degranulation via activation of complement 5 and the C5a receptor. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1101-1104.e7.	2.9	25
102	Sweat allergy: Extrinsic or intrinsic?. <i>Journal of Dermatological Science</i> , 2017, 87, 3-9.	1.9	24
103	HLA-DQ and RBFOX1 as susceptibility genes for an outbreak of hydrolyzed wheat allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1354-1363.	2.9	24
104	Identification of a homozygous deletion mutation in <i>C16orf57</i> in a family with Clericuzio-type poikiloderma with neutropenia. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 1347-1348.	1.2	21
105	The first nationwide surveillance of antibacterial susceptibility patterns of pathogens isolated from skin and soft-tissue infections in dermatology departments in Japan. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 503-511.	1.7	21
106	Proposal of 0.5 mg of protein/100 g of processed food as threshold for voluntary declaration of food allergen traces in processed food: A first step in an initiative to better inform patients and avoid fatal allergic reactions: A GA ² LEN position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1736-1750.	5.7	21
107	Pulverized konjac glucomannan ameliorates oxazolone-induced colitis in mice. <i>European Journal of Nutrition</i> , 2015, 54, 959-969.	3.9	20
108	Pressure challenge test and histopathological inspections for 17 Japanese cases with clinically diagnosed delayed pressure urticaria. <i>Archives of Dermatological Research</i> , 2010, 302, 613-617.	1.9	19

#	ARTICLE	IF	CITATIONS
109	A human monoclonal IgE antibody that binds to MGL_1304, a major allergen in human sweat, without activation of mast cells and basophils. <i>Biochemical and Biophysical Research Communications</i> , 2015, 468, 99-104.	2.1	19
110	Diagnosis of immediate-type allergy using surface plasmon resonance. <i>Optical Materials Express</i> , 2016, 6, 1339.	3.0	19
111	Decreased intracellular histamine concentration and basophil activation in anaphylaxis. <i>Allergy International</i> , 2020, 69, 78-83.	3.3	19
112	Food-dependent Exercise-induced Anaphylaxis due to Ingestion of Orange. <i>Acta Dermato-Venereologica</i> , 2004, 84, 152-153.	1.3	18
113	Identification of a cell line producing high levels of TSLP: Advantages for screening of anti-allergic drugs. <i>Journal of Immunological Methods</i> , 2014, 402, 9-14.	1.4	18
114	Increased thrombin generation potential in patients with chronic spontaneous urticaria. <i>Allergy International</i> , 2015, 64, 96-98.	3.3	18
115	The use of tranexamic acid for on-demand and prophylactic treatment of hereditary angioedema: A systematic review. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 126-138.	0.3	18
116	Bone marrow derived mast cell acquire responsiveness to substance P with Ca ²⁺ signals and release of leukotriene B ₄ via mitogen-activated protein kinase. <i>Journal of Neuroimmunology</i> , 2006, 181, 1-12.	2.3	17
117	Histamine release-neutralization assay for sera of patients with atopic dermatitis and/or cholinergic urticaria is useful to screen type I hypersensitivity against sweat antigens. <i>Archives of Dermatological Research</i> , 2012, 304, 647-654.	1.9	17
118	The Toll-like receptor 4-activated neuroprotective microglia subpopulation survives via granulocyte macrophage colony-stimulating factor and JAK2/STAT5 signaling. <i>Neurochemistry International</i> , 2016, 93, 82-94.	3.8	17
119	Neuromedin U directly induces degranulation of skin mast cells, presumably via MRGPRX2. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2256-2260.	5.7	17
120	Development of SPR Imaging-Impedance Sensor for Multi-Parametric Living Cell Analysis. <i>Sensors</i> , 2019, 19, 2067.	3.8	17
121	<i>Pelodera strongyloides</i> infestation presenting as pruritic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, S181-S184.	1.2	16
122	Cutaneous Mast Cell Receptors. <i>Dermatologic Clinics</i> , 2007, 25, 563-575.	1.7	16
123	A New Reliable Method for Detecting Specific IgE Antibodies in the Patients with Immediate Type Wheat Allergy due to Hydrolyzed Wheat Protein: Correlation of Its Titer and Clinical Severity. <i>Allergy International</i> , 2014, 63, 243-249.	3.3	16
124	Oral administration of β -carotene or lycopene prevents atopic dermatitis-like dermatitis in HR mice. <i>Journal of Dermatology</i> , 2016, 43, 1188-1192.	1.2	16
125	Remission rate of patients with wheat allergy sensitized to hydrolyzed wheat protein in facial soap. <i>Allergy International</i> , 2016, 65, 109-111.	3.3	16
126	Mitigating Disparity in Health-care Resources Between Countries for Management of Hereditary Angioedema. <i>Clinical Reviews in Allergy and Immunology</i> , 2021, 61, 84-97.	6.5	16

#	ARTICLE	IF	CITATIONS
127	Non-tumor mast cells cultured in vitro on a honeycomb-like structured film proliferate with multinucleated formation. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014, 10, 313-319.	3.3	15
128	Different hypersensitivities against homologous proteins of MGL_1304 in patients with atopic dermatitis. <i>Allergology International</i> , 2018, 67, 103-108.	3.3	15
129	Activation of Human Peripheral Basophils in Response to High IgE Antibody Concentrations without Antigens. <i>International Journal of Molecular Sciences</i> , 2019, 20, 45.	4.1	15
130	Clinical diagnosis of type I allergy by means of SPR imaging with less than a microliter of peripheral blood. <i>Sensing and Bio-Sensing Research</i> , 2014, 2, 43-48.	4.2	14
131	Efficacy and safety of rupatadine in Japanese adult and adolescent patients with chronic spontaneous urticaria: A double-blind, randomized, multicenter, placebo-controlled clinical trial. <i>Allergology International</i> , 2019, 68, 59-67.	3.3	14
132	A single reaction-diffusion equation for the multifarious eruptions of urticaria. <i>PLoS Computational Biology</i> , 2020, 16, e1007590.	3.2	14
133	The diagnosis and treatment of hereditary angioedema patients in Japan: A patient reported outcome survey. <i>Allergology International</i> , 2021, 70, 235-243.	3.3	14
134	Genome-wide association study reveals an association between the HLA-DPB1*02:01:02 allele and wheat-dependent exercise-induced anaphylaxis. <i>American Journal of Human Genetics</i> , 2021, 108, 1540-1548.	6.2	14
135	Refractory Chronic Urticaria Treated Effectively with the Protease Inhibitors, Nafamostat Mesilate and Camostat Mesilate. <i>Acta Dermato-Venereologica</i> , 2010, 90, 425-426.	1.3	13
136	Efficacy and safety of omalizumab for the treatment of refractory chronic spontaneous urticaria in Japanese patients: Subgroup analysis of the phase 3 POLARIS study. <i>Allergology International</i> , 2018, 67, 243-252.	3.3	13
137	Exploration of biomarkers to predict clinical improvement of atopic dermatitis in patients treated with dupilumab. <i>Medicine (United States)</i> , 2020, 99, e22043.	1.0	13
138	Food-Dependent Exercise-Induced Anaphylaxis Due to Ingestion of Apple. <i>Journal of Dermatology</i> , 2005, 32, 62-63.	1.2	12
139	Mizoribine treatment for antihistamine-resistant chronic autoimmune urticaria. <i>Dermatologic Therapy</i> , 2012, 25, 379-381.	1.7	12
140	The role of adenosine for IgE receptor-dependent degranulation of human peripheral basophils and skin mast cells. <i>Allergology International</i> , 2018, 67, 524-526.	3.3	12
141	Increase of tissue factor expression on the surface of peripheral monocytes of patients with chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 971-974.	5.7	12
142	A case of lower-extremity deep burn wounds with periosteal necrosis successfully treated by use of allogenic cultured dermal substitute. <i>Journal of Artificial Organs</i> , 2010, 13, 101-105.	0.9	11
143	Disseminated Subcutaneous Phaeohyphomycosis caused by <i>Exophiala oligosperma</i> in a Patient with Wegener's Granulomatosis. <i>Acta Dermato-Venereologica</i> , 2013, 93, 356-357.	1.3	11
144	The EAACI/GA2LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. <i>Przegląd Dermatologiczny</i> , 2015, 2, 155-179.	0.1	11

#	ARTICLE	IF	CITATIONS
145	Long-term safety and efficacy of rupatadine in Japanese patients with itching due to chronic spontaneous urticaria, dermatitis, or pruritus: A 12-month, multicenter, open-label clinical trial. <i>Journal of Dermatological Science</i> , 2019, 94, 339-345.	1.9	11
146	Management of hereditary angioedema in Japan: Focus on icatibant for the treatment of acute attacks. <i>Allergology International</i> , 2021, 70, 45-54.	3.3	11
147	Histamine- or vascular endothelial growth factor-induced tissue factor expression and gap formation between vascular endothelial cells are synergistically enhanced by lipopolysaccharide, tumor necrosis factor- α , interleukin (IL)- β or IL-1 β . <i>Journal of Dermatology</i> , 2020, 47, 1293-1300.	1.2	10
148	The practice of active patient involvement in rare disease research using ICT: experiences and lessons from the RUDY JAPAN project. <i>Research Involvement and Engagement</i> , 2021, 7, 9.	2.9	10
149	Anaphylactic Shock Caused by Exposure to Sea Anemones. <i>Allergology International</i> , 2006, 55, 181-184.	3.3	9
150	Elevated interleukin-18 secretion from monoclonal IgM+ B cells in a patient with Schnitzler syndrome. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, e118-e120.	1.2	9
151	A unique clinical phenotype of a patient bearing a newly identified deletion mutation in the <i>PSENEN</i> gene along with the pathogenic serum desmoglein-1 antibody. <i>Clinical and Experimental Dermatology</i> , 2018, 43, 329-332.	1.3	9
152	Rechallenge of programmed cell death 1 inhibitor after an interval with dacarbazine treatment may be effective for advanced malignant melanoma. <i>Journal of Dermatology</i> , 2020, 47, 907-910.	1.2	9
153	Hereditary Angioedema as the Cause of Death from Asphyxia: Postmortem Computed Tomography Study. <i>Allergology International</i> , 2014, 63, 493-494.	3.3	8
154	Evaluation of recombinant MGL_1304 produced by <i>Pichia pastoris</i> for clinical application to sweat allergy. <i>Allergology International</i> , 2015, 64, 266-271.	3.3	8
155	Predictive phenotyping of inherited ichthyosis by next-generation DNA sequencing. <i>British Journal of Dermatology</i> , 2017, 176, 249-251.	1.5	8
156	Evaluation of skin perfusion pressure to assess refractory foot ulcers. <i>Journal of Wound Care</i> , 2017, 26, 267-270.	1.2	8
157	Long-term dynamics of omega-5 gliadin-specific IgE levels in patients with adult-onset wheat allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1149-1151.e3.	3.8	8
158	Remission of Wheat-dependent Exercise-induced Anaphylaxis after the Cessation of Hydrolysed Wheat-containing Soap Usage. <i>Acta Dermato-Venereologica</i> , 2012, 92, 490-491.	1.3	7
159	Diagnostic Tests for Urticaria. <i>Immunology and Allergy Clinics of North America</i> , 2014, 34, 53-72.	1.9	7
160	Prevalences of specific IgE to wheat gliadin components in patients with wheat-dependent exercise-induced anaphylaxis. <i>Allergology International</i> , 2015, 64, 206-208.	3.3	7
161	Analysis of primary treatment and prognosis of spontaneous urticaria. <i>Allergology International</i> , 2017, 66, 458-462.	3.3	7
162	Sensitization against skin resident fungi is associated with atopy in cholinergic urticaria patients. <i>Clinical and Translational Allergy</i> , 2020, 10, 18.	3.2	7

#	ARTICLE	IF	CITATIONS
163	Histamine H1-receptor of vascular endothelial cells cultured from guinea pig skin. Archives of Dermatological Research, 1990, 282, 115-119.	1.9	6
164	Mouse bone marrow-derived mast cells acquire responsiveness to substance P after co-culture with 3T3 fibroblasts in the presence of stem cell factor. Allergology International, 1998, 47, 205-212.	3.3	6
165	Airborne virus detection by a sensing system using a disposable integrated impaction device. Journal of Breath Research, 2016, 10, 036009.	3.0	6
166	Injury due to extravasation of thiopental and propofol: Risks/effects of local cooling/warming in rats. Biochemistry and Biophysics Reports, 2016, 8, 207-211.	1.3	6
167	Novel splice site mutation in <i>LIPH</i> identified in a Japanese patient with autosomal recessive woolly hair. Journal of Dermatology, 2016, 43, 1384-1385.	1.2	6
168	Impedance-Based Living Cell Analysis for Clinical Diagnosis of Type I Allergy. Sensors, 2017, 17, 2503.	3.8	6
169	Clinical utility of the basophil activation test in the diagnosis of sweat allergy. Allergology International, 2020, 69, 261-267.	3.3	6
170	Efficacy, pharmacokinetics, and safety of icatibant for the treatment of Japanese patients with an acute attack of hereditary angioedema: A phase 3 open-label study. Allergology International, 2020, 69, 268-273.	3.3	6
171	Type-I-hypersensitivity to 15 kDa, 28 kDa and 54 kDa proteins in vitellogenin specific to <i>Gadus chalcogrammus</i> roe. Allergology International, 2020, 69, 253-260.	3.3	6
172	A Case of Erythritol Allergy Studied by Basophil Histamine Release and CD203c Expression In Vitro in Addition to a Challenge Test In Vivo. Journal of Investigational Allergology and Clinical Immunology, 2016, 26, 135-136.	1.3	6
173	Infection with <i>Mycobacterium avium-intracellulare</i> with abscess, ulceration and fistula formation. British Journal of Dermatology, 1997, 136, 121-123.	1.5	5
174	Increase in serum IgE levels following injection of syngeneic keratinocyte extracts in BALB/c mice. Archives of Dermatological Research, 2002, 294, 117-123.	1.9	5
175	Novel and recurrent C1 inhibitor gene mutations in nine Japanese patients with hereditary angioedema. Journal of Dermatological Science, 2012, 68, 68-70.	1.9	5
176	A large heterozygous deletion including the entire C1 inhibitor gene in a sporadic case of hereditary angio-oedema. Clinical and Experimental Dermatology, 2012, 37, 20-23.	1.3	5
177	Tissue factor expression on the surface of monocytes from a patient with hereditary angioedema. Journal of Dermatology, 2014, 41, 929-932.	1.2	5
178	Balloon Cell Malignant Melanoma in a Young Female: A Case Report and Review of the Literature. Case Reports in Oncology, 2016, 9, 262-266.	0.7	5
179	Evaluation of Risk of Injury by Extravasation of Hyperosmolar and Vasopressor Agents in a Rat Model. Biological and Pharmaceutical Bulletin, 2018, 41, 951-956.	1.4	5
180	High histamine concentrations in human sweat in association with type I allergy to the semi-purified sweat antigen. Allergology International, 2020, 69, 307-309.	3.3	5

#	ARTICLE	IF	CITATIONS
181	A case of millet allergy that developed into wheat-induced anaphylaxis by cross-reaction between millet and wheat antigens. <i>Allergology International</i> , 2020, 69, 471-473.	3.3	5
182	Analysis of the long-term economic burden of omalizumab on patients with chronic spontaneous urticaria. <i>Journal of Dermatology</i> , 2021, 48, 56-63.	1.2	5
183	A validation study of the Japanese version of the Angioedema Activity Score (AAS) and the Angioedema Quality of Life Questionnaire (AE-QoL). <i>Allergology International</i> , 2021, 70, 471-479.	3.3	5
184	Characterization of intracellular calcium mobilization induced by remimazolam, a newly approved intravenous anesthetic. <i>PLoS ONE</i> , 2022, 17, e0263395.	2.5	5
185	Chronic Urticaria as an Autoimmune Disease. , 2005, , 309-332.		4
186	Case of erythrokeratoderma variabilis successfully treated with oral vitamin A. <i>Journal of Dermatology</i> , 2015, 42, 1124-1125.	1.2	4
187	Micro cell isolation column for allergic diagnosis. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 03DF08.	1.5	4
188	Systematised naevus sebaceus resulting from postzygotic mutation in <i>HRAS</i> . <i>Australasian Journal of Dermatology</i> , 2017, 58, 58-60.	0.7	4
189	Case of cholinergic urticaria accompanied by anaphylaxis. <i>Journal of Dermatology</i> , 2017, 44, 1291-1294.	1.2	4
190	A case of Kaposi varicelliform eruption progressing to herpes simplex virus hepatitis in an immunocompetent patient. <i>Clinical and Experimental Dermatology</i> , 2018, 43, 636-638.	1.3	4
191	Reduction of serum thymus and activation-regulated chemokine after short-term intensive therapy may predict better prognosis of moderate to severe atopic dermatitis. <i>Journal of Dermatology</i> , 2019, 46, e486-e487.	1.2	4
192	Successful treatment of refractory dermal pain with etizolam and clonazepam in a patient with acquired idiopathic generalized anhidrosis. <i>Journal of Dermatology</i> , 2019, 46, e351-e353.	1.2	4
193	Case of malignant melanoma responding to dacarbazine following nivolumab. <i>Dermatologic Therapy</i> , 2019, 32, e12791.	1.7	4
194	Real-world clinical practices for spontaneous urticaria and angioedema in Japan: A nation-wide cross-sectional web questionnaire survey. <i>Allergology International</i> , 2020, 69, 300-303.	3.3	4
195	Calculation of practical skin donor area for meshed skin grafting in real-world surgery. <i>Dermatologic Therapy</i> , 2020, 33, e14393.	1.7	4
196	Randomized double-blind crossover trial of bath additive containing tannic acid in patients with atopic dermatitis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 56-61.	0.3	4
197	Complicated cutaneous leishmaniasis caused by an imported case of <i>Leishmania tropica</i> in Japan: a case report. <i>Tropical Medicine and Health</i> , 2021, 49, 20.	2.8	4
198	Comparison of the time course of atopic dermatitis from birth to 19 years old among generations of patients in Japan. <i>Journal of Dermatology</i> , 2021, 48, 1602-1606.	1.2	4

#	ARTICLE	IF	CITATIONS
199	Clinical and histological characterization of transient dermal pain triggered by sweating stimuli. <i>Allergology International</i> , 2022, 71, 362-372.	3.3	4
200	The extract of syngeneic keratinocytes enhances IgE production from BALB/c mouse splenic lymphocytes in vitro. <i>Archives of Dermatological Research</i> , 2006, 297, 358-366.	1.9	3
201	Development of autoantibody responses in NC/Nga mice: its prevention by pulverized konjac glucomannan feeding. <i>Archives of Dermatological Research</i> , 2008, 300, 95-99.	1.9	3
202	Establishment of a mast cell line, NCL-2, without Kit mutation, derived from NC mouse bone marrow. <i>FEBS Open Bio</i> , 2014, 4, 342-346.	2.3	3
203	Sweat Allergy. <i>Current Problems in Dermatology</i> , 2016, 51, 101-108.	0.7	3
204	Contact urticaria syndrome with IgE antibody against a cefotiam-unique structure, evoked by nonapparent exposure to cefotiam. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 527-531.	1.3	3
205	Efficacy of increased dose of rupatadine up to 20mg on itching in Japanese patients due to chronic spontaneous urticaria, dermatitis, or pruritus: A post hoc analysis of phase III clinical trial. <i>Journal of Cutaneous Immunology and Allergy</i> , 2019, 2, 128-134.	0.3	3
206	Efficacy of switching to bilastine, a histamine H1 receptor antagonist, in patients with chronic spontaneous urticaria (H1-SWITCH): study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 23.	1.6	3
207	Survey of actual conditions of erythema marginatum as a prodromal symptom in Japanese patients with hereditary angioedema. <i>World Allergy Organization Journal</i> , 2021, 14, 100511.	3.5	3
208	Time course of disease severity from birth to 19 years old in patients with moderate to severe atopic dermatitis in adulthood. <i>Journal of Dermatology</i> , 2021, 48, e205-e206.	1.2	3
209	The relationship between the development of erythroderma in patients with atopic dermatitis and the avoidance of anti-inflammatory topical drugs. <i>Allergology International</i> , 2021, 70, 376-378.	3.3	3
210	A novel detection method for cross-linking of IgE-receptors by autoantibodies in chronic spontaneous urticaria. <i>Allergology International</i> , 2021, , .	3.3	3
211	Long-term remission of severe livedoid vasculopathy treated with a short course of intravenous immunoglobulin. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 189-190.	0.3	3
212	Infection with <i>Mycobacterium avium-intracellulare</i> with abscess, ulceration and fistula formation. <i>British Journal of Dermatology</i> , 1997, 136, 121-3.	1.5	3
213	Clinical course of more than 10 years in a patient with extensive skin burns who received cultured epidermal autograft transplantation. <i>Regenerative Therapy</i> , 2022, 19, 154-157.	3.0	3
214	Case Title: 45 year-old male with recurrent angioedema: WAO international case-based discussions. <i>World Allergy Organization Journal</i> , 2014, 7, 2.	3.5	2
215	Prognosis of adult-onset clinically amyopathic dermatomyositis treated with only topical therapy. <i>Journal of Dermatology</i> , 2017, 44, e178-e179.	1.2	2
216	Angioedema associated with excessive sweating and sweat allergy. <i>Journal of Dermatology</i> , 2017, 44, e58-e59.	1.2	2

#	ARTICLE	IF	CITATIONS
235	Anaphylaxis due to thiamine disulfide phosphate, a derivative of vitamin B1; a case report and literature review. <i>Allergology International</i> , 2022, 71, 414-414.	3.3	1
236	Longitudinal prevalence of atopic dermatitis among freshmen at Hiroshima University between 2002 and 2019. <i>Journal of Dermatology</i> , 2022, , .	1.2	1
237	Real-world efficacy of proactive maintenance treatment with delgocitinib ointment twice weekly in adult patients with atopic dermatitis. <i>Dermatologic Therapy</i> , 2022, , e15526.	1.7	1
238	Immunological Changes of Basophil Hyperreactivity to Sweat in Patients With Well-Controlled Atopic Dermatitis. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	1
239	Failure to Tolerate High Affinity IgE Receptors: A Novel Mechanism in the Pathogenesis of Diseases that Result from Abnormal Cell Activation. <i>Annals of Medicine</i> , 1994, 26, 117-118.	3.8	0
240	Problems to Be Resolved in the Management of Urticaria. <i>Allergology International</i> , 2012, 61, 515-516.	3.3	0
241	Characterization of the Causative Allergens for Wheat-Dependent Exercise-Induced Anaphylaxis Sensitized with Hydrolyzed Wheat Proteins in Facial Soap. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, AB215.	2.9	0
242	Wytyczne EAACI/GA2LEN/EDF/WAO dotyczÄ...ce definicji, klasyfikacji, rozpoznawania i leczenia pokrzywki: weryfikacja z 2013 roku z poprawkami. <i>Alergologia Polska - Polish Journal of Allergology</i> , 2015, 2, T1-T23.	0.0	0
243	197 A novel splice site mutation in LIPH identified in a Japanese patient with autosomal recessive woolly hair. <i>Journal of Investigative Dermatology</i> , 2016, 136, S194.	0.7	0
244	152 Predictive phenotyping of inherited ichthyosis by next generation DNA sequencing. <i>Journal of Investigative Dermatology</i> , 2016, 136, S187.	0.7	0
245	352 Neuromedin U directly activates human and mouse skin mast cells. <i>Journal of Investigative Dermatology</i> , 2017, 137, S253.	0.7	0
246	420 Staphylococcus aureus from atopic dermatitis skin alters cytokine production triggered by monocyte-derived Langerhans cell. <i>Journal of Investigative Dermatology</i> , 2017, 137, S264.	0.7	0
247	446 Staphylococcus aureus isolated from patients with atopic dermatitis accumulates in lysosome and induces IL-1a via TLR9 in keratinocytes. <i>Journal of Investigative Dermatology</i> , 2017, 137, S268.	0.7	0
248	392 Impedance-based evaluation of basophil reactions for clinical diagnosis of type I allergy. <i>Journal of Investigative Dermatology</i> , 2017, 137, S67.	0.7	0
249	Role of TF-Triggered Activation of the Coagulation Cascade in the Pathogenesis of Chronic Spontaneous Urticaria. <i>Current Treatment Options in Allergy</i> , 2018, 5, 383-391.	2.2	0
250	Pityriasis lichenoides et varioliformis acuta after vaccination. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 37-38.	0.3	0
251	Grover's disease successfully treated with calcipotriene/betamethasone dipropionate ointment. <i>Dermatologic Therapy</i> , 2020, 33, e14217.	1.7	0
252	Three cases of advanced cutaneous squamous cell carcinoma treated with a combination of carboplatin and epirubicin. <i>European Journal of Hospital Pharmacy</i> , 2020, 27, 128-128.	1.1	0

#	ARTICLE	IF	CITATIONS
253	Fasting-associated urticaria and/or anaphylaxis: A case report. <i>Allergology International</i> , 2021, 70, 271-273.	3.3	0
254	Temporary wheat allergy in the postpartum period. <i>Allergology International</i> , 2021, 70, 159-160.	3.3	0
255	<i>Pemphigus foliaceus</i> with inconsistent findings between clinical features and titres of antidesmoglein autoantibodies. <i>Australasian Journal of Dermatology</i> , 2021, 62, e148-e149.	0.7	0
256	Activated coagulation factors induce histamine release of human skin mast cells and peripheral basophils through activation of complement system. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2021, 94, 1-P2-23.	0.0	0
257	Malcolm Watson Greaves. <i>Journal of Dermatology</i> , 2021, 48, 251-251.	1.2	0
258	Clinical Study Results of Baricitinib (JAK1/2 Inhibitor). <i>Nishinohon Journal of Dermatology</i> , 2021, 83, 301-311.	0.0	0
259	Iatrogenic cutaneous lymphoid hyperplasia induced by squaric acid dibutyl ester. <i>Contact Dermatitis</i> , 2021, 85, 88-90.	1.4	0
260	Capsule endoscopy findings reflect the gastrointestinal conditions of patients with systemic sclerosis. <i>Scientific Reports</i> , 2021, 11, 20163.	3.3	0
261	A Case of Autoimmune Chronic Urticaria due to Anti-IgE Autoantibodies Complicated with Cholecystitis by Gallstone. <i>Nishinohon Journal of Dermatology</i> , 2005, 67, 197-200.	0.0	0
262	Q&A -about Vol. 76-4. <i>Nishinohon Journal of Dermatology</i> , 2014, 76, 606-606.	0.0	0
263	IgE Receptor Autoantibodies. , 1996, , 423-429.		0
264	Generalized Urticarial Reaction after the Intravenous Administration of Methylprednisolone Sodium Succinate: A Case Report.. <i>Nishinohon Journal of Dermatology</i> , 1999, 61, 649-652.	0.0	0
265	Surface Plasmon Resonance for Clinical Diagnosis of Type I Allergy. <i>Methods in Pharmacology and Toxicology</i> , 2015, , 373-385.	0.2	0
266	III. Key Points for the Management of Allergic Skin Diseases. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016, 105, 1942-1951.	0.0	0
267	A Case of Cryopyrin-associated Periodic Syndrome. <i>Nishinohon Journal of Dermatology</i> , 2016, 78, 479-482.	0.0	0
268	Topics in urticaria and angioedema. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2017, 31, 714-720.	0.2	0
269	Purinergic P2Y ₂ receptor is involved in dying cell phagocytosis and mediator production in Toll-like receptor 4-activated microglia. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-1-115.	0.0	0
270	A Case of Secondary Sjögren Syndrome Successfully Treated with Mogamulizumab. <i>Nishinohon Journal of Dermatology</i> , 2019, 81, 306-310.	0.0	0

#	ARTICLE	IF	CITATIONS
271	A case of rapidly progressing malignant melanoma on the scalp. <i>Skin Cancer</i> , 2020, 35, 35-40.	0.0	0
272	Effects of LPS and TNF α on the histamine responsiveness of vascular endothelial cells. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 1-P-092.	0.0	0
273	Clinical Experience with Docetaxel for Advanced Extramammary Paget's Disease. <i>Nishinohon Journal of Dermatology</i> , 2020, 82, 377-379.	0.0	0
274	Impact of physicians' clinical experience and workplace on patients' care of urticaria in Japan: A sub-analysis of a nationwide cross-sectional web questionnaire survey. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 106-108.	0.3	0