

Michihiro Hide

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3146917/publications.pdf>

Version: 2024-02-01

274
papers

11,579
citations

38742

50
h-index

32842

100
g-index

311
all docs

311
docs citations

311
times ranked

7511
citing authors

#	ARTICLE	IF	CITATIONS
1	The international EAACI/GA ² LEN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 734-766.	5.7	392
2	Proposal of 0.5Âmg of protein/100Âg of processed food as threshold for voluntary declaration of food allergen traces in processed foodâ€”A first step in an initiative to better inform patients and avoid fatal allergic reactions: A GA ² LEN position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1736-1750.	5.7	21
3	Minocyclineâ€”induced anaphylaxis mediated by antigenâ€”specific immunoglobulin E. <i>Journal of Dermatology</i> , 2022, 49, .	1.2	2
4	Sustained safety and efficacy of ligelizumab in patients with chronic spontaneous urticaria: A oneâ€”year extension study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2175-2184.	5.7	26
5	Impact of physicians' clinical experience and workplace on patients' care of urticaria in Japan: A subâ€”analysis of a nationâ€”wide crossâ€”sectional web questionnaire survey. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 106-108.	0.3	0
6	The international WAO/EAACI guideline for the management of hereditary angioedemaâ€”The 2021 revision and update. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1961-1990.	5.7	153
7	Characterization of intracellular calcium mobilization induced by remimazolam, a newly approved intravenous anesthetic. <i>PLoS ONE</i> , 2022, 17, e0263395.	2.5	5
8	Clinical course of more than 10 years in a patient with extensive skin burns who received cultured epidermal autograft transplantation. <i>Regenerative Therapy</i> , 2022, 19, 154-157.	3.0	3
9	Clinical and histological characterization of transient dermal pain triggered by sweating stimuli. <i>Allergology International</i> , 2022, 71, 362-372.	3.3	4
10	Anhidrosis accompanied by cholinergic urticariaâ€”like rash and dermal pain in a patient with SjÃ¶rgren's syndrome. <i>Journal of Dermatology</i> , 2022, 49, 666-670.	1.2	1
11	The international WAO/EAACI guideline for the management of hereditary angioedema â€” The 2021 revision and update. <i>World Allergy Organization Journal</i> , 2022, 15, 100627.	3.5	37
12	Anaphylaxis due to thiamine disulfide phosphate, a derivative of vitamin B1; a case report and literature review. <i>Allergology International</i> , 2022, 71, 414-414.	3.3	1
13	Longitudinal prevalence of atopic dermatitis among freshmen at Hiroshima University between 2002 and 2019. <i>Journal of Dermatology</i> , 2022, , .	1.2	1
14	Realâ€”world efficacy of proactive maintenance treatment with delgocitinib ointment twice weekly in adult patients with atopic dermatitis. <i>Dermatologic Therapy</i> , 2022, , e15526.	1.7	1
15	Oral berotralstat for the prophylaxis of hereditary angioedema attacks in patients in Japan: A phase 3 randomized trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1789-1799.	5.7	25
16	Fasting-associated urticaria and/or anaphylaxis: A case report. <i>Allergology International</i> , 2021, 70, 271-273.	3.3	0
17	Temporary wheat allergy in the postpartum period. <i>Allergology International</i> , 2021, 70, 159-160.	3.3	0
18	Analysis of the longâ€”term economic burden of omalizumab on patients with chronic spontaneous urticaria. <i>Journal of Dermatology</i> , 2021, 48, 56-63.	1.2	5

#	ARTICLE	IF	CITATIONS
19	The diagnosis and treatment of hereditary angioedema patients in Japan: A patient reported outcome survey. <i>Allergology International</i> , 2021, 70, 235-243.	3.3	14
20	Management of hereditary angioedema in Japan: Focus on icatibant for the treatment of acute attacks. <i>Allergology International</i> , 2021, 70, 45-54.	3.3	11
21	<i>Pemphigus foliaceus</i> with inconsistent findings between clinical features and titres of antidesmoglein autoantibodies. <i>Australasian Journal of Dermatology</i> , 2021, 62, e148-e149.	0.7	0
22	Coagulation factors induce human skin mast cell and basophil degranulation via activation of complement 5 and the C5a receptor. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1101-1104.e7.	2.9	25
23	The global burden of chronic urticaria for the patient and society*. <i>British Journal of Dermatology</i> , 2021, 184, 226-236.	1.5	150
24	Activated coagulation factors induce histamine release of human skin mast cells and peripheral basophils through activation of complement system. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2021, 94, 1-P2-23.	0.0	0
25	The practice of active patient involvement in rare disease research using ICT: experiences and lessons from the RUDY JAPAN project. <i>Research Involvement and Engagement</i> , 2021, 7, 9.	2.9	10
26	Survey of actual conditions of erythema marginatum as a prodromal symptom in Japanese patients with hereditary angioedema. <i>World Allergy Organization Journal</i> , 2021, 14, 100511.	3.5	3
27	Time course of disease severity from birth to 19 years old in patients with moderate to severe atopic dermatitis in adulthood. <i>Journal of Dermatology</i> , 2021, 48, e205-e206.	1.2	3
28	Complicated cutaneous leishmaniasis caused by an imported case of <i>Leishmania tropica</i> in Japan: a case report. <i>Tropical Medicine and Health</i> , 2021, 49, 20.	2.8	4
29	Malcolm Watson Greaves. <i>Journal of Dermatology</i> , 2021, 48, 251-251.	1.2	0
30	Gender disparities in academic dermatology in Japan: Results from the first national survey. <i>Journal of Dermatological Science</i> , 2021, 102, 2-6.	1.9	1
31	Consensus on treatment goals in hereditary angioedema: A global Delphi initiative. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 1526-1532.	2.9	27
32	Mitigating Disparity in Health-care Resources Between Countries for Management of Hereditary Angioedema. <i>Clinical Reviews in Allergy and Immunology</i> , 2021, 61, 84-97.	6.5	16
33	The Pathogenesis of Chronic Spontaneous Urticaria: The Role of Infiltrating Cells. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2195-2208.	3.8	61
34	The Role of Coagulation and Complement Factors for Mast Cell Activation in the Pathogenesis of Chronic Spontaneous Urticaria. <i>Cells</i> , 2021, 10, 1759.	4.1	27
35	The relationship between the development of erythroderma in patients with atopic dermatitis and the avoidance of anti-inflammatory topical drugs. <i>Allergology International</i> , 2021, 70, 376-378.	3.3	3
36	Comparison of the time course of atopic dermatitis from birth to 19 years old among generations of patients in Japan. <i>Journal of Dermatology</i> , 2021, 48, 1602-1606.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Genome-wide association study reveals an association between the HLA-DPB1*02:01:02 allele and wheat-dependent exercise-induced anaphylaxis. <i>American Journal of Human Genetics</i> , 2021, 108, 1540-1548.	6.2	14
38	A novel detection method for cross-linking of IgE-receptors by autoantibodies in chronic spontaneous urticaria. <i>Allergology International</i> , 2021, , .	3.3	3
39	Clinical Study Results of Baricitinib (JAK1/2 Inhibitor). <i>Nishinon Journal of Dermatology</i> , 2021, 83, 301-311.	0.0	0
40	Malignant melanoma with inâ€transit metastases refractory to programmed cell deathâ€1 inhibitor successfully treated with local interferonâ€12 injections: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 15, 212.	1.0	2
41	Longâ€term remission of severe livedoid vasculopathy treated with a short course of intravenous immunoglobulin. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 189-190.	0.3	3
42	A validation study of the Japanese version of the Angioedema Activity Score (AAS) and the Angioedema Quality of Life Questionnaire (AE-QoL). <i>Allergology International</i> , 2021, 70, 471-479.	3.3	5
43	Iatrogenic cutaneous lymphoid hyperplasia induced by squaric acid dibutyl ester. <i>Contact Dermatitis</i> , 2021, 85, 88-90.	1.4	0
44	Capsule endoscopy findings reflect the gastrointestinal conditions of patients with systemic sclerosis. <i>Scientific Reports</i> , 2021, 11, 20163.	3.3	0
45	High histamine concentrations in human sweat in association with type I allergy to the semi-purified sweat antigen. <i>Allergology International</i> , 2020, 69, 307-309.	3.3	5
46	Clinical utility of the basophil activation test in the diagnosis of sweat allergy. <i>Allergology International</i> , 2020, 69, 261-267.	3.3	6
47	Decreased intracellular histamine concentration and basophil activation in anaphylaxis. <i>Allergology International</i> , 2020, 69, 78-83.	3.3	19
48	Increase of tissue factor expression on the surface of peripheral monocytes of patients with chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 971-974.	5.7	12
49	Efficacy, pharmacokinetics, and safety of icatibant for the treatment of Japanese patients with an acute attack of hereditary angioedema: A phase 3 open-label study. <i>Allergology International</i> , 2020, 69, 268-273.	3.3	6
50	Efficacy and safety of dupilumab in Japanese adults with moderateâ€toâ€severe atopic dermatitis: a subanalysis of three clinical trials. <i>British Journal of Dermatology</i> , 2020, 183, 39-51.	1.5	27
51	Efficacy of switching to bilastine, a histamine H1 receptor antagonist, in patients with chronic spontaneous urticaria (H1-SWITCH): study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 23.	1.6	3
52	Type-I-hypersensitivity to 15kDa, 28kDa and 54kDa proteins in vitellogenin specific to <i>Gadus chalcogrammus roe</i> . <i>Allergology International</i> , 2020, 69, 253-260.	3.3	6
53	Real-world clinical practices for spontaneous urticaria and angioedema in Japan: A nation-wide cross-sectional web questionnaire survey. <i>Allergology International</i> , 2020, 69, 300-303.	3.3	4
54	Long-term dynamics of omega-5 gliadin-specific IgE levels in patients with adult-onset wheat allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1149-1151.e3.	3.8	8

#	ARTICLE	IF	CITATIONS
55	Calculation of practical skin donor area for meshed skin grafting in real-world surgery. <i>Dermatologic Therapy</i> , 2020, 33, e14393.	1.7	4
56	Histamine- or vascular endothelial growth factor-induced tissue factor expression and gap formation between vascular endothelial cells are synergistically enhanced by lipopolysaccharide, tumor necrosis factor- α , interleukin (IL)-3 or IL-1 β . <i>Journal of Dermatology</i> , 2020, 47, 1293-1300.	1.2	10
57	Exploration of biomarkers to predict clinical improvement of atopic dermatitis in patients treated with dupilumab. <i>Medicine (United States)</i> , 2020, 99, e22043.	1.0	13
58	Grover's disease successfully treated with calcipotriene/betamethasone dipropionate ointment. <i>Dermatologic Therapy</i> , 2020, 33, e14217.	1.7	0
59	Dupilumab Provides Favorable Safety and Sustained Efficacy for up to 3 Years in an Open-Label Study of Adults with Moderate-to-Severe Atopic Dermatitis. <i>American Journal of Clinical Dermatology</i> , 2020, 21, 567-577.	6.7	78
60	Sensitization against skin resident fungi is associated with atopy in cholinergic urticaria patients. <i>Clinical and Translational Allergy</i> , 2020, 10, 18.	3.2	7
61	Rechallenge of programmed cell death 1 inhibitor after an interval with dacarbazine treatment may be effective for advanced malignant melanoma. <i>Journal of Dermatology</i> , 2020, 47, 907-910.	1.2	9
62	Management of urticarial vasculitis: A worldwide physician perspective. <i>World Allergy Organization Journal</i> , 2020, 13, 100107.	3.5	26
63	Case of anaphylaxis to maltose solution. <i>Journal of Dermatology</i> , 2020, 47, e107-e108.	1.2	1
64	Randomized double-blind crossover trial of bath additive containing tannic acid in patients with atopic dermatitis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 56-61.	0.3	4
65	Roles of omalizumab in various allergic diseases. <i>Allergology International</i> , 2020, 69, 167-177.	3.3	61
66	A case of millet allergy that developed into wheat-induced anaphylaxis by cross-reaction between millet and wheat antigens. <i>Allergology International</i> , 2020, 69, 471-473.	3.3	5
67	A single reaction-diffusion equation for the multifarious eruptions of urticaria. <i>PLoS Computational Biology</i> , 2020, 16, e1007590.	3.2	14
68	Japanese guidelines for atopic dermatitis 2020. <i>Allergology International</i> , 2020, 69, 356-369.	3.3	108
69	Definition, aims, and implementation of GA ² LEN/HAEi Angioedema Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2115-2123.	5.7	29
70	Three cases of advanced cutaneous squamous cell carcinoma treated with a combination of carboplatin and epirubicin. <i>European Journal of Hospital Pharmacy</i> , 2020, 27, 128-128.	1.1	0
71	Association of Preexisting Interstitial Lung Abnormalities With Immune Checkpoint Inhibitor-Induced Interstitial Lung Disease Among Patients With Nonlung Cancers. <i>JAMA Network Open</i> , 2020, 3, e2022906.	5.9	32
72	A case of rapidly progressing malignant melanoma on the scalp. <i>Skin Cancer</i> , 2020, 35, 35-40.	0.0	0

#	ARTICLE	IF	CITATIONS
73	Effects of LPS and TNF α on the histamine responsiveness of vascular endothelial cells. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 1-P-092.	0.0	0
74	Clinical Experience with Docetaxel for Advanced Extramammary Paget's Disease. Nishinon Journal of Dermatology, 2020, 82, 377-379.	0.0	0
75	Efficacy and safety of rupatadine in Japanese adult and adolescent patients with chronic spontaneous urticaria: A double-blind, randomized, multicenter, placebo-controlled clinical trial. Allergy International, 2019, 68, 59-67.	3.3	14
76	Reduction of serum thymus and activation-regulated chemokine after short-term intensive therapy may predict better prognosis of moderate to severe atopic dermatitis. Journal of Dermatology, 2019, 46, e486-e487.	1.2	4
77	Clinical practice guidelines for the management of atopic dermatitis 2018. Journal of Dermatology, 2019, 46, 1053-1101.	1.2	77
78	Efficacy of increased dose of rupatadine up to 20 μ g on itching in Japanese patients due to chronic spontaneous urticaria, dermatitis, or pruritus: A post hoc analysis of phase III clinical trial. Journal of Cutaneous Immunology and Allergy, 2019, 2, 128-134.	0.3	3
79	Real-world clinical practice of chronic inducible urticaria and urticaria due to type I allergy or intolerance in Japan: A nationwide cross-sectional web questionnaire survey. Journal of Cutaneous Immunology and Allergy, 2019, 2, 150-152.	0.3	1
80	HLA-DQ and RBF0X1 as susceptibility genes for an outbreak of hydrolyzed wheat allergy. Journal of Allergy and Clinical Immunology, 2019, 144, 1354-1363.	2.9	24
81	Long-term safety and efficacy of rupatadine in Japanese patients with itching due to chronic spontaneous urticaria, dermatitis, or pruritus: A 12-month, multicenter, open-label clinical trial. Journal of Dermatological Science, 2019, 94, 339-345.	1.9	11
82	Successful treatment of refractory dermal pain with etizolam and clonazepam in a patient with acquired idiopathic generalized anhidrosis. Journal of Dermatology, 2019, 46, e351-e353.	1.2	4
83	Development of SPR Imaging-Impedance Sensor for Multi-Parametric Living Cell Analysis. Sensors, 2019, 19, 2067.	3.8	17
84	Staphylococcus aureus in atopic dermatitis: Strain-specific cell wall proteins and skin immunity. Allergy International, 2019, 68, 309-315.	3.3	67
85	Case of anaphylaxis to lansoprazole confirmed by histamine release test and oral provocation test. Journal of Dermatology, 2019, 46, e124-e125.	1.2	1
86	Activation of Human Peripheral Basophils in Response to High IgE Antibody Concentrations without Antigens. International Journal of Molecular Sciences, 2019, 20, 45.	4.1	15
87	Case of malignant melanoma responding to dacarbazine following nivolumab. Dermatologic Therapy, 2019, 32, e12791.	1.7	4
88	<i>Staphylococcus aureus</i> from atopic dermatitis skin accumulates in the lysosomes of keratinocytes with induction of IL α secretion via TLR9. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 560-571.	5.7	28
89	A Case of Secondary Szary Syndrome Successfully Treated with Mogamulizumab. Nishinon Journal of Dermatology, 2019, 81, 306-310.	0.0	0
90	A case of Kaposi varicelliform eruption progressing to herpes simplex virus hepatitis in an immunocompetent patient. Clinical and Experimental Dermatology, 2018, 43, 636-638.	1.3	4

#	ARTICLE	IF	CITATIONS
91	The EAACI/GA ² LEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1393-1414.	5.7	1,008
92	Rapid exacerbation of malignant melanoma during short-term discontinuation of vemurafenib. <i>Australasian Journal of Dermatology</i> , 2018, 59, e274-e276.	0.7	1
93	The international WAO/EAACI guideline for the management of hereditary angioedema – The 2017 revision and update. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1575-1596.	5.7	365
94	A unique clinical phenotype of a patient bearing a newly identified deletion mutation in the <i>PSENEN</i> gene along with the pathogenic serum desmoglein-1 antibody. <i>Clinical and Experimental Dermatology</i> , 2018, 43, 329-332.	1.3	9
95	The international WAO/EAACI guideline for the management of hereditary angioedema – the 2017 revision and update. <i>World Allergy Organization Journal</i> , 2018, 11, 5.	3.5	45
96	The role of adenosine for IgE receptor-dependent degranulation of human peripheral basophils and skin mast cells. <i>Allergology International</i> , 2018, 67, 524-526.	3.3	12
97	Different hypersensitivities against homologous proteins of MGL_1304 in patients with atopic dermatitis. <i>Allergology International</i> , 2018, 67, 103-108.	3.3	15
98	Chronic spontaneous urticaria and the extrinsic coagulation system. <i>Allergology International</i> , 2018, 67, 191-194.	3.3	39
99	Histamine and Toll-like receptor ligands synergistically induce endothelial cell gap formation by the extrinsic coagulating pathway. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1115-1118.e7.	2.9	26
100	Presymptomatic genetic diagnosis of two siblings with hereditary angioedema, presenting with unusual normal levels of serum C4. <i>Journal of Dermatology</i> , 2018, 45, e31-32.	1.2	2
101	Efficacy and safety of omalizumab for the treatment of refractory chronic spontaneous urticaria in Japanese patients: Subgroup analysis of the phase 3 POLARIS study. <i>Allergology International</i> , 2018, 67, 243-252.	3.3	13
102	The use of tranexamic acid for on-demand and prophylactic treatment of hereditary angioedema – A systematic review. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 126-138.	0.3	18
103	Role of TF-Triggered Activation of the Coagulation Cascade in the Pathogenesis of Chronic Spontaneous Urticaria. <i>Current Treatment Options in Allergy</i> , 2018, 5, 383-391.	2.2	0
104	Pityriasis lichenoides et varioliformis acuta after vaccination. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 37-38.	0.3	0
105	Evaluation of Risk of Injury by Extravasation of Hyperosmolar and Vasopressor Agents in a Rat Model. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 951-956.	1.4	5
106	Sweat allergy. <i>Allergology International</i> , 2018, 67, 435-441.	3.3	27
107	Neuromedin U directly induces degranulation of skin mast cells, presumably via <i>MRGPRX2</i> . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2256-2260.	5.7	17
108	Impact of chronic urticaria on quality of life and work in Japan: Results of a real-world study. <i>Journal of Dermatology</i> , 2018, 45, 963-970.	1.2	58

#	ARTICLE	IF	CITATIONS
109	Two cases of conjunctival squamous cell carcinoma in the anophthalmic socket after treatment of retinoblastoma. <i>Journal of Dermatology</i> , 2018, 45, e346-e347.	1.2	1
110	Purinergic P2Y ₂ receptor is involved in dying cell phagocytosis and mediator production in Toll-like receptor 4-activated microglia. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-1-115.	0.0	0
111	Systematised naevus sebaceus resulting from postzygotic mutation in <i>HRAS</i> . <i>Australasian Journal of Dermatology</i> , 2017, 58, 58-60.	0.7	4
112	Predictive phenotyping of inherited ichthyosis by next-generation DNA sequencing. <i>British Journal of Dermatology</i> , 2017, 176, 249-251.	1.5	8
113	Analysis of primary treatment and prognosis of spontaneous urticaria. <i>Allergology International</i> , 2017, 66, 458-462.	3.3	7
114	Prognosis of adult-onset clinically amyopathic dermatomyositis treated with only topical therapy. <i>Journal of Dermatology</i> , 2017, 44, e178-e179.	1.2	2
115	Evaluation of skin perfusion pressure to assess refractory foot ulcers. <i>Journal of Wound Care</i> , 2017, 26, 267-270.	1.2	8
116	Efficacy and safety of omalizumab in Japanese and Korean patients with refractory chronic spontaneous urticaria. <i>Journal of Dermatological Science</i> , 2017, 87, 70-78.	1.9	49
117	Sweat allergy: Extrinsic or intrinsic?. <i>Journal of Dermatological Science</i> , 2017, 87, 3-9.	1.9	24
118	352 Neuromedin U directly activates human and mouse skin mast cells. <i>Journal of Investigative Dermatology</i> , 2017, 137, S253.	0.7	0
119	420 <i>Staphylococcus aureus</i> from atopic dermatitis skin alters cytokine production triggered by monocyte-derived Langerhans cell. <i>Journal of Investigative Dermatology</i> , 2017, 137, S264.	0.7	0
120	446 <i>Staphylococcus aureus</i> isolated from patients with atopic dermatitis accumulates in lysosome and induces IL-1a via TLR9 in keratinocytes. <i>Journal of Investigative Dermatology</i> , 2017, 137, S268.	0.7	0
121	<i>Staphylococcus aureus</i> from atopic dermatitis skin alters cytokine production triggered by monocyte-derived Langerhans cell. <i>Journal of Dermatological Science</i> , 2017, 88, 271-279.	1.9	32
122	Outbreak of immediate-type hydrolyzed wheat protein allergy due to a facial soap in Japan. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 879-881.e7.	2.9	60
123	Case of cholinergic urticaria accompanied by anaphylaxis. <i>Journal of Dermatology</i> , 2017, 44, 1291-1294.	1.2	4
124	Contact urticaria syndrome with IgE antibody against a cefotiam-unique structure, evoked by nonapparent exposure to cefotiam. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 527-531.	1.3	3
125	The first nationwide surveillance of antibacterial susceptibility patterns of pathogens isolated from skin and soft-tissue infections in dermatology departments in Japan. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 503-511.	1.7	21
126	392 Impedance-based evaluation of basophil reactions for clinical diagnosis of type I allergy. <i>Journal of Investigative Dermatology</i> , 2017, 137, S67.	0.7	0

#	ARTICLE	IF	CITATIONS
127	One-year safety and efficacy study of bilastine treatment in Japanese patients with chronic spontaneous urticaria or pruritus associated with skin diseases. <i>Journal of Dermatology</i> , 2017, 44, 375-385.	1.2	25
128	Angioedema associated with excessive sweating and sweat allergy. <i>Journal of Dermatology</i> , 2017, 44, e58-e59.	1.2	2
129	Efficacy and safety of bilastine in Japanese patients with chronic spontaneous urticaria: A multicenter, randomized, double-blind, placebo-controlled, parallel-group phase II/III study. <i>Allergology International</i> , 2017, 66, 317-325.	3.3	28
130	Impedance-Based Living Cell Analysis for Clinical Diagnosis of Type I Allergy. <i>Sensors</i> , 2017, 17, 2503.	3.8	6
131	Topics in urticaria and angioedema. <i>Nihon Shoni Alerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2017, 31, 714-720.	0.2	0
132	Balloon Cell Malignant Melanoma in a Young Female: A Case Report and Review of the Literature. <i>Case Reports in Oncology</i> , 2016, 9, 262-266.	0.7	5
133	Diagnosis of immediate-type allergy using surface plasmon resonance. <i>Optical Materials Express</i> , 2016, 6, 1339.	3.0	19
134	Definition, aims, and implementation of ² GA² LEN² Urticaria Centers of Reference and Excellence. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1210-1218.	5.7	110
135	Oral administration of β -carotene or lycopene prevents atopic dermatitis-like dermatitis in HR mice. <i>Journal of Dermatology</i> , 2016, 43, 1188-1192.	1.2	16
136	Remission rate of patients with wheat allergy sensitized to hydrolyzed wheat protein in facial soap. <i>Allergology International</i> , 2016, 65, 109-111.	3.3	16
137	Environmental factors associated with childhood eczema: Findings from a national web-based survey. <i>Allergology International</i> , 2016, 65, 420-424.	3.3	27
138	Airborne virus detection by a sensing system using a disposable integrated impaction device. <i>Journal of Breath Research</i> , 2016, 10, 036009.	3.0	6
139	197 A novel splice site mutation in LIPH identified in a Japanese patient with autosomal recessive woolly hair. <i>Journal of Investigative Dermatology</i> , 2016, 136, S194.	0.7	0
140	Injury due to extravasation of thiopental and propofol: Risks/effects of local cooling/warming in rats. <i>Biochemistry and Biophysics Reports</i> , 2016, 8, 207-211.	1.3	6
141	152 Predictive phenotyping of inherited ichthyosis by next generation DNA sequencing. <i>Journal of Investigative Dermatology</i> , 2016, 136, S187.	0.7	0
142	Sweat Allergy. <i>Current Problems in Dermatology</i> , 2016, 51, 101-108.	0.7	3
143	Micro cell isolation column for allergic diagnosis. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 03DF08.	1.5	4
144	Novel splice site mutation in <i>LIPH</i> identified in a Japanese patient with autosomal recessive woolly hair. <i>Journal of Dermatology</i> , 2016, 43, 1384-1385.	1.2	6

#	ARTICLE	IF	CITATIONS
145	The Toll-like receptor 4-activated neuroprotective microglia subpopulation survives via granulocyte macrophage colony-stimulating factor and JAK2/STAT5 signaling. <i>Neurochemistry International</i> , 2016, 93, 82-94.	3.8	17
146	A Case of Erythritol Allergy Studied by Basophil Histamine Release and CD203c Expression In Vitro in Addition to a Challenge Test In Vivo. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2016, 26, 135-136.	1.3	6
147	ãfjãf~ãfãf<ãf€ã,¾ãf1/4ãf«ã†...æœç™,æ³•ãŒã¥ãŠ1ã←ãŸ Crohn's Disease of the Vulva ã®1ã¾ã¼<. <i>Nishinihon Journal of Dermatology</i> , 2016, 78, 479-482.	0.0	0
148	III. Key Points for the Management of Allergic Skin Diseases. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016, 105, 1942-1951.	0.0	0
149	A Case of Cryopyrin-associated Periodic Syndrome. <i>Nishinihon Journal of Dermatology</i> , 2016, 78, 479-482.	0.0	0
150	Case of erythrokeratoderma variabilis successfully treated with oral vitamin A. <i>Journal of Dermatology</i> , 2015, 42, 1124-1125.	1.2	4
151	The EAACI/GA2LEN/EDF/WAO Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. <i>Przegląd Dermatologiczny</i> , 2015, 2, 155-179.	0.1	11
152	Pulverized konjac glucomannan ameliorates oxazolone-induced colitis in mice. <i>European Journal of Nutrition</i> , 2015, 54, 959-969.	3.9	20
153	Increased thrombin generation potential in patients with chronic spontaneous urticaria. <i>Allergology International</i> , 2015, 64, 96-98.	3.3	18
154	Evaluation of recombinant MGL_1304 produced by <i>Pichia pastoris</i> for clinical application to sweat allergy. <i>Allergology International</i> , 2015, 64, 266-271.	3.3	8
155	Prevalences of specific IgE to wheat gliadin components in patients with wheat-dependent exercise-induced anaphylaxis. <i>Allergology International</i> , 2015, 64, 206-208.	3.3	7
156	Wytyczne EAACI/GA2LEN/EDF/WAO dotyczÄ...ce definicji, klasyfikacji, rozpoznawania i leczenia pokrzywki: weryfikacja z 2013 roku z poprawkami. <i>Alergologia Polska - Polish Journal of Allergology</i> , 2015, 2, T1-T23.	0.0	0
157	A human monoclonal IgE antibody that binds to MGL_1304, a major allergen in human sweat, without activation of mast cells and basophils. <i>Biochemical and Biophysical Research Communications</i> , 2015, 468, 99-104.	2.1	19
158	Surface Plasmon Resonance for Clinical Diagnosis of Type I Allergy. <i>Methods in Pharmacology and Toxicology</i> , 2015, , 373-385.	0.2	0
159	Elevated Serum IgE against MGL_1304 in Patients with Atopic Dermatitis and Cholinergic Urticaria. <i>Allergology International</i> , 2014, 63, 83-93.	3.3	54
160	A New Reliable Method for Detecting Specific IgE Antibodies in the Patients with Immediate Type Wheat Allergy due to Hydrolyzed Wheat Protein: Correlation of Its Titer and Clinical Severity. <i>Allergology International</i> , 2014, 63, 243-249.	3.3	16
161	Complex permittivities of breast tumor tissues obtained from cancer surgeries. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	151
162	Tissue factor expression on the surface of monocytes from a patient with hereditary angioedema. <i>Journal of Dermatology</i> , 2014, 41, 929-932.	1.2	5

#	ARTICLE	IF	CITATIONS
163	Surface Plasmon Resonance for Cell-Based Clinical Diagnosis. <i>Sensors</i> , 2014, 14, 4948-4959.	3.8	128
164	Non-tumor mast cells cultured in vitro on a honeycomb-like structured film proliferate with multinucleated formation. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014, 10, 313-319.	3.3	15
165	Case Title: 45 year-old male with recurrent angioedema: WAO international case-based discussions. <i>World Allergy Organization Journal</i> , 2014, 7, 2.	3.5	2
166	The <sc>EAACI</sc>/<sc>GA²</sc><sc>LEN</sc>/<sc>EDF</sc>/<sc>WAO</sc> Guideline for the definition, classification, diagnosis, and management of urticaria: the 2013 revision and update. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 868-887.	5.7	912
167	Diagnostic Tests for Urticaria. <i>Immunology and Allergy Clinics of North America</i> , 2014, 34, 53-72.	1.9	7
168	Methods report on the development of the 2013 revision and update of the <sc>EAACI</sc>/<sc>GA²</sc><sc>LEN</sc>/<sc>EDF</sc>/<sc>WAO</sc> guideline for the definition, classification, diagnosis, and management of urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, e1-29.	5.7	75
169	Establishment of a mast cell line, NCLâ€², without <i>Kit</i> mutation, derived from NC mouse bone marrow. <i>FEBS Open Bio</i> , 2014, 4, 342-346.	2.3	3
170	Identification of a cell line producing high levels of TSLP: Advantages for screening of anti-allergic drugs. <i>Journal of Immunological Methods</i> , 2014, 402, 9-14.	1.4	18
171	Hereditary Angioedema as the Cause of Death from Asphyxia: Postmortem Computed Tomography Study. <i>Allergology International</i> , 2014, 63, 493-494.	3.3	8
172	Clinical diagnosis of type I allergy by means of SPR imaging with less than a microliter of peripheral blood. <i>Sensing and Bio-Sensing Research</i> , 2014, 2, 43-48.	4.2	14
173	Q&A -about Vol. 76-4. <i>Nishinohon Journal of Dermatology</i> , 2014, 76, 606-606.	0.0	0
174	Characterization of the Causative Allergens for Wheat-Dependent Exercise-Induced Anaphylaxis Sensitized with Hydrolyzed Wheat Proteins in Facial Soap. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, AB215.	2.9	0
175	Fungal protein MGL_1304 in sweat is an allergen for atopic dermatitis patients. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 608-615.e4.	2.9	107
176	Aspirin Augments IgE-Mediated Histamine Release From Human Peripheral Basophils Via Syk Kinase Activation. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, AB116.	2.9	1
177	Prognosis of chronic spontaneous urticaria in 117 patients not controlled by a standard dose of antihistamine. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 229-235.	5.7	70
178	Chronic idiopathic urticaria (CIU) is no longer idiopathic: time for an update. <i>British Journal of Dermatology</i> , 2013, 168, 455-456.	1.5	29
179	Characterization of Causative Allergens for Wheat-Dependent Exercise-Induced Anaphylaxis Sensitized with Hydrolyzed Wheat Proteins in Facial Soap. <i>Allergology International</i> , 2013, 62, 435-445.	3.3	76
180	Disseminated Subcutaneous Phaeohyphomycosis caused by <i>Exophiala oligosperma</i> in a Patient with Wegenerâ€™s Granulomatosis. <i>Acta Dermato-Venereologica</i> , 2013, 93, 356-357.	1.3	11

#	ARTICLE	IF	CITATIONS
181	Application of SPR Imaging Sensor for Detection of Individual Living Cell Reactions and Clinical Diagnosis of Type I Allergy. <i>Allergy International</i> , 2013, 62, 163-169.	3.3	57
182	The Sensitivity and Clinical Course of Patients with Wheat-Dependent Exercise-Induced Anaphylaxis Sensitized to Hydrolyzed Wheat Protein in Facial Soap - Secondary Publication. <i>Allergy International</i> , 2013, 62, 351-358.	3.3	29
183	Aspirin Augments IgE-Mediated Histamine Release from Human Peripheral Basophils via Syk Kinase Activation. <i>Allergy International</i> , 2013, 62, 503-511.	3.3	34
184	Remission of Wheat-dependent Exercise-induced Anaphylaxis after the Cessation of Hydrolysed Wheat-containing Soap Usage. <i>Acta Dermato-Venereologica</i> , 2012, 92, 490-491.	1.3	7
185	Japanese Guidelines for Diagnosis and Treatment of Urticaria in Comparison with Other Countries. <i>Allergy International</i> , 2012, 61, 517-527.	3.3	38
186	Problems to Be Resolved in the Management of Urticaria. <i>Allergy International</i> , 2012, 61, 515-516.	3.3	0
187	Mizoribine treatment for antihistamine-resistant chronic autoimmune urticaria. <i>Dermatologic Therapy</i> , 2012, 25, 379-381.	1.7	12
188	Histamine release-neutralization assay for sera of patients with atopic dermatitis and/or cholinergic urticaria is useful to screen type I hypersensitivity against sweat antigens. <i>Archives of Dermatological Research</i> , 2012, 304, 647-654.	1.9	17
189	Elevated interleukin-18 secretion from monoclonal IgM+ B cells in a patient with Schnitzler syndrome. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, e118-e120.	1.2	9
190	Novel and recurrent C1 inhibitor gene mutations in nine Japanese patients with hereditary angioedema. <i>Journal of Dermatological Science</i> , 2012, 68, 68-70.	1.9	5
191	International consensus on hereditary and acquired angioedema. <i>Annals of Allergy, Asthma and Immunology</i> , 2012, 109, 395-402.	1.0	118
192	A Randomized, Open-Label, Multicenter Trial of Topical Tacrolimus for the Treatment of Pruritis in Patients with Atopic Dermatitis. <i>Annals of Dermatology</i> , 2012, 24, 144.	0.9	29
193	Germline Mutation in ATR in Autosomal-Dominant Oropharyngeal Cancer Syndrome. <i>American Journal of Human Genetics</i> , 2012, 90, 511-517.	6.2	68
194	A large heterozygous deletion including the entire C1 inhibitor gene in a sporadic case of hereditary angio-oedema. <i>Clinical and Experimental Dermatology</i> , 2012, 37, 20-23.	1.3	5
195	Evaluation of peripheral blood basophil activation by means of surface plasmon resonance imaging. <i>Biosensors and Bioelectronics</i> , 2012, 32, 62-68.	10.1	43
196	Surface plasmon resonance-biosensor detects the diversity of responses against epidermal growth factor in various carcinoma cell lines. <i>Biosensors and Bioelectronics</i> , 2012, 32, 202-207.	10.1	41
197	Unmet clinical needs in chronic spontaneous urticaria. A GA2LEN task force report1. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 317-330.	5.7	597
198	Increase of coagulation potential in chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 428-433.	5.7	66

#	ARTICLE	IF	CITATIONS
199	A critical role of conventional protein kinase C in morphological changes of rodent mast cells. <i>Immunology and Cell Biology</i> , 2011, 89, 149-159.	2.3	31
200	Fucoidan suppresses IgE production in peripheral blood mononuclear cells from patients with atopic dermatitis. <i>Archives of Dermatological Research</i> , 2011, 303, 425-431.	1.9	40
201	Chronic Urticaria as an Autoimmune Disease. , 2011, , 349-372.		2
202	Pressure challenge test and histopathological inspections for 17 Japanese cases with clinically diagnosed delayed pressure urticaria. <i>Archives of Dermatological Research</i> , 2010, 302, 613-617.	1.9	19
203	A case of lower-extremity deep burn wounds with periosteal necrosis successfully treated by use of allogenic cultured dermal substitute. <i>Journal of Artificial Organs</i> , 2010, 13, 101-105.	0.9	11
204	Identification of a homozygous deletion mutation in <i>C16orf57</i> in a family with Clericuzio-type poikiloderma with neutropenia. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 1347-1348.	1.2	21
205	Development of an optical fiber SPR sensor for living cell activation. <i>Biosensors and Bioelectronics</i> , 2010, 25, 1244-1247.	10.1	85
206	Detection of refractive index changes in individual living cells by means of surface plasmon resonance imaging. <i>Biosensors and Bioelectronics</i> , 2010, 26, 674-681.	10.1	99
207	The molecular skin pathology of familial primary localized cutaneous amyloidosis. <i>Experimental Dermatology</i> , 2010, 19, 416-423.	2.9	34
208	Coagulation/fibrinolysis and inflammation markers are associated with disease activity in patients with chronic urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 649-656.	5.7	143
209	Hydrolyzed Konjac Glucomannan Suppresses IgE Production in Mice B Cells. <i>International Archives of Allergy and Immunology</i> , 2010, 152, 122-130.	2.1	41
210	Refractory Chronic Urticaria Treated Effectively with the Protease Inhibitors, Nafamostat Mesilate and Camostat Mesilate. <i>Acta Dermato-Venereologica</i> , 2010, 90, 425-426.	1.3	13
211	Metastatic extramammary Paget's disease treated with paclitaxel and trastuzumab combination chemotherapy. <i>Journal of Dermatology</i> , 2009, 36, 457-461.	1.2	87
212	Guidelines for management of atopic dermatitis. <i>Journal of Dermatology</i> , 2009, 36, 563-577.	1.2	215
213	Sweat antigen induces histamine release from basophils of patients with cholinergic urticaria associated with atopic diathesis. <i>British Journal of Dermatology</i> , 2009, 160, 426-428.	1.5	58
214	New insight into mechanisms of pruritus from molecular studies on familial primary localized cutaneous amyloidosis. <i>British Journal of Dermatology</i> , 2009, 161, 1217-1224.	1.5	66
215	Peritoneal injection of fucoidan suppresses the increase of plasma IgE induced by OVA-sensitization. <i>Biochemical and Biophysical Research Communications</i> , 2009, 387, 435-439.	2.1	46
216	A randomized double-blind trial of intravenous immunoglobulin for pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 595-603.	1.2	233

#	ARTICLE	IF	CITATIONS
217	Effects of non-steroidal anti-inflammatory drugs (NSAIDs) on serum allergen levels after wheat ingestion. <i>Journal of Dermatological Science</i> , 2009, 53, 241-243.	1.9	45
218	Adrenergic urticaria in a patient with cholinergic urticaria. <i>British Journal of Dermatology</i> , 2008, 158, 629-631.	1.5	61
219	Development of autoantibody responses in NC/Nga mice: its prevention by pulverized konjac glucomannan feeding. <i>Archives of Dermatological Research</i> , 2008, 300, 95-99.	1.9	3
220	Surface plasmon resonance biosensor detects the downstream events of active PKC β 2 in antigen-stimulated mast cells. <i>Biosensors and Bioelectronics</i> , 2008, 23, 1652-1658.	10.1	40
221	Applying Surface Plasmon Resonance to Monitor the IgE-Mediated Activation of Human Basophils. <i>Allergy International</i> , 2008, 57, 347-358.	3.3	28
222	Dietary Pulverized Konjac Glucomannan Suppresses Scratching Behavior and Skin Inflammatory Immune Responses in NC/Nga Mice. <i>International Archives of Allergy and Immunology</i> , 2007, 144, 95-104.	2.1	32
223	Dietary Pulverized Konjac Glucomannan Prevents the Development of Allergic Rhinitis-Like Symptoms and IgE Response in Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2007, 71, 2551-2556.	1.3	40
224	Cutaneous Mast Cell Receptors. <i>Dermatologic Clinics</i> , 2007, 25, 563-575.	1.7	16
225	Community validation of the U.K. diagnostic criteria for atopic dermatitis in Japanese elementary schoolchildren. <i>Journal of Dermatological Science</i> , 2007, 47, 227-231.	1.9	30
226	Increasing the dose of cetirizine may lead to better control of chronic idiopathic urticaria: an open study of 21 patients. <i>British Journal of Dermatology</i> , 2007, 157, 803-804.	1.5	53
227	The SPR signal in living cells reflects changes other than the area of adhesion and the formation of cell constructions. <i>Biosensors and Bioelectronics</i> , 2007, 22, 1081-1086.	10.1	103
228	Living cell positioning on the surface of gold film for SPR analysis. <i>Biosensors and Bioelectronics</i> , 2007, 23, 562-567.	10.1	51
229	Cutaneous Mast Cells and Urticaria (1). <i>Nishinon Journal of Dermatology</i> , 2007, 69, 414-423.	0.0	1
230	Fucoidan prevents C β germline transcription and NF κ B p52 translocation for IgE production in B cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 501-507.	2.1	63
231	Semi-purification of the immunoglobulin E-sweat antigen acting on mast cells and basophils in atopic dermatitis. <i>Experimental Dermatology</i> , 2006, 15, 283-290.	2.9	51
232	Oral administration of pulverized Konjac glucomannan prevents the increase of plasma immunoglobulin E and immunoglobulin G levels induced by the injection of syngeneic keratinocyte extracts in BALB/c mice. <i>Clinical and Experimental Allergy</i> , 2006, 36, 102-110.	2.9	37
233	The extract of syngeneic keratinocytes enhances IgE production from BALB/c mouse splenic lymphocytes in vitro. <i>Archives of Dermatological Research</i> , 2006, 297, 358-366.	1.9	3
234	Bone marrow derived mast cell acquire responsiveness to substance P with Ca $^{2+}$ signals and release of leukotriene B $_4$ via mitogen-activated protein kinase. <i>Journal of Neuroimmunology</i> , 2006, 181, 1-12.	2.3	17

#	ARTICLE	IF	CITATIONS
235	Anaphylactic Shock Caused by Exposure to Sea Anemones. <i>Allergology International</i> , 2006, 55, 181-184.	3.3	9
236	Food-Dependent Exercise-Induced Anaphylaxis Due to Ingestion of Apple. <i>Journal of Dermatology</i> , 2005, 32, 62-63.	1.2	12
237	Prevalence of atopic dermatitis in Japanese elementary schoolchildren. <i>British Journal of Dermatology</i> , 2005, 152, 110-114.	1.5	73
238	Exercise and aspirin increase levels of circulating gliadin peptides in patients with wheat-dependent exercise-induced anaphylaxis. <i>Clinical and Experimental Allergy</i> , 2005, 35, 461-466.	2.9	219
239	The effectiveness of montelukast for the treatment of anti-histamine-resistant chronic urticaria. <i>Archives of Dermatological Research</i> , 2005, 297, 134-138.	1.9	52
240	Chronic Urticaria as an Autoimmune Disease. , 2005, , 309-332.		4
241	Neutrophilic Lobular Panniculitis with Non-rheumatoid Arthritis. <i>Acta Dermato-Venereologica</i> , 2005, -1, 1-1.	1.3	1
242	IL-4 modulates the histamine content of mast cells in a mast cell/fibroblast co-culture through a Stat6 signaling pathway in fibroblasts. <i>FEBS Letters</i> , 2005, 579, 6653-6658.	2.8	30
243	A Case of Autoimmune Chronic Urticaria due to Anti-IgE Autoantibodies Complicated with Cholecystitis by Gallstone. <i>Nishinohon Journal of Dermatology</i> , 2005, 67, 197-200.	0.0	0
244	<i>Pelodera strongyloides</i> infestation presenting as pruritic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, S181-S184.	1.2	16
245	Food-dependent Exercise-induced Anaphylaxis due to Ingestion of Orange. <i>Acta Dermato-Venereologica</i> , 2004, 84, 152-153.	1.3	18
246	Anaphylaxis after Dental Treatment with a Formaldehyde-containing Tooth-filling Material. <i>Acta Dermato-Venereologica</i> , 2004, -1, 1-1.	1.3	2
247	The release of leukotriene B4 from human skin in response to substance P: evidence for the functional heterogeneity of human skin mast cells among individuals. <i>Clinical and Experimental Immunology</i> , 2002, 124, 150-156.	2.6	27
248	IgE-mediated Hypersensitivity Against Human Sweat Antigen in Patients with Atopic Dermatitis. <i>Acta Dermato-Venereologica</i> , 2002, 82, 335-340.	1.3	58
249	Real-Time Analysis of Ligand-Induced Cell Surface and Intracellular Reactions of Living Mast Cells Using a Surface Plasmon Resonance-Based Biosensor. <i>Analytical Biochemistry</i> , 2002, 302, 28-37.	2.4	137
250	Increase in serum IgE levels following injection of syngeneic keratinocyte extracts in BALB/c mice. <i>Archives of Dermatological Research</i> , 2002, 294, 117-123.	1.9	5
251	The IL-6 family cytokines, interleukin-6, interleukin-11, oncostatin M, and leukemia inhibitory factor, enhance mast cell growth through fibroblast-dependent pathway in mice. <i>Archives of Dermatological Research</i> , 2001, 293, 508-514.	1.9	39
252	Substance P induces tumor necrosis factor- α release from human skin via mitogen-activated protein kinase. <i>European Journal of Pharmacology</i> , 2000, 398, 309-315.	3.5	42

#	ARTICLE	IF	CITATIONS
253	A Case of Solar Urticaria Induced by UVA.. Nishinohon Journal of Dermatology, 2000, 62, 298-301.	0.0	1
254	Substance P- and antigen-induced release of leukotriene B 4 , prostaglandin D 2 and histamine from guinea pig skin by different mechanisms in vitro. Archives of Dermatological Research, 1999, 291, 466-473.	1.9	30
255	Chemical mediators in atopic dermatitis: Involvement of leukotriene B4 released by a type I allergic reaction in the pathogenesis of atopic dermatitis. Journal of Allergy and Clinical Immunology, 1999, 103, 663-670.	2.9	68
256	Generalized Urticarial Reaction after the Intravenous Administration of Methylprednisolone Sodium Succinate: A Case Report.. Nishinohon Journal of Dermatology, 1999, 61, 649-652.	0.0	0
257	Histamine enhances UVB-induced IL-6 production by human keratinocytes. Archives of Dermatological Research, 1998, 290, 429-434.	1.9	26
258	Mouse bone marrow-derived mast cells acquire responsiveness to substance P after co-culture with 3T3 fibroblasts in the presence of stem cell factor. Allergology International, 1998, 47, 205-212.	3.3	6
259	Infection with Mycobacterium avium-intracellulare with abscess, ulceration and fistula formation. British Journal of Dermatology, 1997, 136, 121-123.	1.5	5
260	Infection with Mycobacterium avium-intracellulare with abscess, ulceration and fistula formation. British Journal of Dermatology, 1997, 136, 121-3.	1.5	3
261	Suppression of TNF-alpha secretion by azelastine in a rat mast (RBL-2H3) cell line: evidence for differential regulation of TNF-alpha release, transcription, and degranulation. Journal of Immunology, 1997, 159, 2932-40.	0.8	75
262	Dermal Mast Cell Activation by Autoantibodies Against the High Affinity IgE Receptor in Chronic Urticaria. Journal of Investigative Dermatology, 1996, 106, 1001-1006.	0.7	281
263	IgE Receptor Autoantibodies. , 1996, , 423-429.		0
264	Secretion of recombinant human IgE-Fc by mammalian cells and biological activity of glycosylation site mutants. Protein Engineering, Design and Selection, 1995, 8, 193-199.	2.1	51
265	Failure to Tolerate High Affinity IgE Receptors: A Novel Mechanism in the Pathogenesis of Diseases that Result from Abnormal Cell Activation. Annals of Medicine, 1994, 26, 117-118.	3.8	0
266	The pathogenesis of chronic idiopathic urticaria: new evidence suggests an auto-immune basis and implications for treatment. Clinical and Experimental Allergy, 1994, 24, 624-627.	2.9	74
267	Autoantibodies against the High-Affinity IgE Receptor as a Cause of Histamine Release in Chronic Urticaria. New England Journal of Medicine, 1993, 328, 1599-1604.	27.0	812
268	Detection of circulating histamine releasing autoantibodies with functional properties of anti-IgE in chronic urticaria. Clinical and Experimental Allergy, 1991, 21, 695-704.	2.9	311
269	Calcium influx in a rat mast cell (RBL-2H3) line. Use of multivalent metal ions to define its characteristics and role in exocytosis. Journal of Biological Chemistry, 1991, 266, 15221-15229.	3.4	62
270	Calcium influx in a rat mast cell (RBL-2H3) line. Use of multivalent metal ions to define its characteristics and role in exocytosis. Journal of Biological Chemistry, 1991, 266, 15221-9.	3.4	58

#	ARTICLE	IF	CITATIONS
271	Histamine H1-receptor of vascular endothelial cells cultured from guinea pig skin. Archives of Dermatological Research, 1990, 282, 115-119.	1.9	6
272	The Orchestration of Stimulatory Signals for Secretion in Rat Basophilic Leukemia (RBL-2H3) Cells. , 1990, , 313-322.		2
273	Histamine H1-receptor in endothelial and smooth muscle cells of guinea-pig aorta. European Journal of Pharmacology, 1988, 148, 161-169.	3.5	34
274	Immunological Changes of Basophil Hyperreactivity to Sweat in Patients With Well-Controlled Atopic Dermatitis. Frontiers in Immunology, 0, 13, .	4.8	1