List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3153520/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	PIK3CA Mutation Associates with Improved Outcome in Breast Cancer. Clinical Cancer Research, 2009, 15, 5049-5059.	7.0	338
2	Current Landscape of Immunotherapy in Breast Cancer. JAMA Oncology, 2019, 5, 1205.	7.1	260
3	AKT in cancer: new molecular insights and advances in drug development. British Journal of Clinical Pharmacology, 2016, 82, 943-956.	2.4	209
4	Biomarker analyses in the phase III ASCENT study of sacituzumab govitecan versus chemotherapy in patients with metastatic triple-negative breast cancer. Annals of Oncology, 2021, 32, 1148-1156.	1.2	146
5	A phase 2 trial of dasatinib in patients with locally advanced or stage IV mucosal, acral, or vulvovaginal melanoma: A trial of the ECOGâ€ACRIN Cancer Research Group (E2607). Cancer, 2017, 123, 2688-2697.	4.1	103
6	Inhibition of the autocrine IL-6–JAK2–STAT3–calprotectin axis as targeted therapy for HR ^{â^'} /HER2 ⁺ breast cancers. Genes and Development, 2015, 29, 1631-1648.	5.9	94
7	Sacituzumab govitecan in previously treated hormone receptor-positive/HER2-negative metastatic breast cancer: final results from a phase I/II, single-arm, basket trial. Annals of Oncology, 2020, 31, 1709-1718.	1.2	86
8	Presurgical Trial of Metformin in Overweight and Obese Patients with Newly Diagnosed Breast Cancer. Cancer Investigation, 2014, 32, 150-157.	1.3	66
9	¡Cocinar Para Su Salud!: Randomized Controlled Trial of a Culturally Based Dietary Intervention among Hispanic Breast Cancer Survivors. Journal of the Academy of Nutrition and Dietetics, 2015, 115, 709-723.e3.	0.8	51
10	Lymphovascular invasion is an independent predictor of survival in breast cancer after neoadjuvant chemotherapy. Breast Cancer Research and Treatment, 2016, 157, 555-564.	2.5	50
11	PIK3CA mutations rarely demonstrate genotypic intratumoral heterogeneity and are selected for in breast cancer progression. Breast Cancer Research and Treatment, 2011, 129, 635-643.	2.5	49
12	Effect of Capivasertib in Patients With an <i>AKT1 E17K</i> -Mutated Tumor. JAMA Oncology, 2021, 7, 271.	7.1	49
13	Correlation of hormone receptor status between circulating tumor cells, primary tumor, and metastasis in breast cancer patients. Clinical and Translational Oncology, 2015, 17, 539-546.	2.4	45
14	Characteristics and outcomes of patients with breast cancer diagnosed with SARS-Cov-2 infection at an academic center in New York City. Breast Cancer Research and Treatment, 2020, 182, 239-242.	2.5	43
15	Dynamic Diffuse Optical Tomography for Monitoring Neoadjuvant Chemotherapy in Patients with Breast Cancer. Radiology, 2018, 287, 778-786.	7.3	39
16	Cracking Open Window of Opportunity Trials. Journal of Clinical Oncology, 2012, 30, 2573-2575.	1.6	36
17	Care Delivery Impact of the COVID-19 Pandemic on Breast Cancer Care. JCO Oncology Practice, 2021, 17, e1215-e1224.	2.9	36
18	Obesity and survival in the neoadjuvant breast cancer setting: role of tumor subtype in an ethnically diverse population. Breast Cancer Research and Treatment, 2018, 167, 277-288	2.5	35

#	Article	IF	CITATIONS
19	Breast Cancer Chemoprevention among High-risk Women and those with Ductal Carcinoma In Situ. Breast Journal, 2015, 21, 377-386.	1.0	34
20	Serial single-cell genomics reveals convergent subclonal evolution of resistance as patients with early-stage breast cancer progress on endocrine plus CDK4/6 therapy. Nature Cancer, 2021, 2, 658-671.	13.2	34
21	Long-term Diet and Biomarker Changes after a Short-term Intervention among Hispanic Breast Cancer Survivors: The <i>šCocinar Para Su Salud!</i> Randomized Controlled Trial. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1491-1502.	2.5	33
22	A randomized, double-blind, phase 2 study of ruxolitinib or placebo in combination with capecitabine in patients with advanced HER2-negative breast cancer and elevated C-reactive protein, a marker of systemic inflammation. Breast Cancer Research and Treatment, 2018, 170, 547-557.	2.5	32
23	Use of cyclin-dependent kinase (CDK) 4/6 inhibitors for hormone receptor-positive, human epidermal growth factor receptor 2-negative, metastatic breast cancer: a roundtable discussion by The Breast Cancer Therapy Expert Group (BCTEC). Breast Cancer Research and Treatment, 2018, 171, 11-20.	2.5	32
24	Sacituzumab govitecan: antibody-drug conjugate in triple-negative breast cancer and other solid tumors. Drugs of Today, 2019, 55, 575.	1.1	30
25	Identifying Predictors of Taxane-Induced Peripheral Neuropathy Using Mass Spectrometry-Based Proteomics Technology. PLoS ONE, 2015, 10, e0145816.	2.5	28
26	A phase Ib/II study of eribulin (ERI) plus pembrolizumab (PEMBRO) in metastatic triple-negative breast cancer (mTNBC) (ENHANCE 1) Journal of Clinical Oncology, 2020, 38, 1015-1015.	1.6	28
27	Higher locoregional recurrence rate for triple-negative breast cancer following neoadjuvant chemotherapy, surgery and radiotherapy. SpringerPlus, 2015, 4, 386.	1.2	27
28	¡Cocinar Para Su Salud!: Randomized Controlled Trial of a Culturally Based Dietary Intervention among Hispanic Breast Cancer Survivors. Journal of the Academy of Nutrition and Dietetics, 2015, 115, S42-S56.e3.	0.8	27
29	An analysis of the relationship between metastases and cachexia in lung cancer patients. Cancer Medicine, 2016, 5, 2641-2648.	2.8	25
30	Expanding the Criteria for Nipple-Sparing Mastectomy in Patients With Poor Prognostic Features. Clinical Breast Cancer, 2018, 18, 229-233.	2.4	25
31	Risk-adapted modulation through de-intensification of cancer treatments: an ESMO classification. Annals of Oncology, 2022, 33, 702-712.	1.2	24
32	Monitoring Metastasis and Cachexia in a Patient with Breast Cancer: A Case Study. Clinical Medicine Insights: Oncology, 2016, 10, CMO.S40479.	1.3	22
33	Phase 1 Study of Erlotinib and Metformin in Metastatic Triple-Negative Breast Cancer. Clinical Breast Cancer, 2020, 20, 80-86.	2.4	22
34	Pre-surgical trial of the AKT inhibitor MK-2206 in patients with operable invasive breast cancer: a New York Cancer Consortium trial. Clinical and Translational Oncology, 2018, 20, 1474-1483.	2.4	20
35	Advances in Therapeutic Approaches for Triple-Negative Breast Cancer. Clinical Breast Cancer, 2021, 21, 383-390.	2.4	18
36	Abstract CT011: Evaluation of durvalumab in combination with olaparib and paclitaxel in high-risk HER2 negative stage II/III breast cancer: Results from the I-SPY 2 TRIAL. Cancer Research, 2020, 80, CT011-CT011.	0.9	18

KEVIN KALINSKY

#	Article	IF	CITATIONS
37	Diffuse optical tomography changes correlate with residual cancer burden after neoadjuvant chemotherapy in breast cancer patients. Breast Cancer Research and Treatment, 2017, 162, 533-540.	2.5	15
38	Toronto Workshop on Late Recurrence in Estrogen Receptor–Positive Breast Cancer: Part 1: Late Recurrence: Current Understanding, Clinical Considerations. JNCI Cancer Spectrum, 2019, 3, pkz050.	2.9	15
39	A Roundtable Discussion of the Breast Cancer Therapy Expert Group (BCTEG): Clinical Developments and Practice Guidance on Human Epidermal Growth Factor Receptor 2 (HER2)-positive Breast Cancer. Clinical Breast Cancer, 2020, 20, e251-e260.	2.4	15
40	Akt Inhibition Is Associated With Favorable Immune Profile Changes Within the Tumor Microenvironment of Hormone Receptor Positive, HER2 Negative Breast Cancer. Frontiers in Oncology, 2020, 10, 968.	2.8	15
41	Phase I/II trial of ruxolitinib in combination with trastuzumab in metastatic HER2 positive breast cancer. Breast Cancer Research and Treatment, 2021, 189, 177-185.	2.5	15
42	Analysis of patients without and with an initial triple-negative breast cancer diagnosis in the phase 3 randomized ASCENT study of sacituzumab govitecan in metastatic triple-negative breast cancer. Breast Cancer Research and Treatment, 2022, 195, 127-139.	2.5	15
43	Increased Expression of Tumor Proliferation Genes in Hispanic Women with Early-Stage Breast Cancer. Cancer Investigation, 2014, 32, 439-444.	1.3	14
44	Perspectives on the mechanism of action and clinical application of eribulin for metastatic breast cancer. Future Oncology, 2019, 15, 1641-1653.	2.4	14
45	Efficacy of sacituzumab govitecan (anti-Trop-2-SN-38 antibody-drug conjugate) for treatment-refractory hormone-receptor positive (HR+)/HER2- metastatic breast cancer (mBC) Journal of Clinical Oncology, 2018, 36, 1004-1004.	1.6	14
46	Case-Based Review and Clinical Guidance on the Use of Genomic Assays for Early-Stage Breast Cancer: Breast Cancer Therapy Expert Group (BCTEG). Clinical Breast Cancer, 2020, 20, 183-193.	2.4	13
47	A phase Ib study of abemaciclib with therapies for metastatic breast cancer Journal of Clinical Oncology, 2015, 33, 522-522.	1.6	13
48	Safety, Feasibility, and Biomarker Effects of High-Dose Vitamin D Supplementation Among Women at High Risk for Breast Cancer. International Journal of Food Science, Nutrition and Dietetics, 2015, 2015, 1-9.	0.0	13
49	Association between nonadherence to cardiovascular risk factor medications after breast cancer diagnosis and incidence of cardiac events. Cancer, 2020, 126, 1541-1549.	4.1	12
50	Phase II study of propranolol feasibility with neoadjuvant chemotherapy in patients with newly diagnosed breast cancer. Breast Cancer Research and Treatment, 2021, 188, 427-432.	2.5	12
51	Invasive Lobular Breast Carcinoma: Pleomorphic Versus Classical Subtype, Associations andÂPrognosis. Clinical Breast Cancer, 2018, 18, 114-120.	2.4	11
52	Toronto Workshop on Late Recurrence in Estrogen Receptor-Positive Breast Cancer: Part 2: Approaches to Predict and Identify Late Recurrence, Research Directions. JNCI Cancer Spectrum, 2019, 3, pkz049.	2.9	11
53	Proteomic modulation in breast tumors after metformin exposure: results from a "window of opportunity―trial. Clinical and Translational Oncology, 2017, 19, 180-188.	2.4	9
54	Diffuse optical tomography of the breast: a potential modifiable biomarker of breast cancer risk with neoadjuvant chemotherapy. Biomedical Optics Express, 2019, 10, 4305.	2.9	9

#	Article	IF	CITATIONS
55	Treatment-related side effects and views about dosage assessment to sustain quality of life: Results of an advocate-led survey of patients with metastatic breast cancer (MBC) Journal of Clinical Oncology, 2021, 39, 1005-1005.	1.6	8
56	Durable Clinical Activity to the AKT Inhibitor Ipatasertib in a Heavily Pretreated Patient With an AKT1 E17K Mutant Metastatic Breast Cancer. Clinical Breast Cancer, 2021, 21, e150-e153.	2.4	7
57	Diagnosis of Leptomeningeal Metastasis in Women With Breast Cancer Through Identification of Tumor Cells in Cerebrospinal Fluid Using the CNSideâ"¢ Assay. Clinical Breast Cancer, 2022, 22, e457-e462.	2.4	6
58	Abemaciclib in Combination With Endocrine Therapy for Patients With Hormone Receptor-Positive, HER2-Negative Metastatic Breast Cancer: A Phase 1b Study. Frontiers in Oncology, 2021, 11, 810023.	2.8	6
59	Prospective Study Evaluating Changes in Bone Quality in Premenopausal Women With Breast Cancer Undergoing Adjuvant Chemotherapy. Clinical Breast Cancer, 2020, 20, e327-e333.	2.4	5
60	On the Road to Precision: Understanding the Biology Driving Genomic Assays. Journal of Clinical Oncology, 2021, 39, 100-102.	1.6	5
61	Changes in Diffuse Optical Tomography Images During Early Stages of Neoadjuvant Chemotherapy Correlate with Tumor Response in Different Breast Cancer Subtypes. Clinical Cancer Research, 2021, 27, 1949-1957.	7.0	5
62	Therapy for chemopretreated metastatic urothelial cancer (mUC) with the antibody-drug conjugate (ADC) sacituzumab govitecan (IMMU-132) Journal of Clinical Oncology, 2017, 35, 327-327.	1.6	5
63	Immunocytochemistry staining for ER and PR in circulating tumor cells as compared to primary tumor or metastatic biopsy Journal of Clinical Oncology, 2012, 30, 584-584.	1.6	5
64	Concurrent use of capecitabine with radiation therapy and survival in breast cancer (BC) after neoadjuvant chemotherapy. Clinical and Translational Oncology, 2018, 20, 1280-1288.	2.4	4
65	Dynamic Vascular Optical Tomographic Imaging for Peripheral Artery Disease and Breast Cancer. , 2019, , 353-400.		4
66	Trop-2 as a therapeutic target for the antibody-drug conjugate (ADC), sacituzumab govitecan (IMMU-132), in patients (pts) with previously treated metastatic small-cell lung cancer (mSCLC) Journal of Clinical Oncology, 2016, 34, 8559-8559.	1.6	4
67	A randomized phase II trial of fulvestrant with or without ribociclib after progression on aromatase inhibition plus cyclin-dependent kinase 4/6 inhibition in patients with unresectable or metastatic hormone receptor positive, HER2 negative breast cancer Journal of Clinical Oncology, 2017, 35, TPS1112-TPS1112	1.6	4
68	Utility of Oncotype DX score in clinical management for T1 estrogen receptor positive, HER2 negative, and lymph node negative breast cancer. Breast Cancer Research and Treatment, 2022, 192, 509-516.	2.5	4
69	Long-term safety of inavolisib (GDC-0077) in an ongoing phase 1/1b study evaluating monotherapy and in combination (combo) with palbociclib and/or endocrine therapy in patients (pts) with <i>PIK3CA</i> -mutated, hormone receptor-positive/HER2-negative (HR+/HER2-) metastatic breast cancer (BC) Journal of Clinical Oncology, 2022, 40, 1052-1052.	1.6	4
70	Lymph node involvement: Positive about the role of the recurrence score in estrogenâ€driven breast cancer?. Cancer, 2019, 125, 177-180.	4.1	3
71	Propranolol: What is BLOCKing Its Clinical Investigation in Breast Cancer?. Clinical Cancer Research, 2020, 26, 1781-1783.	7.0	3
72	When the World Throws You a Curve Ball: Lessons Learned in Breast Cancer Management. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2021, 41, e79-e89.	3.8	3

#	Article	IF	CITATIONS
73	Clinical trial data and emerging immunotherapeutic strategies: hormone receptor-positive, HER2â^' negative breast cancer. Breast Cancer Research and Treatment, 2021, 189, 1-13.	2.5	3
74	Presurgical evaluation of the AKT inhibitor MK-2206 in patients with operable invasive breast cancer Journal of Clinical Oncology, 2014, 32, 2613-2613.	1.6	3
75	A phase II trial of dasatinib in patients with unresectable locally advanced or stage IV mucosal, acral, and vulvovaginal melanomas: A trial of the ECOG-ACRIN Cancer Research Group (E2607) Journal of Clinical Oncology, 2016, 34, 9501-9501.	1.6	3
76	Therapy of relapsed/refractory metastatic triple-negative breast cancer (mTNBC) with an anti-Trop-2-SN-38 antibody-drug conjugate (ADC), sacituzumab govitecan (IMMU-132): Phase II results Journal of Clinical Oncology, 2016, 34, LBA509-LBA509.	1.6	3
77	Bevacizumab in breast cancer: a targeted therapy still in search of a target population. Seminars in Oncology, 2017, 44, 286-287.	2.2	2
78	Obesity's impact on survival is independent of dose adjustments in neoadjuvant chemotherapy in women with breast cancer. Breast Cancer Research and Treatment, 2018, 168, 285-285.	2.5	2
79	Diffuse optical tomography breast imaging measurements are modifiable with pre-surgical targeted and endocrine therapies among women with early stage breast cancer. Breast Cancer Research and Treatment, 2021, 189, 297-304.	2.5	2
80	Effects of neoadjuvant chemotherapy on the contralateral non-tumor-bearing breast assessed by diffuse optical tomography. Breast Cancer Research, 2021, 23, 16.	5.0	2
81	A phase II trial of dasatinib in patients with unresectable locally advanced or stage IV mucosal, acral, and solar melanomas: An Eastern Cooperative Oncology Group study (E2607) Journal of Clinical Oncology, 2012, 30, 8522-8522.	1.6	2
82	Exceptional Response to Dacarbazine in Uterine Leiomyosarcoma With Homozygous BRCA2 Deletion Highlights the Role of Homologous Recombination in Response to DNA Damage From Alkylating Agents. JCO Precision Oncology, 2018, 2, 1-6.	3.0	1
83	A phase I/Ib study evaluating GDC-0077 (inavolisib) + palbociclib (palbo) + fulvestrant in patients (pts) with PIK3CA-mutant (mut), hormone receptor-positive/HER2-negative metastatic breast cancer (HR+/HER2- mBC). Senologie - Zeitschrift Für Mammadiagnostik Und -therapie, 2021, 18, .	0.0	1
84	Mutational analysis of circulating tumor cells in breast cancer patients by targeted clonal sequencing Journal of Clinical Oncology, 2012, 30, 10516-10516.	1.6	1
85	Phase IB trial of ACY-1215 (Ricolinostat) combined with nab-paclitaxel in metastatic breast cancer Journal of Clinical Oncology, 2018, 36, 1058-1058.	1.6	1
86	A multicenter, phase I/II trial of anastrozole, palbociclib, trastuzumab and pertuzumab in HR-positive, Her2-positive metastatic breast cancer Journal of Clinical Oncology, 2018, 36, TPS1103-TPS1103.	1.6	1
87	Phase I-II study of the histone deacetytase inhibitor vorinostat plus sequential weekly paclitaxel and doxorubicin-cyclophosphamide in locally advanced breast cancer Journal of Clinical Oncology, 2014, 32, 598-598.	1.6	1
88	Individualizing Adjuvant Therapy in Women With Hormone Receptor–Positive, Human Epidermal Growth Factor Receptor 2–Negative Node-Positive Breast Cancer. JCO Oncology Practice, 2022, , OP2100780.	2.9	1
89	Quantitative Multiplex Immunofluorescence Evaluation of the Tumor Microenvironment in Pretreatment Tumors of Patients with Metastatic Breast Cancer and Serous Ovarian Carcinoma Treated with Liposomal Eribulin. Cancer Investigation, 2021, 39, 466-472.	1.3	0
90	Abstract 645: Network-based assessment of HDAC6 activity is highly predictive of pre-clinical and clinical responses to the HDAC6 inhibitor ricolinostat. , 2021, , .		0

#	Article	IF	CITATIONS
91	Integration of germline multigene panel testing into breast and gynecologic oncology clinics Journal of Clinical Oncology, 2021, 39, 164-164.	1.6	0
92	Ethnic differences in tumor proliferation in women with early-stage breast cancer Journal of Clinical Oncology, 2013, 31, 560-560.	1.6	0
93	Correlation between risk benefit index and uptake of breast cancer chemoprevention Journal of Clinical Oncology, 2014, 32, 1568-1568.	1.6	0
94	Phase I/II trial of ruxolitinib in combination with trastuzumab in metastatic HER2-positive breast cancer Journal of Clinical Oncology, 2014, 32, TPS666-TPS666.	1.6	0
95	Identifying predictors of taxane-induced peripheral neuropathy using shotgun proteomics technology Journal of Clinical Oncology, 2015, 33, 9607-9607.	1.6	0
96	Randomized sham controlled pilot trial of weekly electro-acupuncture for the prevention of taxane-induced peripheral neuropathy Journal of Clinical Oncology, 2015, 33, e20738-e20738.	1.6	0
97	Lymphovascular invasion and survival in breast cancer after neoadjuvant chemotherapy Journal of Clinical Oncology, 2016, 34, 1025-1025.	1.6	0
98	Therapy of relapsed/refractory metastatic triple-negative breast cancer (mTNBC) with an anti-Trop-2-SN-38 antibody-drug conjugate (ADC), sacituzumab govitecan (IMMU-132): Phase II results Journal of Clinical Oncology, 2016, 34, LBA509-LBA509.	1.6	0
99	Comparison of physicians, nurses' and patients' assessment of overall symptom burden Journal of Clinical Oncology, 2016, 34, e18123-e18123.	1.6	0
100	Pleomorphic invasive lobular breast carcinoma: Prognosis and characteristics compared with classical invasive lobular breast carcinoma Journal of Clinical Oncology, 2016, 34, e13094-e13094.	1.6	0
101	Differences in global toxicity burden among patients and care providers during initial chemotherapy for breast cancer Journal of Clinical Oncology, 2017, 35, e21649-e21649.	1.6	0
102	Concurrent use of capecitabine with radiation therapy and survival in breast cancer (BC) after neoadjuvant chemotherapy Journal of Clinical Oncology, 2017, 35, e12117-e12117.	1.6	0
103	Characterization of the tumor immune microenvironment (TIM) with multiplex immunohistochemistry (mIHC) in patients with breast cancer following treatment with MK-2206 Journal of Clinical Oncology, 2017, 35, e12109-e12109.	1.6	0
104	Obesity and survival in the neoadjuvant breast cancer setting: Role of tumor subtype and race Journal of Clinical Oncology, 2017, 35, e12136-e12136.	1.6	0
105	Association of Akt inhibition with change in immunophenotype of tumor microenvironment (TME) in breast cancer (BC) Journal of Clinical Oncology, 2018, 36, 12057-12057.	1.6	0
106	The COVID-19 pandemic impact on breast cancer care delivery at an academic center in New York City Journal of Clinical Oncology, 2020, 38, 88-88.	1.6	0
107	Phase Ib/II study of BCL-2 inhibitor lisaftoclax (APG-2575) safety and tolerability when administered alone or combined with a cyclin-dependent kinase 4/6 (CDK4/6) inhibitor in patients with estrogen receptor-positive (ER ⁺) breast cancer or advanced solid tumors Journal of Clinical Oncology. 2022. 40. TPS1122-TPS1122.	1.6	0