
## Wenling Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3155077/publications.pdf Version: 2024-02-01



WENLING ZHANG

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Circular RNAs in human cancer. Molecular Cancer, 2017, 16, 25.   | 19.2 | 310       |
| 2  | Upregulated long non-coding RNA AFAP1-AS1 expression is associated with progression and poor prognosis of nasopharyngeal carcinoma. Oncotarget, 2015, 6, 20404-20418.  | 1.8  | 210       |
| 3  | microRNA-141 is involved in a nasopharyngeal carcinoma-related genes network. Carcinogenesis, 2010, 31, 559-566.   | 2.8  | 145       |
| 4  | AFAP1-AS1, a long noncoding RNA upregulated in lung cancer and promotes invasion and metastasis.<br>Tumor Biology, 2016, 37, 729-737.  | 1.8  | 132       |
| 5  | miR-18a promotes malignant progression by impairing microRNA biogenesis in nasopharyngeal carcinoma. Carcinogenesis, 2013, 34, 415-425.  | 2.8  | 108       |
| 6  | Expression of LINC00312, a long intergenic non-coding RNA, is negatively correlated with tumor size<br>but positively correlated with lymph node metastasis in nasopharyngeal carcinoma. Journal of<br>Molecular Histology, 2013, 44, 545-554. | 2.2  | 104       |
| 7  | EBV-miR-BART10-3p facilitates epithelial-mesenchymal transition and promotes metastasis of nasopharyngeal carcinoma by targeting BTRC. Oncotarget, 2015, 6, 41766-41782.   | 1.8  | 96        |
| 8  | LOC401317, a p53-Regulated Long Non-Coding RNA, Inhibits Cell Proliferation and Induces Apoptosis in the Nasopharyngeal Carcinoma Cell Line HNE2. PLoS ONE, 2014, 9, e110674.  | 2.5  | 93        |
| 9  | BPIFB1 (LPLUNC1) inhibits migration and invasion of nasopharyngeal carcinoma by interacting with VTN and VIM. British Journal of Cancer, 2018, 118, 233-247.   | 6.4  | 73        |
| 10 | Genome-Wide Analysis of 18 Epstein-Barr Viruses Isolated from Primary Nasopharyngeal Carcinoma<br>Biopsy Specimens. Journal of Virology, 2017, 91, .   | 3.4  | 70        |
| 11 | BPIFB1 (LPLUNC1) inhibits radioresistance in nasopharyngeal carcinoma by inhibiting VTN expression.<br>Cell Death and Disease, 2018, 9, 432.   | 6.3  | 70        |
| 12 | High Expression of IncRNA AFAP1-AS1 Promotes the Progression of Colon Cancer and Predicts Poor<br>Prognosis. Journal of Cancer, 2018, 9, 4677-4683.  | 2.5  | 69        |
| 13 | Immunoregulatory protein B7-H3 regulates cancer stem cell enrichment and drug resistance through MVP-mediated MEK activation. Oncogene, 2019, 38, 88-102.  | 5.9  | 67        |
| 14 | Regulation network and expression profiles of Epstein-Barr virus-encoded microRNAs and their<br>potential target host genes in nasopharyngeal carcinomas. Science China Life Sciences, 2014, 57, 315-326.                                      | 4.9  | 66        |
| 15 | The microRNA-processing enzymes: Drosha and Dicer can predict prognosis of nasopharyngeal carcinoma. Journal of Cancer Research and Clinical Oncology, 2012, 138, 49-56.   | 2.5  | 65        |
| 16 | Analysis of gene expression identifies candidate molecular markers in nasopharyngeal carcinoma<br>using microdissection and cDNA microarray. Journal of Cancer Research and Clinical Oncology, 2006,<br>133, 71-81.                            | 2.5  | 62        |
| 17 | An integrative transcriptomic analysis reveals p53 regulated miRNA, mRNA, and lncRNA networks in nasopharyngeal carcinoma. Tumor Biology, 2016, 37, 3683-3695.   | 1.8  | 61        |
| 18 | Long non-coding RNAs are involved in alternative splicing and promote cancer progression. British<br>Journal of Cancer, 2022, 126, 1113-1124.  | 6.4  | 53        |

WENLING ZHANG

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Identification of aberrant cell cycle regulation in Epstein–Barr virus-associated<br>nasopharyngeal carcinoma by cDNA microarray and gene set enrichment analysis. Acta Biochimica Et<br>Biophysica Sinica, 2009, 41, 414-428.                              | 2.0 | 52        |
| 20 | HYOU1, Regulated by LPLUNC1, Is Up-Regulated in Nasopharyngeal Carcinoma and Associated with Poor<br>Prognosis. Journal of Cancer, 2016, 7, 367-376.  | 2.5 | 51        |
| 21 | circSETD3 regulates MAPRE1 through miR-615-5p and miR-1538 sponges to promote migration and invasion in nasopharyngeal carcinoma. Oncogene, 2021, 40, 307-321.  | 5.9 | 51        |
| 22 | Evaluation of the prognostic value of TGF-β superfamily type I receptor and TGF-β type II receptor expression in nasopharyngeal carcinoma using high-throughput tissue microarrays. Journal of Molecular Histology, 2012, 43, 297-306.                      | 2.2 | 43        |
| 23 | Upregulation and hypomethylation of IncRNA AFAP1‑AS1 predicts a poor prognosis and promotes the migration and invasion of cervical cancer. Oncology Reports, 2019, 41, 2431-2439.   | 2.6 | 42        |
| 24 | Mitochondrial DNA in NLRP3 inflammasome activation. International Immunopharmacology, 2022, 108, 108719.  | 3.8 | 35        |
| 25 | Herpesvirus acts with the cytoskeleton and promotes cancer progression. Journal of Cancer, 2019, 10, 2185-2193.   | 2.5 | 31        |
| 26 | Oxidored-nitro domain containing protein 1 (NOR1) expression suppresses slug/vimentin but not snail<br>in nasopharyngeal carcinoma: Inhibition of EMT in vitro and in vivo in mice. Cancer Letters, 2014, 348,<br>109-118.                                  | 7.2 | 30        |
| 27 | Lactotransferrin could be a novel independent molecular prognosticator of nasopharyngeal carcinoma. Tumor Biology, 2015, 36, 675-683.   | 1.8 | 28        |
| 28 | Inhibition of LONP1 protects against erastin-induced ferroptosis in Pancreatic ductal adenocarcinoma PANC1 cells. Biochemical and Biophysical Research Communications, 2020, 522, 1063-1068.  | 2.1 | 28        |
| 29 | MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN.<br>Oncotarget, 2017, 8, 5206-5218.  | 1.8 | 26        |
| 30 | Inhibin B suppresses anoikis resistance and migration through the transforming growth factorâ€Î²<br>signaling pathway in nasopharyngeal carcinoma. Cancer Science, 2018, 109, 3416-3427.  | 3.9 | 24        |
| 31 | Emerging roles of activating transcription factor (ATF) family members in tumourigenesis and immunity: Implications in cancer immunotherapy. Genes and Diseases, 2022, 9, 981-999.  | 3.4 | 22        |
| 32 | The role of B7-H3 in tumors and its potential in clinical application. International<br>Immunopharmacology, 2021, 101, 108153.  | 3.8 | 22        |
| 33 | <scp>SPLUNC</scp> 1 is associated with nasopharyngeal carcinoma prognosis and plays an important<br>role in allâ€transâ€retinoic acidâ€induced growth inhibition and differentiation in nasopharyngeal cancer<br>cells. FEBS Journal, 2014, 281, 4815-4829. | 4.7 | 21        |
| 34 | The role of HOPX in normal tissues and tumor progression. Bioscience Reports, 2020, 40, .   | 2.4 | 21        |
| 35 | APLNR is involved in ATRAâ€induced growth inhibition of nasopharyngeal carcinoma and may suppress<br>EMT through PI3Kâ€Aktâ€mTOR signaling. FASEB Journal, 2019, 33, 11959-11972.   | 0.5 | 19        |
| 36 | EBVâ€miRâ€BART12 accelerates migration and invasion in EBVâ€associated cancer cells by targeting tubulin polymerizationâ€promoting protein 1. FASEB Journal, 2020, 34, 16205-16223.   | 0.5 | 19        |

WENLING ZHANG

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Expression of PD-L1 in EBV-associated malignancies. International Immunopharmacology, 2021, 95, 107553.   | 3.8 | 16        |
| 38 | The delta high-density lipoprotein cholesterol ratio: a novel parameter for gram-negative sepsis.<br>SpringerPlus, 2016, 5, 1044.   | 1.2 | 13        |
| 39 | Identification of potential biomarkers associated with immune infiltration in the esophageal carcinoma tumor microenvironment. Bioscience Reports, 2021, 41, .  | 2.4 | 10        |
| 40 | Research Progress of circRNAs in Head and Neck Cancers. Frontiers in Oncology, 2021, 11, 616202.  | 2.8 | 9         |
| 41 | Inhibition of LONP1 Suppresses Pancreatic Cancer Progression Via c-Jun N-Terminal Kinase<br>Pathway–Meditated Epithelial-Mesenchymal Transition. Pancreas, 2019, 48, 629-635.   | 1.1 | 8         |
| 42 | Mitochondriaâ€associated endoplasmic reticulum membranes: At the crossroad between familiar and sporadic Alzheimer's disease. Synapse, 2021, 75, e22196.  | 1.2 | 8         |
| 43 | Extrachromosomal Circular DNA: A New Target in Cancer. Frontiers in Oncology, 2022, 12, 814504.   | 2.8 | 6         |
| 44 | Upregulation of cyclin D1 can act as an independent prognostic marker for longer survival time in human nasopharyngeal carcinoma. Journal of Clinical Laboratory Analysis, 2020, 34, e23298.                                      | 2.1 | 4         |
| 45 | The role of alternative splicing in human cancer progression. American Journal of Cancer Research, 2021, 11, 4642-4667.   | 1.4 | 3         |
| 46 | The Apelin/APLNR system modulates tumor immune response by reshaping the tumor microenvironment. Gene, 2022, 834, 146564.   | 2.2 | 3         |
| 47 | The Multifunctional Roles of Short Palate, Lung, and Nasal Epithelium Clone 1 in Regulating Airway<br>Surface Liquid and Participating in Airway Host Defense. Journal of Interferon and Cytokine Research,<br>2021, 41, 139-148. | 1.2 | 1         |
| 48 | NUCB2: roles in physiology and pathology. Journal of Physiology and Biochemistry, 0, , .  | 3.0 | 0         |