Wenling Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3155077/publications.pdf

Version: 2024-02-01

201674 214800 2,501 48 27 47 citations h-index g-index papers 49 49 49 2631 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Emerging roles of activating transcription factor (ATF) family members in tumourigenesis and immunity: Implications in cancer immunotherapy. Genes and Diseases, 2022, 9, 981-999. | 3.4 | 22 |
| 2 | Long non-coding RNAs are involved in alternative splicing and promote cancer progression. British Journal of Cancer, 2022, 126, 1113-1124. | 6.4 | 53 |
| 3 | Mitochondrial DNA in NLRP3 inflammasome activation. International Immunopharmacology, 2022, 108, 108719. | 3.8 | 35 |
| 4 | Extrachromosomal Circular DNA: A New Target in Cancer. Frontiers in Oncology, 2022, 12, 814504. | 2.8 | 6 |
| 5 | The Apelin/APLNR system modulates tumor immune response by reshaping the tumor microenvironment. Gene, 2022, 834, 146564. | 2.2 | 3 |
| 6 | circSETD3 regulates MAPRE1 through miR-615-5p and miR-1538 sponges to promote migration and invasion in nasopharyngeal carcinoma. Oncogene, 2021, 40, 307-321. | 5.9 | 51 |
| 7 | Mitochondriaâ€associated endoplasmic reticulum membranes: At the crossroad between familiar and sporadic Alzheimer's disease. Synapse, 2021, 75, e22196. | 1.2 | 8 |
| 8 | Identification of potential biomarkers associated with immune infiltration in the esophageal carcinoma tumor microenvironment. Bioscience Reports, 2021, 41, . | 2.4 | 10 |
| 9 | Research Progress of circRNAs in Head and Neck Cancers. Frontiers in Oncology, 2021, 11, 616202. | 2.8 | 9 |
| 10 | The Multifunctional Roles of Short Palate, Lung, and Nasal Epithelium Clone 1 in Regulating Airway Surface Liquid and Participating in Airway Host Defense. Journal of Interferon and Cytokine Research, 2021, 41, 139-148. | 1.2 | 1 |
| 11 | Expression of PD-L1 in EBV-associated malignancies. International Immunopharmacology, 2021, 95, 107553. | 3.8 | 16 |
| 12 | The role of B7-H3 in tumors and its potential in clinical application. International Immunopharmacology, 2021, 101, 108153. | 3.8 | 22 |
| 13 | The role of alternative splicing in human cancer progression. American Journal of Cancer Research, 2021, 11, 4642-4667. | 1.4 | 3 |
| 14 | Inhibition of LONP1 protects against erastin-induced ferroptosis in Pancreatic ductal adenocarcinoma PANC1 cells. Biochemical and Biophysical Research Communications, 2020, 522, 1063-1068. | 2.1 | 28 |
| 15 | Upregulation of cyclin D1 can act as an independent prognostic marker for longer survival time in human nasopharyngeal carcinoma. Journal of Clinical Laboratory Analysis, 2020, 34, e23298. | 2.1 | 4 |
| 16 | EBVâ€miRâ€BART12 accelerates migration and invasion in EBVâ€associated cancer cells by targeting tubulin polymerizationâ€promoting protein 1. FASEB Journal, 2020, 34, 16205-16223. | 0.5 | 19 |
| 17 | The role of HOPX in normal tissues and tumor progression. Bioscience Reports, 2020, 40, . | 2.4 | 21 |
| 18 | Immunoregulatory protein B7-H3 regulates cancer stem cell enrichment and drug resistance through MVP-mediated MEK activation. Oncogene, 2019, 38, 88-102. | 5.9 | 67 |

| # | Article | IF | CITATIONS |
|----------------------|--|--------------------------|--|
| 19 | APLNR is involved in ATRAâ€induced growth inhibition of nasopharyngeal carcinoma and may suppress EMT through PI3Kâ€Aktâ€mTOR signaling. FASEB Journal, 2019, 33, 11959-11972. | 0.5 | 19 |
| 20 | Herpesvirus acts with the cytoskeleton and promotes cancer progression. Journal of Cancer, 2019, 10, 2185-2193. | 2.5 | 31 |
| 21 | Upregulation and hypomethylation of IncRNA AFAP1â€'AS1 predicts a poor prognosis and promotes the migration and invasion of cervical cancer. Oncology Reports, 2019, 41, 2431-2439. | 2.6 | 42 |
| 22 | Inhibition of LONP1 Suppresses Pancreatic Cancer Progression Via c-Jun N-Terminal Kinase Pathway–Meditated Epithelial-Mesenchymal Transition. Pancreas, 2019, 48, 629-635. | 1.1 | 8 |
| 23 | BPIFB1 (LPLUNC1) inhibits radioresistance in nasopharyngeal carcinoma by inhibiting VTN expression. Cell Death and Disease, 2018, 9, 432. | 6.3 | 70 |
| 24 | BPIFB1 (LPLUNC1) inhibits migration and invasion of nasopharyngeal carcinoma by interacting with VTN and VIM. British Journal of Cancer, 2018, 118, 233-247. | 6.4 | 73 |
| 25 | High Expression of IncRNA AFAP1-AS1 Promotes the Progression of Colon Cancer and Predicts Poor Prognosis. Journal of Cancer, 2018, 9, 4677-4683. | 2.5 | 69 |
| 26 | Inhibin B suppresses anoikis resistance and migration through the transforming growth factorâ€Î² signaling pathway in nasopharyngeal carcinoma. Cancer Science, 2018, 109, 3416-3427. | 3.9 | 24 |
| 27 | Circular RNAs in human cancer. Molecular Cancer, 2017, 16, 25. | 19.2 | 310 |
| | | | |
| 28 | Genome-Wide Analysis of 18 Epstein-Barr Viruses Isolated from Primary Nasopharyngeal Carcinoma Biopsy Specimens. Journal of Virology, 2017, 91, . | 3.4 | 70 |
| 28 | Genome-Wide Analysis of 18 Epstein-Barr Viruses Isolated from Primary Nasopharyngeal Carcinoma Biopsy Specimens. Journal of Virology, 2017, 91, . MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. Oncotarget, 2017, 8, 5206-5218. | 3.4 | 70 |
| | Biopsy Specimens. Journal of Virology, 2017, 91, . MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. | | |
| 29 | Biopsy Specimens. Journal of Virology, 2017, 91, . MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. Oncotarget, 2017, 8, 5206-5218. HYOU1, Regulated by LPLUNC1, Is Up-Regulated in Nasopharyngeal Carcinoma and Associated with Poor | 1.8 | 26 |
| 30 | Biopsy Specimens. Journal of Virology, 2017, 91, . MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. Oncotarget, 2017, 8, 5206-5218. HYOU1, Regulated by LPLUNC1, Is Up-Regulated in Nasopharyngeal Carcinoma and Associated with Poor Prognosis. Journal of Cancer, 2016, 7, 367-376. The delta high-density lipoprotein cholesterol ratio: a novel parameter for gram-negative sepsis. | 1.8 2.5 | 26 51 |
| 29 30 31 | Biopsy Specimens. Journal of Virology, 2017, 91, . MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. Oncotarget, 2017, 8, 5206-5218. HYOU1, Regulated by LPLUNC1, Is Up-Regulated in Nasopharyngeal Carcinoma and Associated with Poor Prognosis. Journal of Cancer, 2016, 7, 367-376. The delta high-density lipoprotein cholesterol ratio: a novel parameter for gram-negative sepsis. SpringerPlus, 2016, 5, 1044. An integrative transcriptomic analysis reveals p53 regulated miRNA, mRNA, and IncRNA networks in | 1.8 2.5 1.2 | 265113 |
| 29 30 31 32 | Biopsy Specimens. Journal of Virology, 2017, 91,. MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. Oncotarget, 2017, 8, 5206-5218. HYOU1, Regulated by LPLUNC1, Is Up-Regulated in Nasopharyngeal Carcinoma and Associated with Poor Prognosis. Journal of Cancer, 2016, 7, 367-376. The delta high-density lipoprotein cholesterol ratio: a novel parameter for gram-negative sepsis. SpringerPlus, 2016, 5, 1044. An integrative transcriptomic analysis reveals p53 regulated miRNA, mRNA, and lncRNA networks in nasopharyngeal carcinoma. Tumor Biology, 2016, 37, 3683-3695. AFAP1-AS1, a long noncoding RNA upregulated in lung cancer and promotes invasion and metastasis. | 1.8 2.5 1.2 1.8 | 26 51 13 61 |
| 29 30 31 32 | Biopsy Specimens. Journal of Virology, 2017, 91, . MiR-200c is a cMyc-activated miRNA that promotes nasopharyngeal carcinoma by downregulating PTEN. Oncotarget, 2017, 8, 5206-5218. HYOU1, Regulated by LPLUNC1, Is Up-Regulated in Nasopharyngeal Carcinoma and Associated with Poor Prognosis. Journal of Cancer, 2016, 7, 367-376. The delta high-density lipoprotein cholesterol ratio: a novel parameter for gram-negative sepsis. SpringerPlus, 2016, 5, 1044. An integrative transcriptomic analysis reveals p53 regulated miRNA, mRNA, and IncRNA networks in nasopharyngeal carcinoma. Tumor Biology, 2016, 37, 3683-3695. AFAP1-AS1, a long noncoding RNA upregulated in lung cancer and promotes invasion and metastasis. Tumor Biology, 2016, 37, 729-737. Upregulated long non-coding RNA AFAP1-AS1 expression is associated with progression and poor | 1.8 2.5 1.2 1.8 | 26 51 13 61 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | LOC401317, a p53-Regulated Long Non-Coding RNA, Inhibits Cell Proliferation and Induces Apoptosis in the Nasopharyngeal Carcinoma Cell Line HNE2. PLoS ONE, 2014, 9, e110674. | 2.5 | 93 |
| 38 | <scp>SPLUNC</scp> 1 is associated with nasopharyngeal carcinoma prognosis and plays an important role in allâ€transâ€retinoic acidâ€induced growth inhibition and differentiation in nasopharyngeal cancer cells. FEBS Journal, 2014, 281, 4815-4829. | 4.7 | 21 |
| 39 | Regulation network and expression profiles of Epstein-Barr virus-encoded microRNAs and their potential target host genes in nasopharyngeal carcinomas. Science China Life Sciences, 2014, 57, 315-326. | 4.9 | 66 |
| 40 | Oxidored-nitro domain containing protein 1 (NOR1) expression suppresses slug/vimentin but not snail in nasopharyngeal carcinoma: Inhibition of EMT in vitro and in vivo in mice. Cancer Letters, 2014, 348, 109-118. | 7.2 | 30 |
| 41 | miR-18a promotes malignant progression by impairing microRNA biogenesis in nasopharyngeal carcinoma. Carcinogenesis, 2013, 34, 415-425. | 2.8 | 108 |
| 42 | Expression of LINC00312, a long intergenic non-coding RNA, is negatively correlated with tumor size but positively correlated with lymph node metastasis in nasopharyngeal carcinoma. Journal of Molecular Histology, 2013, 44, 545-554. | 2.2 | 104 |
| 43 | Evaluation of the prognostic value of TGF- \hat{l}^2 superfamily type I receptor and TGF- \hat{l}^2 type II receptor expression in nasopharyngeal carcinoma using high-throughput tissue microarrays. Journal of Molecular Histology, 2012, 43, 297-306. | 2.2 | 43 |
| 44 | The microRNA-processing enzymes: Drosha and Dicer can predict prognosis of nasopharyngeal carcinoma. Journal of Cancer Research and Clinical Oncology, 2012, 138, 49-56. | 2.5 | 65 |
| 45 | microRNA-141 is involved in a nasopharyngeal carcinoma-related genes network. Carcinogenesis, 2010, 31, 559-566. | 2.8 | 145 |
| 46 | Identification of aberrant cell cycle regulation in Epstein–Barr virus-associated nasopharyngeal carcinoma by cDNA microarray and gene set enrichment analysis. Acta Biochimica Et Biophysica Sinica, 2009, 41, 414-428. | 2.0 | 52 |
| 47 | Analysis of gene expression identifies candidate molecular markers in nasopharyngeal carcinoma using microdissection and cDNA microarray. Journal of Cancer Research and Clinical Oncology, 2006, 133, 71-81. | 2.5 | 62 |
| 48 | NUCB2: roles in physiology and pathology. Journal of Physiology and Biochemistry, 0, , . | 3.0 | 0 |