

Dingbang Xiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3157464/publications.pdf>

Version: 2024-02-01

73
papers

1,037
citations

430874

18
h-index

501196

28
g-index

73
all docs

73
docs citations

73
times ranked

395
citing authors

#	ARTICLE	IF	CITATIONS
1	Calibration of Coupling Errors for Scale Factor Nonlinearity Improvement in Navigation-Grade Honeycomb Disk Resonator Gyroscope. IEEE Transactions on Industrial Electronics, 2023, 70, 5347-5355.	7.9	3
2	Characterization and Compensation of Detection Electrode Errors for Whole-Angle Micro-Shell Resonator Gyroscope. Journal of Microelectromechanical Systems, 2022, 31, 19-28.	2.5	15
3	Investigation of Angle Drift Induced by Actuation Electrode Errors for Whole-Angle Micro-Shell Resonator Gyroscope. IEEE Sensors Journal, 2022, 22, 3105-3112.	4.7	16
4	Fused Silica Gyroscope Resonator Manufactured With Femtosecond Laser Assisted Wet Etching. Journal of Microelectromechanical Systems, 2022, 31, 315-317.	2.5	4
5	Nonlinearity-mediated digitization and amplification in electromechanical phonon-cavity systems. Nature Communications, 2022, 13, 2352.	12.8	12
6	Virtual Rotating MEMS Gyrocompassing With Honeycomb Disk Resonator Gyroscope. IEEE Electron Device Letters, 2022, 43, 1331-1334.	3.9	10
7	Temperature Drift Self-calibration for Honeycomb-like Disk Resonator Gyroscope. , 2022, , .		3
8	Ultra-fast Characterization of Detection Electrode Errors under Whole-angle Mode in 10 Seconds. , 2022, , .		1
9	Frequency split suppression of fused silica micro shell resonator based on rotating forming process. Microsystem Technologies, 2021, 27, 789-799.	2.0	4
10	Simulated analysis of forming imperfection for micro shell resonators. Microsystem Technologies, 2021, 27, 723-737.	2.0	2
11	Micro Hemispherical Resonators with Quality Factor of 1.18 Million Fabricated Via Laser Ablation. , 2021, , .		4
12	Analysis of Parametric and Subharmonic Excitation in Push-Pull Driven Disk Resonator Gyroscopes. Micromachines, 2021, 12, 61.	2.9	6
13	Radially Pleated Disk Resonator for Gyroscopic Application. Journal of Microelectromechanical Systems, 2021, 30, 825-835.	2.5	7
14	A Wide Range Frequency Coherent Modulation Control Based on Modal Coupling Effect in MEMS Resonators. , 2021, , .		1
15	0.015 Degree-Per-Hour Honeycomb Disk Resonator Gyroscope. IEEE Sensors Journal, 2021, 21, 7326-7338.	4.7	37
16	A quadrature compensation method to improve the performance of the butterfly vibratory gyroscope. Sensors and Actuators A: Physical, 2021, 319, 112527.	4.1	10
17	Ultrafast laser in fabrication of micro hemispherical resonators with quality factor over millions. Journal of Micromechanics and Microengineering, 2021, 31, 055002.	2.6	11
18	The Parametric Amplification in MEMS Gyroscopes Based on Triple Resonant Frequency Signal. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
19	Research on the Stability Threshold and Subharmonic Oscillation in a Parametric Excitation MEMS Resonator. , 2021, , .		0
20	A Rate-Integrating Honeycomb Disk Resonator Gyroscope With $0.038\text{Å}^{\circ}/\text{h}$ Bias Instability and $\text{Å}^{\circ}7000\text{Å}^{\circ}/\text{s}$ Measurement Range. IEEE Electron Device Letters, 2021, 42, 581-584.	3.9	22
21	Micro Hemispherical Resonator Gyroscope With Teeth-Like Tines. IEEE Sensors Journal, 2021, 21, 13098-13106.	4.7	19
22	A newly MEMS vacuum gauge with multi-modes for low vacuum measurement. Vacuum, 2021, 192, 110446.	3.5	6
23	Frequency-Modulated MEMS Gyroscopes: A Review. IEEE Sensors Journal, 2021, 21, 26426-26446.	4.7	30
24	Honeycomb-Like Disk Resonator Gyroscope. IEEE Sensors Journal, 2020, 20, 85-94.	4.7	15
25	Nonlinearity Reduction in Disk Resonator Gyroscopes Based on the Vibration Amplification Effect. IEEE Transactions on Industrial Electronics, 2020, 67, 6946-6954.	7.9	29
26	Damping Asymmetry Trimming Based on the Resistance Heat Dissipation for Coriolis Vibratory Gyroscope in Whole-Angle Mode. Micromachines, 2020, 11, 945.	2.9	5
27	Adaptive compensation of damping asymmetry in whole-angle hemispherical resonator gyroscope. AIP Advances, 2020, 10, .	1.3	7
28	Modal Coupling Effect in a Novel Nonlinear Micromechanical Resonator. Micromachines, 2020, 11, 472.	2.9	8
29	Frequency Split Improvement of Fused Silica Micro Shell Resonator Based on Suppression of Geometric Harmonic Error. , 2020, , .		1
30	Geometric Imperfection Characterization and Precise Assembly of Micro Shell Resonators. Journal of Microelectromechanical Systems, 2020, 29, 480-489.	2.5	22
31	The Analysis of the Subharmonic Excitation in a Disk MEMS Gyroscope. , 2020, , .		0
32	Analysis and experiment on the parametrically amplified and push-pull driven resonators. , 2020, , .		1
33	A Study on the Trimming Effects on the Quality Factor of Micro-Shell Resonators Vibrating in Wineglass Modes. Micromachines, 2019, 10, 695.	2.9	1
34	Dynamic modulation of modal coupling in microelectromechanical gyroscopic ring resonators. Nature Communications, 2019, 10, 4980.	12.8	57
35	Stiffness-Mass Decoupled Honeycomb-like Disk Resonator Gyroscope. , 2019, , .		3
36	Research on precise mechanical trimming of a micro shell resonator with T-shape masses using femtosecond laser ablation. Sensors and Actuators A: Physical, 2019, 290, 228-238.	4.1	23

#	ARTICLE	IF	CITATIONS
37	A New Stress-Released Structure to Improve the Temperature Stability of the Butterfly Vibratory Gyroscope. <i>Micromachines</i> , 2019, 10, 82.	2.9	10
38	Dynamic Modeling of the Multiring Disk Resonator Gyroscope. <i>Micromachines</i> , 2019, 10, 181.	2.9	13
39	A Novel High Transduction Efficiency Micro Shell Resonator Gyroscope With 16 T-Shape Masses Using Out-of-Plane Electrodes. <i>IEEE Sensors Journal</i> , 2019, 19, 4820-4828.	4.7	19
40	A Tuning Fork Gyroscope with a Polygon-Shaped Vibration Beam. <i>Micromachines</i> , 2019, 10, 813.	2.9	11
41	A Novel High-Sensitivity Butterfly Gyroscope Driven by Horizontal Driving Force. <i>IEEE Sensors Journal</i> , 2019, 19, 2064-2071.	4.7	9
42	Decaying Time Constant Enhanced MEMS Disk Resonator for High Precision Gyroscopic Application. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018, 23, 452-458.	5.8	28
43	Electro-thermal analysis of an Al-Ti multilayer thin film microheater for MEMS thruster application. <i>Microsystem Technologies</i> , 2018, 24, 2409-2417.	2.0	13
44	Fused Silica Micro Shell Resonator With T-Shape Masses for Gyroscopic Application. <i>Journal of Microelectromechanical Systems</i> , 2018, 27, 47-58.	2.5	35
45	Quality Factor Improvement in the Disk Resonator Gyroscope by Optimizing the Spoke Length Distribution. <i>Journal of Microelectromechanical Systems</i> , 2018, 27, 414-423.	2.5	19
46	Enhancing airtightness of TGV through regulating interface energy for wafer-level vacuum packaging. <i>Microsystem Technologies</i> , 2018, 24, 3645-3649.	2.0	4
47	0.04 degree-per-hour MEMS disk resonator gyroscope with high-quality factor (510k) and long decaying time constant (74.9s). <i>Microsystems and Nanoengineering</i> , 2018, 4, 32.	7.0	91
48	Application of micro-blowtorching process with whirling platform for enhancing frequency symmetry of microshell structure. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 115004.	2.6	14
49	Investigation on the Quality Factor Limit of the (111) Silicon Based Disk Resonator. <i>Micromachines</i> , 2018, 9, 25.	2.9	12
50	Analysis and Design of a Polygonal Oblique Beam for the Butterfly Vibratory Gyroscope with Improved Robustness to Fabrication Imperfections. <i>Micromachines</i> , 2018, 9, 198.	2.9	11
51	Thermoelastic quality-factor enhanced disk resonator gyroscope. , 2017, , .		7
52	Honeycomb-like disk resonator with high immunity to fabrication error for gyroscopic application. , 2017, , .		11
53	Influences of the Structure Parameters on Sensitivity and Brownian Noise of the Disk Resonator Gyroscope. <i>Journal of Microelectromechanical Systems</i> , 2017, 26, 519-527.	2.5	31
54	Frequency Tuning of a Disk Resonator Gyroscope via Stiffness Perturbation. <i>IEEE Sensors Journal</i> , 2017, 17, 4725-4734.	4.7	43

#	ARTICLE	IF	CITATIONS
55	Numerical and experimental analysis of cold gas microthruster geometric parameters by univariate and orthogonal method. <i>Microsystem Technologies</i> , 2017, 23, 5003-5016.	2.0	11
56	A new fabrication process of TGV substrate with silicon vertical feedthroughs using double sided glass in silicon reflow process. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 3917-3923.	2.2	14
57	A novel honeycomb-like disk resonant gyroscope. , 2017, , .		4
58	Enhanced temperature stability of sensitivity for MEMS gyroscope based on frequency mismatch control. <i>Microsystem Technologies</i> , 2017, 23, 3311-3317.	2.0	16
59	Enhanced performance of 17.7 GHz SAW devices based on AlN/diamond/Si layered structure with embedded nanotransducer. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	24
60	Mitigating Thermoelastic Dissipation of Flexural Micromechanical Resonators by Decoupling Resonant Frequency from Thermal Relaxation Rate. <i>Physical Review Applied</i> , 2017, 8, .	3.8	14
61	Micro shell resonator with T-shape masses fabricated by micro blow-torching using whirling platform. , 2017, , .		5
62	Effective mechanical trimming of micro shell resonator with T-shape masses. , 2017, , .		9
63	Investigation on the way of adding lumped masses on disk resonator gyroscope. , 2017, , .		2
64	A novel high-sensitivity butterfly gyroscope driven by horizontal driving force. , 2017, , .		1
65	A 4 mm ² Double Differential Torsional MEMS Accelerometer Based on a Double-Beam Configuration. <i>Sensors</i> , 2017, 17, 2264.	3.8	9
66	A Dual-Butterfly Structure Gyroscope. <i>Sensors</i> , 2017, 17, 2870.	3.8	6
67	Stiffness-mass decoupled silicon disk resonator for high resolution gyroscopic application with long decay time constant (8.695 $\times 10^{-5}$ s). <i>Applied Physics Letters</i> , 2016, 109, .	3.3	28
68	An investigation on the ring thickness distribution of disk resonator gyroscope with high mechanical sensitivity. <i>International Journal of Mechanical Sciences</i> , 2016, 117, 174-181.	6.7	29
69	Design of a Disk Resonator Gyroscope With High Mechanical Sensitivity by Optimizing the Ring Thickness Distribution. <i>Journal of Microelectromechanical Systems</i> , 2016, 25, 606-616.	2.5	55
70	A double differential torsional accelerometer with improved temperature robustness. <i>Sensors and Actuators A: Physical</i> , 2016, 243, 43-51.	4.1	15
71	The mechanical sensitivity optimization of a disk resonator gyroscope with mutative ring thickness. , 2016, , .		4
72	Single-crystal diamond micro-cupped resonators made by laser ablation. <i>Microsystem Technologies</i> , 2016, 22, 2603-2610.	2.0	7

#	ARTICLE	IF	CITATIONS
73	Structural-Acoustic Coupling Effects on the Non-Vacuum Packaging Vibratory Cylinder Gyroscope. Sensors, 2013, 13, 17176-17192.	3.8	8