

# Silvana Galderisi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3157976/publications.pdf>

Version: 2024-02-01

230  
papers

12,738  
citations

28190

55  
h-index

30010

103  
g-index

256  
all docs

256  
docs citations

256  
times ranked

12027  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 813-824.   | 3.7 | 1,101     |
| 2  | Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet</i> , 2008, 371, 1085-1097.  | 6.3 | 964       |
| 3  | Toward a new definition of mental health. <i>World Psychiatry</i> , 2015, 14, 231-233.   | 4.8 | 383       |
| 4  | The current conceptualization of negative symptoms in schizophrenia. <i>World Psychiatry</i> , 2017, 16, 14-24.  | 4.8 | 354       |
| 5  | The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014, 13, 275-287.                       | 4.8 | 346       |
| 6  | EEG microstate duration and syntax in acute, medication-naïve, first-episode schizophrenia: a multi-center study. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 141-156.                                    | 0.9 | 316       |
| 7  | Negative symptoms of schizophrenia: new developments and unanswered research questions. <i>Lancet Psychiatry</i> , 2018, 5, 664-677.   | 3.7 | 316       |
| 8  | Prevention of Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 755.   | 6.0 | 287       |
| 9  | Cognitive Effects of Antipsychotic Drugs in First-Episode Schizophrenia and Schizophreniform Disorder: A Randomized, Open-Label Clinical Trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009, 166, 675-682. | 4.0 | 284       |
| 10 | The status of spectral EEG abnormality as a diagnostic test for schizophrenia. <i>Schizophrenia Research</i> , 2008, 99, 225-237.  | 1.1 | 255       |
| 11 | Sources of cortical rhythms in adults during physiological aging: A multicentric EEG study. <i>Human Brain Mapping</i> , 2006, 27, 162-172.  | 1.9 | 253       |
| 12 | Deconstructing Vulnerability for Psychosis: Meta-Analysis of Environmental Risk Factors for Psychosis in Subjects at Ultra High-Risk. <i>European Psychiatry</i> , 2017, 40, 65-75.                                  | 0.1 | 241       |
| 13 | Oxytocin receptor polymorphisms and adult attachment style in patients with depression. <i>Psychoneuroendocrinology</i> , 2009, 34, 1506-1514.   | 1.3 | 221       |
| 14 | Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 396.                        | 6.0 | 214       |
| 15 | The cortical generators of P3a and P3b: A LORETA study. <i>Brain Research Bulletin</i> , 2007, 73, 220-230.  | 1.4 | 210       |
| 16 | Evaluation of two new neuropsychological tests designed to minimize cultural bias in the assessment of HIV-1 seropositive persons: A WHO study. <i>Archives of Clinical Neuropsychology</i> , 1993, 8, 123-135.      | 0.3 | 201       |
| 17 | Deficit schizophrenia: an update. <i>World Psychiatry</i> , 2008, 7, 143-147.  | 4.8 | 171       |
| 18 | United Nations convention on the rights of persons with disabilities needs to be interpreted on the basis of scientific evidence regarding psychiatry. <i>European Psychiatry</i> , 2018, 51, 87-89.                 | 0.1 | 166       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Schizophrenia--Time to Commit to Policy Change. <i>Schizophrenia Bulletin</i> , 2014, 40, S165-S194.  | 2.3 | 153       |
| 20 | The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.   | 4.8 | 153       |
| 21 | Categorical and dimensional approaches to negative symptoms of schizophrenia: Focus on long-term stability and functional outcome. <i>Schizophrenia Research</i> , 2013, 147, 157-162.  | 1.1 | 148       |
| 22 | Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMISE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807.   | 3.7 | 141       |
| 23 | Persistent negative symptoms in first episode patients with schizophrenia: Results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013, 23, 196-204.  | 0.3 | 137       |
| 24 | Historical, Psychopathological, Neurological, and Neuropsychological Aspects of Deficit Schizophrenia: A Multicenter Study. <i>American Journal of Psychiatry</i> , 2002, 159, 983-990.   | 4.0 | 127       |
| 25 | The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015, 30, 641-647.   | 0.1 | 114       |
| 26 | Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017, 186, 19-28.  | 1.1 | 110       |
| 27 | Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015, 45, 1765-1778.   | 2.7 | 108       |
| 28 | Effectiveness of antipsychotics in first-episode schizophrenia and schizophreniform disorder on response and remission: An open randomized clinical trial (EUFEST). <i>Schizophrenia Research</i> , 2009, 115, 97-103.  | 1.1 | 107       |
| 29 | Correlates of cognitive impairment in first episode schizophrenia: The EUFEST study. <i>Schizophrenia Research</i> , 2009, 115, 104-114.  | 1.1 | 102       |
| 30 | Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 305-314.   | 2.3 | 99        |
| 31 | The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020, 19, 81-91. | 4.8 | 96        |
| 32 | Magnetic Resonance Imaging and the Prediction of Outcome in First-Episode Schizophrenia: A Review of Current Evidence and Directions for Future Research. <i>Schizophrenia Bulletin</i> , 2015, 41, 574-583.  | 2.3 | 94        |
| 33 | EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e23.   | 0.1 | 94        |
| 34 | Inhibition of auditory cortical responses to ipsilateral stimuli during dichotic listening: evidence from magnetoencephalography. <i>European Journal of Neuroscience</i> , 2004, 19, 2329-2336.  | 1.2 | 90        |
| 35 | Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021, 78, 550.   | 6.0 | 89        |
| 36 | Network Analysis Reveals the Latent Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 1033-1041.   | 2.3 | 88        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Patterns of Structural MRI Abnormalities in Deficit and Nondeficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 34, 393-401.   | 2.3 | 85        |
| 38 | Evidence-Based Medicine and Electrophysiology in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2009, 40, 62-77.  | 0.9 | 85        |
| 39 | Primary, Enduring Negative Symptoms: An Update on Research. <i>Schizophrenia Bulletin</i> , 2017, 43, 730-736.   | 2.3 | 85        |
| 40 | Deficit schizophrenia: An overview of clinical, biological and treatment aspects. <i>European Psychiatry</i> , 2009, 24, 493-500.  | 0.1 | 84        |
| 41 | Neurobiological background of negative symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 543-558.  | 1.8 | 81        |
| 42 | Evaluation of two new neuropsychological tests designed to minimize cultural bias in the assessment of HIV-1 seropositive persons: a WHO study. <i>Archives of Clinical Neuropsychology</i> , 1993, 8, 123-35.                             | 0.3 | 79        |
| 43 | Ventricle-to-brain ratio in schizophrenia: a controlled follow-up study. <i>Biological Psychiatry</i> , 1989, 26, 756-759.   | 0.7 | 78        |
| 44 | Neuropsychological Slowness in Obsessive-Compulsive Patients. <i>British Journal of Psychiatry</i> , 1995, 167, 394-398.   | 1.7 | 78        |
| 45 | Brain Hemispheric Organization, Anxiety, and Psychoses. <i>CNS Spectrums</i> , 2000, 5, 58-69.   | 0.7 | 76        |
| 46 | The efficacy of cariprazine in negative symptoms of schizophrenia: Post hoc analyses of PANSS individual items and PANSS-derived factors. <i>European Psychiatry</i> , 2019, 58, 1-9.  | 0.1 | 75        |
| 47 | Frequency and clinical correlates of adult separation anxiety in a sample of 508 outpatients with mood and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 40-46.  | 2.2 | 73        |
| 48 | Evaluation of two new neuropsychological tests designed to minimize cultural bias in the assessment of HIV-1 seropositive persons: A WHO study. <i>Archives of Clinical Neuropsychology</i> , 1993, 8, 123-135.                            | 0.3 | 72        |
| 49 | EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e21.   | 0.1 | 70        |
| 50 | Alexithymia and Cognitive Dysfunctions in Patients with Panic Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 182-188.   | 4.0 | 66        |
| 51 | Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016, 175, 154-160.   | 1.1 | 66        |
| 52 | Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016, 46, 2717-2729.   | 2.7 | 65        |
| 53 | The Specific Level of Functioning Scale: Construct validity, internal consistency and factor structure in a large Italian sample of people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2014, 159, 144-150. | 1.1 | 64        |
| 54 | The "Insight Paradox" in Schizophrenia: Magnitude, Moderators and Mediators of the Association Between Insight and Depression. <i>Schizophrenia Bulletin</i> , 2016, 42, 1225-1233.  | 2.3 | 61        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Executive hypercontrol in obsessive-compulsive disorder: electrophysiological and neuropsychological indices. <i>Clinical Neurophysiology</i> , 2004, 115, 1340-1348.  | 0.7 | 60        |
| 56 | A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019, 29, 947-959.  | 0.3 | 60        |
| 57 | Pharmac-EEG in Psychiatry. <i>Clinical EEG and Neuroscience</i> , 2006, 37, 81-98.   | 0.9 | 59        |
| 58 | Clinical, biological, and neuropsychological features associated with lateral ventricular enlargement in DSM-III schizophrenic disorder. <i>Psychiatry Research</i> , 1987, 21, 137-149.   | 1.7 | 58        |
| 59 | Induced Gamma Activity and Event-Related Coherence in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2007, 38, 96-104.  | 0.9 | 57        |
| 60 | Double dissociation of N1 and P3 abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2007, 92, 252-261.   | 1.1 | 57        |
| 61 | CEEG mapping in drug-free schizophrenics. <i>Schizophrenia Research</i> , 1991, 6, 15-23.  | 1.1 | 56        |
| 62 | Ala147Thr substitution in translocator protein is associated with adult separation anxiety in patients with depression. <i>Psychiatric Genetics</i> , 2009, 19, 110-111.   | 0.6 | 56        |
| 63 | Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441. | 2.3 | 56        |
| 64 | No gender differences in social outcome in patients suffering from schizophrenia. <i>European Psychiatry</i> , 2012, 27, 406-408.  | 0.1 | 53        |
| 65 | Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. <i>Schizophrenia Research</i> , 2018, 201, 105-112.                                  | 1.1 | 52        |
| 66 | Clinical and neuropsychological correlates of cerebral ventricular enlargement in schizophrenia. <i>Journal of Psychiatric Research</i> , 1985, 19, 587-596.   | 1.5 | 51        |
| 67 | Catechol-O-Methyltransferase Val <sup>158</sup> Met Polymorphism in Schizophrenia: Associations with Cognitive and Motor Impairment. <i>Neuropsychobiology</i> , 2005, 52, 83-89.  | 0.9 | 51        |
| 68 | QEEG alpha1 changes after a single dose of high-potency neuroleptics as a predictor of short-term response to treatment in schizophrenic patients. <i>Biological Psychiatry</i> , 1994, 35, 367-374.                                   | 0.7 | 50        |
| 69 | Neurocognitive functioning in subjects with eating disorders: the influence of neuroactive steroids. <i>Biological Psychiatry</i> , 2003, 53, 921-927.   | 0.7 | 50        |
| 70 | Transcranial direct current stimulation for hyperactivity and noncompliance in autistic disorder. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 361-366.   | 1.3 | 50        |
| 71 | Stereotaxy-Based Regional Brain Volumetry Applied to Segmented MRI: Validation and Results in Deficit and Nondeficit Schizophrenia. <i>NeuroImage</i> , 2002, 17, 373-384.   | 2.1 | 49        |
| 72 | Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017, 256, 359-364.  | 1.7 | 49        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Modified nutritional counselling to increase motivation to treatment in anorexia nervosa. <i>European Psychiatry</i> , 2005, 20, 186-187.  | 0.1 | 48        |
| 74 | Comorbid substance abuse in first-episode schizophrenia: Effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , 2013, 147, 132-139.   | 1.1 | 48        |
| 75 | Social skills and neurocognitive individualized training in schizophrenia: comparison with structured leisure activities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 305-315.   | 1.8 | 47        |
| 76 | Reward anticipation and trait anhedonia: An electrophysiological investigation in subjects with schizophrenia. <i>Clinical Neurophysiology</i> , 2016, 127, 2149-2160.   | 0.7 | 45        |
| 77 | The complex relationship between self-reported "personal recovery" and clinical recovery in schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 108-112.   | 1.1 | 45        |
| 78 | Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 253-266.  | 2.2 | 44        |
| 79 | COMT Val158Met and BDNF C270T polymorphisms in schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2005, 73, 27-30.   | 1.1 | 42        |
| 80 | Neurophysiological correlates of Avolition-apathy in schizophrenia: A resting-EEG microstates study. <i>NeuroImage: Clinical</i> , 2018, 20, 627-636.  | 1.4 | 39        |
| 81 | Hemispheric asymmetry and psychopathological dimensions in drug-free patients with schizophrenia. <i>International Journal of Psychophysiology</i> , 1999, 34, 293-301.  | 0.5 | 38        |
| 82 | European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019, 29, 1301-1311.   | 0.3 | 38        |
| 83 | Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. <i>Psychological Medicine</i> , 2018, 48, 1359-1366.  | 2.7 | 37        |
| 84 | Computerized EEG topography findings in schizophrenic patients before and after haloperidol treatment. <i>International Journal of Psychophysiology</i> , 1992, 13, 283-290.   | 0.5 | 35        |
| 85 | Gender Differences in Clinical and Psychosocial Features Among Persons With Schizophrenia: A Mini Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 789179.   | 1.3 | 35        |
| 86 | Neurocognitive indices of executive hypercontrol in obsessive-compulsive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 380-387.   | 2.2 | 34        |
| 87 | The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 285-294. | 1.8 | 33        |
| 88 | Electrophysiological Aberrations Associated with Negative Symptoms in Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014, 21, 129-156.  | 0.8 | 32        |
| 89 | Functional connectivity of the ventral tegmental area and avolition in subjects with schizophrenia: a resting state functional MRI study. <i>European Neuropsychopharmacology</i> , 2018, 28, 589-602.   | 0.3 | 32        |
| 90 | Relationship between CSF noradrenaline levels, EEG indicators of activation and psychosis ratings in drug-free schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 1985, 71, 19-24.  | 2.2 | 31        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Transcranial Direct Current Stimulation for Autistic Disorder. <i>Biological Psychiatry</i> , 2014, 76, e5-e6.  | 0.7 | 31        |
| 92  | Dissecting negative symptoms of schizophrenia: History, assessment, pathophysiological mechanisms and treatment. <i>Schizophrenia Research</i> , 2017, 186, 1-2.  | 1.1 | 31        |
| 93  | Avolition-Apathy and White Matter Connectivity in Schizophrenia: Reduced Fractional Anisotropy Between Amygdala and Insular Cortex. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 55-65.   | 0.9 | 31        |
| 94  | Dorsolateral prefrontal cortex volume in patients with deficit or nondeficit schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 264-269.  | 2.5 | 30        |
| 95  | Shall we really say goodbye to first rank symptoms?. <i>European Psychiatry</i> , 2016, 37, 8-13.   | 0.1 | 30        |
| 96  | Categorizing and assessing negative symptoms. <i>Current Opinion in Psychiatry</i> , 2017, 30, 201-208.   | 3.1 | 30        |
| 97  | The association between insight and depressive symptoms in schizophrenia: Undirected and Bayesian network analyses. <i>European Psychiatry</i> , 2020, 63, 1-21.  | 0.1 | 30        |
| 98  | Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020, 34, 76-86.   | 0.3 | 30        |
| 99  | A proposed new definition of mental health. <i>Psychiatria Polska</i> , 2017, 51, 407-411.  | 0.2 | 29        |
| 100 | Value of schizophrenia treatment I: The patient journey. <i>European Psychiatry</i> , 2018, 53, 107-115.  | 0.1 | 28        |
| 101 | A Randomized, Double-Blind, Multicenter, Noninferiority Study Comparing Paliperidone Palmitate 6-Month Versus the 3-Month Long-Acting Injectable in Patients With Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 238-251. | 1.0 | 28        |
| 102 | Conditional Associative Learning in Drug-Free Schizophrenic Patients. <i>Neuropsychobiology</i> , 1987, 17, 30-34.  | 0.9 | 27        |
| 103 | Neurocognitive functioning in bulimia nervosa: the role of neuroendocrine, personality and clinical aspects. <i>Psychological Medicine</i> , 2011, 41, 839-848.   | 2.7 | 26        |
| 104 | Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , 2012, 42, 1461-1473.  | 2.7 | 26        |
| 105 | Investigation of endocannabinoid system genes suggests association between peroxisome proliferator activator receptor-1 $\alpha$ gene (PPARA) and schizophrenia. <i>European Neuropsychopharmacology</i> , 2013, 23, 749-759.                                 | 0.3 | 26        |
| 106 | Characterization of premorbid functioning during childhood in patients with deficit vs. non-deficit schizophrenia and in their healthy siblings. <i>Schizophrenia Research</i> , 2016, 174, 172-176.  | 1.1 | 25        |
| 107 | Multilead quantitative EEG profile of clozapine in resting and vigilance-controlled conditions. <i>Psychiatry Research - Neuroimaging</i> , 1996, 67, 113-122.  | 0.9 | 24        |
| 108 | NRG1 and BDNF genes in schizophrenia: An association study in an Italian case-control sample. <i>Psychiatry Research</i> , 2010, 176, 82-84.  | 1.7 | 24        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Neurocognitive individualized training versus social skills individualized training: A randomized trial in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 69-75.   | 1.1 | 24        |
| 110 | Cerebral connectivity and psychotic personality traits. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 292-299.  | 1.8 | 23        |
| 111 | Disorganization and cognitive impairment in schizophrenia: New insights from electrophysiological findings. <i>International Journal of Psychophysiology</i> , 2019, 145, 99-108.   | 0.5 | 23        |
| 112 | Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021, 294, 957-970.   | 2.0 | 23        |
| 113 | The reliability and clinical utility of ICD-11 schizoaffective disorder: A field trial. <i>Schizophrenia Research</i> , 2019, 208, 235-241.   | 1.1 | 22        |
| 114 | Decrease of functional coupling between left and right auditory cortices during dichotic listening: An electroencephalography study. <i>Neuroscience</i> , 2005, 136, 323-332.  | 1.1 | 21        |
| 115 | Pharmac-EEG: A History of Progress and a Missed Opportunity. <i>Clinical EEG and Neuroscience</i> , 2006, 37, 61-65.  | 0.9 | 21        |
| 116 | The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020, 63, e98.                 | 0.1 | 20        |
| 117 | Transitions in mental health care: The European Psychiatric Association contribution to reform in Bulgaria. <i>European Psychiatry</i> , 2020, 63, 1-13.  | 0.1 | 20        |
| 118 | A systematic review on shared biological mechanisms of depression and anxiety in comorbidity with psoriasis, atopic dermatitis, and hidradenitis suppurativa. <i>European Psychiatry</i> , 2021, 64, e71.   | 0.1 | 20        |
| 119 | Lateralization patterns of verbal stimuli processing assessed by reaction time and event-related potentials in schizophrenic patients. <i>International Journal of Psychophysiology</i> , 1988, 6, 167-176.   | 0.5 | 19        |
| 120 | Qualitative MRI findings in patients with schizophrenia: a controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2000, 98, 117-126.   | 0.9 | 19        |
| 121 | Factors associated with increased noradrenaline levels in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1990, 14, 49-59.  | 2.5 | 18        |
| 122 | Accuracy of self-assessment of real-life functioning in schizophrenia. <i>NPJ Schizophrenia</i> , 2021, 7, 11.  | 2.0 | 18        |
| 123 | Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the "real-life". <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 109, 110250. | 2.5 | 18        |
| 124 | Negative Symptoms of Schizophrenia and Dopaminergic Transmission: Translational Models and Perspectives Opened by iPSC Techniques. <i>Frontiers in Neuroscience</i> , 2020, 14, 632.  | 1.4 | 17        |
| 125 | "Simple schizophrenia": a controlled MRI and clinical/neuropsychological study. <i>Psychiatry Research - Neuroimaging</i> , 1999, 91, 175-184.  | 0.9 | 16        |
| 126 | Hemispheric lateralization patterns and psychotic experiences in healthy subjects. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 141-154.  | 0.9 | 16        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Acute Effects of Music Therapy in Subjects With Psychosis During Inpatient Treatment. <i>Psychiatry (New York)</i> , 2018, 81, 218-227.   | 0.3 | 16        |
| 128 | C-EEG brain mapping in DSM-III schizophrenics after acute and chronic haloperidol treatment. <i>European Neuropsychopharmacology</i> , 1990, 1, 51-54.  | 0.3 | 15        |
| 129 | Brain electrical microstates in subjects with panic disorder. <i>Brain Research Bulletin</i> , 2001, 54, 427-435.   | 1.4 | 15        |
| 130 | Attitudes of patients with schizophrenia and depression to psychiatric research: a study in seven European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 159-165.                                | 1.6 | 15        |
| 131 | The interrelation of needs and quality of life in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 207-216.   | 1.8 | 15        |
| 132 | Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021, 64, e7.  | 0.1 | 15        |
| 133 | Improving Knowledge on Pathways to Functional Outcome in Schizophrenia: Main Results From the Italian Network for Research on Psychoses. <i>Frontiers in Psychiatry</i> , 2021, 12, 791117.                                     | 1.3 | 15        |
| 134 | Updated perspectives on the clinical significance of negative symptoms in patients with schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 541-555.   | 1.4 | 15        |
| 135 | Lateralization patterns of event-related potential and performance indices in schizophrenia: relationship to clinical state and neuroleptic treatment. <i>International Journal of Psychophysiology</i> , 1991, 10, 225-230.    | 0.5 | 13        |
| 136 | Emotions, Brain Development, and Psychopathologic Vulnerability. <i>CNS Spectrums</i> , 2000, 5, 44-48.   | 0.7 | 13        |
| 137 | Physiological Correlates of Positive Symptoms in Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014, 21, 103-128.  | 0.8 | 13        |
| 138 | European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 826465.  | 1.3 | 13        |
| 139 | Cognitive-enhancing effects of aripiprazole: a case report. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008, 4, 24.   | 0.6 | 12        |
| 140 | SoCIAL &ndash; training cognition in schizophrenia: a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1947-1956.  | 1.0 | 12        |
| 141 | Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 126-136. | 1.3 | 12        |
| 142 | Can IQ moderate the response to cognitive remediation in people with schizophrenia?. <i>Journal of Psychiatric Research</i> , 2021, 133, 38-45.   | 1.5 | 12        |
| 143 | Investigating the Relationships of P3b with Negative Symptoms and Neurocognition in Subjects with Chronic Schizophrenia. <i>Brain Sciences</i> , 2021, 11, 1632.  | 1.1 | 12        |
| 144 | Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia &acirc; data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020, 289, 112970.             | 1.7 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Exploring the role of age as a moderator of cognitive remediation for people with schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 29-35.  | 1.1 | 11        |
| 146 | Investigating the Relationship between White Matter Connectivity and Motivational Circuits in Subjects with Deficit Schizophrenia: A Diffusion Tensor Imaging (DTI) Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 61.  | 1.0 | 10        |
| 147 | Value of schizophrenia treatment II: Decision modelling for developing early detection and early intervention services in the Czech Republic. <i>European Psychiatry</i> , 2018, 53, 116-122.   | 0.1 | 9         |
| 148 | Schizophrenia and "unmet needs": From diagnosis to care in Italy. <i>European Psychiatry</i> , 2020, 63, e26.   | 0.1 | 9         |
| 149 | Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 444-455.   | 2.3 | 9         |
| 150 | We are not ready to abandon the current schizophrenia construct, but should be prepared to do so. <i>Schizophrenia Research</i> , 2022, 242, 30-34.   | 1.1 | 9         |
| 151 | Tracing Links Between Early Auditory Information Processing and Negative Symptoms in Schizophrenia: An ERP Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 790745.  | 1.3 | 9         |
| 152 | Impulsiveness in Patients with Bulimia Nervosa: Electrophysiological Evidence of Reduced Inhibitory Control. <i>Neuropsychobiology</i> , 2013, 68, 116-123.   | 0.9 | 8         |
| 153 | Impact of Reward and Loss Anticipation on Cognitive Control: An Event-Related Potential Study in Subjects With Schizophrenia and Healthy Controls. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 46-54.  | 0.9 | 8         |
| 154 | Beyond the Transnosographic Emphasis on Psychosis: Nosological Perspectives on Schizophrenia and Its Prevention. <i>Frontiers in Psychiatry</i> , 2019, 10, 666.  | 1.3 | 8         |
| 155 | Mismatch Negativity and P3a Impairment through Different Phases of Schizophrenia and Their Association with Real-Life Functioning. <i>Journal of Clinical Medicine</i> , 2021, 10, 5838.  | 1.0 | 8         |
| 156 | A functional comparison of patients with schizophrenia between the North and South of Europe. <i>European Psychiatry</i> , 2012, 27, 442-444.   | 0.1 | 7         |
| 157 | Autism Rating Scale: A New Tool for Characterizing the Schizophrenia Phenotype. <i>Frontiers in Psychiatry</i> , 2021, 12, 622359.  | 1.3 | 7         |
| 158 | Correspondence. <i>Schizophrenia Research</i> , 1995, 14, 265-266.  | 1.1 | 6         |
| 159 | Familial sinistrality and handedness in patients with first episode schizophrenia: The EUFEST study. <i>Laterality</i> , 2012, 17, 217-224.   | 0.5 | 6         |
| 160 | &lt;p&gt;The Efficacy, Feasibility And Acceptability Of A Remotely Accessible Use Of CIRCuiTS, A Computerized Cognitive Remediation Therapy Program For Schizophrenia: A Pilot Study&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3103-3113. | 1.0 | 6         |
| 161 | "Precision psychiatry"™ needs to become part of "personalized psychiatry"™. <i>Fortschritte Der Neurologie Psychiatrie</i> , 2020, 88, 767-772.   | 0.3 | 6         |
| 162 | Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 82-89.  | 1.2 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMISE study. <i>Psychological Medicine</i> , 2023, 53, 3471-3479.                 | 2.7 | 6         |
| 164 | Factors associated with decreased platelet MAO activity in chronic schizophrenics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1987, 11, 79-86.  | 2.5 | 5         |
| 165 | Motion standstill leads to activation of inferior parietal lobe. <i>Human Brain Mapping</i> , 2006, 27, 340-349.   | 1.9 | 5         |
| 166 | The UN Convention on the Rights of Persons with Disabilities: great opportunities and dangerous interpretations. <i>World Psychiatry</i> , 2019, 18, 47-48.  | 4.8 | 5         |
| 167 | Abnormal bodily experiences detected by Abnormal Bodily Phenomena questionnaire are more frequent and severe in schizophrenia than in bipolar disorder with psychotic features. <i>European Psychiatry</i> , 2020, 63, e49.  | 0.1 | 5         |
| 168 | The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia. <i>Schizophrenia Research</i> , 2022, 241, 161-170. | 1.1 | 5         |
| 169 | Physiologic Basis of the EEG Signal. , 2011, , 7-12.   |     | 4         |
| 170 | Placebo controls in clinical trials: concerns about use in relapse prevention studies in schizophrenia. <i>BMJ</i> , The, 2016, 354, i4728.  | 3.0 | 4         |
| 171 | Untangling the Factors Contributing to Functional Outcome in Schizophreniaâ€”Reply. <i>JAMA Psychiatry</i> , 2018, 75, 754.  | 6.0 | 4         |
| 172 | Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 46-54.                             | 1.3 | 4         |
| 173 | ITALian Partnership for Psychosis Prevention (ITAPP): improving the mental health of young people. <i>European Psychiatry</i> , 2021, 64, 1-21.  | 0.1 | 4         |
| 174 | Psychophysiology in psychiatry: new perspectives in the study of mental disorders. <i>World Psychiatry</i> , 2002, 1, 166-8.   | 4.8 | 4         |
| 175 | Joint structural-functional magnetic resonance imaging features are associated with diagnosis and real-world functioning in patients with schizophrenia. <i>Schizophrenia Research</i> , 2022, 240, 193-203.                 | 1.1 | 4         |
| 176 | Negative Symptom Domains in Children and Adolescents at Ultra-High Risk for Psychosis: Association With Real-Life Functioning. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .   | 0.9 | 4         |
| 177 | Scalability of the Positive and Negative Syndrome Scale in firstâ€”episode schizophrenia assessed by Rasch models. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 21-35.   | 2.2 | 4         |
| 178 | Searching for bridges between psychopathology and real-world functioning in first-episode psychosis: A network analysis from the OPTiMISE trial. <i>European Psychiatry</i> , 2022, 65, .                                    | 0.1 | 4         |
| 179 | The added value of including cognitive impairment in the diagnostic criteria for schizophrenia. <i>World Psychiatry</i> , 2008, 7, 36-37.  | 4.8 | 3         |
| 180 | Current trends in diagnosis and treatment of mental disorders. <i>European Psychiatry</i> , 2018, 50, 4-6.   | 0.1 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Neuroimaging and Psychopathological Domains. , 2019, , 57-155.  |     | 3         |
| 182 | Clinical applications of pharmaco-EEG in psychiatry: the prediction of response to treatment with antipsychotics. Methods and Findings in Experimental and Clinical Pharmacology, 2002, 24 Suppl C, 85-9.   | 0.8 | 3         |
| 183 | Facial emotion recognition impairment is related to disorganisation in multi-episode schizophrenia. Schizophrenia Research: Cognition, 2014, 1, 122-125.  | 0.7 | 2         |
| 184 | The second-generation assessment scales: Brief negative symptom scale and clinical assessment interview for negative symptoms. European Psychiatry, 2016, 33, S70-S70.  | 0.1 | 2         |
| 185 | Social Cognition Individualized Activities Lab for Social Cognition Training and Narrative Enhancement in Patients With Schizophrenia: A Randomized Controlled Study to Assess Efficacy and Generalization to Real-Life Functioning (Prot. n°: NCT05130853). Frontiers in Psychiatry, 2022, 13, 833550. | 1.3 | 2         |
| 186 | Quantitative EEG reactivity to neuroleptic challenge in first-episode and chronic schizophrenics. Biological Psychiatry, 1997, 42, 64S.   | 0.7 | 1         |
| 187 | Neurophysiological Research in Psychiatry. , 0, , 125-180.  |     | 1         |
| 188 | DEFICIT SCHIZOPHRENIA: A VALID CATEGORICAL SUBTYPE OF SCHIZOPHRENIA?. Schizophrenia Research, 2008, 102, 45.  | 1.1 | 1         |
| 189 | Effects of antipsychotics on cognitive functions: an ERP study in healthy controls. European Psychiatry, 2011, 26, 1267-1267.   | 0.1 | 1         |
| 190 | EEG in Delirium and Dementia. , 2011, , 147-162.  |     | 1         |
| 191 | Standard EEG in Personality and Anxiety Disorders. , 2011, , 133-146.   |     | 1         |
| 192 | Social skills vs. Neurocognitive training in psychotic patients. European Psychiatry, 2011, 26, 1475-1475.  | 0.1 | 1         |
| 193 | Neurophysiological correlates of negative symptom domains: an auditory oddball study in schizophrenia. European Neuropsychopharmacology, 2016, 26, S506-S507.   | 0.3 | 1         |
| 194 | Relationships between neurocognition, social cognition and functional outcome in schizophrenia. European Psychiatry, 2016, 33, S67-S67.   | 0.1 | 1         |
| 195 | EPA position paper: Improving the image of psychiatry and psychiatrists. European Psychiatry, 2017, 42, 24-26.  | 0.1 | 1         |
| 196 | Resilience in people with schizophrenia. Results from the Italian Network for Research on Psychoses. European Journal of Public Health, 2017, 27, .   | 0.1 | 1         |
| 197 | Psychiatry and psychiatrists: Fourteen core statements. European Psychiatry, 2018, 52, 136-138.   | 0.1 | 1         |
| 198 | Toward Clinical Translation of Neuroimaging Research in Schizophrenia and Other Primary Psychotic Disorders. , 2019, , 327-345.   |     | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Neuroimaging: Diagnostic Boundaries and Biomarkers. , 2019, , 1-56.   |     | 1         |
| 200 | Neglected Vulnerabilities in Mental Health: Where Do We Need to Do More?. , 2022, , 335-369.  |     | 1         |
| 201 | Determinants of Clinical Recovery in Schizophrenia. Comprehensive Approach To Psychiatry, 2022, , 23-43.  | 0.7 | 1         |
| 202 | Quantitative EEG in Psychiatry: From Research to Clinical Applications. European Psychiatry, 1997, 12, 105s-105s.   | 0.1 | 0         |
| 203 | EEG mapping before and after antipsychotic treatment in chronic and first-episode schizophrenics. European Psychiatry, 1998, 13, 197S-197S.   | 0.1 | 0         |
| 204 | S21.02 Cognitive dysfunctions in psychotic patients: Relationship with symptoms and antipsychotic treatment. European Psychiatry, 2000, 15, 252s-252s.  | 0.1 | 0         |
| 205 | Psychophysiology of Mood Disorders. , 0, , 777-790.   |     | 0         |
| 206 | CS06-03 - Relationship between cognition and psychopathology. European Psychiatry, 2011, 26, 1788-1788.   | 0.1 | 0         |
| 207 | Which Outcome Indices Would Clinicians Like to See in Schizophrenia Clinical Trials?. European Psychiatry, 2011, 26, 2204-2204.   | 0.1 | 0         |
| 208 | Primary and enduring negative symptoms in first episode and chronic patients with schizophrenia. European Psychiatry, 2011, 26, 2068-2068.  | 0.1 | 0         |
| 209 | Perception of body shape in bulimia nervosa: An ERP study. European Psychiatry, 2011, 26, 741-741.  | 0.1 | 0         |
| 210 | Negative symptoms domains: pathways to functional outcome in schizophrenia. European Neuropsychopharmacology, 2016, 26, S123.   | 0.3 | 0         |
| 211 | Electrophysiological mechanisms underlying ERP amplitude reduction in patients with schizophrenia: A time-frequency analysis. European Psychiatry, 2016, 33, S104-S104.   | 0.1 | 0         |
| 212 | The social cognition individualized activities lab: Implementation of a new remediation intervention for social cognition. European Psychiatry, 2016, 33, S567-S567.  | 0.1 | 0         |
| 213 | A comprehensive systematic screening protocol for assessment of medical comorbidities in schizophrenia. European Psychiatry, 2016, 33, S574-S574.   | 0.1 | 0         |
| 214 | Relation between EEG source functional connectivity and the negative symptom severity in schizophrenia: a preliminary report from a multicentre study. European Psychiatry, 2016, 33, s246-s246.                    | 0.1 | 0         |
| 215 | Editorial: The EPA, Brexit and beyond. European Psychiatry, 2017, 42, 27-28.  | 0.1 | 0         |
| 216 | Effects of chronic antipsychotic treatment on neurophysiological correlates of the auditory oddball task in schizophrenia: A preliminary report from a multicentre study. European Psychiatry, 2017, 41, S192-S192. | 0.1 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Functional connectivity of the ventral tegmental area and avolition in schizophrenia: A resting state functional MRI study. <i>European Psychiatry</i> , 2017, 41, S196-S196.   | 0.1 | 0         |
| 218 | Electrophysiological Correlates of Negative Symptom Domains in Schizophrenia. <i>European Psychiatry</i> , 2017, 41, S96-S97.   | 0.1 | 0         |
| 219 | Disorganization in Schizophrenia: A Resting EEG Study. <i>European Psychiatry</i> , 2017, 41, S100-S100.  | 0.1 | 0         |
| 220 | Future coordination and integration of the results of the EU funded projects on schizophrenia and other mental disorders. <i>European Psychiatry</i> , 2018, 50, 1-3.   | 0.1 | 0         |
| 221 | White matter structural connectivity abnormalities in subjects with deficit schizophrenia: A diffusion tensor imaging study. <i>European Neuropsychopharmacology</i> , 2019, 29, S110.  | 0.3 | 0         |
| 222 | Academic and social functioning in early life epochs in schizophrenia patients and first-degree unaffected relatives. <i>European Neuropsychopharmacology</i> , 2019, 29, S336.   | 0.3 | 0         |
| 223 | Questionnaire on Attitude towards Research and Care (QuARC): a survey of patients with psychosis. <i>Journal of Mental Health</i> , 2020, 29, 590-596.  | 1.0 | 0         |
| 224 | P.778 Electrophysiological indices and expressive deficit domain of negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2020, 40, S442.   | 0.3 | 0         |
| 225 | P.307 Resting state MRI functional connectivity and negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2021, 44, S44-S45.  | 0.3 | 0         |
| 226 | Selected E-INSR 2004 Conference Presentation Abstracts. <i>Journal of Neurotherapy</i> , 2005, 9, 103-108.  | 0.9 | 0         |
| 227 | Haloperidol-Induced Changes of Computerized Electroencephalogram Topography in Drug-Free Schizophrenic Patients. , 1993, , 245-250.   |     | 0         |
| 228 | Predicting response to antipsychotics by electrophysiological indices. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2002, 24 Suppl D, 79.  | 0.8 | 0         |
| 229 | P.0589 Resting-state functional connectivity of the ventral tegmental area and negative symptoms in subjects with schizophrenia: a resting-state functional MRI study. <i>European Neuropsychopharmacology</i> , 2021, 53, S431-S432. | 0.3 | 0         |
| 230 | P.0592 Investigating the relationships of N100-P3b with symptom dimensions and cognitive impairments in subjects with chronic schizophrenia. <i>European Neuropsychopharmacology</i> , 2021, 53, S432-S433.                           | 0.3 | 0         |