

# Miguel A Sogorb

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3159008/publications.pdf>

Version: 2024-02-01

75  
papers

2,456  
citations

331670

21  
h-index

206112

48  
g-index

78  
all docs

78  
docs citations

78  
times ranked

2237  
citing authors

#	ARTICLE	IF	CITATIONS
1	Case study: risk associated to wearing silver or graphene nanoparticle-coated facemasks for protection against COVID-19. Archives of Toxicology, 2022, 96, 105-119.	4.2	9
2	Interactions of human acetylcholinesterase with phenyl valerate and acetylthiocholine: Thiocholine as an enhancer of phenyl valerate esterase activity. Chemico-Biological Interactions, 2022, 351, 109764.	4.0	2
3	Alternative methods to animal experimentation for testing developmental toxicity. , 2022, , 107-125.		0
4	A Transcriptomic Analysis of T98G Human Glioblastoma Cells after Exposure to Cadmium-Selenium Quantum Dots Mainly Reveals Alterations in Neuroinflammation Processes and Hypothalamus Regulation. International Journal of Molecular Sciences, 2022, 23, 2267.	4.1	7
5	Titanium Dioxide, but Not Zinc Oxide, Nanoparticles Cause Severe Transcriptomic Alterations in T98G Human Glioblastoma Cells. International Journal of Molecular Sciences, 2021, 22, 2084.	4.1	11
6	DAEH N-terminal sequence of avian serum albumins as catalytic center of Cu (II)-dependent organophosphorus hydrolyzing A-esterase activity. Chemico-Biological Interactions, 2021, 345, 109524.	4.0	2
7	Effects of silver nanoparticles on T98G human glioblastoma cells. Toxicology and Applied Pharmacology, 2020, 404, 115178.	2.8	14
8	Case study: Is bisphenol S safer than bisphenol A in thermal papers?. Archives of Toxicology, 2019, 93, 1835-1852.	4.2	18
9	Biomarkers for Testing Toxicity and Monitoring Exposure to Xenobiotics. , 2019, , 1165-1174.		1
10	Cholinesterase and phenyl valerate-esterase activities sensitive to organophosphorus compounds in membranes of chicken brain. Toxicology, 2018, 410, 73-82.	4.2	2
11	Albumin, the responsible protein of the Cu <sup>2+</sup> -dependent hydrolysis of O-hexyl O-2,5-dichlorophenyl phosphoramidate (HDGP) by chicken serum "antagonistic stereoselectivity". Food and Chemical Toxicology, 2018, 120, 523-527.	3.6	9
12	Hydrolyzing activities of phenyl valerate sensitive to organophosphorus compounds paraoxon and mipafox in human neuroblastoma SH-SY5Y cells. Toxicology, 2018, 406-407, 123-128.	4.2	2
13	Copper activation of organophosphorus compounds detoxication by chicken serum. Food and Chemical Toxicology, 2017, 106, 417-423.	3.6	9
14	Validated and Nonvalidated Mechanism-Based Methods for Testing Developmental Toxicity. , 2017, , 193-209.		1
15	Editorial. Chemico-Biological Interactions, 2016, 259, 49-50.	4.0	0
16	Effects of mipafox, paraoxon, chlorpyrifos and its metabolite chlorpyrifos-oxon on the expression of biomarker genes of differentiation in D3 mouse embryonic stem cells. Chemico-Biological Interactions, 2016, 259, 368-373.	4.0	11
17	Roles of NTE protein and encoding gene in development and neurodevelopmental toxicity. Chemico-Biological Interactions, 2016, 259, 352-357.	4.0	23
18	Acetylcholine-hydrolyzing activities in soluble brain fraction: Characterization with reversible and irreversible inhibitors. Chemico-Biological Interactions, 2016, 259, 374-381.	4.0	3

#	ARTICLE	IF	CITATIONS
19	Expression of biomarker genes of differentiation in D3 mouse embryonic stem cells after exposure to different embryotoxicant and non-embryotoxicant model chemicals. <i>Data in Brief</i> , 2015, 5, 354-365.	1.0	1
20	RNA transcripts for the quantification of differentiation allow marked improvements in the performance of embryonic stem cell test (EST). <i>Toxicology Letters</i> , 2015, 238, 60-69.	0.8	14
21	Biomarkers in biomonitoring of xenobiotics. , 2014, , 965-973.		6
22	Genomic and Phenotypic Alterations of the Neuronal-Like Cells Derived from Human Embryonal Carcinoma Stem Cells (NT2) Caused by Exposure to Organophosphorus Compounds Paraoxon and Mipafox. <i>International Journal of Molecular Sciences</i> , 2014, 15, 905-926.	4.1	22
23	Cholinesterase assay by an efficient fixed time endpoint method. <i>MethodsX</i> , 2014, 1, 258-263.	1.6	21
24	Silencing of PNPLA6, the neuropathy target esterase (NTE) codifying gene, alters neurodifferentiation of human embryonal carcinoma stem cells (NT2). <i>Neuroscience</i> , 2014, 281, 54-67.	2.3	18
25	An integrated approach for detecting embryotoxicity and developmental toxicity of environmental contaminants using in vitro alternative methods. <i>Toxicology Letters</i> , 2014, 230, 356-367.	0.8	41
26	Functional pathways altered after silencing Pnpla6 (the codifying gene of neuropathy target esterase) in mouse embryonic stem cells under differentiation. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2014, 50, 261-273.	1.5	15
27	Cytotoxic effect against 3T3 fibroblasts cells of saffron floral bio-residues extracts. <i>Food Chemistry</i> , 2014, 147, 55-59.	8.2	22
28	Organophosphorus Pesticide Chlorpyrifos and Its Metabolites Alter the Expression of Biomarker Genes of Differentiation in D3 Mouse Embryonic Stem Cells in a Comparable Way to Other Model Neurodevelopmental Toxicants. <i>Chemical Research in Toxicology</i> , 2014, 27, 1487-1495.	3.3	21
29	Interaction between substrates suggests a relationship between organophosphorus-sensitive phenylvalerate- and acetylcholine-hydrolyzing activities in chicken brain. <i>Toxicology Letters</i> , 2014, 230, 132-138.	0.8	13
30	Chlorpyrifos and its metabolites alter gene expression at non-cytotoxic concentrations in D3 mouse embryonic stem cells under in vitro differentiation: Considerations for embryotoxic risk assessment. <i>Toxicology Letters</i> , 2013, 217, 14-22.	0.8	33
31	Interactions of neuropathy inducers and potentiators/promoters with soluble esterases. <i>Chemico-Biological Interactions</i> , 2013, 203, 245-250.	4.0	10
32	The effect of CO2 concentration in neuroectoderm commitment of mouse embryonic stem cells. <i>Journal of Histotechnology</i> , 2013, 36, 11-16.	0.5	3
33	Characterization and Evolution of Exposure to Volatile Organic Compounds in the Spanish Shoemaking Industry over a 5-Year Period. <i>Journal of Occupational and Environmental Hygiene</i> , 2012, 9, 653-662.	1.0	7
34	Mechanism-based models in reproductive and developmental toxicology. , 2011, , 135-146.		6
35	Shortening and Improving the Embryonic Stem Cell Test through the Use of Gene Biomarkers of Differentiation. <i>Journal of Toxicology</i> , 2011, 2011, 1-8.	3.0	16
36	OECD guidelines and validated methods for in vivo testing of reproductive toxicity. , 2011, , 123-133.		4

#	ARTICLE	IF	CITATIONS
37	Expression of Neuropathy Target Esterase in mouse embryonic stem cells during differentiation. Archives of Toxicology, 2010, 84, 481-491.	4.2	19
38	Serum albumins and detoxication of anti-cholinesterase agents. Chemico-Biological Interactions, 2010, 187, 325-329.	4.0	37
39	Specific Effect of 5-Fluorouracil on $\hat{\pm}$ -Fetoprotein Gene Expression During the In Vitro Mouse Embryonic Stem Cell Differentiation. International Journal of Toxicology, 2010, 29, 297-304.	1.2	9
40	An alternative in vitro method for detecting neuropathic compounds based on acetylcholinesterase inhibition and on inhibition and aging of neuropathy target esterase (NTE). Toxicology in Vitro, 2010, 24, 942-952.	2.4	25
41	Serum Albumin is as Efficient as Paraxonase in the Detoxication of Paraoxon at Toxicologically Relevant Concentrations. Chemical Research in Toxicology, 2008, 21, 1524-1529.	3.3	56
42	Plasma phenylacetate and 1-naphthyl acetate hydrolyzing activities of wild birds as possible non-invasive biomarkers of exposure to organophosphorus and carbamate insecticides. Toxicology Letters, 2007, 168, 278-285.	0.8	22
43	Stereospecific hydrolysis of a phosphoramidate as a model to understand the role of biotransformation in the neurotoxicity of chiral organophosphorus compounds. Toxicology Letters, 2007, 170, 157-164.	0.8	13
44	A simple and rapid HPLC-MS method for the simultaneous determination of epinephrine, norepinephrine, dopamine and 5-hydroxytryptamine: Application to the secretion of bovine chromaffin cell cultures. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 847, 88-94.	2.3	413
45	Recovery of neuropathy target esterase activity after inhibition with mipafox and O-hexyl O-2,5-dichlorophenyl phosphoramidate in bovine chromaffin cell cultures. Chemico-Biological Interactions, 2007, 165, 99-105.	4.0	7
46	An in vitro approach for demonstrating the critical role of serum albumin in the detoxication of the carbamate carbaryl at in vivo toxicologically relevant concentrations. Archives of Toxicology, 2007, 81, 113-119.	4.2	24
47	Comparative hydrolysis of O-hexyl O-2,5-dichlorophenyl phosphoramidate and paraoxon in different tissues of vertebrates. Archives of Toxicology, 2007, 81, 689-695.	4.2	6
48	Comparison of chromaffin cells from several animal sources for their use as an in vitro model to study the mechanism of organophosphorous toxicity. Toxicology Letters, 2006, 165, 221-229.	0.8	8
49	Hydrolysis of carbaryl by human serum albumin. Archives of Toxicology, 2004, 78, 629-634.	4.2	27
50	Bovine chromaffin cell cultures as model to study organophosphorus neurotoxicity. Toxicology Letters, 2004, 151, 163-170.	0.8	8
51	Future applications of phosphotriesterases in the prophylaxis and treatment of organophosphorus insecticide and nerve agent poisonings. Toxicology Letters, 2004, 151, 219-233.	0.8	125
52	Rabbit Serum Albumin Hydrolyzes the Carbamate Carbaryl. Chemical Research in Toxicology, 2002, 15, 520-526.	3.3	20
53	Enzymes involved in the detoxification of organophosphorus, carbamate and pyrethroid insecticides through hydrolysis. Toxicology Letters, 2002, 128, 215-228.	0.8	476
54	Structural Determinants of the Substrate and Stereochemical Specificity of Phosphotriesterase. Biochemistry, 2001, 40, 1325-1331.	2.5	126

#	ARTICLE	IF	CITATIONS
55	Enhancement, Relaxation, and Reversal of the Stereoselectivity for Phosphotriesterase by Rational Evolution of Active Site Residues. <i>Biochemistry</i> , 2001, 40, 1332-1339.	2.5	119
56	Stereoselective Detoxification of Chiral Sarin and Soman Analogues by Phosphotriesterase. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 2083-2091.	3.0	58
57	Rationally Engineered Mutants of Phosphotriesterase for Preparative Scale Isolation of Chiral Organophosphates. <i>Journal of the American Chemical Society</i> , 2000, 122, 10206-10207.	13.7	32
58	The Role of Phosphotriesterases in the Detoxication of Organophosphorus Compounds. <i>Critical Reviews in Toxicology</i> , 1999, 29, 21-57.	3.9	74
59	Dichlorophenyl phosphoramidates as substrates for avian and mammalian liver phosphotriesterases: activity levels, calcium dependence and stereospecificity. <i>Chemico-Biological Interactions</i> , 1999, 119-120, 257-262.	4.0	75
60	Peripheral nerve soluble esterases are spontaneously reactivated after inhibition by paraoxon: implications for a new definition of neuropathy target esterase. <i>Chemico-Biological Interactions</i> , 1999, 119-120, 541-550.	4.0	26
61	Enzyme Concentration as an Important Factor in the In Vitro Testing of the Stereospecificity of the Enzymatic Hydrolysis of Organophosphorus Compounds. <i>Toxicology in Vitro</i> , 1999, 13, 689-692.	2.4	44
62	A stereospecific phosphotriesterase in hen liver and brain. <i>Chemico-Biological Interactions</i> , 1998, 108, 187-196.	4.0	18
63	Phosphotriesterase activity identified in purified serum albumins. <i>Archives of Toxicology</i> , 1998, 72, 219-226.	4.2	37
64	Chicken Serum Albumin Hydrolyzes Dichlorophenyl Phosphoramidates by a Mechanism Based on Transient Phosphorylation. <i>Chemical Research in Toxicology</i> , 1998, 11, 1441-1446.	3.3	26
65	Inhibition and aging of neuropathy target esterase by the stereoisomers of a phosphoramidate related to methamidophos. <i>Toxicology Letters</i> , 1997, 93, 95-102.	0.8	17
66	Discrimination of carboxylesterases of chicken neural tissue by inhibition with a neuropathic, non-neuropathic organophosphorus compounds and neuropathy promoter. <i>Chemico-Biological Interactions</i> , 1997, 106, 191-200.	4.0	21
67	An automatable microassay for phenyl valerate esterase activities sensitive to organophosphorus compounds. <i>Toxicology Letters</i> , 1996, 89, 241-247.	0.8	7
68	Bovine chromaffin cells in culture show carboxylesterase activities sensitive to organophosphorus compounds. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 983-989.	2.8	6
69	The role of nicotinic receptors and calcium channels in mipafox induced inhibition of catecholamine release in bovine chromaffin cells. <i>Environmental Toxicology and Pharmacology</i> , 1996, 1, 241-247.	4.0	4
70	Partial characterization of neuropathy target esterase and related phenyl valerate esterases from bovine adrenal medulla. <i>Journal of Biochemical Toxicology</i> , 1994, 9, 145-152.	0.4	20
71	Non-calcium dependent activity hydrolysing organophosphorus compounds in hen plasma. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1994, 107, 213-219.	0.5	1
72	In vivo inhibition by mipafox of soluble and particulate forms of organophosphorus neuropathy target esterase (NTE) in hen sciatic nerve. <i>Toxicology Letters</i> , 1994, 71, 47-51.	0.8	12

#	ARTICLE	IF	CITATIONS
73	Soluble and Particulate Organophosphorus Neuropathy Target Esterase in Brain and Sciatic Nerve of the Hen, Cat, Rat, and Chick. <i>Journal of Neurochemistry</i> , 1993, 61, 2164-2168.	3.9	16
74	The kinetics of O-hexyl O-2,5-dichlorophenyl phosphoramidate hydrolysing activity in hen plasma. <i>Chemico-Biological Interactions</i> , 1993, 87, 117-125.	4.0	12
75	Effect of some metallic cations and organic compounds on the O-hexyl O-2,5-dichlorophenyl phosphoramidate hydrolysing activity in hen plasma. <i>Archives of Toxicology</i> , 1993, 67, 416-421.	4.2	9