

Virginia Walbot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3159927/publications.pdf>

Version: 2024-02-01

197
papers

15,123
citations

18482

62
h-index

21540

114
g-index

206
all docs

206
docs citations

206
times ranked

11231
citing authors

#	ARTICLE	IF	CITATIONS
1	A cascade of bHLH-regulated pathways programs maize anther development. <i>Plant Cell</i> , 2022, 34, 1207-1225.	6.6	17
2	Gametophyte genome activation occurs at pollen mitosis I in maize. <i>Science</i> , 2022, 375, 424-429.	12.6	29
3	24-nt phasiRNAs move from tapetal to meiotic cells in maize anthers. <i>New Phytologist</i> , 2022, 235, 488-501.	7.3	15
4	CHH DNA methylation increases at 24-nt PHAS loci depend on 24-nt phased small interfering RNAs in maize meiotic anthers. <i>New Phytologist</i> , 2021, 229, 2984-2997.	7.3	29
5	Transgenerational conditioned male fertility of HD-ZIP IV transcription factor mutant <i>ocl4</i> : impact on 21-nt phasiRNA accumulation in pre-meiotic maize anthers. <i>Plant Reproduction</i> , 2021, 34, 117-129.	2.2	16
6	Understanding <i>Ustilago maydis</i> Infection of Multiple Maize Organs. <i>Journal of Fungi (Basel)</i> , 2021, 7, 505-542.	3.5	15
7	Crowdsourcing biocuration: The Community Assessment of Community Annotation with Ontologies (CACAO). <i>PLoS Computational Biology</i> , 2021, 17, e1009463.	3.2	7
8	Dicer-like 5 deficiency confers temperature-sensitive male sterility in maize. <i>Nature Communications</i> , 2020, 11, 2912.	12.8	83
9	Defining the developmental program leading to meiosis in maize. <i>Science</i> , 2019, 364, 52-56.	12.6	140
10	Sugar Partitioning between <i>Ustilago maydis</i> and Its Host <i>Zea mays</i> L during Infection. <i>Plant Physiology</i> , 2019, 179, 1373-1385.	4.8	23
11	Pre-meiotic anther development. <i>Current Topics in Developmental Biology</i> , 2019, 131, 239-256.	2.2	19
12	Pathogen Trojan Horse Delivers Bioactive Host Protein to Alter Maize Anther Cell Behavior in Situ. <i>Plant Cell</i> , 2018, 30, 528-542.	6.6	23
13	How to make a tumour: cell type specific dissection of <i>Ustilago maydis</i> -induced tumour development in maize leaves. <i>New Phytologist</i> , 2018, 217, 1681-1695.	7.3	55
14	Application of the pathogen Trojan horse approach in maize (<i>Zea mays</i>). <i>Plant Signaling and Behavior</i> , 2018, 13, e1547575.	2.4	4
15	MS23, a master basic helix-loop-helix factor, regulates the specification and development of tapetum in maize. <i>Development (Cambridge)</i> , 2017, 144, 163-172.	2.5	71
16	An <i>Agrobacterium</i> -delivered CRISPR/Cas9 system for high-frequency targeted mutagenesis in maize. <i>Plant Biotechnology Journal</i> , 2017, 15, 257-268.	8.3	300
17	A framework for evaluating developmental defects at the cellular level: An example from ten maize anther mutants using morphological and molecular data. <i>Developmental Biology</i> , 2016, 419, 26-40.	2.0	8
18	Advancing Crop Transformation in the Era of Genome Editing. <i>Plant Cell</i> , 2016, 28, tpc.00196.2016.	6.6	429

#	ARTICLE	IF	CITATIONS
19	Pre-Meiotic Anther Development: Cell Fate Specification and Differentiation. <i>Annual Review of Plant Biology</i> , 2016, 67, 365-395.	18.7	78
20	Molecular Genetics of Corn. <i>Agronomy</i> , 2015, , 389-429.	0.2	7
21	Spatiotemporally dynamic, cell-typeâ€‘dependent premeiotic and meiotic phasiRNAs in maize anthers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3146-3151.	7.1	310
22	Evolution, functions, and mysteries of plant ARGONAUTE proteins. <i>Current Opinion in Plant Biology</i> , 2015, 27, 84-90.	7.1	164
23	A Secreted Effector Protein of <i>Ustilago maydis</i> Guides Maize Leaf Cells to Form Tumors. <i>Plant Cell</i> , 2015, 27, 1332-1351.	6.6	143
24	Chloroplasts in anther endothecium of <i>Zea mays</i> (Poaceae). <i>American Journal of Botany</i> , 2015, 102, 1931-1937.	1.7	19
25	Transcriptomes and Proteomes Define Gene Expression Progression in Pre-meiotic Maize Anthers. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 993-1010.	1.8	45
26	Sequencing and de novo assembly of a Dahlia hybrid cultivar transcriptome. <i>Frontiers in Plant Science</i> , 2014, 5, 340.	3.6	8
27	Unresolved issues in pre-meiotic anther development. <i>Frontiers in Plant Science</i> , 2014, 5, 347.	3.6	26
28	Maize germinal cell initials accommodate hypoxia and precociously express meiotic genes. <i>Plant Journal</i> , 2014, 77, 639-652.	5.7	47
29	Virulence of the maize smut <i>Ustilago maydis</i> is shaped by organâ€‘specific effectors. <i>Molecular Plant Pathology</i> , 2014, 15, 780-789.	4.2	78
30	Domesticating the beast. <i>BMC Biology</i> , 2013, 11, 35.	3.8	1
31	Open questions: Reflections on plant development and genetics. <i>BMC Biology</i> , 2013, 11, 25.	3.8	3
32	Maize Male sterile 8 (Ms8), a putative Î²-1,3-galactosyltransferase, modulates cell division, expansion, and differentiation during early maize anther development. <i>Plant Reproduction</i> , 2013, 26, 329-338.	2.2	50
33	UV-B Radiation Induces Mu Element Somatic Transposition in Maize. <i>Molecular Plant</i> , 2013, 6, 2004-2007.	8.3	10
34	Cytological Characterization and Allelism Testing of Anther Developmental Mutants Identified in a Screen of Maize Male Sterile Lines. <i>G3: Genes, Genomes, Genetics</i> , 2013, 3, 231-249.	1.8	50
35	Regulation of cell divisions and differentiation by <i>MALE STERILITY32</i> is required for anther development in maize. <i>Plant Journal</i> , 2013, 76, 592-602.	5.7	68
36	<i>Ustilago maydis</i> reprograms cell proliferation in maize anthers. <i>Plant Journal</i> , 2013, 75, 903-914.	5.7	31

#	ARTICLE	IF	CITATIONS
37	Using MuDR/Mu Transposons in Directed Tagging Strategies. <i>Methods in Molecular Biology</i> , 2013, 1057, 143-155.	0.9	5
38	Distinguishing Variable Phenotypes from Variegation Caused by Transposon Activities. <i>Methods in Molecular Biology</i> , 2013, 1057, 11-20.	0.9	0
39	Mu killer-Mediated and Spontaneous Silencing of Zea mays Mutator Family Transposable Elements Define Distinctive Paths of Epigenetic Inactivation. <i>Frontiers in Plant Science</i> , 2012, 3, 212.	3.6	3
40	Maize <i>multiple archesporial cells 1</i> (<i>mac1</i>), an ortholog of rice <i>TDL1A</i> , modulates cell proliferation and identity in early anther development. <i>Development (Cambridge)</i> , 2012, 139, 2594-2603.	2.5	102
41	What determines cell size?. <i>BMC Biology</i> , 2012, 10, 101.	3.8	196
42	Hypoxia Triggers Meiotic Fate Acquisition in Maize. <i>Science</i> , 2012, 337, 345-348.	12.6	179
43	A low molecular weight proteome comparison of fertile and <i>male sterile 8</i> anthers of <i>Zea mays</i> . <i>Plant Biotechnology Journal</i> , 2012, 10, 925-935.	8.3	18
44	Emergence and patterning of the five cell types of the Zea mays anther locule. <i>Developmental Biology</i> , 2011, 350, 32-49.	2.0	81
45	Rapid Maize Leaf and Immature Ear Responses to UV-B Radiation. <i>Frontiers in Plant Science</i> , 2011, 2, 33.	3.6	12
46	GRFT – Genetic Records Family Tree Web Applet. <i>Frontiers in Genetics</i> , 2011, 2, 14.	2.3	0
47	Maize <i>csmd1</i> exhibits pre-meiotic somatic and post-meiotic microspore and somatic defects but sustains anther growth. <i>Sexual Plant Reproduction</i> , 2011, 24, 297-306.	2.2	11
48	Global transcriptome analysis of two <i>ameiotic1</i> alleles in maize anthers: defining steps in meiotic entry and progression through prophase I. <i>BMC Plant Biology</i> , 2011, 11, 120.	3.6	29
49	How plants cope with temperature stress. <i>BMC Biology</i> , 2011, 9, 79.	3.8	14
50	Transcriptomic, proteomic and metabolomic analysis of UV-B signaling in maize. <i>BMC Genomics</i> , 2011, 12, 321.	2.8	65
51	Transcriptomic, proteomic and metabolomic analysis of maize responses to UV-B. <i>Plant Signaling and Behavior</i> , 2011, 6, 1146-1153.	2.4	20
52	UV-B signaling in maize. <i>Plant Signaling and Behavior</i> , 2011, 6, 1926-1931.	2.4	10
53	Maize host requirements for <i>Ustilago maydis</i> tumor induction. <i>Sexual Plant Reproduction</i> , 2010, 23, 1-13.	2.2	29
54	The male sterile 8 mutation of maize disrupts the temporal progression of the transcriptome and results in the mis-regulation of metabolic functions. <i>Plant Journal</i> , 2010, 63, 939-951.	5.7	51

#	ARTICLE	IF	CITATIONS
55	Maize Tumors Caused by <i>Ustilago maydis</i> Require Organ-Specific Genes in Host and Pathogen. <i>Science</i> , 2010, 328, 89-92.	12.6	183
56	Mutator transposon activation after UV-B involves chromatin remodeling. <i>Epigenetics</i> , 2010, 5, 352-363.	2.7	31
57	Sequencing, Mapping, and Analysis of 27,455 Maize Full-Length cDNAs. <i>PLoS Genetics</i> , 2009, 5, e1000740.	3.5	145
58	Clusters and superclusters of phased small RNAs in the developing inflorescence of rice. <i>Genome Research</i> , 2009, 19, 1429-1440.	5.5	283
59	Are we training pit bulls to review our manuscripts?. <i>Journal of Biology</i> , 2009, 8, 24.	2.7	29
60	Mutator transposon activity reprograms the transcriptomes and proteomes of developing maize anthers. <i>Plant Journal</i> , 2009, 59, 622-633.	5.7	34
61	Nonradioactive Genomic DNA Blots for Detection of Low Abundant Sequences in Transgenic Maize. <i>Methods in Molecular Biology</i> , 2009, 526, 113-122.	0.9	3
62	10 Reasons to be Tantalized by the B73 Maize Genome. <i>PLoS Genetics</i> , 2009, 5, e1000723.	3.5	25
63	Distinctive transcriptome responses to adverse environmental conditions in <i>Zea mays</i> L.. <i>Plant Biotechnology Journal</i> , 2008, 6, 782-798.	8.3	67
64	Male reproductive development: gene expression profiling of maize anther and pollen ontogeny. <i>Genome Biology</i> , 2008, 9, R181.	9.6	101
65	Maize lines expressing RNAi to chromatin remodeling factors are similarly hypersensitive to UV-B radiation but exhibit distinct transcriptome responses. <i>Epigenetics</i> , 2008, 3, 216-229.	2.7	22
66	Histone Acetylation and Chromatin Remodeling Are Required for UV-Dependent Transcriptional Activation of Regulated Genes in Maize. <i>Plant Cell</i> , 2008, 20, 827-842.	6.6	80
67	Translational Genomics for Bioenergy Production from Fuelstock Grasses: Maize as the Model Species. <i>Plant Cell</i> , 2007, 19, 2091-2094.	6.6	57
68	Reply: Specific Reasons to Favor Maize in the U.S.. <i>Plant Cell</i> , 2007, 19, 2973-2973.	6.6	0
69	Epigenetic silencing and unstable inheritance of MuDR activity monitored at four bz2-mu alleles in maize (<i>Zea mays</i> L.). <i>Genes and Genetic Systems</i> , 2007, 82, 387-401.	0.7	7
70	Transcriptome profiling of maize anthers using genetic ablation to analyze pre-meiotic and tapetal cell types. <i>Plant Journal</i> , 2007, 50, 637-648.	5.7	55
71	Coordinated regulation of maize genes during increasing exposure to ultraviolet radiation: identification of ultraviolet-responsive genes, functional processes and associated potential promoter motifs. <i>Plant Biotechnology Journal</i> , 2007, 5, 677-695.	8.3	19
72	Comparative profiling of the sense and antisense transcriptome of maize lines. <i>Genome Biology</i> , 2006, 7, R22.	9.6	75

#	ARTICLE	IF	CITATIONS
73	Genetic diversity contribution to errors in short oligonucleotide microarray analysis. <i>Plant Biotechnology Journal</i> , 2006, 4, 060615010054001-???.	8.3	26
74	Genome-wide analysis of high-altitude maize and gene knockdown stocks implicates chromatin remodeling proteins in response to UV-B. <i>Plant Journal</i> , 2006, 46, 613-627.	5.7	78
75	Differential accumulation of maysin and rhamnosylisoorientin in leaves of high-altitude landraces of maize after UV-B exposure. <i>Plant, Cell and Environment</i> , 2005, 28, 788-799.	5.7	97
76	Analysis of Leaf Proteome after UV-B Irradiation in Maize Lines Differing in Sensitivity. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1673-1685.	3.8	68
77	OBPC Symposium: Maize 2004 & beyond-regulation of the MuDR/Mu transposable elements of maize and their practical uses. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2005, 41, 374-377.	2.1	1
78	Crosslinking of Ribosomal Proteins to RNA in Maize Ribosomes by UV-B and Its Effects on Translation. <i>Plant Physiology</i> , 2004, 136, 3319-3332.	4.8	73
79	Genome-wide mutagenesis of <i>Zea mays</i> L. using RescueMu transposons. <i>Genome Biology</i> , 2004, 5, R82.	9.6	66
80	Rapid transcriptome responses of maize (<i>Zea mays</i>) to UV-B in irradiated and shielded tissues. <i>Genome Biology</i> , 2004, 5, R16.	9.6	130
81	A Multidrug Resistance-Associated Protein Involved in Anthocyanin Transport in <i>Zea mays</i> . <i>Plant Cell</i> , 2004, 16, 1812-1826.	6.6	380
82	Post-transcriptional regulation of expression of the Bronze2 gene of <i>Zea mays</i> L. <i>Plant Molecular Biology</i> , 2003, 53, 75-86.	3.9	30
83	Progress in maize gene discovery: a project update. <i>Functional and Integrative Genomics</i> , 2003, 3, 25-32.	3.5	38
84	Initiation of silencing of maize MuDR/Mu transposable elements. <i>Plant Journal</i> , 2003, 33, 1013-1025.	5.7	43
85	Unique features of the plant life cycle and their consequences. <i>Nature Reviews Genetics</i> , 2003, 4, 369-379.	16.3	158
86	Deletion Derivatives of the MuDR Regulatory Transposon of Maize Encode Antisense Transcripts but Are Not Dominant-Negative Regulators of Mutator Activities. <i>Plant Cell</i> , 2003, 15, 2430-2447.	6.6	11
87	Gene Expression Profiling in Response to Ultraviolet Radiation in Maize Genotypes with Varying Flavonoid Content. <i>Plant Physiology</i> , 2003, 132, 1739-1754.	4.8	228
88	ZmDB, an integrated database for maize genome research. <i>Nucleic Acids Research</i> , 2003, 31, 244-247.	14.5	33
89	Comparison of RNA Expression Profiles Based on Maize Expressed Sequence Tag Frequency Analysis and Micro-Array Hybridization. <i>Plant Physiology</i> , 2002, 128, 896-910.	4.8	96
90	Gene-expression profile comparisons distinguish seven organs of maize. <i>Genome Biology</i> , 2002, 3, research0045.1.	9.6	32

#	ARTICLE	IF	CITATIONS
91	Comparative genomics of Arabidopsis and maize: prospects and limitations. <i>Genome Biology</i> , 2002, 3, reviews1005.1.	9.6	39
92	Subcellular localization of MURA and MURB proteins encoded by the maize MuDR transposon. <i>Plant Molecular Biology</i> , 2002, 50, 599-611.	3.9	18
93	Chapter Fourteen Models for vacuolar sequestration of anthocyanins. <i>Recent Advances in Phytochemistry</i> , 2001, 35, 297-312.	0.5	16
94	Chapter One Genomics: New tools to analyze genetic and biochemical diversity. <i>Recent Advances in Phytochemistry</i> , 2001, 35, 1-14.	0.5	0
95	Computational methods for gene annotation: the Arabidopsis genome. <i>Current Opinion in Biotechnology</i> , 2001, 12, 126-130.	6.6	22
96	The <i>MuDR</i> transposon terminal inverted repeat contains a complex plant promoter directing distinct somatic and germinal programs. <i>Plant Journal</i> , 2001, 25, 79-91.	5.7	7
97	Expression and Post-Transcriptional Regulation of Maize Transposable Element MuDR and Its Derivatives. <i>Plant Cell</i> , 2001, 13, 553-570.	6.6	58
98	Somatic and Germinal Mobility of the RescueMu Transposon in Transgenic Maize. <i>Plant Cell</i> , 2001, 13, 1587.	6.6	0
99	Imprinting of R-r, paramutation of B-I and Pl, and epigenetic silencing of MuDR/Mu transposons in <i>Zea mays</i> L. are coordinately affected by inbred background. <i>Genetical Research</i> , 2001, 77, 219-26.	0.9	11
100	The MuDR transposon terminal inverted repeat contains a complex plant promoter directing distinct somatic and germinal programs. <i>Plant Journal</i> , 2001, 25, 79-91.	5.7	46
101	Somatic and Germinal Mobility of the <i>RescueMu</i> Transposon in Transgenic Maize. <i>Plant Cell</i> , 2001, 13, 1587-1608.	6.6	48
102	Somatic and Germinal Mobility of the RescueMu Transposon in Transgenic Maize. <i>Plant Cell</i> , 2001, 13, 1587-1608.	6.6	60
103	A green chapter in the book of life. <i>Nature</i> , 2000, 408, 794-795.	27.8	40
104	Saturation mutagenesis using maize transposons. <i>Current Opinion in Plant Biology</i> , 2000, 3, 103-107.	7.1	127
105	Plant glutathione S-transferases: enzymes with multiple functions in sickness and in health. <i>Trends in Plant Science</i> , 2000, 5, 193-198.	8.8	827
106	The Late Developmental Pattern of Mu Transposon Excision Is Conferred by a Cauliflower Mosaic Virus 35S-Driven MURA cDNA in Transgenic Maize. <i>Plant Cell</i> , 2000, 12, 5-21.	6.6	59
107	AN9, a <i>Petunia</i> Glutathione S-Transferase Required for Anthocyanin Sequestration, Is a Flavonoid-Binding Protein. <i>Plant Physiology</i> , 2000, 123, 1561-1570.	4.8	366
108	UV-B damage amplified by transposons in maize. <i>Nature</i> , 1999, 397, 398-399.	27.8	73

#	ARTICLE	IF	CITATIONS
109	Test of the combinatorial model of intron recognition in a native maize gene. <i>Plant Molecular Biology</i> , 1999, 41, 637-644.	3.9	15
110	Genes, Genomes, Genomics. What Can Plant Biologists Expect from the 1998 National Science Foundation Plant Genome Research Program?1. <i>Plant Physiology</i> , 1999, 119, 1151-1156.	4.8	36
111	U-richness is a defining feature of plant introns and may function as an intron recognition signal in maize. <i>Plant Molecular Biology</i> , 1998, 36, 573-583.	3.9	65
112	Functional Complementation of Anthocyanin Sequestration in the Vacuole by Widely Divergent Glutathione S-Transferases. <i>Plant Cell</i> , 1998, 10, 1135-1149.	6.6	391
113	Prediction of splice sites in plant pre-mRNA from sequence properties. <i>Journal of Molecular Biology</i> , 1998, 276, 85-104.	4.2	28
114	Functional Complementation of Anthocyanin Sequestration in the Vacuole by Widely Divergent Glutathione S-Transferases. <i>Plant Cell</i> , 1998, 10, 1135.	6.6	37
115	Transcriptionally Active MuDR, the Regulatory Element of the Mutator Transposable Element Family of <i>Zea mays</i> , Is Present in Some Accessions of the Mexican land race Zapalote chico. <i>Genetics</i> , 1998, 149, 329-346.	2.9	14
116	An <i>Arabidopsis</i> photolyase mutant is hypersensitive to ultraviolet-B radiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 328-332.	7.1	178
117	Sense and antisense transcripts of the maize MuDR regulatory transposon localized by in situ hybridization. <i>Plant Molecular Biology</i> , 1997, 33, 23-36.	3.9	28
118	A combinatorial role for exon, intron and splice site sequences in splicing in maize. <i>Plant Journal</i> , 1997, 11, 1253-1263.	5.7	39
119	Vacuolar uptake of the phytoalexin medicarpin by the glutathione conjugate pump. <i>Phytochemistry</i> , 1997, 45, 689-693.	2.9	81
120	Sources and consequences of phenotypic and genotypic plasticity in flowering plants. <i>Trends in Plant Science</i> , 1996, 1, 27-32.	8.8	88
121	Structure and regulation of the maize Bronze2 promoter. <i>Plant Molecular Biology</i> , 1996, 32, 599-609.	3.9	27
122	Signal perception, transduction, and gene expression involved in anthocyanin biosynthesis. <i>Critical Reviews in Plant Sciences</i> , 1996, 15, 525-557.	5.7	179
123	A glutathione S-transferase involved in vacuolar transfer encoded by the maize gene Bronze-2. <i>Nature</i> , 1995, 375, 397-400.	27.8	604
124	Transient Expression Analysis in Plants Using Firefly Luciferase Reporter Gene. , 1995, , 139-156.		2
125	Sequence similarity of putative transposases links the maize Mutator autonomous element and a group of bacterial insertion sequences. <i>Nucleic Acids Research</i> , 1994, 22, 2634-2636.	14.5	107
126	In vivo analysis of intron processing using splicing-dependent reporter gene assays. <i>Plant Molecular Biology</i> , 1994, 26, 1785-1795.	3.9	21

#	ARTICLE	IF	CITATIONS
127	Addition of A- and U-rich sequence increases the splicing efficiency of a deleted form of a maize intron. <i>Plant Molecular Biology</i> , 1994, 24, 449-463.	3.9	65
128	Impact of low-temperature stress on general phenylpropanoid and anthocyanin pathways: Enhancement of transcript abundance and anthocyanin pigmentation in maize seedlings. <i>Planta</i> , 1994, 194, 541-549.	3.2	550
129	Nuclear Pre-mRna Processing in Higher Plants. <i>Progress in Molecular Biology and Translational Science</i> , 1994, 47, 149-193.	1.9	75
130	The TTG Gene Is Required to Specify Epidermal Cell Fate and Cell Patterning in the Arabidopsis Root. <i>Developmental Biology</i> , 1994, 166, 740-754.	2.0	486
131	Transcription of the gene coding for subunit 9 of ATP synthase in rice mitochondria. <i>Plant Molecular Biology</i> , 1993, 22, 899-905.	3.9	7
132	Organization of a 117-kb circular mitochondrial chromosome in IR36 rice. <i>Current Genetics</i> , 1993, 23, 248-254.	1.7	24
133	A simple and sensitive antibody-based method to measure UV-induced DNA damage in <i>Zea mays</i> . <i>Plant Molecular Biology Reporter</i> , 1993, 11, 230-236.	1.8	26
134	Insertion of non-intron sequence into maize introns interferes with splicing. <i>Nucleic Acids Research</i> , 1992, 20, 5181-5187.	14.5	16
135	Identification of the motifs within the tobacco mosaic virus 5' leader responsible for enhancing translation. <i>Nucleic Acids Research</i> , 1992, 20, 4631-4638.	14.5	231
136	[35] Transient expression analysis in plants using firefly luciferase reporter gene. <i>Methods in Enzymology</i> , 1992, 216, 397-414.	1.0	143
137	Bronze-2 Gene Expression and Intron Splicing Patterns in Cells and Tissues of <i>Zea mays</i> L.. <i>Plant Physiology</i> , 1992, 100, 464-471.	4.8	41
138	Regulated transcription of the maize Bronze-2 promoter in electroporated protoplasts requires the C1 and R gene products. <i>Molecular Genetics and Genomics</i> , 1992, 233, 379-387.	2.4	64
139	Reactivation of Mutator transposable elements of maize by ultraviolet light. <i>Molecular Genetics and Genomics</i> , 1992, 234, 353-360.	2.4	55
140	Structure and expression of the rice mitochondrial apocytochrome b gene (cob-1) and pseudogene (cob-2). <i>Current Genetics</i> , 1992, 22, 463-470.	1.7	35
141	Co-transcription of orf25 and coxIII in rice mitochondria. <i>Current Genetics</i> , 1992, 21, 507-513.	1.7	33
142	Expression of ORF1 of the linear 2.3 kb plasmid of maize mitochondria: product localization and similarities to the 130 kDa protein encoded by the S2 episome. <i>Current Genetics</i> , 1992, 22, 61-67.	1.7	10
143	Developmental regulation of excision timing of Mutator transposons of maize: Comparison of standard lines and an early excision <i>bz1::Mu1</i> line. <i>Genesis</i> , 1992, 13, 376-386.	2.1	5
144	Germinal and somatic products of Mu1 excision from the Bronze-1 gene of <i>Zea mays</i> . <i>Molecular Genetics and Genomics</i> , 1991, 227, 267-76.	2.4	36

#	ARTICLE	IF	CITATIONS
145	Molecular analysis of the loss of somatic instability in the bz2::mu1 allele of maize. <i>Molecular Genetics and Genomics</i> , 1991, 229, 147-151.	2.4	31
146	Post-transcriptional regulation in higher eukaryotes: The role of the reporter gene in controlling expression. <i>Molecular Genetics and Genomics</i> , 1991, 228, 258-264.	2.4	95
147	Intron enhancement of gene expression and the splicing efficiency of introns in maize cells. <i>Molecular Genetics and Genomics</i> , 1991, 225, 81-93.	2.4	173
148	Transient Gene Expression in Protoplasts of <i>Phaseolus vulgaris</i> Isolated from a Cell Suspension Culture. <i>Plant Physiology</i> , 1991, 95, 968-972.	4.8	59
149	The Mutator Transposable Element Family of Maize. , 1991, 13, 1-37.		39
150	DNA methylation in the Alcohol dehydrogenase-1 gene of maize. <i>Plant Molecular Biology</i> , 1990, 15, 121-125.	3.9	25
151	Sequence of the F ₀ -atpase proteolipid (atp9) gene from rice mitochondria. <i>Nucleic Acids Research</i> , 1990, 18, 370-370.	14.5	24
152	Bronze-2 Gene of Maize: Reconstruction of a Wild-Type Allele and Analysis of Transcription and Splicing. <i>Plant Cell</i> , 1990, 2, 1039.	6.6	26
153	Sequence of the rice mitochondrial gene for cytochrome oxidase subunit 3. <i>Nucleic Acids Research</i> , 1990, 18, 371-371.	14.5	16
154	Sequence of the rice mitochondrial gene for apocytochrome b. <i>Nucleic Acids Research</i> , 1990, 18, 372-372.	14.5	18
155	Structural analysis of mature and dicistronic transcripts from the 18 S and 5 S ribosomal RNA genes of maize mitochondria. <i>Journal of Molecular Biology</i> , 1990, 213, 633-649.	4.2	27
156	Effects of Cold-Treatment on Protein Synthesis and mRNA Levels in Rice Leaves. <i>Plant Physiology</i> , 1989, 91, 930-938.	4.8	138
157	Integrated R2 sequence in mitochondria of fertile B37N maize encodes and expresses a 130 kD polypeptide similar to that encoded by the S2 episome of S-type male sterile plants. <i>Nucleic Acids Research</i> , 1989, 17, 405-422.	14.5	7
158	Developmental and genetic aspects of Mutator excision in maize. <i>Genesis</i> , 1989, 10, 520-531.	2.1	34
159	Transient gene expression after electroporation of protoplasts derived from embryogenic maize callus. <i>Plant Cell Reports</i> , 1989, 8, 144-147.	5.6	21
160	Identification in maize mitochondrial 26S rRNA of a short 5' end sequence possibly involved in transcription initiation and processing. <i>Current Genetics</i> , 1989, 15, 207-212.	1.7	40
161	Visualizing mRNA Expression in Plant Protoplasts: Factors Influencing Efficient mRNA Uptake and Translation. <i>Plant Cell</i> , 1989, 1, 301.	6.6	50
162	Sequence analysis of three fragments of maize nuclear DNA which replicate autonomously in yeast. <i>Plant Molecular Biology</i> , 1988, 11, 173-182.	3.9	7

#	ARTICLE	IF	CITATIONS
163	Reactivation of the Mutator transposable element system following gamma irradiation of seed. <i>Molecular Genetics and Genomics</i> , 1988, 212, 259-264.	2.4	49
164	Regulation of Mu element copy number in maize lines with an active or inactive Mutator transposable element system. <i>Molecular Genetics and Genomics</i> , 1988, 211, 27-34.	2.4	105
165	RNA processing and multiple transcription initiation sites result in transcript size heterogeneity in maize mitochondria. <i>Molecular Genetics and Genomics</i> , 1988, 211, 373-380.	2.4	116
166	An S1 episomal gene of maize mitochondria is expressed in male sterile and fertile plants of the S-type cytoplasm. <i>Molecular Genetics and Genomics</i> , 1988, 211, 386-392.	2.4	20
167	The ribosomal fraction mediates the translational enhancement associated with the 5' leader of tobacco mosaic virus. <i>Nucleic Acids Research</i> , 1988, 16, 8675-8694.	14.5	29
168	PHENOTYPES MEDIATED BY THE IOJAP GENOTYPE IN MAIZE. <i>American Journal of Botany</i> , 1988, 75, 634-644.	1.7	29
169	Regulation of Mutator Activities in Maize. , 1988, 47, 121-135.		21
170	Phenotypes Mediated by the lojap Genotype in Maize. <i>American Journal of Botany</i> , 1988, 75, 634.	1.7	12
171	[21] Electroporation of DNA and RNA into plant protoplasts. <i>Methods in Enzymology</i> , 1987, , 351-366.	1.0	110
172	Isolation and Characterization of a 1.7-kb Transposable Element from a Mutator Line of Maize. <i>Genetics</i> , 1987, 117, 297-307.	2.9	75
173	Cloning of a Mutable <i>bz2</i> Allele of Maize by Transposon Tagging and Differential Hybridization. <i>Genetics</i> , 1987, 117, 771-776.	2.9	110
174	DNA synthesis in purified maize mitochondria. <i>Current Genetics</i> , 1986, 10, 631-637.	1.7	21
175	Cloning and characterization of a linear 2.3 kb mitochondrial plasmid of maize. <i>Molecular Genetics and Genomics</i> , 1986, 205, 206-212.	2.4	28
176	Stable transformation of maize after gene transfer by electroporation. <i>Nature</i> , 1986, 319, 791-793.	27.8	654
177	Properties of Mutable Alleles Recovered from Mutator Stocks of Zea Mays L.. <i>Stadler Genetics Symposia Series</i> , 1986, , 115-142.	0.0	13
178	MAIZE MITOCHONDRIAL PLASMID S-1 SEQUENCES SHARE HOMOLOGY WITH CHLOROPLAST GENE <i>psbA</i> . <i>Genetics</i> , 1986, 113, 469-482.	2.9	40
179	EVALUATING QUANTITATIVE VARIATION IN THE GENOME OF <i>ZEA MAYS</i> . <i>Genetics</i> , 1986, 113, 1009-1019.	2.9	94
180	STABLE NON-MUTATOR STOCKS OF MAIZE HAVE SEQUENCES HOMOLOGOUS TO THE Mu1 TRANSPOSABLE ELEMENT. <i>Genetics</i> , 1986, 114, 1007-1021.	2.9	101

#	ARTICLE	IF	CITATIONS
181	INHERITANCE OF MUTATOR ACTIVITY IN <i>ZEA MAYS</i> AS ASSAYED BY SOMATIC INSTABILITY OF THE <i>bz2-mu1</i> ALLELE. <i>Genetics</i> , 1986, 114, 1293-1312.	2.9	72
182	On the life strategies of plants and animals. <i>Trends in Genetics</i> , 1985, 1, 165-169.	6.7	118
183	Molecular analysis of mitochondria from a fertility restorer line of maize. <i>Plant Molecular Biology</i> , 1985, 4, 247-252.	3.9	7
184	Evaluation of genomic variability at the nucleic acid level. <i>Plant Molecular Biology Reporter</i> , 1983, 1, 9-16.	1.8	44
185	The plasticity of the plant genome—Is it a requirement for success?. <i>Plant Molecular Biology Reporter</i> , 1983, 1, 3-11.	1.8	128
186	Suggestion for efficient recovery of visible mutants. <i>Plant Molecular Biology Reporter</i> , 1983, 1, 30-31.	1.8	0
187	PLASTID DEVELOPMENT IN <i>IOJAP</i> AND CHLOROPLAST MUTATOR AFFECTED MAIZE PLANTS. <i>American Journal of Botany</i> , 1983, 70, 940-950.	1.7	32
188	Plastid Development in <i>iojap</i> - and Chloroplast Mutator-Affected Maize Plants. <i>American Journal of Botany</i> , 1983, 70, 940.	1.7	10
189	Disease lesion mimics in maize. <i>Developmental Biology</i> , 1982, 93, 381-388.	2.0	88
190	COMPARISON OF THE RESTRICTION ENDONUCLEASE DIGESTION PATTERNS OF MITOCHONDRIAL DNA FROM NORMAL AND MALE STERILE CYTOPLASMS OF <i>ZEA MAYS</i> L. <i>Genetics</i> , 1982, 102, 109-128.	2.9	76
191	The genome of <i>Zea mays</i> , its organization and homology to related grasses. <i>Chromosoma</i> , 1980, 79, 251-270.	2.2	170
192	Control Mechanisms for Plant Embryogeny. , 1978, , 113-166.		51
193	Benzyladenine Reversal of Abscisic Acid Inhibition of Growth and RNA Synthesis in Germinating Bean Axes. <i>Plant Physiology</i> , 1975, 56, 575-578.	4.8	32
194	RNA METABOLISM IN DEVELOPING COTYLEDONS OF <i>PHASEOLUS VULGARIS</i> *. <i>New Phytologist</i> , 1973, 72, 479-483.	7.3	16
195	Effect of Actinomycin D on Growth and RNA Synthesis during Germination of <i>Phaseolus Vulgaris</i> . <i>Caryologia</i> , 1973, 25, 273-278.	0.3	2
196	Rate of RNA synthesis and tRNA end-labeling during early development of <i>Phaseolus</i> . <i>Planta</i> , 1972, 108, 161-171.	3.2	35
197	RNA metabolism during embryo development and germination of <i>Phaseolus vulgaris</i> . <i>Developmental Biology</i> , 1971, 26, 369-379.	2.0	49