

# Androniki Naska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3166419/publications.pdf>

Version: 2024-02-01

80  
papers

5,406  
citations

87888

38  
h-index

85541

71  
g-index

82  
all docs

82  
docs citations

82  
times ranked

9399  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fish intake, n-3 fatty acid body status, and risk of cognitive decline: a systematic review and a dose-response meta-analysis of observational and experimental studies. <i>Nutrition Reviews</i> , 2022, 80, 1445-1458.	5.8	29
2	An Eight-Week Mindful Eating Program Applied in a Mediterranean Population With Overweight or Obesity: The EATT Intervention Study. <i>Psychological Reports</i> , 2022, 125, 1011-1040.	1.7	12
3	On account of trans fatty acids and cardiovascular disease risk – There is still need to upgrade the knowledge and educate consumers. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1811-1818.	2.6	8
4	Prevalence, clinical characteristics and outcomes of Guillain-Barré syndrome spectrum associated with COVID-19: A systematic review and meta-analysis. <i>European Journal of Neurology</i> , 2021, 28, 3517-3529.	3.3	87
5	Blood Pressure Effects of Sodium Reduction. <i>Circulation</i> , 2021, 143, 1542-1567.	1.6	133
6	Sodium and Potassium Content of Foods Consumed in an Italian Population and the Impact of Adherence to a Mediterranean Diet on Their Intake. <i>Nutrients</i> , 2021, 13, 2681.	4.1	22
7	Response by Filippini et al to Letter Regarding Article, “Blood Pressure Effects of Sodium Reduction: Dose-Response Meta-Analysis of Experimental Studies”. <i>Circulation</i> , 2021, 144, e237.	1.6	0
8	Cerebral Venous Sinus Thrombosis and Thrombotic Events After Vector-Based COVID-19 Vaccines. <i>Neurology</i> , 2021, 97, e2136-e2147.	1.1	45
9	Insights into the association of potassium intake with blood pressure: results of a dose-response meta-analysis of randomized controlled trials. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	1.0	1
10	Dose-response relationships in health risk assessment of nutritional and toxicological factors in foods: development and application of novel biostatistical methods. <i>EFSA Supporting Publications</i> , 2020, 17, 1899E.	0.7	6
11	Genetic Variants Shaping Inter-individual Differences in Response to Dietary Intakes – A Narrative Review of the Case of Vitamins. <i>Frontiers in Nutrition</i> , 2020, 7, 558598.	3.7	12
12	Potassium Intake and Blood Pressure: A Dose-Response Meta-Analysis of Randomized Controlled Trials. <i>Journal of the American Heart Association</i> , 2020, 9, e015719.	3.7	132
13	Cadmium exposure and risk of breast cancer: A dose-response meta-analysis of cohort studies. <i>Environment International</i> , 2020, 142, 105879.	10.0	94
14	Determinants of receiving immediate breast reconstruction: An analysis of patient characteristics at a tertiary care center in the US. <i>Surgical Oncology</i> , 2020, 34, 1-6.	1.6	9
15	Dietary reference values for sodium. <i>EFSA Journal</i> , 2019, 17, e05778.	1.8	85
16	Dietary reference values for chloride. <i>EFSA Journal</i> , 2019, 17, e05779.	1.8	16
17	Intake of Mediterranean Foods. <i>Reference Series in Phytochemistry</i> , 2019, , 29-51.	0.4	1
18	Identifying sources of measurement error in assessing dietary intakes – Results of a multi-country ring-trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 127-134.	2.6	7

#	ARTICLE	IF	CITATIONS
19	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
20	Vitamin D: should public health recommendations also consider cancer outcomes?. <i>Annals of Oncology</i> , 2019, 30, 667-668.	1.2	1
21	Survival and Disease Recurrence Rates among Breast Cancer Patients following Mastectomy with or without Breast Reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2019, 144, 169e-177e.	1.4	33
22	Evaluation of food photographs assessing the dietary intake of children up to 10 years old. <i>Public Health Nutrition</i> , 2018, 21, 888-895.	2.2	3
23	Guidance for the scientific requirements for health claims related to antioxidants, oxidative damage and cardiovascular health. <i>EFSA Journal</i> , 2018, 16, e05136.	1.8	50
24	The impact of fast track protocols in upper gastrointestinal surgery: A meta-analysis of observational studies. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2018, 16, 183-192.	1.8	21
25	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018, 57, 2399-2408.	3.9	58
26	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017, 56, 1157-1168.	3.9	17
27	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017, 75, 299-307.	2.8	154
28	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	5.5	21
29	Dietary Reference Values for riboflavin. <i>EFSA Journal</i> , 2017, 15, e04919.	1.8	37
30	Standardization of physical measurements in European health examination surveys—experiences from the site visits. <i>European Journal of Public Health</i> , 2017, 27, ckw271.	0.3	2
31	Dietary assessment methods in epidemiological research: current state of the art and future prospects. <i>F1000Research</i> , 2017, 6, 926.	1.6	274
32	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , 2016, 8, 599-618.	2.1	192
33	Dietary reference values for potassium. <i>EFSA Journal</i> , 2016, 14, e04592.	1.8	52
34	Nutrition challenges ahead. <i>EFSA Journal</i> , 2016, 14, e00504.	1.8	7
35	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016, 115, 1430-1440.	6.4	26
36	Evaluation of a digital food photography atlas used as portion size measurement aid in dietary surveys in Greece. <i>Public Health Nutrition</i> , 2016, 19, 2369-2376.	2.2	37

#	ARTICLE	IF	CITATIONS
37	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016, 138, 1129-1138.	5.1	21
38	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	3.9	15
39	Eating out is different from eating at home among individuals who occasionally eat out. A cross-sectional study among middle-aged adults from eleven European countries. <i>British Journal of Nutrition</i> , 2015, 113, 1951-1964.	2.3	45
40	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	5.1	32
41	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	2.5	27
42	Challenges in standardization of blood pressure measurement at the population level. <i>BMC Medical Research Methodology</i> , 2015, 15, 33.	3.1	58
43	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	5.7	39
44	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	2.3	29
45	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	2.0	24
46	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	5.1	60
47	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 139-147.	4.7	33
48	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013, 11, 63.	5.5	329
49	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	1.8	20
50	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	3.9	48
51	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013, 49, 3526-3536.	2.8	55
52	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013, 109, 353-362.	2.3	17
53	Evaluating the effect of measurement error when using one or two 24h dietary recalls to assess eating out: a study in the context of the HECTOR project. <i>British Journal of Nutrition</i> , 2013, 110, 1107-1117.	2.3	9
54	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	2.5	64

#	ARTICLE	IF	CITATIONS
55	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	4.7	67
56	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition—Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	4.7	79
57	The root causes of socioeconomic differentials in cancer and cardiovascular mortality in Greece. <i>European Journal of Cancer Prevention</i> , 2012, 21, 490-496.	1.3	5
58	Mediterranean diet and CHD: the Greek European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Nutrition</i> , 2012, 108, 699-709.	2.3	106
59	Dietary reporting errors on 24h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012, 107, 910-920.	2.3	59
60	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	3.1	15
61	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	2.5	27
62	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	5.1	10
63	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	5.1	41
64	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	3.4	26
65	Social Inequalities and Mortality in Europe—Results from a Large Multi-National Cohort. <i>PLoS ONE</i> , 2012, 7, e39013.	2.5	113
66	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011, 106, 1915-1925.	2.3	89
67	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011, 11, 169.	2.9	72
68	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	5.1	51
69	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	4.7	112
70	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275.	4.7	90
71	Soft drinks: time trends and correlates in twenty-four European countries. A cross-national study using the DAFNE (Data Food Networking) databank. <i>Public Health Nutrition</i> , 2010, 13, 1346-1355.	2.2	32
72	Food balance sheet and household budget survey dietary data and mortality patterns in Europe. <i>British Journal of Nutrition</i> , 2009, 102, 166-171.	2.3	43

#	ARTICLE	IF	CITATIONS
73	Siesta in Healthy Adults and Coronary Mortality in the General Population. Archives of Internal Medicine, 2007, 167, 296.	3.8	188
74	Mediterranean diet in relation to body mass index and waist-to-hip ratio: the Greek European Prospective Investigation into Cancer and Nutrition Study. American Journal of Clinical Nutrition, 2005, 82, 935-940.	4.7	137
75	The DAFNE databank: the past and future of monitoring the dietary habits of Europeans. Zeitschrift Fur Gesundheitswissenschaften, 2005, 13, 69-73.	1.6	15
76	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. BMJ: British Medical Journal, 2005, 330, 991.	2.3	614
77	Prevalence, awareness, treatment and control of hypertension in a general population sample of 26 913 adults in the Greek EPIC study. International Journal of Epidemiology, 2004, 33, 1345-1352.	1.9	114
78	Olive oil, the Mediterranean diet, and arterial blood pressure: the Greek European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2004, 80, 1012-1018.	4.7	440
79	Physical activity and energy intake selectively predict the waist-to-hip ratio in men but not in women. American Journal of Clinical Nutrition, 2001, 74, 574-578.	4.7	32
80	Fruit and vegetable availability among ten European countries:how does it compare with the "five-a-day"™ recommendation?. British Journal of Nutrition, 2000, 84, 549-556.	2.3	88