Giovanni de Girolamo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3167219/publications.pdf

Version: 2024-02-01

351 papers

48,008 citations

97 h-index 207 g-index

383 all docs 383 docs citations

383 times ranked 47092 citing authors

#	Article	IF	CITATIONS
1	A multinational caseâ^control study comparing forensic and non-forensic patients with schizophrenia spectrum disorders: the EU-VIORMED project. Psychological Medicine, 2023, 53, 1814-1824.	2.7	8
2	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. Psychological Medicine, 2023, 53, 1583-1591.	2.7	8
3	Effect of managed transition on mental health outcomes for young people at the child–adult mental health service boundary: a randomised clinical trial. Psychological Medicine, 2023, 53, 2193-2204.	2.7	18
4	Needs of forensic psychiatric patients with schizophrenia in five European countries. Social Psychiatry and Psychiatric Epidemiology, 2023, 58, 53-63.	1.6	2
5	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	2.7	23
6	Traumatic experiences in childhood and adolescence: a meta-analysis of prospective studies assessing risk for psychosis. European Child and Adolescent Psychiatry, 2022, 31, 215-228.	2.8	18
7	Who is likely to vacillate in their COVID-19 vaccination decision? Free-riding intention and post-positive reluctance. Preventive Medicine, 2022, 154, 106885.	1.6	25
8	Young age and the risk of violent behaviour in people with severe mental disorders: prospective, multicentre study. BJPsych Open, 2022, 8, .	0.3	4
9	Demographic, clinical, and service-use characteristics related to the clinician's recommendation to transition from child to adult mental health services. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 973-991.	1.6	5
10	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. BMC Psychiatry, 2022, 22, 136.	1.1	42
11	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095.	1.6	7
12	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	4.8	16
13	Assessing effective treatment coverage for depression. Lancet Regional Health - Europe, The, 2022, 17, 100384.	3.0	O
14	Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder. Journal of Affective Disorders, 2022, 310, 106-115.	2.0	7
15	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, .	1.1	1
16	Assessing adherence to and usability of Experience Sampling Method (ESM) and actigraph in patients with Schizophrenia Spectrum Disorder: A mixed-method study. Psychiatry Research, 2022, 314, 114675.	1.7	9
17	Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles â€" CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2022, 31, .	1.8	O
18	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	2.7	21

#	Article	IF	CITATIONS
19	Personality, Schizophrenia, and Violence: A Longitudinal Study: The Second Wave of the VIORMED Project. Journal of Personality Disorders, 2021, 35, 236-254.	0.8	6
20	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	2.0	9
21	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	1.1	10
22	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	1.6	3
23	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	1.8	3
24	Are Psychiatrists Trained to Address the Mental Health Needs of Young People Transitioning From Child to Adult Services? Insights From a European Survey. Frontiers in Psychiatry, 2021, 12, 768206.	1.3	2
25	Cohort profile: demographic and clinical characteristics of the MILESTONE longitudinal cohort of young people approaching the upper age limit of their child mental health care service in Europe. BMJ Open, 2021, 11, e053373.	0.8	8
26	Neurocognition and social cognition in patients with schizophrenia spectrum disorders with and without a history of violence: results of a multinational European study. Translational Psychiatry, 2021, 11, 620.	2.4	12
27	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addictive Behaviors, 2020, 102, 106128.	1.7	108
28	Correlations between immune and metabolic serum markers and schizophrenia/bipolar disorder polygenic risk score in firstâ€episode psychosis. Microbial Biotechnology, 2020, 14, 507-511.	0.9	15
29	Substance use disorders and violent behaviour in patients with severe mental disorders: A prospective, multicentre study. Australian and New Zealand Journal of Psychiatry, 2020, 54, 1212-1223.	1.3	6
30	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	2.7	1
31	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	1.8	67
32	Transitioning from child to adult mental health services: what role for social services? Insights from a European survey. Journal of Children's Services, 2020, 15, 89-108.	0.5	0
33	Psychiatric hospitalization rates in Italy before and during COVID-19: did they change? An analysis of register data. Irish Journal of Psychological Medicine, 2020, 37, 283-290.	0.7	92
34	Neuropsychological features in patients with severe mental disorders and risk of violence: A prospective multicenter study in Italy. Psychiatry Research, 2020, 289, 113027.	1.7	3
35	Factors associated with the onset of major depressive disorder in adults with type 2 diabetes living in 12 different countries: results from the INTERPRET-DD prospective study. Epidemiology and Psychiatric Sciences, 2020, 29, e134.	1.8	15
36	Prescribing Patterns of Psychotropic Drugs and Risk of Violent Behavior: A Prospective, Multicenter Study in Italy. International Journal of Neuropsychopharmacology, 2020, 23, 300-310.	1.0	8

#	Article	IF	Citations
37	DAily time use, Physical Activity, quality of care and interpersonal relationships in patients with Schizophrenia spectrum disorders (DiAPASon): an Italian multicentre study. BMC Psychiatry, 2020, 20, 287.	1.1	12
38	Aggressive behavior and metacognitive functions: a longitudinal study on patients with mental disorders. Annals of General Psychiatry, 2020, 19, 36.	1.2	9
39	Validation of the Transition Readiness and Appropriateness Measure (TRAM) for the Managing the Link and Strengthening Transition from Child to Adult Mental Healthcare in Europe (MILESTONE) study. BMJ Open, 2020, 10, e033324.	0.8	21
40	Mental Health in the Coronavirus Disease 2019 Emergencyâ€"The Italian Response. JAMA Psychiatry, 2020, 77, 974.	6.0	179
41	The acceptability of realâ€time health monitoring among community participants with depression: A systematic review and metaâ€analysis of the literature. Depression and Anxiety, 2020, 37, 885-897.	2.0	13
42	Protocol for the development and validation procedure of the managing the link and strengthening transition from child to adult mental health care (MILESTONE) suite of measures. BMC Pediatrics, 2020, 20, 167.	0.7	10
43	Studying Patients with Severe Mental Disorders Who Act Violently: Italian and European Projects. Comprehensive Approach To Psychiatry, 2020, , 155-179.	0.7	2
44	Prevalence and Risk Factors of Violence by Psychiatric Acute Inpatients: Systematic Review and Meta-Analysis—A 2019 Update. Comprehensive Approach To Psychiatry, 2020, , 181-202.	0.7	9
45	Ricerca in salute mentale: un decennio di progetti all'IRCSS Fatebenefratelli. Rivista Sperimentale Di Freniatria, 2020, , 83-113.	0.1	0
46	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	1.6	45
47	Promotion of Wellbeing for Children of Parents With Mental Illness: A Model Protocol for Research and Intervention. Frontiers in Psychiatry, 2019, 10, 606.	1.3	20
48	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	2.3	24
49	Violence risk and mental disorders (VIORMED-2): A prospective multicenter study in Italy. PLoS ONE, 2019, 14, e0214924.	1.1	22
50	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	1.7	27
51	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	6.0	27
52	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€1V agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	2.0	22
53	Remote assessment of disease and relapse in major depressive disorder (RADAR-MDD): a multi-centre prospective cohort study protocol. BMC Psychiatry, 2019, 19, 72.	1.1	99
54	More anxious than depressed: prevalence and correlates in a 15-nation study of anxiety disorders in people with type 2 diabetes mellitus. Annals of General Psychiatry, 2019, 32, e100076.	1.1	50

#	Article	IF	CITATIONS
55	The Long-Term Effectiveness of Psychoeducation for Bipolar Disorders in Mental Health Services. A 4-Year Follow-Up Study. Frontiers in Psychiatry, 2019, 10, 873.	1.3	15
56	European violence risk and mental disorders (EU-VIORMED): a multi-centre prospective cohort study protocol. BMC Psychiatry, 2019, 19, 410.	1.1	12
57	Self-harm behaviour and externally-directed aggression in psychiatric outpatients: a multicentre, prospective study (viormed-2 study). Scientific Reports, 2019, 9, 17857.	1.6	2
58	Dimensional structure of first episode psychosis. Microbial Biotechnology, 2019, 13, 1431-1438.	0.9	20
59	The impact of gender and childhood abuse on age of psychosis onset, psychopathology and needs for care in psychosis patients. Schizophrenia Research, 2019, 210, 164-171.	1.1	19
60	Introduction: Relevance of theÂAge of Onset of Mental Disorders to Research in Psychiatry and toÂthe Organization of Services for People with Mental Illness. , 2019, , 1-13.		3
61	The Age of Onset of Bipolar Disorders. , 2019, , 75-110.		4
62	Barriers to and Facilitators of Engagement With mHealth Technology for Remote Measurement and Management of Depression: Qualitative Analysis. JMIR MHealth and UHealth, 2019, 7, e11325.	1.8	88
63	Manic episode, aggressive behavior and poor insight are significantly associated with involuntary admission in patients with bipolar disorders. PeerJ, 2019, 7, e7339.	0.9	10
64	Prevalence and correlates of depressive disorders in people with Type 2 diabetes: results from the International Prevalence and Treatment of Diabetes and Depression ($<$ scp $>$ INTERPRET $<$ /scp $>$ â $<$ $<$ scp $>$ DD $<$ /scp $>$) study, a collaborative study carried out in 14 countries. Diabetic Medicine, 2018, 35, 760-769.	1.2	103
65	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	2.7	27
66	Immune and metabolic alterations in first episode psychosis (FEP) patients. Brain, Behavior, and Immunity, 2018, 70, 315-324.	2.0	31
67	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315.	2.2	27
68	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219.	1.6	17
69	The interface between child/adolescent and adult mental health services: results from a European 28-country survey. European Child and Adolescent Psychiatry, 2018, 27, 501-511.	2.8	77
70	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	2.0	318
71	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	1.6	79
72	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	1.8	47

#	Article	IF	CITATIONS
73	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	1.7	56
74	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	2.7	28
75	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	0.7	32
76	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	4.1	52
77	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	2.7	274
78	Personality, Schizophrenia, and Violence: A Longitudinal Study. Journal of Personality Disorders, 2018, 32, 465-481.	0.8	9
79	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	1.1	20
80	Aggression in mental health residential facilities: A systematic review and meta-analysis. Aggression and Violent Behavior, 2018, 41, 119-127.	1.2	7
81	Associations between conflictual relationships, psychopathology, and the use of psychotropic drugs among older people living in residential facilities. Psychogeriatrics, 2017, 17, 25-32.	0.6	0
82	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	2.7	108
83	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	6.0	179
84	Satisfaction with psychiatric in-patient care as rated by patients at discharge from hospitals in 11 countries. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 989-1003.	1.6	14
85	Predictors of 9-month hospitalization in patients with first-episode affective and non-affective psychosis. Results from the GET UP pragmatic cluster randomized controlled trial. Schizophrenia Research, 2017, 190, 187-188.	1.1	5
86	Do preventive interventions for children of mentally ill parents work? Results of a systematic review and meta-analysis. Current Opinion in Psychiatry, 2017, 30, 283-299.	3.1	94
87	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84.	2.2	58
88	Architecture and functioning of child and adolescent mental health services: a 28-country survey in Europe. Lancet Psychiatry,the, 2017, 4, 715-724.	3.7	92
89	Fear and distress disorders as predictors of heart disease: A temporal perspective. Journal of Psychosomatic Research, 2017, 96, 67-75.	1.2	13
90	Predictors and moderators of treatment outcome in patients receiving multi-element psychosocial intervention for early psychosis: Results from the GET UP pragmatic cluster randomised controlled trial. British Journal of Psychiatry, 2017, 210, 342-349.	1.7	24

#	Article	IF	CITATIONS
91	Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274.	2.7	675
92	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 1744-1760.	2.7	148
93	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	6.0	274
94	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	1.7	664
95	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. Depression and Anxiety, 2017, 34, 315-326.	2.0	33
96	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 227-241.	2.7	110
97	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	1.7	82
98	Architecture and functioning of child and adolescent mental health services: a reply from Slovenia – Authors' reply. Lancet Psychiatry,the, 2017, 4, e20.	3.7	1
99	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	4.8	160
100	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	6.0	75
101	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	1.7	118
102	Influence of childhood trauma on diagnosis and substance use in first-episode psychosis. British Journal of Psychiatry, 2017, 211, 151-156.	1.7	23
103	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	1.4	801
104	Clinical and neuropsychological features of violence in schizophrenia: A prospective cohort study. Schizophrenia Research, 2017, 181, 124-130.	1.1	32
105	Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta Sanitaria, 2017, 31, 2-10.	0.6	6
106	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	1.6	19
107	Meta-analysis of the Interval between the Onset and Management of Bipolar Disorder. Canadian Journal of Psychiatry, 2017, 62, 247-258.	0.9	109
108	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65.	1.7	507

#	Article	IF	CITATIONS
109	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	2.3	258
110	Individual Differences in Personality Associated with Aggressive Behavior among Adolescents Referred for Externalizing Behavior Problems. Journal of Psychopathology and Behavioral Assessment, 2017, 39, 680-692.	0.7	20
111	Protocol for a cohort study of adolescent mental health service users with a nested cluster randomised controlled trial to assess the clinical and cost-effectiveness of managed transition in improving transitions from child to adult mental health services (the MILESTONE study). BMJ Open, 2017, 7, e016055.	0.8	32
112	Unaltered Oxytocin and Vasopressin Plasma Levels in Patients with Schizophrenia After 4ÂMonths of Daily Treatment with Intranasal Oxytocin. Journal of Neuroendocrinology, 2016, 28, .	1.2	14
113	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	2.3	94
114	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	2.7	777
115	Clinical factors related to schizophrenia relapse. International Journal of Psychiatry in Clinical Practice, 2016, 20, 54-69.	1.2	31
116	Monitoring and predicting the risk of violence in residential facilities. No difference between patients with history or with no history of violence. Journal of Psychiatric Research, 2016, 80, 5-13.	1.5	23
117	Oxytocin to modulate emotional processing in schizophrenia: A randomized, double-blind, cross-over clinical trial. European Neuropsychopharmacology, 2016, 26, 1619-1628.	0.3	24
118	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	2.7	866
119	Effects of Intranasal Oxytocin on Longâ€√erm Memory in Healthy Humans: A Systematic Review. Drug Development Research, 2016, 77, 479-488.	1.4	25
120	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	2.0	144
121	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	4.0	176
122	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	1.2	6
123	Do we need oxytocin to treat schizophrenia? A randomized clinical trial. Schizophrenia Research, 2016, 172, 158-164.	1.1	36
124	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	6.0	372
125	Moderate efficiency of clinicians' predictions decreased for blurred clinical conditions and benefits from the use of BRASS index. A longitudinal study on geriatric patients' outcomes. Journal of Clinical Epidemiology, 2016, 69, 51-60.	2.4	7
126	La chiusura degli OPG: un'altra occasione perduta?. Psicoterapia E Scienze Umane, 2016, , 141-142.	0.1	0

#	Article	IF	CITATIONS
127	Research priorities for public mental health in Europe: recommendations of the ROAMER project. European Journal of Public Health, 2015, 25, 249-254.	0.1	113
128	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	1.2	12
129	Reasons and pathways of first-time consultations at child and adolescent mental health services: an observational study in Italy. Child and Adolescent Psychiatry and Mental Health, 2015, 9, 29.	1.2	17
130	What is the course of behavioural symptoms and functional conditions in hospitalised older people with dementia? A multicentre cohort study in Italy. European Geriatric Medicine, 2015, 6, 554-560.	1.2	1
131	Genetics of psychotropic medication induced side effects in two independent samples of bipolar patients. Journal of Neural Transmission, 2015, 122, 43-58.	1.4	14
132	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. Journal of Affective Disorders, 2015, 175, 168-174.	2.0	30
133	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	4.0	100
134	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. Journal of Psychosomatic Research, 2015, 79, 130-136.	1.2	17
135	Neuronal cell adhesion genes and antidepressant response in three independent samples. Pharmacogenomics Journal, 2015, 15, 538-548.	0.9	34
136	Violent behavior of patients living in psychiatric residential facilities: A comparison of male patients with different violence histories. International Journal of Law and Psychiatry, 2015, 39, 46-51.	0.5	11
137	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2015, 24, 210-226.	1.8	355
138	Feasibility and Effectiveness of a Multi-Element Psychosocial Intervention for First-Episode Psychosis: Results From the Cluster-Randomized Controlled GET UP PIANO Trial in a Catchment Area of 10 Million Inhabitants. Schizophrenia Bulletin, 2015, 41, 1192-1203.	2.3	94
139	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	0.7	197
140	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	1.7	27
141	Prevalence and Risk Factors of Violence by Psychiatric Acute Inpatients: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0128536.	1.1	268
142	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	4.8	194
143	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW―AND "BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	2.0	161
144	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	1.0	87

#	Article	lF	Citations
145	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2014, 23, 27-41.	1.8	46
146	Monitoring and Evaluating the Italian Mental Health System. Journal of Nervous and Mental Disease, 2014, 202, 451-459.	0.5	20
147	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	2.7	825
148	Mood and anxiety disorders across the adult lifespan: a European perspective. Psychological Medicine, 2014, 44, 707-722.	2.7	13
149	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	1.2	102
150	The effect of service satisfaction and spiritual well-being on the quality of life of patients with schizophrenia. Psychiatry Research, 2014, 216, 185-191.	1.7	20
151	Is psychiatric residential facility discharge possible and predictable? A multivariate analytical approach applied to a prospective study in Italy. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 157-167.	1.6	21
152	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	2.9	69
153	CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.	2.0	329
154	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. American Journal on Addictions, 2014, 23, 145-155.	1.3	15
155	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	1.5	58
156	Frequency of trauma exposure and Post-Traumatic Stress Disorder in Italy: analysis from the World Mental Health Survey Initiative. Journal of Psychiatric Research, 2014, 59, 77-84.	1.5	66
157	Impact of alcohol consumption in healthy adults: A magnetic resonance imaging investigation. Psychiatry Research - Neuroimaging, 2014, 224, 96-103.	0.9	8
158	Modulation of a number of genes on personality traits in a sample of healthy subjects. Neuroscience Letters, 2014, 566, 320-325.	1.0	6
159	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212.	1.2	25
160	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	0.8	65
161	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	0.7	1,025
162	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. Value in Health, 2013, 16, 564-573.	0.1	187

#	Article	IF	CITATIONS
163	A prospective, multidimensional follow-up study of a geriatric hospitalised population: predictors of discharge and well-being. Aging Clinical and Experimental Research, 2013, 25, 691-701.	1.4	16
164	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 137-149.	1.6	44
165	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 173-181.	1.6	53
166	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. Biological Psychiatry, 2013, 73, 302-312.	0.7	251
167	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	1.2	20
168	Is structured group psychoeducation for bipolar patients effective in ordinary mental health services? A controlled trial in Italy. Journal of Affective Disorders, 2013, 151, 149-155.	2.0	41
169	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	1.7	67
170	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	2.7	68
171	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	2.0	15
172	IS ADHD IN CHILDHOOD ASSOCIATED WITH LIFETIME HOARDING SYMPTOMS? AN EPIDEMIOLOGICAL STUDY. Depression and Anxiety, 2013, 30, 741-748.	2.0	41
173	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. Psychological Medicine, 2013, 43, 2191-2202.	2.7	23
174	Gender differences in mental health expectancies in early- and midlife in six European countries. British Journal of Psychiatry, 2013, 202, 294-300.	1.7	13
175	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	0.9	76
176	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	1.1	27
177	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. PLoS ONE, 2013, 8, e80573.	1.1	119
178	Role of common mental and physical disorders in partial disability around the world. British Journal of Psychiatry, 2012, 200, 454-461.	1.7	77
179	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	1.7	201
180	Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. Epidemiology and Psychiatric Sciences, 2012, 21, 47-57.	1.8	361

#	Article	IF	CITATIONS
181	Heterogeneity and symptom structure of schizophrenia. Psychiatry Research, 2012, 198, 386-394.	1.7	64
182	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. Trials, 2012, 13, 73.	0.7	47
183	An updated global picture of cigarette smoking persistence among adults. Journal of Epidemiology and Global Health, 2012, 2, 135.	1.1	11
184	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	0.7	114
185	The characteristics and activities of child and adolescent mental health services in Italy: a regional survey. BMC Psychiatry, 2012, 12, 7.	1.1	17
186	Cross-National Comparisons of Sex Differences in Opportunities to Use Alcohol or Drugs, and the Transitions to Use. Substance Use and Misuse, 2011, 46, 1169-1178.	0.7	28
187	Cross-national epidemiology of DSM-IV major depressive episode. BMC Medicine, 2011, 9, 90.	2.3	1,541
188	Use of psychiatric inpatient services by heavy users: Findings from a national survey in Italy. European Psychiatry, 2011, 26, 252-259.	0.1	37
189	Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. Psychiatric Services, 2011, 62, 143-151.	1.1	20
190	Neuropsychiatric symptoms and syndromes in institutionalized elderly people without dementia. International Psychogeriatrics, 2011, 23, 425-434.	0.6	20
191	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. British Journal of Psychiatry, 2011, 199, 330-337.	1.7	32
192	A multinational study of mental disorders, marriage, and divorce. Acta Psychiatrica Scandinavica, 2011, 124, 474-486.	2.2	143
193	Is cognitive behavioural therapy an effective complement to antidepressants in adolescents? A meta-analysis. Acta Neuropsychiatrica, 2011, 23, 263-271.	1.0	16
194	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246.	4.1	360
195	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.	4.1	74
196	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. Journal of Affective Disorders, 2011, 131, 330-338.	2.0	8
197	How Does the Residential Care System Change? A Longitudinal Survey in a Large Region of Italy. Community Mental Health Journal, 2011, 47, 201-208.	1.1	10
198	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 273-280.	1.6	19

#	Article	IF	CITATIONS
199	Patient characteristics and process factors associated with antipsychotic polypharmacy in a nationwide sample of psychiatric inpatients in Italy. Pharmacoepidemiology and Drug Safety, 2011, 20, 441-449.	0.9	34
200	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. International Journal of Methods in Psychiatric Research, 2011, 20, 116-133.	1.1	7
201	Measuring use of services for mental health problems in epidemiological surveys. International Journal of Methods in Psychiatric Research, 2011, 20, 182-191.	1.1	8
202	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. Archives of General Psychiatry, 2011, 68, 90.	13.8	410
203	Do patients improve after short psychiatric admission? A cohort study in Italy. Nordic Journal of Psychiatry, 2011, 65, 251-258.	0.7	15
204	The impact of a psychoeducational intervention on family members $\hat{a} \in \mathbb{N}$ views about schizophrenia: Results from the OASIS Italian multi-centre study. International Journal of Social Psychiatry, 2011, 57, 596-603.	1.6	32
205	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. Psychological Medicine, 2011, 41, 873-886.	2.7	49
206	Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. Archives of General Psychiatry, 2011, 68, 838.	13.8	281
207	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	1.7	289
208	Saharan dust and daily mortality in Emilia-Romagna (Italy). Occupational and Environmental Medicine, 2011, 68, 446-451.	1.3	99
209	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	1.7	278
210	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	1.7	156
211	Seeking Help for Mental Health Problems outside the Conventional Health Care System: Results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). Canadian Journal of Psychiatry, 2010, 55, 586-597.	0.9	10
212	Correlates and antecedents of hospital admission for attempted suicide: a nationwide survey in Italy. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 181-190.	1.8	9
213	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. Journal of Affective Disorders, 2010, 124, 38-44.	2.0	33
214	Obsessive–compulsive symptom dimensions in the general population: Results from an epidemiological study in six European countries. Journal of Affective Disorders, 2010, 124, 291-299.	2.0	105
215	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. Depression and Anxiety, 2010, 27, 351-364.	2.0	363
216	Subtyping social anxiety disorder in developed and developing countries. Depression and Anxiety, 2010, 27, 390-403.	2.0	52

#	Article	IF	Citations
217	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	1.1	273
218	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	1.1	566
219	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. Tobacco Control, 2010, 19, 65-74.	1.8	31
220	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	1.7	1,854
221	Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. American Journal of Epidemiology, 2010, 172, 149-159.	1.6	64
222	Gender and the relationship between marital status and first onset of mood, anxiety and substance use disorders. Psychological Medicine, 2010, 40, 1495-1505.	2.7	133
223	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. Biological Psychiatry, 2010, 68, 465-473.	0.7	80
224	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. Health and Quality of Life Outcomes, 2010, 8, 143.	1.0	98
225	Evaluating the drug use "gateway―theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. Drug and Alcohol Dependence, 2010, 108, 84-97.	1.6	228
226	First-ever admitted psychiatric inpatients in Italy: Clinical characteristics and reasons contributing to admission. Psychiatry Research, 2010, 176, 62-68.	1.7	25
227	Early childhood adversity and later hypertension: data from the World Mental Health Survey. Annals of Clinical Psychiatry, 2010, 22, 19-28.	0.6	80
228	The psychotic spectrum: a communityâ€based study. World Psychiatry, 2009, 8, 110-114.	4.8	5
229	Patterns of admission to acute psychiatric in-patient facilities: a national survey in Italy. Psychological Medicine, 2009, 39, 485-496.	2.7	49
230	Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. Psychological Medicine, 2009, 39, 1163.	2.7	41
231	Cross-National Associations Between Gender and Mental Disorders in the World Health Organization World Mental Health Surveys. Archives of General Psychiatry, 2009, 66, 785.	13.8	1,018
232	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	3.9	592
233	The epidemiology of eating disorders in six European countries: Results of the ESEMeD-WMH project. Journal of Psychiatric Research, 2009, 43, 1125-1132.	1.5	373
234	Long-stay in short-stay inpatient facilities: risk factors and barriers to discharge. BMC Public Health, 2009, 9, 306.	1.2	20

#	Article	IF	Citations
235	Suicide ideation across reproductive life cycle of women Results from a European epidemiological study. Journal of Affective Disorders, 2009, 116, 144-147.	2.0	31
236	Perceived stigma among individuals with common mental disorders. Journal of Affective Disorders, 2009, 118, 180-186.	2.0	152
237	Prevalence and correlates of mental disorders among adolescents in Italy: the PrISMA study. European Child and Adolescent Psychiatry, 2009, 18, 217-226.	2.8	126
238	Patterns of care in patients discharged from acute psychiatric inpatient facilities. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 767-776.	1.6	25
239	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. Pain, 2009, 143, 76-83.	2.0	82
240	Childhood Predictors of Adult Attention-Deficit/Hyperactivity Disorder: Results from the World Health Organization World Mental Health Survey Initiative. Biological Psychiatry, 2009, 65, 46-54.	0.7	346
241	Death Ideas, Suicidal Thoughts, and Plans Among Nursing Home Residents. Journal of Geriatric Psychiatry and Neurology, 2009, 22, 141-148.	1.2	27
242	Comparison of Population Health Status in Six European Countries. Medical Care, 2009, 47, 255-261.	1.1	191
243	Violent Behavior in Acute Psychiatric Inpatient Facilities. Journal of Nervous and Mental Disease, 2009, 197, 772-782.	0.5	61
244	Perceived Need for Mental Health Care and Service Use Among Adults in Western Europe: Results of the ESEMeD Project. Psychiatric Services, 2009, 60, 1051-1058.	1.1	68
245	DSM–IV personality disorders in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2009, 195, 46-53.	1.7	260
246	Association of headache with childhood adversity and mental disorder: cross-national study. British Journal of Psychiatry, 2009, 194, 111-116.	1.7	33
247	Mental–physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. Psychological Medicine, 2009, 39, 33-43.	2.7	239
248	Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. British Journal of Psychiatry, 2009, 194, 411-417.	1.7	129
249	Adverse parenting as a risk factor in the occurrence of anxiety disorders. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 266-272.	1.6	36
250	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. International Journal of Methods in Psychiatric Research, 2008, 17, 185-197.	1.1	49
251	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. Journal of Traumatic Stress, 2008, 21, 455-462.	1.0	218
252	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2008, 118, 305-314.	2.2	182

#	Article	lF	CITATIONS
253	Mediators of the association between depression and role functioning. Acta Psychiatrica Scandinavica, 2008, 118, 451-458.	2.2	115
254	Obesity and mental disorders in the general population: results from the world mental health surveys. International Journal of Obesity, 2008, 32, 192-200.	1.6	348
255	The Italian guidelines for early intervention in schizophrenia: development and conclusions. Microbial Biotechnology, 2008, 2, 291-302.	0.9	21
256	Symptom structure of acute mania: A factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. Journal of Affective Disorders, 2008, 108, 183-189.	2.0	46
257	Clinical factors influencing the prescription of antidepressants and benzodiazepines:. Journal of Affective Disorders, 2008, 110, 84-93.	2.0	128
258	Mental disorders among persons with diabetesâ€"Results from the World Mental Health Surveys. Journal of Psychosomatic Research, 2008, 65, 571-580.	1.2	154
259	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. Journal of Clinical Epidemiology, 2008, 61, 1132-1143.	2.4	128
260	The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. Pain, 2008, 135, 82-91.	2.0	260
261	Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy:. Comprehensive Psychiatry, 2008, 49, 13-21.	1.5	86
262	Common Chronic Pain Conditions in Developed and Developing Countries: Gender and Age Differences and Comorbidity With Depression-Anxiety Disorders. Journal of Pain, 2008, 9, 883-891.	0.7	918
263	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. Occupational and Environmental Medicine, 2008, 65, 835-842.	1.3	262
264	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	1.7	1,993
265	A comparison between former forensic and non-forensic patientsliving in psychiatric residential facilities: Anationalsurvey in Italy. Journal of Forensic Psychiatry and Psychology, 2008, 19, 108-126.	0.6	5
266	Franco Basaglia, 1924–1980. American Journal of Psychiatry, 2008, 165, 968-968.	4.0	9
267	Advantages and limitations of clinical guidelines: can we change clinicians' behaviour?. Epidemiology and Psychiatric Sciences, 2008, 17, 263-266.	1.8	2
268	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. Psychological Medicine, 2008, 38, 1639-1650.	2.7	81
269	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. Psychological Medicine, 2008, 38, 1659-1669.	2.7	105
270	Compulsory Admissions in Italy: Results of a National Survey. International Journal of Mental Health, 2008, 37, 46-60.	0.5	9

#	Article	IF	Citations
271	Disability and treatment of specific mental and physical disorders across the world. British Journal of Psychiatry, 2008, 192, 368-375.	1.7	326
272	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	1.3	91
273	Focus on Mental Health Care Reforms in Europe: A One-Day Census of Acute Psychiatric Inpatient Facilities in Italy: Findings From the PROGRES-Acute Project. Psychiatric Services, 2008, 59, 722-724.	1.1	12
274	Toward a Global View of Alcohol, Tobacco, Cannabis, and Cocaine Use: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2008, 5, e141.	3.9	629
275	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. British Journal of Psychiatry, 2007, 190, 402-409.	1.7	1,118
276	Population level of unmet need for mental healthcare in Europe. British Journal of Psychiatry, 2007, 190, 299-306.	1.7	222
277	Discriminant Ability and Criterion Validity of the HoNOS in Italian Psychiatric Residential Facilities. Psychopathology, 2007, 40, 111-115.	1.1	9
278	Process of Care in General Hospital Psychiatric Units: National Survey In Italy. Australian and New Zealand Journal of Psychiatry, 2007, 41, 509-518.	1.3	23
279	Characteristics and activities of acute psychiatric in-patient facilities: national survey in Italy. British Journal of Psychiatry, 2007, 191, 170-177.	1.7	68
280	Treatment adequacy for anxiety and depressive disorders in six European countries. British Journal of Psychiatry, 2007, 190, 172-173.	1.7	147
281	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	2.0	471
282	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	6.3	1,271
283	Residential facilities for older people in Italy: a five-region survey. Aging Clinical and Experimental Research, 2007, 19, 132-138.	1.4	5
284	Which factors affect the costs of psychiatric residential care? Findings from the Italian PROGRES study. Acta Psychiatrica Scandinavica, 2007, 115, 132-141.	2.2	9
285	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	1.2	251
286	Mental disorders among persons with heart disease â€" results from World Mental Health surveys. General Hospital Psychiatry, 2007, 29, 325-334.	1.2	204
287	Risk factors for suicidality in Europe: Results from the ESEMED study. Journal of Affective Disorders, 2007, 101, 27-34.	2.0	465
288	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. Journal of Affective Disorders, 2007, 103, 113-120.	2.0	414

#	Article	IF	CITATIONS
289	Mental health in Europe: a long road ahead. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 63-63.	1.8	4
290	The current state of mental health care in Italy: problems, perspectives, and lessons to learn. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 83-91.	1.8	88
291	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	4.8	351
292	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 168-76.	4.8	1,239
293	Services research and outcomes: an introduction. Current Opinion in Psychiatry, 2006, 19, 378-379.	3.1	O
294	SUICIDE PHENOMENA IN NURSING HOMES: A NEGLECTED ISSUE IN GERIATRIC RESEARCH AND CLINICAL MANAGEMENT?. Journal of the American Geriatrics Society, 2006, 54, 1299-1300.	1.3	7
295	The prescription of psychotropic drugs in psychiatric residential facilities: a national survey in Italy. Acta Psychiatrica Scandinavica, 2006, 113, 212-223.	2.2	26
296	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. Acta Psychiatrica Scandinavica, 2006, 113, 492-500.	2.2	142
297	The Environment and Staff of Residential Facilities: Findings from the Italian †Progres†Mational Survey. Community Mental Health Journal, 2006, 42, 263-279.	1.1	18
298	The quality of life of the mentally ill living in residential facilities. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 372-381.	1.8	32
299	Prevalence of common mental disorders in Italy. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 853-861.	1.6	139
300	Suicidal behaviour in nursing homes: a survey in a region of north-east Italy. International Journal of Geriatric Psychiatry, 2006, 21, 307-311.	1.3	37
301	Concordance of the Composite International Diagnostic Interview Version 3.0 (CIDI 3.0) with standardized clinical assessments in the WHO World Mental Health Surveys. International Journal of Methods in Psychiatric Research, 2006, 15, 167-180.	1.1	949
302	The Italian Preadolescent Mental Health Project (PrISMA): rationale and methods. International Journal of Methods in Psychiatric Research, 2006, 15, 22-35.	1.1	63
303	Psychiatric Units in general hospitals. Problems and perspectives in Europe. Epidemiologia E Psichiatria Sociale, 2006, 15, 85-90.	1.0	4
304	The ESEMeD-WMH project: strenghtening epidemiological research in Europe through the study of variation in prevalence estimates. Epidemiologia E Psichiatria Sociale, 2006, 15, 167-173.	1.0	17
305	The severely mentally ill in residential facilities: a national survey in Italy. Psychological Medicine, 2005, 35, 421-431.	2.7	50
306	The process of care in residential facilities. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 540-550.	1.6	27

#	Article	IF	CITATIONS
307	Observational study of suspected maltreatment in Italian paediatric emergency departments. Archives of Disease in Childhood, 2005, 90, 406-410.	1.0	30
308	Empirical evidence for an invariant three-factor structure of the Parental Bonding Instrument in six European countries. Psychiatry Research, 2005, 135, 237-247.	1.7	26
309	Antisocial Personality Disorder: A Review. , 2005, , 125-200.		8
310	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 2581.	3.8	2,696
311	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 8-20.	2.2	136
312	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 21-27.	2.2	1,053
313	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 28-37.	2.2	157
314	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 38-46.	2.2	285
315	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 47-54.	2.2	333
316	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 55-64.	2.2	143
317	Quality of life in patients with schizophreniaâ€"comparison of self-report and proxy assessments. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 397-401.	1.6	62
318	Residential facilities as the new scenario of long-term psychiatric care. Current Opinion in Psychiatry, 2004, 17, 275-281.	3.1	16
319	Community surveys of mental disorders: recent achievements and works in progress. Current Opinion in Psychiatry, 2003, 16, 403-411.	3.1	13
320	Italian psychiatry – 25 years of change. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2003, 1, 14-17.	0.2	5
321	Italian psychiatry - 25 years of change. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2003, 1, 14-17.	0.2	1
322	Quality of life assessment in HIV-positive persons: Application and validation of the WHOQOL-HIV, Italian version. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2002, 14, 405-415.	0.6	38
323	Quality of Life-Proxy (QoL-P). Epidemiology and Psychiatric Sciences, 2002, 11, 287-290.	1.8	1
324	Public health and psychiatry: between evidence and hopes. Current Opinion in Psychiatry, 2002, 15, 177-180.	3.1	2

#	Article	IF	Citations
325	Residential care in Italy. British Journal of Psychiatry, 2002, 181, 220-225.	1.7	105
326	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. International Journal of Methods in Psychiatric Research, 2002, 11, 55-67.	1.1	85
327	The Italian Psychiatric Reform. International Journal of Law and Psychiatry, 2000, 23, 197-214.	0.5	102
328	Intensive case management was as effective as standard case management in severe psychotic illness. Evidence-Based Mental Health, 2000, 3, 11-11.	2.2	0
329	The Quality of Life of People With Schizophrenia in Boulder, Colorado, and Bologna, Italy. Schizophrenia Bulletin, 1998, 24, 559-568.	2.3	85
330	Publication trends of papers on schizophrenia. British Journal of Psychiatry, 1997, 171, 452-456.	1.7	12
331	WHO Studies on Schizophrenia. The Psychotherapy Patient, 1996, 9, 213-231.	0.1	12
332	Trauma and victims: epidemiology of post-traumatic stress disorder. Epidemiologia E Psichiatria Sociale, 1995, 4, 110-144.	1.0	4
333	Patients dropping out of treatment in Italy. Acta Psychiatrica Scandinavica, 1995, 92, 1-6.	2.2	38
334	Depression and cognitive impairment in the elderly: a multicentre study. European Psychiatry, 1995, 10, 61-74.	0.1	4
335	Depresión y deterioro cognitivo en los ancianos: un estudio multicéntrico. European Psychiatry (Ed) Tj ETQq1	1 0.78431	14 ₀ gBT/Ove
336	Primary health care of refugees, 1994, , 263-274.		1
337	Classificazione, diagnosi ed ICD-10. I - Principi generali e considerazioni critiche. Epidemiologia E Psichiatria Sociale, 1993, 2, 83-103.	1.0	1
338	Classificazione, diagnosi ed ICD-10. III - Le sindromi affettive. Epidemiologia E Psichiatria Sociale, 1993, 2, 119-128.	1.0	0
339	Classificazione, diagnosi ed ICD-10. II - Le sindromi schizofreniche. Epidemiologia E Psichiatria Sociale, 1993, 2, 105-117.	1.0	O
340	Introduzione al testo delle Nazioni Unite su «La tutela delle persone affette da malattia mentale ed il miglioramento della assistenza psichiatrica». Epidemiologia E Psichiatria Sociale, 1993, 2, 141-143.	1.0	0
341	Epidemiologia della schizofrenia: lo stato dell'arte. Epidemiologia E Psichiatria Sociale, 1993, 2, 1-6.	1.0	1
342	International Perspectives on the Treatment and Prevention of Posttraumatic Stress Disorder. , 1993 , , $935-946$.		14

#	Article	IF	CITATIONS
343	Italian Psychiatry and Reform Law: a Review of the International Literature. International Journal of Social Psychiatry, 1989, 35, 21-37.	1.6	37
344	The psychiatric services in cremona: A case study of the Italian reform law. Community Mental Health Journal, 1989, 25, 60-70.	1.1	1
345	Premenstrual Symptoms and Psychiatric Morbidity in Two Italian Health Care Settings. Psychotherapy and Psychosomatics, 1989, 52, 187-196.	4.0	2
346	Admission To General Hospital Psychiatric Wards in Italy. International Journal of Social Psychiatry, 1988, 34, 258-266.	1.6	5
347	Admission To General Hospital Psychiatric Wards in Italy. International Journal of Social Psychiatry, 1988, 34, 248-257.	1.6	11
348	Psychotropic drug utilization and audit in two Italian psychiatric services. Psychological Medicine, 1987, 17, 989-997.	2.7	19
349	Social Anxiety Disorder. , 0, , 120-133.		1
350	Natural and Human-Made Disasters. , 0, , 226-239.		0
351	Treatment Decision-Making Capacity in Forensic vs. Non-Forensic Psychiatric Patients: A European Comparison. Schizophrenia Bulletin Open, 0, , .	0.9	2