

Takashi Matsushita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3169712/publications.pdf>

Version: 2024-02-01

173
papers

10,213
citations

41344

49
h-index

36028

97
g-index

177
all docs

177
docs citations

177
times ranked

10554
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of a rare IL-10 ^{hi} competent B-cell subset in humans that parallels mouse regulatory B10 cells. <i>Blood</i> , 2011, 117, 530-541.	1.4	969
2	Regulatory B cells inhibit EAE initiation in mice while other B cells promote disease progression. <i>Journal of Clinical Investigation</i> , 2008, 118, 3420-30.	8.2	762
3	Regulatory B cells control T-cell autoimmunity through IL-21-dependent cognate interactions. <i>Nature</i> , 2012, 491, 264-268.	27.8	568
4	The Development and Function of Regulatory B Cells Expressing IL-10 (B10 Cells) Requires Antigen Receptor Diversity and TLR Signals. <i>Journal of Immunology</i> , 2009, 182, 7459-7472.	0.8	443
5	B10 cells and regulatory B cells balance immune responses during inflammation, autoimmunity, and cancer. <i>Annals of the New York Academy of Sciences</i> , 2010, 1183, 38-57.	3.8	394
6	Regulatory B Cells (B10 Cells) and Regulatory T Cells Have Independent Roles in Controlling Experimental Autoimmune Encephalomyelitis Initiation and Late-Phase Immunopathogenesis. <i>Journal of Immunology</i> , 2010, 185, 2240-2252.	0.8	341
7	B ²²⁰ lymphocyte contributions to human autoimmune disease. <i>Immunological Reviews</i> , 2008, 223, 284-299.	6.0	306
8	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome. <i>PLoS ONE</i> , 2013, 8, e60442.	2.5	306
9	Clinical Correlations With Dermatomyositis-Specific Autoantibodies in Adult Japanese Patients With Dermatomyositis. <i>Archives of Dermatology</i> , 2011, 147, 391.	1.4	293
10	Identification of a novel autoantibody reactive with 155 and 140 kDa nuclear proteins in patients with dermatomyositis: an association with malignancy. <i>Rheumatology</i> , 2007, 46, 25-28.	1.9	277
11	Myositis-specific anti-155/140 autoantibodies target transcription intermediary factor 1 family proteins. <i>Arthritis and Rheumatism</i> , 2012, 64, 513-522.	6.7	245
12	Elevated serum BAFF levels in patients with systemic sclerosis: Enhanced BAFF signaling in systemic sclerosis B lymphocytes. <i>Arthritis and Rheumatism</i> , 2006, 54, 192-201.	6.7	242
13	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 710-713.	0.9	220
14	B-Lymphocyte Depletion Reduces Skin Fibrosis and Autoimmunity in the Tight-Skin Mouse Model for Systemic Sclerosis. <i>American Journal of Pathology</i> , 2006, 169, 954-966.	3.8	195
15	Regulatory B cell production of IL-10 inhibits lymphoma depletion during CD20 immunotherapy in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 4268-4280.	8.2	156
16	Chronic lymphocytic leukemia and regulatory B cells share IL-10 competence and immunosuppressive function. <i>Leukemia</i> , 2013, 27, 170-182.	7.2	145
17	Protective and Pathogenic Roles for B Cells during Systemic Autoimmunity in NZB/W F1 Mice. <i>Journal of Immunology</i> , 2010, 184, 4789-4800.	0.8	136
18	Antimelanoma differentiation-associated protein 5 antibody level is a novel tool for monitoring disease activity in rapidly progressive interstitial lung disease with dermatomyositis. <i>British Journal of Dermatology</i> , 2017, 176, 395-402.	1.5	131

#	ARTICLE	IF	CITATIONS
19	Potential roles of interleukin-17A in the development of skin fibrosis in mice. <i>Arthritis and Rheumatism</i> , 2012, 64, 3726-3735.	6.7	118
20	Clinical association of serum interleukin-17 levels in systemic sclerosis: Is systemic sclerosis a Th17 disease?. <i>Journal of Dermatological Science</i> , 2008, 50, 240-242.	1.9	110
21	Inhibitory Role of CD19 in the Progression of Experimental Autoimmune Encephalomyelitis by Regulating Cytokine Response. <i>American Journal of Pathology</i> , 2006, 168, 812-821.	3.8	109
22	The clinical relevance of serum antinuclear antibodies in Japanese patients with systemic sclerosis. <i>British Journal of Dermatology</i> , 2008, 158, 487-495.	1.5	108
23	Identifying Regulatory B Cells (B10 Cells) that Produce IL-10 in Mice. <i>Methods in Molecular Biology</i> , 2010, 677, 99-111.	0.9	106
24	Longitudinal analysis of serum cytokine concentrations in systemic sclerosis: association of interleukin 12 elevation with spontaneous regression of skin sclerosis. <i>Journal of Rheumatology</i> , 2006, 33, 275-84.	2.0	106
25	BAFF inhibition attenuates fibrosis in scleroderma by modulating the regulatory and effector B cell balance. <i>Science Advances</i> , 2018, 4, eaas9944.	10.3	98
26	Donor-derived regulatory B cells are important for suppression of murine sclerodermatous chronic graft-versus-host disease. <i>Blood</i> , 2013, 121, 3274-3283.	1.4	92
27	Decreased levels of regulatory B cells in patients with systemic sclerosis: association with autoantibody production and disease activity. <i>Rheumatology</i> , 2016, 55, 263-267.	1.9	84
28	Regulatory and effector B cells: Friends or foes?. <i>Journal of Dermatological Science</i> , 2019, 93, 2-7.	1.9	84
29	Mesenchymal stem cells transmigrate across brain microvascular endothelial cell monolayers through transiently formed inter-endothelial gaps. <i>Neuroscience Letters</i> , 2011, 502, 41-45.	2.1	83
30	Serum chemokine and cytokine levels as indicators of disease activity in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2011, 30, 231-237.	2.2	78
31	Oropharyngeal Dysphagia in Dermatomyositis: Associations with Clinical and Laboratory Features Including Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154746.	2.5	78
32	Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: comparison with a UK Caucasian cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 151-153.	0.9	77
33	Autoantibody against matrix metalloproteinase-3 in patients with systemic sclerosis. <i>Clinical and Experimental Immunology</i> , 2004, 138, 357-363.	2.6	76
34	B-cell linker protein expression contributes to controlling allergic and autoimmune diseases by mediating IL-10 production in regulatory B cells. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1674-1682.e9.	2.9	76
35	Serum soluble CTLA-4 levels are increased in diffuse cutaneous systemic sclerosis. <i>British Journal of Rheumatology</i> , 2004, 43, 1261-1266.	2.3	73
36	Primary Cutaneous NK/T-cell Lymphoma, Nasal Type and CD56-positive Peripheral T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1-12.	3.7	73

#	ARTICLE	IF	CITATIONS
37	Clinical and Immunologic Predictors of Scleroderma Renal Crisis in Japanese Systemic Sclerosis Patients With Anti-RNA Polymerase III Autoantibodies. <i>Arthritis and Rheumatology</i> , 2015, 67, 1045-1052.	5.6	70
38	BAFF Antagonist Attenuates the Development of Skin Fibrosis in Tight-Skin Mice. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2772-2780.	0.7	69
39	The Loss of MCP-1 Attenuates Cutaneous Ischemia-Reperfusion Injury in a Mouse Model of Pressure Ulcer. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1838-1851.	0.7	64
40	Association between nail-fold capillary findings and disease activity in dermatomyositis. <i>Rheumatology</i> , 2011, 50, 1091-1098.	1.9	63
41	Amplified B Lymphocyte CD40 Signaling Drives Regulatory B10 Cell Expansion in Mice. <i>PLoS ONE</i> , 2011, 6, e22464.	2.5	62
42	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis. <i>Journal of Rheumatology</i> , 2007, 34, 1012-8.	2.0	62
43	Elevated Serum Insulin-like Growth Factor (IGF-1) and IGF Binding Protein-3 Levels in Patients with Systemic Sclerosis: Possible Role in Development of Fibrosis. <i>Journal of Rheumatology</i> , 2008, 35, 2363-2371.	2.0	60
44	Abnormal Natural Killer Cell Function in Systemic Sclerosis: Altered Cytokine Production and Defective Killing Activity. <i>Journal of Investigative Dermatology</i> , 2005, 125, 731-737.	0.7	55
45	IL-6 Blockade Attenuates the Development of Murine Sclerodermatous Chronic Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2752-2761.	0.7	55
46	A novel splenic B1 regulatory cell subset suppresses allergic disease through phosphatidylinositol 3-kinase-Akt pathway activation. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1170-1182.e9.	2.9	54
47	Elevated serum BAFF levels in patients with localized scleroderma in contrast to other organ-specific autoimmune diseases. <i>Experimental Dermatology</i> , 2007, 16, 87-93.	2.9	53
48	Prevalence and clinical characteristics of anti-Mi-2 antibodies in Japanese patients with dermatomyositis. <i>Journal of Dermatological Science</i> , 2005, 40, 215-217.	1.9	51
49	Blockade of CD40/CD40 ligand interactions attenuates skin fibrosis and autoimmunity in the tight-skin mouse. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 867-872.	0.9	50
50	Elevated serum APRIL levels in patients with systemic sclerosis: distinct profiles of systemic sclerosis categorized by APRIL and BAFF. <i>Journal of Rheumatology</i> , 2007, 34, 2056-62.	2.0	50
51	Use of Serum Clara Cell 16-kDa (CC16) Levels as a Potential Indicator of Active Pulmonary Fibrosis in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2011, 38, 877-884.	2.0	47
52	Host-Derived MCP-1 and MIP-1 α Regulate Protective Anti-Tumor Immunity to Localized and Metastatic B16 Melanoma. <i>American Journal of Pathology</i> , 2012, 180, 365-374.	3.8	47
53	Regulatory B cells and T cell Regulation in Cancer. <i>Journal of Molecular Biology</i> , 2021, 433, 166685.	4.2	43
54	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2006, 33, 1586-92.	2.0	43

#	ARTICLE	IF	CITATIONS
55	FTY720 Ameliorates Murine Sclerodermatous Chronic Graft-versus-Host Disease by Promoting Expansion of Splenic Regulatory Cells and Inhibiting Immune Cell Infiltration Into Skin. <i>Arthritis and Rheumatism</i> , 2013, 65, 1624-1635.	6.7	40
56	Endothelial selectins regulate skin wound healing in cooperation with L-selectin and ICAM-1. <i>Journal of Leukocyte Biology</i> , 2007, 82, 519-531.	3.3	39
57	A Clue for Telangiectasis in Systemic Sclerosis: Elevated Serum Soluble Endoglin Levels in Patients with the Limited Cutaneous Form of the Disease. <i>Dermatology</i> , 2006, 213, 88-92.	2.1	38
58	Serum levels of monocyte chemoattractant protein-3/CCL7 are raised in patients with systemic sclerosis: association with extent of skin sclerosis and severity of pulmonary fibrosis. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 124-126.	0.9	37
59	Blockade of Syk ameliorates the development of murine sclerodermatous chronic graft-versus-host disease. <i>Journal of Dermatological Science</i> , 2014, 74, 214-221.	1.9	37
60	Inducible Costimulator (ICOS) and ICOS Ligand Signaling Has Pivotal Roles in Skin Wound Healing via Cytokine Production. <i>American Journal of Pathology</i> , 2011, 179, 2360-2369.	3.8	36
61	Intercellular Adhesion Molecule-1 Deficiency Attenuates the Development of Skin Fibrosis in Tight-Skin Mice. <i>Journal of Immunology</i> , 2007, 179, 698-707.	0.8	35
62	Regulation of local and metastatic host-mediated anti-tumour mechanisms by I-selectin and intercellular adhesion molecule-1. <i>Clinical and Experimental Immunology</i> , 2006, 143, 216-227.	2.6	34
63	Early administration of galantamine from preplaque phase suppresses oxidative stress and improves cognitive behavior in APP ^{swE} /PS1 ^{dE9} mouse model of Alzheimer's disease. <i>Free Radical Biology and Medicine</i> , 2019, 145, 20-32.	2.9	31
64	Increased cutaneous T-cell-attracting chemokine levels in sera from patients with systemic sclerosis. <i>Rheumatology</i> , 2005, 44, 873-878.	1.9	29
65	High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis. <i>Modern Rheumatology</i> , 2012, 22, 892-898.	1.8	29
66	Transplantation of Mesenchymal Stem Cells Improves Amyloid- β Pathology by Modifying Microglial Function and Suppressing Oxidative Stress. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 867-884.	2.6	29
67	Autoantibody-mediated regulation of B cell responses by functional anti-CD22 autoantibodies in patients with systemic sclerosis. <i>Clinical and Experimental Immunology</i> , 2009, 159, 176-184.	2.6	28
68	Dermokine inhibits ELR+CXC chemokine expression and delays early skin wound healing. <i>Journal of Dermatological Science</i> , 2013, 70, 34-41.	1.9	28
69	B Cells Promote Tumor Immunity against B16F10 Melanoma. <i>American Journal of Pathology</i> , 2014, 184, 3120-3129.	3.8	28
70	Comparison of cyclic compression, cyclic distraction and rigid fixation: Bone healing in rabbits. <i>Acta Orthopaedica</i> , 1998, 69, 95-98.	1.4	27
71	Regulatory B cells that produce IL-10: A breath of fresh air in allergic airway disease. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1125-1127.	2.9	27
72	A Case of Acute Cutaneous Graft-versus-Host Disease Mimicking Psoriasis Vulgaris. <i>Dermatology</i> , 2008, 216, 64-67.	2.1	26

#	ARTICLE	IF	CITATIONS
73	Regulatory B1a Cells Suppress Melanoma Tumor Immunity via IL-10 Production and Inhibiting T Helper Type 1 Cytokine Production in Tumor-Infiltrating CD8+ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1535-1544.e1.	0.7	26
74	Role of Suppressor of Cytokine Signaling 3 (SOCS3) in Altering Activated Microglia Phenotype in APP ^{swe} /PS1 ^{dE9} Mice. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 1235-1247.	2.6	25
75	Severe pneumonitis after nivolumab treatment in a patient with melanoma. <i>Allergology International</i> , 2016, 65, 487-489.	3.3	25
76	Adipose-derived stromal/stem cells successfully attenuate the fibrosis of scleroderma mouse models. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 216-225.	1.9	25
77	Human Leukocyte Antigen and Systemic Sclerosis in Japanese: The Sign of the Four Independent Protective Alleles, DRB1*13:02, DRB1*14:06, DQB1*03:01, and DPB1*02:01. <i>PLoS ONE</i> , 2016, 11, e0154255.	2.5	25
78	Epstein-Barr virus-associated T-cell lymphoma: a case of eyelid swelling and intramuscular infiltration mimicking dermatomyositis. <i>British Journal of Dermatology</i> , 2002, 147, 1244-1248.	1.5	23
79	Immunomodulating role of the JAKs inhibitor tofacitinib in a mouse model of bleomycin-induced scleroderma. <i>Journal of Dermatological Science</i> , 2021, 101, 174-184.	1.9	22
80	Elevated serum levels of APRIL, but not BAFF, in patients with atopic dermatitis. <i>Experimental Dermatology</i> , 2008, 17, 197-202.	2.9	21
81	Augmented ICOS expression in patients with early diffuse cutaneous systemic sclerosis. <i>Rheumatology</i> , 2013, 52, 242-251.	1.9	21
82	Blockade of TGF- β 2/Smad signaling by the small compound HPH-15 ameliorates experimental skin fibrosis. <i>Arthritis Research and Therapy</i> , 2018, 20, 46.	3.5	21
83	L-selectin and intercellular adhesion molecule-1 regulate the development of Concanavalin A-induced liver injury. <i>Journal of Leukocyte Biology</i> , 2006, 79, 696-705.	3.3	20
84	CD14 and Toll-Like Receptor 4 Promote Fibrillar A β 242 Uptake by Microglia Through A Clathrin-Mediated Pathway. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 323-337.	2.6	20
85	Anti-transcriptional intermediary factor 1 antibody as a biomarker in patients with dermatomyositis. <i>Journal of Dermatology</i> , 2020, 47, 64-68.	1.2	20
86	Increased serum soluble CD40 levels in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2007, 34, 353-8.	2.0	20
87	Interlocking Intramedullary Nail Method for the Treatment of Femoral and Tibial Fractures in Cats and Small Dogs.. <i>Journal of Veterinary Medical Science</i> , 1998, 60, 119-122.	0.9	19
88	Lung cancer in connective tissue disease-associated interstitial lung disease: clinical features and impact on outcomes. <i>Journal of Thoracic Disease</i> , 2018, 10, 799-807.	1.4	19
89	Blockade of p38 Mitogen-Activated Protein Kinase Inhibits Murine Sclerodermatous Chronic Graft-versus-Host Disease. <i>American Journal of Pathology</i> , 2017, 187, 841-850.	3.8	18
90	An update on biomarker discovery and use in systemic sclerosis. <i>Expert Review of Molecular Diagnostics</i> , 2017, 17, 823-833.	3.1	17

#	ARTICLE	IF	CITATIONS
91	Elevated serum B cell activating factor levels in patients with dermatomyositis: Association with interstitial lung disease. <i>Journal of Dermatology</i> , 2019, 46, 1190-1196.	1.2	17
92	Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 cooperatively contribute to the cutaneous Arthus reaction. <i>Journal of Leukocyte Biology</i> , 2007, 81, 1197-1204.	3.3	16
93	Altered expression of dermokine in skin disorders. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 867-875.	2.4	16
94	A Crucial Role of E-Selectin in C Protein-Induced Experimental Polymyositis in Mice. <i>Arthritis and Rheumatology</i> , 2014, 66, 1864-1871.	5.6	16
95	High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis. <i>Modern Rheumatology</i> , 2012, 22, 892-898.	1.8	16
96	Establishment of Experimental Eosinophilic Vasculitis by IgE-Mediated Cutaneous Reverse Passive Arthus Reaction. <i>American Journal of Pathology</i> , 2009, 174, 2225-2233.	3.8	15
97	Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population. <i>Scientific Reports</i> , 2019, 9, 16366.	3.3	15
98	Suppression of IL-23-mediated psoriasis-like inflammation by regulatory B cells. <i>Scientific Reports</i> , 2021, 11, 2106.	3.3	15
99	E- and P-Selectins Synergistically Inhibit Bleomycin-Induced Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2006, 169, 740-749.	3.8	14
100	Sequentially appearing erythema nodosum, erythema multiforme and Henoch-Schönlein purpura in a patient with <i>Mycoplasma pneumoniae</i> infection: a case report. <i>Journal of Medical Case Reports</i> , 2012, 6, 398.	0.8	14
101	Attenuation of murine sclerodermatous models by the selective S1P1 receptor modulator cenerimod. <i>Scientific Reports</i> , 2019, 9, 658.	3.3	13
102	Phase-Dependent Roles of E-Selectin during Chronic Contact Hypersensitivity Responses. <i>American Journal of Pathology</i> , 2007, 170, 1649-1658.	3.8	12
103	A case of aseptic meningitis without neck rigidity occurring in a metastatic melanoma patient treated with ipilimumab. <i>European Journal of Dermatology</i> , 2017, 27, 193-194.	0.6	12
104	Soluble CD163 is a potential biomarker in systemic sclerosis. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 197-199.	3.1	12
105	Callus formation in femur and tibia during leg lengthening: 7 patients examined with DXA. <i>Acta Orthopaedica</i> , 1996, 67, 158-160.	1.4	11
106	High incidence of pulmonary arterial hypertension in systemic sclerosis patients with anti-centriole autoantibodies. <i>Modern Rheumatology</i> , 2015, 25, 798-801.	1.8	11
107	Inhibition of the Progression of Skin Inflammation, Fibrosis, and Vascular Injury by Blockade of the CX ₃ CL ₁ /CX ₃ CR ₁ Pathway in Experimental Mouse Models of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1923-1934.	5.6	11
108	Regulatory B Cells in Mouse Models of Systemic Lupus Erythematosus (SLE). <i>Methods in Molecular Biology</i> , 2014, 1190, 195-205.	0.9	11

#	ARTICLE	IF	CITATIONS
109	Basophils and mast cells play critical roles for leukocyte recruitment in IgE-mediated cutaneous reverse passive Arthus reaction. <i>Journal of Dermatological Science</i> , 2012, 67, 181-189.	1.9	10
110	Anti-topoisomerase I antibody levels as serum markers of skin sclerosis in systemic sclerosis. <i>Journal of Dermatology</i> , 2013, 40, 89-93.	1.2	9
111	Bosentan increases serum IL-12 levels in systemic sclerosis patients with pulmonary arterial hypertension. <i>Journal of Dermatological Science</i> , 2009, 55, 66-67.	1.9	8
112	Stevens-Johnson syndrome associated with radiation recall dermatitis in a patient treated with immune checkpoint inhibitor. <i>Journal of Dermatology</i> , 2019, 46, e434-e436.	1.2	8
113	Evaluation of Mitochondrial Oxidative Stress in the Brain of a Transgenic Mouse Model of Alzheimer's Disease by in vitro Electron Paramagnetic Resonance Spectroscopy. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 1079-1087.	2.6	8
114	CD22 and CD72 contribute to the development of scleroderma in a murine model. <i>Journal of Dermatological Science</i> , 2020, 97, 66-76.	1.9	8
115	SIRT1 decelerates morphological processing of oligodendrocyte cell lines and regulates the expression of cytoskeleton-related oligodendrocyte proteins. <i>Biochemical and Biophysical Research Communications</i> , 2021, 546, 7-14.	2.1	8
116	The diameter of callus in leg lengthening 28 tibial lengthenings in 14 patients with achondroplasia. <i>Acta Orthopaedica</i> , 1998, 69, 306-310.	1.4	7
117	Skin sclerosis as a manifestation of POEMS syndrome. <i>Journal of Dermatology</i> , 2012, 39, 922-926.	1.2	7
118	Long-term changes in nail fold capillary abnormalities and serum fibroblast growth factor 23 levels in dermatomyositis patients with anti-melanoma differentiating antigen 5 antibody. <i>Journal of Dermatology</i> , 2021, 48, 106-109.	1.2	7
119	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 913-919.	1.8	7
120	Anti-RuvBL1/2 autoantibodies in patients with systemic sclerosis or idiopathic inflammatory myopathy and a nuclear speckled pattern. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 742-744.	0.9	7
121	B-lymphocyte depletion for the treatment of multiple sclerosis: now things really get interesting. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 309-312.	2.8	6
122	Human leukocyte antigen in Japanese patients with idiopathic inflammatory myopathy. <i>Modern Rheumatology</i> , 2020, 30, 696-702.	1.8	6
123	A case of anti-BP230 antibody-positive bullous pemphigoid receiving DPP-4 inhibitor. <i>Immunological Medicine</i> , 2021, 44, 53-55.	2.6	6
124	The compound LG283 inhibits bleomycin-induced skin fibrosis via antagonizing TGF- β 2 signaling. <i>Arthritis Research and Therapy</i> , 2022, 24, 94.	3.5	6
125	Childhood Capillary Hemangioma Presenting as Infantile Perianal Protrusion. <i>Dermatology</i> , 2003, 207, 408-409.	2.1	5
126	Re-emergence of anti-topoisomerase I antibody with exacerbated development of skin sclerosis in a patient with systemic sclerosis. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 142-144.	1.2	5

#	ARTICLE	IF	CITATIONS
127	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients. <i>Modern Rheumatology</i> , 2014, 24, 377-379.	1.8	5
128	Long-term clinical and radiological improvement of chronic acquired hepatocerebral degeneration after obliteration of portosystemic shunt: Report of a case. <i>Journal of the Neurological Sciences</i> , 2014, 346, 303-306.	0.6	5
129	Classification of Japanese patients with mild/early systemic sclerosis (SSc) by the 2013 ACR/EULAR classification criteria for SSc. <i>Modern Rheumatology</i> , 2017, 27, 614-617.	1.8	5
130	Case of anti-transcriptional intermediary factor-1 α -positive dermatomyositis associated with breast cancer developing over 10 years. <i>Journal of Dermatology</i> , 2017, 44, 972-973.	1.2	5
131	Food-dependent exercise-induced anaphylaxis due to shrimp associated with 43 kDa, a new antigen. <i>Journal of Dermatology</i> , 2018, 45, 366-367.	1.2	5
132	Long-term follow-up of finger passive range of motion in Japanese systemic sclerosis patients treated with self-administered stretching. <i>Modern Rheumatology</i> , 2019, 29, 484-490.	1.8	5
133	Availability of EuroQol-5-Dimensions-5-Level (EQ-5D-5L) as health-related QOL assessment for Japanese systemic sclerosis patients. <i>Modern Rheumatology</i> , 2020, 30, 681-686.	1.8	5
134	Association of functional (GA)n microsatellite polymorphism in the FLI1 gene with susceptibility to human systemic sclerosis. <i>Rheumatology</i> , 2020, 59, 3553-3562.	1.9	5
135	Antigen specificity of antihistone antibodies in connective tissue disease patients with anti-U1RNP antibodies. <i>Rheumatology International</i> , 2007, 28, 113-119.	3.0	4
136	Scleroderma: recent lessons from murine models and implications for future therapeutics. <i>Expert Review of Dermatology</i> , 2013, 8, 527-539.	0.3	4
137	Autoantibody to scaffold attachment factor B (SAFB): A novel connective tissue disease-related autoantibody associated with interstitial lung disease. <i>Journal of Autoimmunity</i> , 2017, 76, 101-107.	6.5	4
138	Increased interleukin-9 levels in sera, muscle and skin of patients with dermatomyositis. <i>Journal of Dermatology</i> , 2018, 45, 1023-1025.	1.2	4
139	Severe Mononeuritis Multiplex due to Rheumatoid Vasculitis in Rheumatoid Arthritis in Sustained Clinical Remission for Decades. <i>Internal Medicine</i> , 2020, 59, 705-710.	0.7	4
140	Clinical features of Japanese systemic sclerosis (SSc) patients negative for SSc-related autoantibodies: A single-center retrospective study. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1219-1225.	1.9	4
141	Clinical association of serum CD137 (4-1BB) levels in patients with systemic sclerosis. <i>Journal of Dermatological Science</i> , 2009, 53, 159-161.	1.9	3
142	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients. <i>Modern Rheumatology</i> , 2013, , 1.	1.8	3
143	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 913-919.	1.8	3
144	CD22 and CD72 cooperatively contribute to the development of the reverse Arthus reaction model. <i>Journal of Dermatological Science</i> , 2019, 95, 36-43.	1.9	3

#	ARTICLE	IF	CITATIONS
145	Characteristics of Japanese patients with eosinophilic fasciitis: A brief multicenter study. <i>Journal of Dermatology</i> , 2020, 47, 1391-1394.	1.2	3
146	Sporadic Amyotrophic Lateral Sclerosis Due to a FUS P525L Mutation with Asymmetric Muscle Weakness and Anti-ganglioside Antibodies. <i>Internal Medicine</i> , 2021, 60, 1949-1953.	0.7	3
147	Case of pembrolizumab-induced dermatomyositis with α -transcription intermediary factor 1 antibody. <i>Journal of Dermatology</i> , 2022, 49, .	1.2	3
148	Cytokine-producing B cell balance associates with skin fibrosis in patients with systemic sclerosis. <i>Journal of Dermatology</i> , 0, , .	1.2	3
149	Two cases of livedo vasculopathy with non-criteria antiphospholipid antibodies. <i>Journal of Dermatology</i> , 2012, 39, 1026-1030.	1.2	2
150	A role for Fc γ RIIB in the development of murine bleomycin-induced fibrosis. <i>Journal of Dermatological Science</i> , 2021, 104, 201-209.	1.9	2
151	Influence of femoral lengthening on hip joint space in posttraumatic femoral shortening. <i>Acta Orthopaedica</i> , 1997, 68, 541-544.	1.4	1
152	Human case of subcutaneous nodule because of a novel genetic variation of <i>Dirofilaria</i> sp.. <i>Journal of Dermatology</i> , 2019, 46, 914-916.	1.2	1
153	A case of juvenile localized scleroderma with anti-topoisomerase I antibody. <i>European Journal of Dermatology</i> , 2019, 29, 443-444.	0.6	1
154	Discrepancy in responses to dabrafenib plus trametinib combination therapy in intracranial and extracranial metastases in melanoma patients. <i>Journal of Dermatology</i> , 2021, 48, e82-e83.	1.2	1
155	A case of anti-NXP2 antibody-positive dermatomyositis with improvement of clinical symptoms and disappearance of autoantibody after resection of uterine cancer. <i>European Journal of Dermatology</i> , 2020, 30, 612-613.	0.6	1
156	A crucial role of L-selectin in C protein-induced experimental polymyositis of mice. <i>Journal of Dermatological Science</i> , 2016, 84, e9.	1.9	0
157	The inhibitor of p38 MAP kinase suppresses skin fibrosis in the sclerodermatous chronic GVHD. <i>Journal of Dermatological Science</i> , 2016, 84, e15.	1.9	0
158	Decreased levels of regulatory B cells in patients with systemic sclerosis: Association with autoantibody production and disease activity. <i>Journal of Dermatological Science</i> , 2016, 84, e96.	1.9	0
159	The Role of B Cells in Systemic Sclerosis. , 2016, , 173-185.		0
160	Dual aspects of B cells in tumor immunity; B cells are capable of positive and negative regulation for tumor immunity against B16 melanoma. <i>Journal of Dermatological Science</i> , 2017, 86, e63.	1.9	0
161	A unique CD9 + CD80 + regulatory B cell inhibits contact hypersensitivity response. <i>Journal of Dermatological Science</i> , 2017, 86, e2.	1.9	0
162	Watermelon stomach and colon in a patient with diffuse cutaneous systemic sclerosis. <i>Modern Rheumatology</i> , 2017, 27, 376-377.	1.8	0

#	ARTICLE	IF	CITATIONS
163	A case of dermatomyositis with the anti- α -signal recognition particle antibody that was successfully treated with prednisolone and intravenous immunoglobulin therapy. <i>Journal of Dermatology</i> , 2019, 46, e251-e253.	1.2	0
164	Augmented interferon I signaling in a patient with COVID toes. <i>Journal of Dermatology</i> , 2021, 48, e242-e243.	1.2	0
165	B Cell Role in the Pathogenesis of Systemic Sclerosis. <i>Nishinohon Journal of Dermatology</i> , 2021, 83, 397-401.	0.0	0
166	The Hand and Environment (4). <i>Journal of UOEH</i> , 1982, 4, 33-40.	0.6	0
167	A case of Merkel cell carcinoma of the right big toe with Merkel cell polyomavirus infection. <i>Skin Cancer</i> , 2016, 31, 30-34.	0.0	0
168	A case of myxofibrosarcoma with lung metastasis. <i>Skin Cancer</i> , 2016, 31, 35-39.	0.0	0
169	Successful radiation therapy for primary cutaneous follicle center lymphoma. <i>Journal of Case Reports in Medicine</i> , 2019, 8, .	0.0	0
170	A case of anti- α -OJ antibody-positive polymyositis with marked muscle involvement and interstitial lung disease. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 13-16.	0.3	0
171	A case of anti-NXP2 antibody-positive dermatomyositis with improvement of clinical symptoms and disappearance of autoantibody after resection of uterine cancer. <i>European Journal of Dermatology</i> , 2020, 30, 612-613.	0.6	0
172	A case of lymphoma-associated haemophagocytic syndrome in advanced-stage mycosis fungoides. <i>European Journal of Dermatology</i> , 2020, 30, 606-608.	0.6	0
173	Increased expression levels of Fc γ RIIB on na \tilde{v} e and double-negative memory B cells in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 23-31.	0.8	0