Douglas A Melton

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/3172739/publications.pdf

Version: 2024-02-01

95
papers

26,360
citations

24978
57
h-index

43802
91
g-index

105
all docs

105
docs citations

105
times ranked

24811
citing authors

#	Article	IF	Citations
1	Cell maturation: Hallmarks, triggers, and manipulation. Cell, 2022, 185, 235-249.	13.5	42
2	Genetic manipulation of stress pathways can protect stem-cell-derived islets from apoptosis inÂvitro. Stem Cell Reports, 2022, 17, 766-774.	2.3	15
3	A Stem Cell Approach to Cure Type 1 Diabetes. Cold Spring Harbor Perspectives in Biology, 2021, 13, a035741.	2.3	42
4	Generation of a heterozygous GAPDH-Luciferase human ESC line (HVRDe008-A-1) for in vivo monitoring of stem cells and their differentiated progeny. Stem Cell Research, 2021, 53, 102371.	0.3	6
5	A therapeutic convectionâ€“enhanced macroencapsulation device for enhancing Î² cell viability and insulin secretion. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	29
6	Building Biomimetic Potency Tests for Islet Transplantation. Diabetes, 2021, 70, 347-363.	0.3	9
7	A human ESC line for efficient CRISPR editing of pluripotent stem cells. Stem Cell Research, 2021, 57, 102591.	0.3	3
8	209.6: Long-term Functional Survival of Human Stem Cell-derived Islets Microencapsulated in Alginate With CXCL12 in Non-human Primates Without Immunosuppression. Transplantation, 2021, 105, S16-S16.	0.5	0
9	402.4: Genetic Approaches to Attain Hypo-immunogenic Human Stem Cell Derived Islets for Transplantation. Transplantation, 2021, 105, S28-S28.	0.5	0
10	Inhibition of mTOR Signaling Enhances Maturation of Cardiomyocytes Derived From Human-Induced Pluripotent Stem Cells via p53-Induced Quiescence. Circulation, 2020, 141, 285-300.	1.6	72
11	Identification of a LIF-Responsive, Replication-Competent Subpopulation of Human Î² Cells. Cell Metabolism, 2020, 31, 327-338.e6.	7.2	17
12	Circadian Entrainment Triggers Maturation of Human InÂVitro Islets. Cell Stem Cell, 2020, 26, 108-122.e10.	5.2	127
13	Modeling Type 1 Diabetes InÂVitro Using Human Pluripotent Stem Cells. Cell Reports, 2020, 32, 107894.	2.9	55
14	A 3D culture platform enables development of zinc-binding prodrugs for targeted proliferation of Î² cells. Science Advances, 2020, 6, .	4.7	22
15	Genome-scale in vivo CRISPR screen identifies RNLS as a target for beta cell protection in type 1 diabetes. Nature Metabolism, 2020, 2, 934-945.	5.1	53
16	A method for the generation of human stem cell-derived alpha cells. Nature Communications, 2020, 11, 2241.	5.8	54
17	Glucose Response by Stem Cell-Derived Î² Cells InÂVitro Is Inhibited by a Bottleneck in Glycolysis. Cell Reports, 2020, 31, 107623.	2.9	72
18	A Nutrient-Sensing Transition at Birth Triggers Glucose-Responsive Insulin Secretion. Cell Metabolism, 2020, 31, 1004-1016.e5.	7.2	84

#	Article	IF	Citations
19	Exogenous GDF11, but not GDF8, reduces body weight and improves glucose homeostasis in mice. Scientific Reports, 2020, 10, 4561.	1.6	15
20	Purification of Live Stemâ€Cellâ€Derived Islet Lineage Intermediates. Current Protocols in Stem Cell Biology, 2020, 53, e111.	3.0	3
21	Midkine is a dual regulator of wound epidermis development and inflammation during the initiation of limb regeneration. ELife, 2020, 9, .	2.8	30
22	Organoid Maturation by Circadian Entrainment. StemJournal, 2020, 2, 7-13.	0.8	0
23	Identifying gene expression programs of cell-type identity and cellular activity with single-cell RNA-Seq. ELife, 2019, 8, .	2.8	252
24	Live Cell Monitoring and Enrichment of Stem Cellâ€Derived Î² Cells Using Intracellular Zinc Content as a Population Marker. Current Protocols in Stem Cell Biology, 2019, 51, e99.	3.0	13
25	Synchronized stimulation and continuous insulin sensing in a microfluidic human Islet on a Chip designed for scalable manufacturing. Lab on A Chip, 2019, 19, 2993-3010.	3.1	74
26	Wnt Signaling Separates the Progenitor and Endocrine Compartments during Pancreas Development. Cell Reports, 2019, 27, 2281-2291.e5.	2.9	100
27	Charting cellular identity during human in vitro Î²-cell differentiation. Nature, 2019, 569, 368-373.	13.7	358
28	Generation of hypoimmunogenic human pluripotent stem cells. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 10441-10446.	3.3	222
29	YAP inhibition enhances the differentiation of functional stem cell-derived insulin-producing Î² cells. Nature Communications, 2019, 10, 1464.	5.8	109
30	Regenerating the field of cardiovascular cell therapy. Nature Biotechnology, 2019, 37, 232-237.	9.4	140
31	Alginate-microencapsulation of human stem cellâ€“derived Î² cells with CXCL12 prolongs their survival and function in immunocompetent mice without systemic immunosuppression. American Journal of Transplantation, 2019, 19, 1930-1940.	2.6	94
32	Blastemal progenitors modulate immune signaling during early limb regeneration. Development (Cambridge), 2019, 146, .	1.2	43
33	A Peninsular Structure Coordinates Asynchronous Differentiation with Morphogenesis to Generate Pancreatic Islets. Cell, 2019, 176, 790-804.e13.	13.5	103
34	Establishment of human pluripotent stem cell-derived pancreatic Î²-like cells in the mouse pancreas. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 3924-3929.	3.3	32
35	Apolipoprotein E is a pancreatic extracellular factor that maintains mature Î²-cell gene expression. PLoS ONE, 2018, 13, e0204595.	1.1	5
36	Pancreas regeneration. Nature, 2018, 557, 351-358.	13.7	256

#	ARTICLE	IF	CITATIONS
37	Resolving Discrepant Findings on ANGPTL8 in Î²-Cell Proliferation: A Collaborative Approach to Resolving the Betatrophin Controversy. PLoS ONE, 2016, 11, e0159276.	1.1	51
38	Applied Developmental Biology. Current Topics in Developmental Biology, 2016, 117, 65-73.	1.0	21
39	A Single-Cell Transcriptomic Map of the Human and Mouse Pancreas Reveals Inter- and Intra-cell Population Structure. Cell Systems, 2016, 3, 346-360.e4.	2.9	1,098
40	Generation of stem cell-derived Î²-cells from patients with type 1 diabetes. Nature Communications, 2016, 7, 11463.	5.8	280
41	Long-term glycemic control using polymer-encapsulated human stem cellâ€“derived beta cells in immune-competent mice. Nature Medicine, 2016, 22, 306-311.	15.2	564
42	Reprogrammed Stomach Tissue as a Renewable Source of Functional Î² Cells for Blood Glucose Regulation. Cell Stem Cell, 2016, 18, 410-421.	5.2	119
43	Modeling Human Nutrition Using Human Embryonic Stem Cells. Cell, 2015, 161, 12-17.	13.5	9
44	A Src inhibitor regulates the cell cycle of human pluripotent stem cells and improves directed differentiation. Journal of Cell Biology, 2015, 210, 1257-1268.	2.3	27
45	Angptl4 links Î±-cell proliferation following glucagon receptor inhibition with adipose tissue triglyceride metabolism. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 15498-15503.	3.3	28
46	Testing Pancreatic Islet Function at the Single Cell Level by Calcium Influx with Associated Marker Expression. PLoS ONE, 2015, 10, e0122044.	1.1	32
47	MARIS: Method for Analyzing RNA following Intracellular Sorting. PLoS ONE, 2014, 9, e89459.	1.1	93
48	In vivo reprogramming of pancreatic acinar cells to three islet endocrine subtypes. ELife, 2014, 3, e01846.	2.8	119
49	Perspectives on the Activities of ANGPTL8/Betatrophin. Cell, 2014, 159, 467-468.	13.5	38
50	Generation of Functional Human Pancreatic Î² Cells InÂVitro. Cell, 2014, 159, 428-439.	13.5	1,643
51	Differentiated human stem cells resemble fetal, not adult, Î² cells. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 3038-3043.	3.3	259
52	Reversal of Î² cell de-differentiation by a small molecule inhibitor of the TGFÎ² pathway. ELife, 2014, 3, e02809.	2.8	116
53	Brief Report: VGLL4 Is a Novel Regulator of Survival in Human Embryonic Stem Cells. Stem Cells, 2013, 31, 2833-2841.	1.4	20
54	How to make a functional Î²-cell. Development (Cambridge), 2013, 140, 2472-2483.	1.2	200

#	ARTICLE	IF	CITATIONS
55	Functional evaluation of ES cell-derived endodermal populations reveals differences between Nodal and Activin A-guided differentiation. Development (Cambridge), 2013, 140, 675-686.	1.2	48
56	A simple tool to improve pluripotent stem cell differentiation. Nature Methods, 2013, 10, 553-556.	9.0	159
57	Adenosine kinase inhibition selectively promotes rodent and porcine islet Î²-cell replication. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3915-3920.	3.3	120
58	Self-renewal of embryonic-stem-cell-derived progenitors by organ-matched mesenchyme. Nature, 2012, 491, 765-768.	13.7	119
59	Functional beta-cell maturation is marked by an increased glucose threshold and by expression of urocortin 3. Nature Biotechnology, 2012, 30, 261-264.	9.4	322
60	Wnt signaling specifies and patterns intestinal endoderm. Mechanisms of Development, 2011, 128, 387-400.	1.7	94
61	How to make Î² cells?. Current Opinion in Cell Biology, 2009, 21, 727-732.	2.6	72
62	Transcriptional dynamics of endodermal organ formation. Developmental Dynamics, 2009, 238, 29-42.	0.8	165
63	Small Molecules Efficiently Direct Endodermal Differentiation of Mouse and Human Embryonic Stem Cells. Cell Stem Cell, 2009, 4, 348-358.	5.2	404
64	Genetic targeting of the endoderm with claudinâ€6^{CreER}. Developmental Dynamics, 2008, 237, 504-512.	0.8	54
65	In vivo reprogramming of adult pancreatic exocrine cells to Î²-cells. Nature, 2008, 455, 627-632.	13.7	1,892
66	Marked differences in differentiation propensity among human embryonic stem cell lines. Nature Biotechnology, 2008, 26, 313-315.	9.4	764
67	Prospective isolation and global gene expression analysis of definitive and visceral endoderm. Developmental Biology, 2007, 304, 541-555.	0.9	114
68	A Multipotent Progenitor Domain Guides Pancreatic Organogenesis. Developmental Cell, 2007, 13, 103-114.	3.1	484
69	Notch signaling reveals developmental plasticity of Pax4+ pancreatic endocrine progenitors and shunts them to a duct fate. Mechanisms of Development, 2007, 124, 97-107.	1.7	58
70	All Î² Cells Contribute Equally to Islet Growth and Maintenance. PLoS Biology, 2007, 5, e163.	2.6	191
71	Recovery from diabetes in mice by Î² cell regeneration. Journal of Clinical Investigation, 2007, 117, 2553-2561.	3.9	525
72	The Vascular Basement Membrane: A Niche for Insulin Gene Expression and Î² Cell Proliferation. Developmental Cell, 2006, 10, 397-405.	3.1	463

#	ARTICLE	IF	CITATIONS
73	Reversal of Type 1 Diabetes in Mice. New England Journal of Medicine, 2006, 355, 89-90.	13.9	24
74	Direct regulation of intestinal fate by Notch. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 12443-12448.	3.3	266
75	Î²-Catenin is essential for pancreatic acinar but not islet development. Development (Cambridge), 2005, 132, 4663-4674.	1.2	211
76	The Molecular Biography of the Cell. Cell, 2005, 120, 729-731.	13.5	10
77	Core Transcriptional Regulatory Circuitry in Human Embryonic Stem Cells. Cell, 2005, 122, 947-956.	13.5	4,000
78	The Src Family of Tyrosine Kinases Is Important for Embryonic Stem Cell Self-renewal. Journal of Biological Chemistry, 2004, 279, 31590-31598.	1.6	128
79	Adult pancreatic Î²-cells are formed by self-duplication rather than stem-cell differentiation. Nature, 2004, 429, 41-46.	13.7	2,079
80	Derivation of Embryonic Stem-Cell Lines from Human Blastocysts. New England Journal of Medicine, 2004, 350, 1353-1356.	13.9	892
81	Endothelial signaling during development. Nature Medicine, 2003, 9, 661-668.	15.2	455
82	Genes, Signals, and Lineages in Pancreas Development. Annual Review of Cell and Developmental Biology, 2003, 19, 71-89.	4.0	207
83	Signals from lateral plate mesoderm instruct endoderm toward a pancreatic fate. Developmental Biology, 2003, 259, 109-122.	0.9	222
84	Notch signaling controls multiple steps of pancreatic differentiation. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 14920-14925.	3.3	708
85	Direct evidence for the pancreatic lineage: NGN3+ cells are islet progenitors and are distinct from duct progenitors. Development (Cambridge), 2002, 129, 2447-2457.	1.2	1,336
86	Direct evidence for the pancreatic lineage: NGN3+ cells are islet progenitors and are distinct from duct progenitors. Development (Cambridge), 2002, 129, 2447-57.	1.2	703
87	Key events of pancreas formation are triggered in gut endoderm by ectopic expression of pancreatic regulatory genes. Genes and Development, 2001, 15, 444-454.	2.7	264
88	Development of the pancreas inXenopus laevis. Developmental Dynamics, 2000, 218, 615-627.	0.8	62
89	Notch gene expression during pancreatic organogenesis. Mechanisms of Development, 2000, 94, 199-203.	1.7	111
90	Activin receptor patterning of foregut organogenesis. Genes and Development, 2000, 14, 1866-1871.	2.7	192

#	ARTICLE	IF	CITATIONS
91	Vertebrate Endoderm Development. Annual Review of Cell and Developmental Biology, 1999, 15, 393-410.	4.0	473
92	Mixer, a Homeobox Gene Required for Endoderm Development. , 1998, 281, 91-96.		191
93	Derivation of Human Embryonic Stem Cells. , 0, , 35-51.		4
94	Part A: Directed Differentiation of Human Embryonic Stem Cells into Early Endoderm Cells. , 0, , 179-186.		1
95	Development of the pancreas in Xenopus laevis. , 0, .		2